

# References

## In this guide

### [In this guide](#)

1. [Report on Botulinum Neurotoxin-Producing Clostridia](#)
  2. [Taxonomy of Botulinum Neurotoxin-Forming Clostridia and their Neurotoxins](#)
  3. [Detection](#)
  4. [Epidemiology](#)
  5. [Occurrence, Growth and Survival](#)
  6. [Risk Assessment](#)
  7. [Recommendations](#)
  8. [References](#)
- 
1. Advisory Committee on the Microbiological Safety of Food (ACMSF). *Report on Vacuum Packaging and Associated Processes.*; 1992.  
[https://acmsf.food.gov.uk/sites/default/files/mnt/drupal\\_data/sources/files/multimedia/pdfs](https://acmsf.food.gov.uk/sites/default/files/mnt/drupal_data/sources/files/multimedia/pdfs)
  2. FSA. *The safety and shelf-Life of vacuum and modified atmosphere packed chilled foods with respect to non-proteolytic Clostridium botulinum.*; 2020.  
[https://www.food.gov.uk/sites/default/files/media/document/the-safety-and-shelf-life-of-vacuum-and-modified-atmosphere-packed-chilled-foods-with-respect-to-non-proteolytic-clostridium-botulinum\\_1.pdf](https://www.food.gov.uk/sites/default/files/media/document/the-safety-and-shelf-life-of-vacuum-and-modified-atmosphere-packed-chilled-foods-with-respect-to-non-proteolytic-clostridium-botulinum_1.pdf)
  3. Li J, Paredes-Sabja D, Sarker MR, McClane BA. Clostridium perfringens Sporulation and Sporulation-Associated Toxin Production. *Microbiol Spectr.* 2016;4(3). <https://doi.org/10.1128/microbiolspec.TBS-0022-2015>
  4. Zornetta I, Azarnia Tehran D, Arrigoni G, et al. The first non Clostridial botulinum-like toxin cleaves VAMP within the juxtamembrane domain. *Sci Rep.* 2016;6:30257. <https://doi.org/10.1038/srep30257>
  5. Peck MW, Smith TJ, Anniballi F, et al. Historical Perspectives and Guidelines for Botulinum Neurotoxin Subtype Nomenclature. *Toxins.* 2017;9(1):E38.  
<https://doi.org/10.3390/toxins9010038>

6. WHO. Botulism. Published 2018. Accessed October 28, 2022. <https://www.who.int/news-room/fact-sheets/detail/botulism>
7. Peck MW. Biology and genomic analysis of *Clostridium botulinum*. *Adv Microb Physiol*. 2009;55:183-265, 320. [https://doi.org/10.1016/S0065-2911\(09\)05503-9](https://doi.org/10.1016/S0065-2911(09)05503-9)
8. Brunt J, van Vliet AHM, Carter AT, et al. Diversity of the Genomes and Neurotoxins of Strains of *Clostridium botulinum* Group I and *Clostridium sporogenes* Associated with Foodborne, Infant and Wound Botulism. *Toxins*. 2020;12(9):E586. <https://doi.org/10.3390/toxins12090586>
9. Brunt J, van Vliet AHM, Stringer SC, Carter AT, Lindström M, Peck MW. Pan-Genomic Analysis of *Clostridium botulinum* Group II (Non-Proteolytic *C. botulinum*) Associated with Foodborne Botulism and Isolated from the Environment. *Toxins*. 2020;12(5):E306. <https://doi.org/10.3390/toxins12050306>
10. Wachnicka E, Stringer SC, Barker GC, Peck MW. Systematic Assessment of Nonproteolytic *Clostridium botulinum* Spores for Heat Resistance. *Appl Environ Microbiol*. 2016;82(19):6019-6029. <https://doi.org/10.1128/AEM.01737-16>
11. van Vliet AHM. Personal communication (University of Surrey, Guildford, UK). Published online 2022.
12. Mazuet C, Legeay C, Sautereau J, et al. Characterization of *Clostridium baratii* Type F Strains Responsible for an Outbreak of Botulism Linked to Beef Meat Consumption in France. *PLoS Curr*. 2017;9. <https://doi.org/10.1371/currents.outbreaks.6ed2fe754b58a5c42d0c33d586ffc606>
13. Silva-Andrade C, Martin AJ, Garrido D. Comparative Genomics of *Clostridium baratii* Reveals Strain-Level Diversity in Toxin Abundance. *Microorganisms*. 2022;10(2):213. <https://doi.org/10.3390/microorganisms10020213>
14. Brunt J, Carter AT, Stringer SC, Peck MW. Identification of a novel botulinum neurotoxin gene cluster in *Enterococcus*. *FEBS Lett*. 2018;592(3):310-317. <https://doi.org/10.1002/1873-3468.12969>
15. Mansfield MJ, Adams JB, Doxey AC. Botulinum neurotoxin homologs in non-*Clostridium* species. *FEBS Lett*. 2015;589(3):342-348. <https://doi.org/10.1016/j.febslet.2014.12.018>

16. Wentz TG, Muruvanda T, Lomonaco S, et al. Closed Genome Sequence of *Chryseobacterium piperi* Strain CTMT/ATCC BAA-1782, a Gram-Negative Bacterium with Clostridial Neurotoxin-Like Coding Sequences. *Genome Announc.* 2017;5(48):e01296-17. <https://doi.org/10.1128/genomeA.01296-17>
17. Thirunavukkarasu N, Johnson E, Pillai S, et al. Botulinum Neurotoxin Detection Methods for Public Health Response and Surveillance. *Front Bioeng Biotechnol.* 2018;6:80. <https://doi.org/10.3389/fbioe.2018.00080>
18. Health Protection Scotland (HPS). *An Outbreak of Food-Borne Botulism in Scotland, November 2011.*; 2013. Accessed October 28, 2022. <https://hps.scot.nhs.uk/web-resources-container/an-outbreak-of-food-borne-botulism-in-scotland-november-2011/>
19. Nepal MR, Jeong TC. Alternative Methods for Testing Botulinum Toxin: Current Status and Future Perspectives. *Biomol Ther.* 2020;28(4):302-310. <https://doi.org/10.4062/biomolther.2019.200>
20. Cheng LW, Land KM, Tam C, et al. Technologies for Detecting Botulinum Neurotoxins in Biological and Environmental Matrices. In: *Significance, Prevention and Control of Food Related Diseases.* Makun, H. IntechOpen; 2016. <https://doi.org/10.5772/63064>
21. Chen Y, Li H, Yang L, et al. Rapid Detection of *Clostridium botulinum* in Food Using Loop-Mediated Isothermal Amplification (LAMP). *Int J Environ Res Public Health.* 2021;18(9):4401. <https://doi.org/10.3390/ijerph18094401>
22. Williamson CHD, Vazquez AJ, Hill K, et al. Differentiating Botulinum Neurotoxin-Producing Clostridia with a Simple, Multiplex PCR Assay. *Appl Environ Microbiol.* 2017;83(18):e00806-17. <https://doi.org/10.1128/AEM.00806-17>
23. Peck MW, Plowman J, Aldus CF, et al. Development and Application of a New Method for Specific and Sensitive Enumeration of Spores of Nonproteolytic *Clostridium botulinum* Types B, E, and F in Foods and Food Materials. *Appl Environ Microbiol.* 2010;76(19):6607-6614. <https://doi.org/10.1128/AEM.01007-10>
24. Doyle CJ, O'Toole PW, Cotter PD. Genomic Characterization of Sulphite Reducing Bacteria Isolated From the Dairy Production Chain. *Front Microbiol.* 2018;9. Accessed November 9, 2022. <https://doi.org/10.3389/fmicb.2018.01507>
25. Anniballi F, Auricchio B, Fiore A, et al. Botulism in Italy, 1986 to 2015. *Euro Surveill Bull Eur Sur Mal Transm Eur Commun Dis Bull.* 2017;22(24):30550.

<https://doi.org/10.2807/1560-7917.ES.2017.22.24.30550>

26. Rasetti-Escargueil C, Lemichez E, Popoff MR. Human Botulism in France, 1875–2016. *Toxins*. 2020;12(5):338. <https://doi.org/10.3390/toxins12050338>
27. Rao AK. Clinical Guidelines for Diagnosis and Treatment of Botulism, 2021. *MMWR Recomm Rep*. 2021;70. <https://doi.org/10.15585/mmwr.rr7002a1>
28. Health Security Agency. Personal communication. Published online 2022.
29. Li H, Guo Y, Tian T, et al. Epidemiological Analysis of Foodborne Botulism Outbreaks — China, 2004–2020. *China CDC Wkly*. 2022;4(35):788-792. <https://doi.org/10.46234/ccdcw2022.114>
30. Fleck-Derderian S, Shankar M, Rao AK, et al. The Epidemiology of Foodborne Botulism Outbreaks: A Systematic Review. *Clin Infect Dis Off Publ Infect Dis Soc Am*. 2017;66(suppl\_1):S73-S81. <https://doi.org/10.1093/cid/cix846>
31. Rasetti-Escargueil C, Lemichez E, Popoff MR. Human Botulism in France, 1875–2016. *Toxins*. 2020;12(5):338. <https://doi.org/10.3390/toxins12050338>
32. Mazuet C, Legeay C, Sautereau J, et al. Characterization of *Clostridium baratii* Type F Strains Responsible for an Outbreak of Botulism Linked to Beef Meat Consumption in France. *PLoS Curr*. 2017;9. <https://doi.org/10.1371/currents.outbreaks.6ed2fe754b58a5c42d0c33d586ffc606>
33. Aureli P, Fenicia L, Pasolini B, Gianfranceschi M, McCroskey LM, Hatheway CL. Two Cases of Type E Infant Botulism Caused by Neurotoxigenic *Clostridium butyricum* in Italy. *J Infect Dis*. 1986;154(2):207-211. <https://doi.org/10.1093/infdis/154.2.207>
34. Mazuet C, King L, Bouvet P, Legeay C, Sautereau J, Popoff M. Le botulisme humain en France, 2010-2012. *Bull Epidémiologique Hebd*. 2014;6:106-114.
35. Aureli P, Di Cunto M, Maffei A, et al. An outbreak in Italy of botulism associated with a dessert made with mascarpone cream cheese. *Eur J Epidemiol*. 2000;16(10):913-918. <https://doi.org/10.1023/A:1011002401014>
36. Fenicia L, Franciosa G, Pourshaban M, Aureli P. Intestinal toxemia botulism in two young people, caused by *Clostridium butyricum* type E. *Clin Infect Dis Off Publ Infect Dis Soc Am*. 1999;29(6):1381-1387. <https://doi.org/10.1086/313497>
37. Lúquez C, Edwards L, Griffin C, Sobel J. Foodborne Botulism Outbreaks in the United States, 2001-2017. *Front Microbiol*. 2021;12:713101.

<https://doi.org/10.3389/fmicb.2021.713101>

38. Harvey SM, Sturgeon J, Dassey DE. Botulism due to *Clostridium baratii* type F toxin. *J Clin Microbiol*. 2002;40(6):2260-2262.

<https://doi.org/10.1128/JCM.40.6.2260-2262.2002>

39. Karsen H, Ceylan MR, Bayındır H, Akdeniz H. Foodborne botulism in Turkey, 1983 to 2017. *Infect Dis*. 2019;51(2):91-96.

<https://doi.org/10.1080/23744235.2018.1524582>

40. Khorasan MRM, Rahbar M, Bialvaei AZ, Gouya MM, Shahcheraghi F, Eshrati B. Prevalence, Risk Factors, and Epidemiology of Food-borne Botulism in Iran. *J Epidemiol Glob Health*. 2020;10(4):288-292.

<https://doi.org/10.2991/jegh.k.200517.001>

41. Leclair D, Fung J, Isaac-Renton JL, et al. Foodborne botulism in Canada, 1985-2005. *Emerg Infect Dis*. 2013;19(6):961-968.

<https://doi.org/10.3201/eid1906.120873>

42. Taylor M, Galanis E, Forsting S, et al. Enteric outbreak surveillance in British Columbia, 2009-2013. *Can Commun Dis Rep*. 2015;41(11):263-271.

<https://doi.org/10.14745/ccdr.v41i11a02>

43. Czerwiński M, Czarkowski MP, Kondej B. Foodborne botulism in Poland in 2012. *Przegl Epidemiol*. 2014;68(2):249-252, 357-359.

44. Czerwiński M, Czarkowski MP, Kondej B. Foodborne botulism in Poland in 2013. *Przegl Epidemiol*. 2015;69(2):243-245, 363-365.

45. Czerwiński M, Czarkowski MP, Kondej B. Foodborne botulism in Poland in 2014. *Przegl Epidemiol*. 2016;70(2):217-223.

46. Czerwiński M, Czarkowski MP, Kondej B. Foodborne botulism in Poland in 2015. *Przegl Epidemiol*. 2017;71(3):339-344.

47. Fu SW, Wang CH. An Overview of Type E Botulism in China. *Biomed Environ Sci*. 2008;21(4):353-356. [https://doi.org/10.1016/S0895-3988\(08\)60054-9](https://doi.org/10.1016/S0895-3988(08)60054-9)

48. Peck MW, Webb MD, Goodburn KE. Assessment of the risk of botulism from chilled, vacuum/modified atmosphere packed fresh beef, lamb and pork held at 3 °C–8 °C. *Food Microbiol*. 2020;91:103544.

<https://doi.org/10.1016/j.fm.2020.103544>

49. Edmunds S, Vugia DJ, Rosen HE, et al. Inadequate Refrigeration of Some Commercial Foods Is a Continued Cause of Foodborne Botulism in the United States, 1994–2021. *Foodborne Pathog Dis.* 2022;19(6):417-422.  
<https://doi.org/10.1089/fpd.2021.0023>
50. Advisory Committee on the Microbiological Safety of Food (ACMSF). *Report on Botulism in Cattle.*; 2006.
51. Advisory Committee on Microbiological Safety of Foods (ACMSF). *Report on Botulism in Sheep and Goats.*; 2009.
52. Chaudhry R, Dhawan B, Kumar D, et al. Outbreak of suspected *Clostridium butyricum* botulism in India. *Emerg Infect Dis.* 1998;4(3):506-507.  
<https://doi.org/10.3201/eid0403.980347>
53. Meng X, Karasawa T, Zou K, et al. Characterization of a neurotoxicogenic *Clostridium butyricum* strain isolated from the food implicated in an outbreak of food-borne type E botulism. *J Clin Microbiol.* 1997;35(8):2160-2162.  
<https://doi.org/10.1128/jcm.35.8.2160-2162.1997>
54. Anniballi F, Fenicia L, Franciosa G, Aureli P. Influence of pH and temperature on the growth of and toxin production by neurotoxicogenic strains of *Clostridium butyricum* type E. *J Food Prot.* 2002;65(8):1267-1270.  
<https://doi.org/10.4315/0362-028x-65.8.1267>
55. Zhao W, Lin H, Qian L, Gu X, Dong S, Wang L. Study on an outbreak of type E botulism. *Chin J Health Lab Technol.* 1995;(5):62-63.
56. Meng X, Yamakawa K, Zou K, et al. Isolation and characterisation of neurotoxicogenic *Clostridium butyricum* from soil in China. *J Med Microbiol.* 1999;48(2):133-137. <https://doi.org/10.1099/00222615-48-2-133>
57. Hall JD, McCroskey LM, Pincomb BJ, Hatheway CL. Isolation of an organism resembling *Clostridium baratii* which produces type F botulinum toxin from an infant with botulism. *J Clin Microbiol.* 1985;21(4):654-655.  
<https://doi.org/10.1128/jcm.21.4.654-655.1985>
58. Barash JR, Tang TWH, Arnon SS. First case of infant botulism caused by *Clostridium baratii* type F in California. *J Clin Microbiol.* 2005;43(8):4280-4282.  
<https://doi.org/10.1128/JCM.43.8.4280-4282.2005>
59. Hannett GE, Schaffzin JK, Davis SW, et al. Two cases of adult botulism caused by botulinum neurotoxin-producing *Clostridium baratii*. *Anaerobe.*

2014;30:178-180. <https://doi.org/10.1016/j.anaerobe.2014.10.005>

60. McCroskey LM, Hatheway CL, Woodruff BA, Greenberg JA, Jurgenson P. Type F botulism due to neurotoxic Clostridium baratii from an unknown source in an adult. *J Clin Microbiol*. 1991;29(11):2618-2620.

<https://doi.org/10.1128/jcm.29.11.2618-2620.1991>

61. Lafuente S, Nolla J, Valdezate S, et al. Two simultaneous botulism outbreaks in Barcelona: Clostridium baratii and Clostridium botulinum. *Epidemiol Infect*. 2013;141(9):1993-1995. <https://doi.org/10.1017/S0950268812002592>

62. Castor C, Mazuet C, Saint-Leger M, et al. Cluster of two cases of botulism due to Clostridium baratii type F in France, November 2014. *Euro Surveill Bull Eur Sur Mal Transm Eur Commun Dis Bull*. 2015;20(6):21031.

<https://doi.org/10.2807/1560-7917.es2015.20.6.21031>

63. Tréhard H, Poujol I, Mazuet C, et al. A cluster of three cases of botulism due to Clostridium baratii type F, France, August 2015. *Euro Surveill Bull Eur Sur Mal Transm Eur Commun Dis Bull*. 2016;21(4). <https://doi.org/10.2807/1560-7917.ES.2016.21.4.30117>

64. Raphael BH, Choudoir MJ, Lúquez C, Fernández R, Maslanka SE. Sequence diversity of genes encoding botulinum neurotoxin type F. *Appl Environ Microbiol*. 2010;76(14):4805-4812. <https://doi.org/10.1128/AEM.03109-09>

65. Halpin JL, Hill K, Johnson SL, et al. Finished Whole-Genome Sequence of Clostridium argentinense Producing Botulinum Neurotoxin Type G. *Genome Announc*. 2017;5(21):e00380-17. <https://doi.org/10.1128/genomeA.00380-17>

66. CDC. National Botulism Surveillance | Botulism | CDC. Published 2022. Accessed November 1, 2022. <https://www.cdc.gov/botulism/surveillance.html>

67. McLauchlin J, Grant KA, Little CL. Food-borne botulism in the United Kingdom. *J Public Health Oxf Engl*. 2006;28(4):337-342.

<https://doi.org/10.1093/pubmed/fdl053>

68. Broła W, Fudala M, Gacek S, Gruenpeter P. Food-borne botulism: still actual topic. *BMJ Case Rep*. 2013;2013:bcr2012007799. <https://doi.org/10.1136/bcr-2012-007799>

69. Kershaw P, Dioso M, Wong B, et al. Fish botulism--Hawaii, 1990. *MMWR Morb Mortal Wkly Rep*. 1991;40(24):412-414.



70. Weber JT, Hibbs RG, Darwish A, et al. A massive outbreak of type E botulism associated with traditional salted fish in Cairo. *J Infect Dis*. 1993;167(2):451-454. <https://doi.org/10.1093/infdis/167.2.451>
71. Hibbs RG, Weber JT, Corwin A, et al. Experience with the use of an investigational F(ab')<sub>2</sub> heptavalent botulism immune globulin of equine origin during an outbreak of type E botulism in Egypt. *Clin Infect Dis Off Publ Infect Dis Soc Am*. 1996;23(2):337-340. <https://doi.org/10.1093/clinids/23.2.337>
72. CDC. Outbreak of type E botulism associated with an uneviscerated, salt-cured fish product--New Jersey, 1992. *MMWR Morb Mortal Wkly Rep*. 1992;41(29):521-522. <https://doi.org/10.1001/jama.1992.03490080019008>
73. Townes JM, Cieslak PR, Hatheway CL, et al. An outbreak of type A botulism associated with a commercial cheese sauce. *Ann Intern Med*. 1996;125(7):558-563. <https://doi.org/10.7326/0003-4819-125-7-199610010-00004>
74. Newkirk RW, Hedberg CW. Rapid detection of foodborne botulism outbreaks facilitated by epidemiological linking of cases: implications for food defense and public health response. *Foodborne Pathog Dis*. 2012;9(2):150-155. <https://doi.org/10.1089/fpd.2011.0971>
75. CDC. Type B botulism associated with roasted eggplant in oil--Italy, 1993. *MMWR Morb Mortal Wkly Rep*. 1995;44(2):33-36.
76. Angulo FJ, Getz J, Taylor JP, et al. A large outbreak of botulism: the hazardous baked potato. *J Infect Dis*. 1998;178(1):172-177. <https://doi.org/10.1086/515615>
77. Sobel J, Tucker N, Sulka A, McLaughlin J, Maslanka S. Foodborne botulism in the United States, 1990-2000. *Emerg Infect Dis*. 2004;10(9):1606-1611. <https://doi.org/10.3201/eid1009.030745>
78. Proulx JF, Milor-Roy V, Austin J. Four outbreaks of botulism in Ungava Bay, Nunavik, Quebec. *Can Commun Dis Rep Releve Mal Transm Au Can*. 1997;23(4):30-32.
79. Aureli P, Franciosa G, Pourshaban M. Foodborne botulism in Italy. *Lancet Lond Engl*. 1996;348(9041):1594. [https://doi.org/10.1016/S0140-6736\(05\)66220-4](https://doi.org/10.1016/S0140-6736(05)66220-4)
80. Polo JM, Martin J, Berciano J. Botulism and pregnancy. *Lancet Lond Engl*. 1996;348(9021):195. [https://doi.org/10.1016/s0140-6736\(05\)66139-9](https://doi.org/10.1016/s0140-6736(05)66139-9)



81. Swaddiwudhipong W, Wongwatcharapaiboon P. Foodborne botulism outbreaks following consumption of home-canned bamboo shoots in Northern Thailand. *J Med Assoc Thai Chotmaihet Thangphaet*. 2000;83(9):1021-1025.
82. Korkeala H, Stengel G, Hyytiä E, et al. Type E botulism associated with vacuum-packaged hot-smoked whitefish. *Int J Food Microbiol*. 1998;43(1-2):1-5. [https://doi.org/10.1016/s0168-1605\(98\)00080-4](https://doi.org/10.1016/s0168-1605(98)00080-4)
83. Villar RG, Shapiro RL, Busto S, et al. Outbreak of type A botulism and development of a botulism surveillance and antitoxin release system in Argentina. *JAMA*. 1999;281(14):1334-1338, 1340. <https://doi.org/10.1001/jama.281.14.1334>
84. Pantukosit S. Medical referral of patients with acute respiratory failure: lessons learned from a large outbreak of botulism in northern Thailand. *J Med Assoc Thai Chotmaihet Thangphaet*. 2007;90(6):1193-1198.
85. Centers for Disease Control and Prevention (CDC). Foodborne botulism associated with home-canned bamboo shoots--Thailand, 1998. *MMWR Morb Mortal Wkly Rep*. 1999;48(21):437-439.
86. Hashimoto H, Clyde VJ, Parko KL. Botulism from peyote. *N Engl J Med*. 1998;339(3):203-204. <https://doi.org/10.1056/nejm199807163390316>
87. Loutfy MR, Austin JW, Blanchfield B, Fong IW. An outbreak of foodborne botulism in Ontario. *Can J Infect Dis*. 2003;14(4):206-209. <https://doi.org/10.1155/2003/601525>
88. Erol S, Kürşat H, Parlak M, Cetin K, Alici HA, Görgün S. An outbreak of foodborne botulism. *Eur J Anaesthesiol*. 1999;16(7):500-501. <https://doi.org/10.1097/00003643-199907000-00012>
89. Carlier JP, Henry C, Lorin V, Popoff MR. Le botulisme en France à la fin du deuxième millénaire (1998-2000). *Bull Épidémiologique Hebd*. 2001;(9):37-39.
90. Abgueguen P, Delbos V, Chennebault JM, et al. Nine cases of foodborne botulism type B in France and literature review. *Eur J Clin Microbiol Infect Dis Off Publ Eur Soc Clin Microbiol*. 2003;22(12):749-752. <https://doi.org/10.1007/s10096-003-1019-y>
91. Centers for Disease Control and Prevention (CDC). Botulism outbreak associated with eating fermented food--Alaska, 2001. *MMWR Morb Mortal Wkly Rep*. 2001;50(32):680-682.

92. Kalluri P, Crowe C, Reller M, et al. An outbreak of foodborne botulism associated with food sold at a salvage store in Texas. *Clin Infect Dis Off Publ Infect Dis Soc Am*. 2003;37(11):1490-1495. <https://doi.org/10.1086/379326>
93. Vahdani P, Pourshafie MR, Aminzadeh Z. Treatment of two unusual cases of type A and E botulism following consumption of salted fish. *Intensive Care Med*. 2002;28(8):1189. <https://doi.org/10.1007/s00134-002-1362-y>
94. Dawar M, Moody L, Martin JD, Fung C, Isaac-Renton J, Patrick DM. Two outbreaks of botulism associated with fermented salmon roe--British Columbia, August 2001. *Can Commun Dis Rep Relevé Mal Transm Au Can*. 2002;28(6):45-49.
95. McLaughlin JB, Sobel J, Lynn T, Funk E, Middaugh JP. Botulism Type E Outbreak Associated with Eating a Beached Whale, Alaska. *Emerg Infect Dis*. 2004;10(9):1685-1687. <https://doi.org/10.3201/eid1009.040131>
96. Middaugh J, Lynn T, Funk B, Jilly B, Maslanka S, McLaughlin J. Outbreak of Botulism Type E Associated With Eating a Beached Whale—Western Alaska, July 2002. *JAMA*. 2003;289(7):836-838. <https://doi.org/10.1001/jama.289.7.836>
97. CDC. *Summary of Botulism Cases Reported in 2003.*; 2003. [https://www.cdc.gov/nationalsurveillance/pdfs/botulism\\_cste\\_2003.pdf](https://www.cdc.gov/nationalsurveillance/pdfs/botulism_cste_2003.pdf)
98. Vugia DJ, Mase SR, Cole B, et al. Botulism from Drinking Pruno. *Emerg Infect Dis*. 2009;15(1):69-71. <https://doi.org/10.3201/eid1501.081024>
99. Dressler D. [Botulism caused by consumption of smoked salmon]. *Nervenarzt*. 2005;76(6):763-766. <https://doi.org/10.1007/s00115-004-1857-6>
100. Cawthorne A, Celentano LP, D'Ancona F, et al. Botulism and Preserved Green Olives. *Emerg Infect Dis*. 2005;11(5):781-782. <https://doi.org/10.3201/eid1105.041088>
101. Agarwal AK, Goel A, Kohli A, Rohtagi A, Kumar R. Food-borne botulism. *J Assoc Physicians India*. 2004;52:677-678.
102. Akdeniz H, Buzgan T, Tekin M, Karsen H, Karahocagil MK. An outbreak of botulism in a family in Eastern Anatolia associated with eating süzme yoghurt buried under soil. *Scand J Infect Dis*. 2007;39(2):108-114. <https://doi.org/10.1080/00365540600951317>

103. Sobel J, Malavet M, John S. Outbreak of clinically mild botulism type E illness from home-salted fish in patients presenting with predominantly gastrointestinal symptoms. *Clin Infect Dis Off Publ Infect Dis Soc Am*. 2007;45(2):e14-16. <https://doi.org/10.1086/518993>
104. Cengiz M, Yilmaz M, Dosemeci L, Ramazanoglu A. A botulism outbreak from roasted canned mushrooms. *Hum Exp Toxicol*. 2006;25(5):273-278. <https://doi.org/10.1191/0960327106ht614oa>
105. Centers for Disease Control and Prevention (CDC). Botulism associated with commercial carrot juice--Georgia and Florida, September 2006. *MMWR Morb Mortal Wkly Rep*. 2006;55(40):1098-1099.
106. Brown J, Sutter ME, Algren DA, et al. The Role of a Poison Control Center in Identifying and Limiting an Outbreak of Foodborne Botulism. *Am J Prev Med*. 2010;38(6):675-678. <https://doi.org/10.1016/j.amepre.2010.02.007>
107. Sheth AN, Wiersma P, Atrubin D, et al. International outbreak of severe botulism with prolonged toxemia caused by commercial carrot juice. *Clin Infect Dis Off Publ Infect Dis Soc Am*. 2008;47(10):1245-1251. <https://doi.org/10.1086/592574>
108. Meusburger S, Reichert S, Heibl S, et al. Outbreak of foodborne botulism linked to barbecue, Austria, 2006. *Euro Surveill Bull Eur Sur Mal Transm Eur Commun Dis Bull*. 2006;11(12):E061214.4. <https://doi.org/10.2807/esw.11.50.03097-en>
109. Topakian R, Heibl C, Stieglbauer K, et al. Quantitative autonomic testing in the management of botulism. *J Neurol*. 2009;256(5):803-809. <https://doi.org/10.1007/s00415-009-5022-9>
110. Lindstrom M, Vuorela M, Hinderink K, et al. Botulism associated with vacuum-packed smoked whitefish in Finland, June-July 2006. *Euro Surveill Bull Eur Sur Mal Transm Eur Commun Dis Bull*. 2006;11(7):E060720.3. <https://doi.org/10.2807/esw.11.29.03004-en>
111. Centers for Disease Control and Prevention (CDC). Foodborne botulism from home-prepared fermented tofu--California, 2006. *MMWR Morb Mortal Wkly Rep*. 2007;56(5):96-97. <https://doi.org/10.1001/jama.297.12.1311>
112. Tseng CK, Tsai CH, Tseng CH, Tseng YC, Lee FY, Huang WS. An outbreak of foodborne botulism in Taiwan. *Int J Hyg Environ Health*. 2009;212(1):82-86.

<https://doi.org/10.1016/j.ijheh.2008.01.002>

113. Zanon P, Pattis P, Pittscheider W, et al. Two cases of foodborne botulism with home-preserved asparagus. *Anesthesiologie Intensivmed Notfallmedizin Schmerzther AINS*. 2006;41(3):156-159. <https://doi.org/10.1055/s-2006-924967>
114. Juliao PC, Maslanka S, Dykes J, et al. National Outbreak of Type A Foodborne Botulism Associated With a Widely Distributed Commercially Canned Hot Dog Chili Sauce. *Clin Infect Dis Off Publ Infect Dis Soc Am*. 2013;56(3):376-382. <https://doi.org/10.1093/cid/cis901>
115. Centers for Disease Control and Prevention (CDC). Botulism associated with commercially canned chili sauce--Texas and Indiana, July 2007. *MMWR Morb Mortal Wkly Rep*. 2007;56(30):767-769. <https://doi.org/10.1001/jama.298.10.1154>
116. Zhang S, Wang Y, Qiu S, et al. Multilocus outbreak of foodborne botulism linked to contaminated sausage in Hebei province, China. *Clin Infect Dis Off Publ Infect Dis Soc Am*. 2010;51(3):322-325. <https://doi.org/10.1086/653945>
117. Swaan CM, van Ouwerkerk IM, Roest HJ. Cluster of botulism among Dutch tourists in Turkey, June 2008. *Euro Surveill Bull Eur Sur Mal Transm Eur Commun Dis Bull*. 2010;15(14):19532. <https://doi.org/10.2807/ese.15.14.19532-en>
118. King LA, French Multidisciplinary Outbreak Investigation Team. Two severe cases of botulism associated with industrially produced chicken enchiladas, France, August 2008. *Euro Surveill Bull Eur Sur Mal Transm Eur Commun Dis Bull*. 2008;13(37):18978. <https://doi.org/10.2807/ese.13.37.18978-en>
119. Viray MA, Wamala J, Fagan R, et al. Outbreak of type A foodborne botulism at a boarding school, Uganda, 2008. *Epidemiol Infect*. 2014;142(11):2297-2301. <https://doi.org/10.1017/S0950268814000387>
120. Date K, Fagan R, Crossland S, et al. Three outbreaks of foodborne botulism caused by unsafe home canning of vegetables--Ohio and Washington, 2008 and 2009. *J Food Prot*. 2011;74(12):2090-2096. <https://doi.org/10.4315/0362-028X.JFP-11-128>
121. King LA, Niskanen T, Junnikkala M, et al. Botulism and hot-smoked whitefish: a family cluster of type E botulism in France, September 2009. *Eurosurveillance*. 2009;14(45):19394. <https://doi.org/10.2807/ese.14.45.19394-en>
122. Oriot C, D'Aranda E, Castanier M, et al. One collective case of type A foodborne botulism in Corsica. *Clin Toxicol Phila Pa*. 2011;49(8):752-754.

<https://doi.org/10.3109/15563650.2011.606222>

123. Centers for Disease Control and Prevention (CDC). Botulism from drinking prison-made illicit alcohol - Utah 2011. *MMWR Morb Mortal Wkly Rep.* 2012;61(39):782-784.
124. Williams BT, Schlein SM, Caravati EM, Ledyard H, Fix ML. Emergency department identification and critical care management of a Utah prison botulism outbreak. *Ann Emerg Med.* 2014;64(1):26-31.  
<https://doi.org/10.1016/j.annemergmed.2013.10.027>
125. CDC. *Notes from the Field: Botulism Caused by Consumption of Commercially Produced Potato Soups Stored Improperly --- Ohio and Georgia, 2011.*; 2011:890. Accessed December 15, 2022.  
<https://www.cdc.gov/mmwr/preview/mmwrhtml/mm6026a5.htm>
126. Pingeon JM, Vanbockstael C, Popoff MR, et al. Two outbreaks of botulism associated with consumption of green olive paste, France, September 2011. *Eurosurveillance.* 2011;16(49):20035. <https://doi.org/10.2807/ese.16.49.20035-en>
127. Jalava K, Selby K, Pihlajasaari A, et al. Two cases of food-borne botulism in Finland caused by conserved olives, October 2011. *Eurosurveillance.* 2011;16(49):20034. <https://doi.org/10.2807/ese.16.49.20034-en>
128. Forss N, Ramstad R, Bäcklund T, Lindström M, Kolho E. Difficulties in Diagnosing Food-Borne Botulism. *Case Rep Neurol.* 2012;4(2):113-115.  
<https://doi.org/10.1159/000339736>
129. AĞAÇAYAK A. A case of food-borne botulism by consumption of home-made canned red pepper: Importance of the botulism antitoxin therapy. *Afr J Microbiol Res.* 2011;5(27):4885-4888. <https://doi.org/10.5897/AJMR11.844>
130. Walton RN, Clemens A, Chung J, et al. Outbreak of type E foodborne botulism linked to traditionally prepared salted fish in Ontario, Canada. *Foodborne Pathog Dis.* 2014;11(10):830-834. <https://doi.org/10.1089/fpd.2014.1783>
131. Centers for Disease Control and Prevention (CDC). Notes from the field: botulism from drinking prison-made illicit alcohol - Arizona, 2012. *MMWR Morb Mortal Wkly Rep.* 2013;62(5):88.
132. Momose Y, Asakura H, Kitamura M, et al. Food-borne botulism in Japan in March 2012. *Int J Infect Dis.* 2014;24:20-22.  
<https://doi.org/10.1016/j.ijid.2014.01.014>

133. Wangroongsarb P, Jittaprasartsin C, Suthivarakom K, Kamthalang T, Yeesoonsang S, Sangkitporn S. An outbreak of foodborne botulism in Surat Thani Province, Thailand, 2012. *Jpn J Infect Dis*. 2013;66(4):353-354.  
<https://doi.org/10.7883/yoken.66.353>
134. Feng L, Chen X, Liu S, Zhou Z, Yang R. Two-family outbreak of botulism associated with the consumption of smoked ribs in Sichuan Province, China. *Int J Infect Dis*. 2015;30:74-77. <https://doi.org/10.1016/j.ijid.2014.10.008>
135. Hammer TH, Jespersen S, Kanstrup J, Ballegaard VC, Kjerulf A, Gelvan A. Fatal outbreak of botulism in Greenland. *Infect Dis Lond Engl*. 2015;47(3):190-194. <https://doi.org/10.3109/00365548.2014.979434>
136. Faridaalae G, Mohammadi N, Mehryar H, et al. Botulism Poisoning With Home Canned Cheese. *Arch Clin Infect Dis*. 2013;8(4).  
<https://doi.org/10.5812/archcid.16451>
137. Buj-Jordá H, Arnedo-Pena A, Usó-Blasco J, Pardo-Serrano F. [Botulism outbreak in Castellón (Spain)]. *Enferm Infecc Microbiol Clin*. 2015;33(9):636-637.  
<https://doi.org/10.1016/j.eimc.2015.03.002>
138. Burke P. Outbreak of Foodborne Botulism Associated with Improperly Jarred Pesto — Ohio and California, 2014. *MMWR Morb Mortal Wkly Rep*. 2016;65.  
<https://doi.org/10.15585/mmwr.mm6507a2>
139. Mad'arová L, Dorner BG, Schaade L, et al. Reoccurrence of botulinum neurotoxin subtype A3 inducing food-borne botulism, Slovakia, 2015. *Euro Surveill Bull Eur Sur Mal Transm Eur Commun Dis Bull*. 2017;22(32):30591.  
<https://doi.org/10.2807/1560-7917.ES.2017.22.32.30591>
140. McCarty CL, Angelo K, Beer KD, et al. Large Outbreak of Botulism Associated with a Church Potluck Meal — Ohio, 2015. *Morb Mortal Wkly Rep*. 2015;64(29):802-803. <https://doi.org/10.15585/mmwr.mm6429a6>
141. Smyth D, Deverall E, Balm M, Nesdale A, Rosemergy I. A case of botulism in New Zealand. *N Z Med J*. 2015;128(1425):97-100.
142. CDC. *National Botulism Surveillance Summary 2016.*; 2016.  
<https://www.cdc.gov/botulism/pdf/Botulism-2016-SUMMARY-508.pdf>
143. Gispert Ametller MÀ, Ortiz Ballujera P, Aguilar Salmerón R. Outbreak of botulism due to consumption of beans. *Med Clin (Barc)*. 2017;149(11):511-512.  
<https://doi.org/10.1016/j.medcli.2017.06.042>



144. Kim M, Zahn M, Reporter R, et al. Outbreak of Foodborne Botulism Associated With Prepackaged Pouches of Liquid Herbal Tea. *Open Forum Infect Dis*. 2019;6(2):ofz014. <https://doi.org/10.1093/ofid/ofz014>
145. Rosen HE, Kimura AC, Crandall J, et al. Foodborne Botulism Outbreak Associated With Commercial Nacho Cheese Sauce From a Gas Station Market. *Clin Infect Dis Off Publ Infect Dis Soc Am*. 2020;70(8):1695-1700. <https://doi.org/10.1093/cid/ciz479>
146. Okunromade O, Dalhat MM, Umar AM, et al. Emergency response to a cluster of suspected food-borne botulism in Abuja, Nigeria: challenges with diagnosis and treatment in a resource-poor setting. *Pan Afr Med J*. 2020;36:287. <https://doi.org/10.11604/pamj.2020.36.287.20872>
147. Bergeron G, Latash J, Da Costa-Carter CA, et al. Notes from the Field: Botulism Outbreak Associated with Home-Canned Peas - New York City, 2018. *MMWR Morb Mortal Wkly Rep*. 2019;68(10):251-252. <https://doi.org/10.15585/mmwr.mm6810a5>
148. Min M, Bai L, Peng X, Guo L, Wan K, Qiu Z. An Outbreak of Botulinum Types A, B, and E Associated With Vacuum-Packaged Salted Fish and Ham. *J Emerg Med*. 2021;60(6):760-763. <https://doi.org/10.1016/j.jemermed.2020.12.006>
149. FSN. Botulism suspected as 35 sick in Italy. Food Safety News. Published October 6, 2020. Accessed December 15, 2022. <https://www.foodsafetynews.com/2020/10/botulism-suspected-as-35-sick-in-italy/>
150. Costa AM, Silva JM, Belém F, Silva LP, Ascensão M, Evangelista C. Foodborne botulism: a case report. *Porto Biomed J*. 2021;6(1):e115. <https://doi.org/10.1097/j.pbj.000000000000115>
151. St Louis ME, Peck SH, Bowering D, et al. Botulism from chopped garlic: delayed recognition of a major outbreak. *Ann Intern Med*. 1988;108(3):363-368. <https://doi.org/10.7326/0003-4819-108-3-363>
152. O'Mahony M, Mitchell E, Gilbert RJ, et al. An outbreak of foodborne botulism associated with contaminated hazelnut yoghurt. *Epidemiol Infect*. 1990;104(3):389-395. <https://doi.org/10.1017/s0950268800047403>
153. Morse DL, Pickard LK, Guzewich JJ, Devine BD, Shayegani M. Garlic-in-oil associated botulism: episode leads to product modification. *Am J Public Health*. 1990;80(11):1372-1373. <https://doi.org/10.2105/ajph.80.11.1372>

154. CDC. *Epidemiologic Notes and Reports Fish Botulism - Hawaii, 1990.*; 1991:412-414. Accessed November 1, 2022.  
<https://www.cdc.gov/mmwr/preview/mmwrhtml/00014498.htm>
155. Daminelli P, De Nadai V, Bozzo G, et al. Two unlinked cases of foodborne botulism in Italy at the beginning of 2010. *New Microbiol.* 2011;34(3):287-290.
156. Carlin F, Broussolle V, Perelle S, Litman S, Fach P. Prevalence of *Clostridium botulinum* in food raw materials used in REPFEDs manufactured in France. *Int J Food Microbiol.* 2004;91(2):141-145. [https://doi.org/10.1016/S0168-1605\(03\)00371-4](https://doi.org/10.1016/S0168-1605(03)00371-4)
157. Barker GC, Malakar PK, Plowman J, Peck MW. Quantification of Nonproteolytic *Clostridium botulinum* Spore Loads in Food Materials. *Appl Environ Microbiol.* 2016;82(6):1675-1685. <https://doi.org/10.1128/AEM.03630-15>
158. Pernu N, Keto-Timonen R, Lindström M, Korkeala H. High prevalence of *Clostridium botulinum* in vegetarian sausages. *Food Microbiol.* 2020;91:103512. <https://doi.org/10.1016/j.fm.2020.103512>
159. Ghoddusi HB, Sherburn R. Preliminary study on the isolation of *Clostridium butyricum* strains from natural sources in the UK and screening the isolates for presence of the type E botulinum toxin gene. *Int J Food Microbiol.* 2010;142(1):202-206. <https://doi.org/10.1016/j.ijfoodmicro.2010.06.028>
160. Shen A, Edwards AN, Sarker MR, Paredes-Sabja D. Sporulation and Germination in Clostridial Pathogens. *Microbiol Spectr.* 2019;7(6).  
<https://doi.org/10.1128/microbiolspec.GPP3-0017-2018>
161. Keto-Timonen R, Lindström M, Puolanne E, Niemistö M, Korkeala H. Inhibition of toxigenesis of group II (nonproteolytic) *Clostridium botulinum* type B in meat products by using a reduced level of nitrite. *J Food Prot.* 2012;75(7):1346-1349. <https://doi.org/10.4315/0362-028X.JFP-12-056>
162. Advisory Committee on the Microbiological Safety of Food (ACMSF). *Subgroup on non-proteolytic Clostridium botulinum and vacuum and modified atmosphere packaged foods - Final report.*; 2020.  
[https://acmsf.food.gov.uk/sites/default/files/acmsf-vpmap-subgroup-report\\_1.pdf](https://acmsf.food.gov.uk/sites/default/files/acmsf-vpmap-subgroup-report_1.pdf)
163. International Commission on Microbiological Specifications for Food (ICMSF). *Clostridium botulinum*. In: *Microorganisms in Foods 5*. T. Roberts. ; 1996:66. Accessed October 27, 2022.

<https://link.springer.com/book/9780412473500>

164. EFSA. *Opinion of the Scientific Panel on Biological Hazards (BIOHAZ) Related to the Effects of Nitrites/Nitrates on the Microbiological Safety of Meat Products* | EFSA.; 2003. Accessed October 27, 2022.

<https://www.efsa.europa.eu/en/efsajournal/pub/14>

<https://doi.org/10.2903/j.efsa.2004.14>

165. Derman Y, Lindström M, Selby K, Korkeala H. Growth of Group II *Clostridium botulinum* Strains at Extreme Temperatures. *J Food Prot.* 2011;74(11):1797-1804.

<https://doi.org/10.4315/0362-028X.JFP-11-187>

166. Jensen MJ, Genigeorgis C, Lindroth S. Probability of growth of *Clostridium botulinum* as affected by strain, cell and serologic Type, inoculum size and temperature and time of incubation in a model broth system. *J Food Saf.* 1986;8(2):109-126.

<https://doi.org/10.1111/j.1745-4565.1986.tb00557.x>

167. de Jong J. Spoilage of an acid food product by *Clostridium perfringens*, *C. barati* and *C. butyricum*. *Int J Food Microbiol.* 1989;8(2):121-132.

[https://doi.org/10.1016/0168-1605\(89\)90066-4](https://doi.org/10.1016/0168-1605(89)90066-4)

168. Stringer SC, Peck MW. 14 - Foodborne clostridia and the safety of in-pack preserved foods. In: Richardson P, ed. *In-Pack Processed Foods*. Woodhead Publishing Series in Food Science, Technology and Nutrition. Woodhead Publishing; 2008:251-276.

<https://doi.org/10.1533/9781845694692.3.251>

169. Peck MW. Personal communication. Published online 2022.

170. van Asselt ED, Zwietering MH. A systematic approach to determine global thermal inactivation parameters for various food pathogens. *Int J Food Microbiol.* 2006;107(1):73-82.

<https://doi.org/10.1016/j.ijfoodmicro.2005.08.014>

171. Diao MM, André S, Membré JM. Meta-analysis of D-values of proteolytic *Clostridium botulinum* and its surrogate strain *Clostridium sporogenes* PA 3679. *Int J Food Microbiol.* 2014;174:23-30.

<https://doi.org/10.1016/j.ijfoodmicro.2013.12.029>

172. Esty JR, Meyer KF. The heat resistance of the spores of *B. botulinus* and allied anaerobes. XI. *J Infect Dis.* 1922;31(6):650-663.

<https://doi.org/10.1093/infdis/31.6.650>

173. Anderson NM, Larkin JW, Cole MB, et al. Food safety objective approach for controlling *Clostridium botulinum* growth and toxin production in commercially

- sterile foods. *J Food Prot.* 2011;74(11):1956-1989. <https://doi.org/10.4315/0362-028X.JFP-11-082>
174. Brown GD, Gaze JE, Gaskell DE. *Growth of Clostridium botulinum Non-Proteolytic Type B and Type E in "Sous Vide" Products Stored at 2-15 [Degrees] C.* Campden Food and Drink Research Association; 1991.
175. Morton RD, Scott VN, Bernard DT, Wiley RC. Effect of Heat and pH on Toxigenic *Clostridium butyricum*. *J Food Sci.* 1990;55(6):1725-1727. <https://doi.org/10.1111/j.1365-2621.1990.tb03609.x>
176. Ghoddsi HB, Sherburn RE, Aboaba OO. Growth Limiting pH, Water Activity, and Temperature for Neurotoxic Strains of *Clostridium butyricum*. *Int Sch Res Not.* 2013;2013:e731430. <https://doi.org/10.1155/2013/731430>
177. McClure PJ, Cole MB, Smelt JP. Effects of water activity and pH on growth of *Clostridium botulinum*. *Soc Appl Bacteriol Symp Ser.* 1994;23:105S-114S. <https://doi.org/10.1111/j.1365-2672.1994.tb04362.x>
178. Raatjes GJ, Smelt JP. *Clostridium botulinum* can grow and form toxin at pH values lower than 4.6. *Nature.* 1979;281(5730):398-399. <https://doi.org/10.1038/281398a0>
179. Smelt JP, Raatjes GJ, Crowther JS, Verrips CT. Growth and toxin formation by *Clostridium botulinum* at low pH values. *J Appl Bacteriol.* 1982;52(1):75-82. <https://doi.org/10.1111/j.1365-2672.1982.tb04375.x>
180. Wong DM, Young-Perkins KE, Merson RL. Factors influencing *Clostridium botulinum* spore germination, outgrowth, and toxin formation in acidified media. *Appl Environ Microbiol.* 1988;54(6):1446-1450. <https://doi.org/10.1128/aem.54.6.1446-1450.1988>
181. Graham AF, Mason DR, Maxwell FJ, Peck MW. Effect of pH and NaCl on growth from spores of non-proteolytic *Clostridium botulinum* at chill temperature. *Lett Appl Microbiol.* 1997;24(2):95-100. <https://doi.org/10.1046/j.1472-765x.1997.00348.x>
182. Lebrun S, Van Nieuwenhuysen T, Crèvecoeur S, et al. Influence of reduced levels or suppression of sodium nitrite on the outgrowth and toxinogenesis of psychrotrophic *Clostridium botulinum* Group II type B in cooked ham. *Int J Food Microbiol.* 2020;334:108853. <https://doi.org/10.1016/j.ijfoodmicro.2020.108853>

183. Hilliard P, Barnett HW, Nordin HR, Rubin LJ. Factors Affecting the Safety of Canned, Cured, Shelf-stable Luncheon Meat Inoculated with *Clostridium botulinum*. *Can Inst Food Technol J*. 1969;2(3):141-148. [https://doi.org/10.1016/S0008-3860\(69\)74396-3](https://doi.org/10.1016/S0008-3860(69)74396-3)
184. Majou D, Christieans S. Mechanisms of the bactericidal effects of nitrate and nitrite in cured meats. *Meat Sci*. 2018;145:273-284. <https://doi.org/10.1016/j.meatsci.2018.06.013>
185. Govari M, Pexara A. Nitrates and Nitrites in meat products. *J Hell Vet Med Soc*. 2015;66(3):127-140. <https://doi.org/10.12681/jhvms.15856>
186. Hauschild AHW. *Clostridium botulinum*. M. Dekker; 1989. Accessed October 27, 2022. [https://scholar.google.com/scholar\\_lookup?title=Clostridium+botulinum&author=Hauschild](https://scholar.google.com/scholar_lookup?title=Clostridium+botulinum&author=Hauschild)
187. Montville TJ, Conway LK. Oxidation-Reduction Potentials of Canned Foods and Their Ability to Support *Clostridium botulinum* Toxigenesis. *J Food Sci*. 1982;47(6):1879-1882. <https://doi.org/10.1111/j.1365-2621.1982.tb12904.x>
188. Jungho K, Foegeding PM. Principles of control. In: *Clostridium botulinum*. CRC Press; 1993.
189. Daifas DP, Smith JP, Blanchfield B, Austin JW. Growth and toxin production by *Clostridium botulinum* in English-style crumpets packaged under modified atmospheres. *J Food Prot*. 1999;62(4):349-355. <https://doi.org/10.4315/0362-028x-62.4.349>
190. Whiting RC, Naftulin KA. Effect of Headspace Oxygen Concentration on Growth and Toxin Production by Proteolytic Strains of *Clostridium botulinum*. *J Food Prot*. 1992;55(1):23-27. <https://doi.org/10.4315/0362-028X-55.1.23>
191. Sugiyama H, Yang KH. Growth potential of *Clostridium botulinum* in fresh mushrooms packaged in semipermeable plastic film. *Appl Microbiol*. 1975;30(6):964-969. <https://doi.org/10.1128/am.30.6.964-969.1975>
192. Cai P, Harrison MA, Huang YW, Silva JL. Toxin Production by *Clostridium botulinum* Type E in Packaged Channel Catfish. *J Food Prot*. 1997;60(11):1358-1363. <https://doi.org/10.4315/0362-028X-60.11.1358>
193. Erickson MC, Ma LM, Doyle MP. *Clostridium botulinum* Toxin Production in Relation to Spoilage of Atlantic Salmon (*Salmo salar*) Packaged in Films of Varying Oxygen Permeabilities and with Different Atmospheres. *J Food Prot*.

2015;78(11):2006-2018. <https://doi.org/10.4315/0362-028X.JFP-15-004>

194. Camerini S, Marcocci L, Picarazzi L, et al. Type E Botulinum Neurotoxin-Producing *Clostridium butyricum* Strains Are Aerotolerant during Vegetative Growth. *mSystems*. 2019;4(2):e00299-18.

<https://doi.org/10.1128/mSystems.00299-18>

195. Bachmann FM. Effect of Spices on Growth of *Clostridium botulinum*. *J Infect Dis*. 1923;33(3):236-239.

196. Ismaiel A, Pierson MD. Inhibition of Growth and Germination of *C. botulinum* 33A, 40B, and 1623E by Essential Oil of Spices. *J Food Sci*.

1990;55(6):1676-1678. <https://doi.org/10.1111/j.1365-2621.1990.tb03598.x>

197. Huhtanen CN. Inhibition of *Clostridium botulinum* by Spice Extracts and Aliphatic Alcohols. *J Food Prot*. 1980;43(3):195-196. <https://doi.org/10.4315/0362-028X-43.3.195>

198. Nevas M, Korhonen AR, Lindström M, Turkki P, Korkeala H. Antibacterial efficiency of Finnish spice essential oils against pathogenic and spoilage bacteria.

*J Food Prot*. 2004;67(1):199-202. <https://doi.org/10.4315/0362-028x-67.1.199>

199. Ismaiel AA, Pierson MD. Effect of Sodium Nitrite and Origanum Oil on Growth and Toxin Production of *Clostridium botulinum* in TYG Broth and Ground

Pork. *J Food Prot*. 1990;53(11):958-960. <https://doi.org/10.4315/0362-028X-53.11.958>

200. EU. *Commission Regulation (EU) No 1333/2008 of the European Parliament and of the Council of 16 December 2008 on Food Additives.*; 2008.

<https://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2008:354:0016:0033:en:PDF>

201. EU. *Commission Regulation (EU) No 1129/2011 of 11 November 2011 Amending Annex II to Regulation (EC) No 1333/2008 of the European Parliament and of the Council by Establishing a Union List of Food Additives.*; 2011.

<https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32011R1129&from=EN>

202. Gharsallaoui A, Oulahal N, Joly C, Degraeve P. Nisin as a Food Preservative: Part 1: Physicochemical Properties, Antimicrobial Activity, and Main Uses. *Crit Rev Food Sci Nutr*. 2016;56(8):1262-1274.

<https://doi.org/10.1080/10408398.2013.763765>



203. Somers EB, Taylor SL. Antibotulinal Effectiveness of Nisin in Pasteurized Process Cheese Spreads. *J Food Prot.* 1987;50(10):842-848. <https://doi.org/10.4315/0362-028X-50.10.842>
204. Scott VN, Taylor SL. Effect of Nisin on the Outgrowth of Clostridium botulinum Spores. *J Food Sci.* 1981;46(1):117-126. <https://doi.org/10.1111/j.1365-2621.1981.tb14543.x>
205. Huhtanen CN, Naghski J, Custer CS, Russell RW. Growth and toxin production by Clostridium botulinum in moldy tomato juice. *Appl Environ Microbiol.* 1976;32(5):711-715. <https://doi.org/10.1128/aem.32.5.711-715.1976>
206. Odlaug TE, Pflug IJ. Clostridium botulinum growth and toxin production in tomato juice containing Aspergillus gracilis. *Appl Environ Microbiol.* 1979;37(3):496-504. <https://doi.org/10.1128/aem.37.3.496-504.1979>
207. Golden MC, Wanless BJ, David JRD, et al. Effect of Equilibrated pH and Indigenous Spoilage Microorganisms on the Inhibition of Proteolytic Clostridium botulinum Toxin Production in Experimental Meals under Temperature Abuse. *J Food Prot.* 2017;80(8):1252-1258. <https://doi.org/10.4315/0362-028X.JFP-17-012>
208. Hao YY, Brackett RE, Beuchat LR, Doyle MP. Microbiological quality and production of botulinal toxin in film-packaged broccoli, carrots, and green beans. *J Food Prot.* 1999;62(5):499-508. <https://doi.org/10.4315/0362-028x-62.5.499>
209. Firstenberg-Eden R, Rowley DB, Shattuck GE. Competitive Growth of Chicken Skin Microflora and Clostridium botulinum Type E after an Irradiation Dose of 0.3 Mrad. *J Food Prot.* 1983;46(1):12-15. <https://doi.org/10.4315/0362-028X-46.1.12>
210. Okereke A, Montville TJ. Bacteriocin-mediated inhibition of Clostridium botulinum spores by lactic acid bacteria at refrigeration and abuse temperatures. *Appl Environ Microbiol.* 1991;57(12):3423-3428. <https://doi.org/10.1128/aem.57.12.3423-3428.1991>
211. Koukou I, Dahl Devitt T, Dalgaard P. Extensive growth and growth boundary model for non-proteolytic Clostridium botulinum - Evaluation and validation with MAP and smoked foods. *Food Microbiol.* 2022;102:103931. <https://doi.org/10.1016/j.fm.2021.103931>
212. ComBase. Published online 2021. <http://www.combase.cc>

213. USDA. Predictive Microbiology Information Portal. Published online 2021. <https://portal.errc.ars.usda.gov>
214. FAO and WHO. *Microbiological Risk Assessment – Guidance for Food*. FAO and WHO; 2021. <https://doi.org/10.4060/cb5006en>
215. Smelt JP, Stringer SC, Brul S. Behaviour of individual spores of non proteolytic *Clostridium botulinum* as an element in quantitative risk assessment. *Food Control*. 2013;29(2):358-363. <https://doi.org/10.1016/j.foodcont.2012.04.021>
216. Juneja VK, Purohit AS, Golden M, et al. A predictive growth model for *Clostridium botulinum* during cooling of cooked uncured ground beef. *Food Microbiol*. 2021;93:103618. <https://doi.org/10.1016/j.fm.2020.103618>
217. Koukou I, Mejlholm O, Dalgaard P. Cardinal parameter growth and growth boundary model for non-proteolytic *Clostridium botulinum* – Effect of eight environmental factors. *Int J Food Microbiol*. 2021;346:109162. <https://doi.org/10.1016/j.ijfoodmicro.2021.109162>
218. Grecz N, Wagenaar RO, Dack GM. Storage Stability of *Clostridium botulinum* Toxin and Spores in Processed Cheese. *Appl Microbiol*. 1965;13(6):1014-1022. <https://doi.org/10.1128/am.13.6.1014-1022.1965>
219. Mafart P, Couvert O, Leguérinel I. Effect of pH on the heat resistance of spores: Comparison of two models. *Int J Food Microbiol*. 2001;63(1):51-56. [https://doi.org/10.1016/S0168-1605\(00\)00397-4](https://doi.org/10.1016/S0168-1605(00)00397-4)
220. Stratakos ACh, Koidis A. Suitability, efficiency and microbiological safety of novel physical technologies for the processing of ready-to-eat meals, meats and pumpable products. *Int J Food Sci Technol*. 2015;50(6):1283-1302. <https://doi.org/10.1111/ijfs.12781>
221. Singh M, Rama EN, Kataria J, Leone C, Thippareddi H. Emerging Meat Processing Technologies for Microbiological Safety of Meat and Meat Products. *Meat Muscle Biol*. 2020;4(2). <https://doi.org/10.22175/mmb.11180>
222. Orsat V, Raghavan GSV. Chapter 21 - Radio-Frequency Processing. In: Sun DW, ed. *Emerging Technologies for Food Processing (Second Edition)*. Academic Press; 2014:385-398. <https://doi.org/10.1016/B978-0-12-411479-1.00021-8>
223. Rincon AM, Singh RK. Inactivation of Shiga toxin-producing and nonpathogenic *Escherichia coli* in non-intact steaks cooked in a radio frequency oven. *Food Control*. 2016;62:390-396.

<https://doi.org/10.1016/j.foodcont.2015.11.021>

224. Obileke K, Onyeaka H, Miri T, et al. Recent advances in radio frequency, pulsed light, and cold plasma technologies for food safety. *J Food Process Eng.* 2022;45(10):e14138. <https://doi.org/10.1111/jfpe.14138>
225. Bilek SE, Turantaş F. Decontamination efficiency of high power ultrasound in the fruit and vegetable industry, a review. *Int J Food Microbiol.* 2013;166(1):155-162. <https://doi.org/10.1016/j.ijfoodmicro.2013.06.028>
226. Barbosa-Cánovas GV, Medina-Meza I, Candoğan K, Bermúdez-Aguirre D. Advanced retorting, microwave assisted thermal sterilization (MATS), and pressure assisted thermal sterilization (PATs) to process meat products. *Meat Sci.* 2014;98(3):420-434. <https://doi.org/10.1016/j.meatsci.2014.06.027>
227. Soni A, Smith J, Thompson A, Brightwell G. Microwave-induced thermal sterilization- A review on history, technical progress, advantages and challenges as compared to the conventional methods. *Trends Food Sci Technol.* 2020;97:433-442. <https://doi.org/10.1016/j.tifs.2020.01.030>
228. Evelyn, Silva FVM. High pressure thermal processing for the inactivation of *Clostridium perfringens* spores in beef slurry. *Innov Food Sci Emerg Technol.* 2016;33:26-31. <https://doi.org/10.1016/j.ifset.2015.12.021>
229. Huang HW, Wu SJ, Lu JK, Shyu YT, Wang CY. Current status and future trends of high-pressure processing in food industry. *Food Control.* 2017;72:1-8. <https://doi.org/10.1016/j.foodcont.2016.07.019>
230. Raso J, Barbosa-Cánovas GV. Nonthermal preservation of foods using combined processing techniques. *Crit Rev Food Sci Nutr.* 2003;43(3):265-285. <https://doi.org/10.1080/10408690390826527>
231. Lenz CA, Reineke K, Knorr D, Vogel RF. High pressure thermal inactivation of *Clostridium botulinum* type E endospores – kinetic modeling and mechanistic insights. *Front Microbiol.* 2015;6. Accessed January 19, 2023. <https://www.frontiersin.org/articles/10.3389/fmicb.2015.00652>
232. Margosch D, Ehrmann MA, Buckow R, Heinz V, Vogel RF, Gänzle MG. High-pressure-mediated survival of *Clostridium botulinum* and *Bacillus amyloliquefaciens* endospores at high temperature. *Appl Environ Microbiol.* 2006;72(5):3476-3481. <https://doi.org/10.1128/AEM.72.5.3476-3481.2006>

233. Bhavya ML, Umesh Hebbar H. Pulsed light processing of foods for microbial safety. *Food Qual Saf.* 2017;1(3):187-202. <https://doi.org/10.1093/fqsafe/fyx017>
234. Skowron K, Bauza-Kaszewska J, Dobrzański Z, Paluszak Z, Skowron KJ. UV-C Radiation as a Factor Reducing Microbiological Contamination of Fish Meal. *Sci World J.* 2014;2014:e928094. <https://doi.org/10.1155/2014/928094>
235. Sen Y, Onal-Ulusoy B, Mutlu M. Aspergillus decontamination in hazelnuts: Evaluation of atmospheric and low-pressure plasma technology. *Innov Food Sci Emerg Technol.* 2019;54:235-242. <https://doi.org/10.1016/j.ifset.2019.04.014>
236. Pankaj SK, Bueno-Ferrer C, Misra NN, et al. Applications of cold plasma technology in food packaging. *Trends Food Sci Technol.* 2014;35(1):5-17. <https://doi.org/10.1016/j.tifs.2013.10.009>
237. Birania S, Attkan AK, Kumar S, Kumar N, Singh VK. Cold plasma in food processing and preservation: A review. *J Food Process Eng.* 2022;45(9):e14110. <https://doi.org/10.1111/jfpe.14110>
238. Nwabor OF, Onyeaka H, Miri T, Obileke K, Anumudu C, Hart A. A Cold Plasma Technology for Ensuring the Microbiological Safety and Quality of Foods. *Food Eng Rev.* Published online June 24, 2022. <https://doi.org/10.1007/s12393-022-09316-0>
239. Connor M, Flynn PB, Fairley DJ, et al. Evolutionary clade affects resistance of *Clostridium difficile* spores to Cold Atmospheric Plasma. *Sci Rep.* 2017;7(1):41814. <https://doi.org/10.1038/srep41814>
240. Liao X, Muhammad AI, Chen S, et al. Bacterial spore inactivation induced by cold plasma. *Crit Rev Food Sci Nutr.* 2019;59(16):2562-2572. <https://doi.org/10.1080/10408398.2018.1460797>
241. Cheng H, Xu H, Julian McClements D, et al. Recent advances in intelligent food packaging materials: Principles, preparation and applications. *Food Chem.* 2022;375:131738. <https://doi.org/10.1016/j.foodchem.2021.131738>
242. Kontominas MG, Badeka AV, Kosma IS, Nathanailides CI. Recent Developments in Seafood Packaging Technologies. *Foods.* 2021;10(5):940. <https://doi.org/10.3390/foods10050940>
243. Han JW, Ruiz-Garcia L, Qian JP, Yang XT. Food Packaging: A Comprehensive Review and Future Trends. *Compr Rev Food Sci Food Saf.* 2018;17(4):860-877. <https://doi.org/10.1111/1541-4337.12343>

244. Drago E, Campardelli R, Pettinato M, Perego P. Innovations in Smart Packaging Concepts for Food: An Extensive Review. *Foods Basel Switz*. 2020;9(11):E1628. <https://doi.org/10.3390/foods9111628>
245. Alves J, Gaspar PD, Lima TM, Silva PD. What is the role of active packaging in the future of food sustainability? A systematic review. *J Sci Food Agric*. Published online 2022. <https://doi.org/10.1002/jsfa.11880>
246. Guillard V, Gaucel S, Fornaciari C, Angellier-Coussy H, Buche P, Gontard N. The Next Generation of Sustainable Food Packaging to Preserve Our Environment in a Circular Economy Context. *Front Nutr*. 2018;5. Accessed October 28, 2022. <https://doi.org/10.3389/fnut.2018.00121>
247. Yan MR, Hsieh S, Ricacho N. Innovative Food Packaging, Food Quality and Safety, and Consumer Perspectives. *Processes*. 2022;10(4):747. <https://doi.org/10.3390/pr10040747>
248. Wrona M, Nerín C. Analytical Approaches for Analysis of Safety of Modern Food Packaging: A Review. *Mol Basel Switz*. 2020;25(3):E752. <https://doi.org/10.3390/molecules25030752>
249. Mertaolja A, Nowakowska MB, Mascher G, et al. CRISPR-Cas9-Based Toolkit for Clostridium botulinum Group II Spore and Sporulation Research. *Front Microbiol*. 2021;12. Accessed October 28, 2022. <https://doi.org/10.3389/fmicb.2021.617269>
250. Ahmed MdW, Haque MdA, Mohibbullah Md, et al. A review on active packaging for quality and safety of foods: Current trends, applications, prospects and challenges. *Food Packag Shelf Life*. 2022;33:100913. <https://doi.org/10.1016/j.fpsl.2022.100913>
251. Soro AB, Noore S, Hannon S, et al. Current sustainable solutions for extending the shelf life of meat and marine products in the packaging process. *Food Packag Shelf Life*. 2021;29:100722. <https://doi.org/10.1016/j.fpsl.2021.100722>
252. Tiekstra S, Dopico-Parada A, Koivula H, Lahti J, Buntinx M. Holistic Approach to a Successful Market Implementation of Active and Intelligent Food Packaging. *Foods*. 2021;10(2):465. <https://doi.org/10.3390/foods10020465>
253. Lorentzen G, Rosnes JT, Rotabakk BT, Skuland AV, Hansen JS, Ageeva TN. A simulated e-commerce cold chain for fresh cod (*Gadus morhua* L.) products:

Applicability of selected TTIs and effects of pre-treatment and packaging. *Food Packag Shelf Life*. 2022;31:100794. <https://doi.org/10.1016/j.fpsl.2021.100794>

254. EFSA. *Opinion of the Scientific Panel on Biological Hazards (BIOHAZ) Related to Clostridium spp in Foodstuffs* | EFSA.; 2005. Accessed October 28, 2022. <https://www.efsa.europa.eu/en/efsajournal/pub/199>  
<https://doi.org/10.2903/j.efsa.2005.199>

255. Hudson A, Lake R. *Risk Profile: Clostridium botulinum in Ready to Eat Smoked Fish and Shellfish in Sealed Packaging*. Ministry for Primary Industries; 2012.

256. Membré JM, Diao M, Thorin C, Cordier G, Zuber F, André S. Risk assessment of proteolytic Clostridium botulinum in canned foie gras. *Int J Food Microbiol*. 2015;210:62-72. <https://doi.org/10.1016/j.ijfoodmicro.2015.06.002>

257. Malakar PK, Barker GC, Peck MW. Quantitative risk assessment for hazards that arise from non-proteolytic Clostridium botulinum in minimally processed chilled dairy-based foods. *Food Microbiol*. 2011;28(2):321-330.  
<https://doi.org/10.1016/j.fm.2010.04.004>

258. NHS. Botulism. Published 2022. Accessed October 28, 2022.  
<https://www.nhs.uk/conditions/botulism/>

259. Chalk CH, Benstead TJ, Pound JD, Keezer MR. Medical treatment for botulism. *Cochrane Database Syst Rev*. 2019;(4).  
<https://doi.org/10.1002/14651858.CD008123.pub4>

260. Rossetto O, Montecucco C. Tables of Toxicity of Botulinum and Tetanus Neurotoxins. *Toxins*. 2019;11(12):E686. <https://doi.org/10.3390/toxins11120686>

261. Jackson KA, Mahon BE, Copeland J, Fagan RP. Botulism mortality in the USA, 1975-2009. *Botulinum J*. 2015;3(1):6-17.  
<https://doi.org/10.1504/TBJ.2015.078132>

262. Woodburn MJ, Somers E, Rodriguez J, Schantz EJ. Heat Inactivation Rates of Botulinum Toxins a, B, E and F in Some Foods and Buffers. *J Food Sci*. 1979;44(6):1658-1661. <https://doi.org/10.1111/j.1365-2621.1979.tb09110.x>

263. Weingart OG, Schreiber T, Mascher C, et al. The case of botulinum toxin in milk: experimental data. *Appl Environ Microbiol*. 2010;76(10):3293-3300.  
<https://doi.org/10.1128/AEM.02937-09>



264. CFA. SUSSLE & the 10 Day Rule for Shelf Life. Chilled Food Association. Published 2018. Accessed October 28, 2022. <https://www.chilledfood.org/sussle-the-10-day-rule-for-shelf-life/>

265. Samuel E. Home canning: TikTok made me do it. New Food Magazine. Accessed November 10, 2022. <https://www.newfoodmagazine.com/article/165512/the-dangers-of-home-canning/>

266. Advisory Committee on Microbiological Safety of Foods (ACMSF). *Home and Commercial Bottling of Vegetables in Oil.*; 2003. [https://acmsf.food.gov.uk/sites/default/files/mnt/drupal\\_data/sources/files/multimedia/pdfs](https://acmsf.food.gov.uk/sites/default/files/mnt/drupal_data/sources/files/multimedia/pdfs)