

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD
INFORMATION PAPER

Items of interest from the literature

Bacillus cereus

Berthold-Pluta A, Pluta A, Garbowska M. The effect of selected factors on the survival of *Bacillus cereus* in the human gastrointestinal tract. *Microb Pathog.* 2015 May;82:7-14.

Caamaño-Antelo S, Fernández-No IC, Böhme K, Ezzat-Alnakip M, Quintela-Baluja M, Barros-Velázquez J, Calo-Mata P. Genetic discrimination of foodborne pathogenic and spoilage *Bacillus* spp. based on three housekeeping genes. *Food Microbiol.* 2015 Apr;46:288-98.

De Bellis P, Minervini F, Di Biase M, Valerio F, Lavermicocca P, Sisto A. Toxigenic potential and heat survival of spore-forming bacteria isolated from bread and ingredients. *Int J Food Microbiol.* 2015 Mar 16;197:30-9.

Hairam U, Labbé R. Spore prevalence and toxigenicity of *Bacillus cereus* and *Bacillus thuringiensis* isolates from U.S. retail spices. *J Food Prot.* 2015 Mar;78(3):590-6.

Hwang JY, Park JH. Characteristics of enterotoxin distribution, hemolysis, lecithinase, and starch hydrolysis of *Bacillus cereus* isolated from infant formulas and ready-to-eat foods. *J Dairy Sci.* 2015 Mar;98(3):1652-60.

Tewari A, Abdullah S. *Bacillus cereus* food poisoning: international and Indian perspective. *J Food Sci Technol.* 2015 May;52(5):2500-11.

Vangoitsenhoven R, Maris M, Overbergh L, Van Loco J, Mathieu C, Van der Schueren B. Cereulide food toxin, beta cell function and diabetes: Facts and hypotheses. *Diabetes Res Clin Pract.* 2015 May 6. pii: S0168-8227(15)00227-2.

Warda AK, den Besten HM, Sha N, Abee T, Nierop Groot MN. Influence of food matrix on outgrowth heterogeneity of heat damaged *Bacillus cereus* spores. *Int J Food Microbiol.* 2015 May 18;201:27-34.

Yim JH, Kim KY, Chon JW, Kim DH, Kim HS, Choi DS, Choi IS, Seo KH. Incidence, Antibiotic Susceptibility, and Toxin Profiles of *Bacillus cereus* sensu lato Isolated from Korean Fermented Soybean Products. *J Food Sci.* 2015 May 6. doi: 10.1111/1750-3841.12872. [Epub ahead of print]

Campylobacter

Aarestrup FM. The livestock reservoir for antimicrobial resistance: a personal view on changing patterns of risks, effects of interventions and the way forward. *Philos Trans R Soc Lond B Biol Sci.* 2015 Jun 5;370(1670). pii: 20140085. Review.

- Al-Qadiri H, Sablani SS, Ovissipour M, Al-Alami N, Govindan B, Rasco B. Effect of oxygen stress on growth and survival of *Clostridium perfringens*, *Campylobacter jejuni*, and *Listeria monocytogenes* under different storage conditions. *J Food Prot.* 2015 Apr;78(4):691-7.
- Bolton DJ. *Campylobacter* virulence and survival factors. *Food Microbiol.* 2015 Jun; 48:99-108.
- Duarte AS, Nauta MJ. Impact of microbial count distributions on human health risk estimates. *Int J Food Microbiol.* 2015 Feb 16;195:48-57.
- Duffy LL, Blackall PJ, Cobbold RN, Fegan N. Mapping the carriage of flaA-restriction fragment length polymorphism *Campylobacter* genotypes on poultry carcasses through the processing chain and comparison to clinical isolates. *Food Microbiol.* 2015 Jun;48:116-22.
- Giacomelli M, Follador N, Coppola LM, Martini M, Piccirillo A. Survey of *Campylobacter* spp. in owned and unowned dogs and cats in Northern Italy. *Vet J.* 2015 Jun;204(3):333-7.
- Griekspoor P, Engvall EO, Åkerlind B, Olsen B, Waldenström J. Genetic diversity and host associations in *Campylobacter jejuni* from human cases and broilers in 2000 and 2008. *Vet Microbiol.* 2015 Jul 9;178(1-2):94-8.
- Gruntar I, Biasizzo M, Kušar D, Pate M, Ocepek M. *Campylobacter jejuni* contamination of broiler carcasses: Population dynamics and genetic profiles at slaughterhouse level. *Food Microbiol.* 2015 Sep;50:97-101.
- Gunther Iv NW, Rajkowski KT, Sommers C. Survival after cryogenic freezing of *Campylobacter* species in ground Turkey patties treated with polyphosphates. *J Food Prot.* 2015 Feb;78(2):419-23.
- Guyard-Nicodème M, Rivoal K, Houard E, Rose V, Quesne S, Mourand G, Rouxel S, Kempf I, Guillier L, Gauchard F, Chemaly M. Prevalence and characterization of *Campylobacter jejuni* from chicken meat sold in French retail outlets. *Int J Food Microbiol.* 2015 Jun 16;203:8-14.
- Hansson I, Nyman A, Lahti E, Gustafsson P, Olsson Engvall E. Associations between *Campylobacter* levels on chicken skin, underlying muscle, caecum and packaged fillets. *Food Microbiol.* 2015 Jun;48:178-81.
- Hellberg RS, Chu E. Effects of climate change on the persistence and dispersal of foodborne bacterial pathogens in the outdoor environment: A review. *Crit Rev Microbiol.* 2015 Jan 23:1-25.
- Ingesa-Capaccioni S, González-Bodí S, Jiménez-Trigos E, Marco-Jiménez F, Catalá P, Vega S, Marin C. Comparison of different sampling types across the rearing period in broiler flocks for isolation of *Campylobacter* spp. *Poult Sci.* 2015 Apr;94(4):766-71.
- Josefsen MH, Bhunia AK, Engvall EO, Fachmann MS, Hoorfar J. Monitoring *Campylobacter* in the poultry production chain—from culture to genes and beyond. *J Microbiol Methods.* 2015 May;112:118-25.
- Josefsen MH, Andersen SC, Christensen J, Hoorfar J. Microbial food safety: Potential of DNA extraction methods for use in diagnostic metagenomics. *J Microbiol Methods.* 2015 Jul;114:30-4.

- Kim JC, Oh E, Hwang S, Ryu S, Jeon B. Non-selective regulation of peroxide and superoxide resistance genes by PerR in *Campylobacter jejuni*. *Front Microbiol.* 2015 Feb 17;6:126.
- Klein G, Jansen W, Kittler S, Reich F. Mitigation strategies for *Campylobacter* spp. in broiler at pre-harvest and harvest level. *Berl Munch Tierarztl Wochenschr.* 2015 Mar-Apr;128(3-4):132-40.
- Kolstoe EM, Iversen T, Østensvik Ø, Abdelghani A, Secic I, Nesbakken T. Specific pathogen-free pig herds also free from *Campylobacter*? *Zoonoses Public Health.* 2015 Mar;62(2):125-30.
- Koolman L, Whyte P, Burgess C, Bolton D. Distribution of virulence-associated genes in a selection of *campylobacter* isolates. *Foodborne Pathog Dis.* 2015 May;12(5):424-32.
- Korsak D, Maćkiw E, Rożynek E, Żyłowska M. Prevalence of *Campylobacter* spp. in Retail Chicken, Turkey, Pork, and Beef Meat in Poland between 2009 and 2013. *J Food Prot.* 2015 May;78(5):1024-8.
- Lajhar SA, Jennison AV, Patel B, Duffy LL. Comparison of epidemiologically linked *Campylobacter jejuni* isolated from human and poultry sources. *Epidemiol Infect.* 2015 May 4:1-12.
- Llarena AK, Huneau A, Hakkinen M, Hänninen ML. Predominant *Campylobacter jejuni* sequence types persist in Finnish chicken production. *PLoS One.* 2015 Feb 20;10(2):e0116585.
- Mangen MJ, Bouwknegt M, Friesema IH, Haagsma JA, Kortbeek LM, Tariq L, Wilson M, van Pelt W, Havelaar AH. Cost-of-illness and disease burden of food-related pathogens in the Netherlands, 2011. *Int J Food Microbiol.* 2015 Mar 2;196:84-93.
- Manzano M, Cecchini F, Fontanot M, Iacumin L, Comi G, Melpignano P. OLED-based DNA biochip for *Campylobacter* spp. detection in poultry meat samples. *Biosens Bioelectron.* 2015 Apr 15;66:271-6.
- Mehla K, Ramana J. Novel Drug Targets for Food-Borne Pathogen *Campylobacter jejuni*: An Integrated Subtractive Genomics and Comparative Metabolic Pathway Study. *OMICS.* 2015 Jun 10. [Epub ahead of print]
- Meriäldi G, Giacometti F, Bardasi L, Stancampiano L, Taddei R, Serratore P, Serraino A. Fecal shedding of thermophilic *Campylobacter* in a dairy herd producing raw milk for direct human consumption. *J Food Prot.* 2015 Mar;78(3):579-84.
- Oh E, McMullen L, Jeon B. Impact of oxidative stress defense on bacterial survival and morphological change in *Campylobacter jejuni* under aerobic conditions. *Front Microbiol.* 2015 Apr 10;6:295.
- Olkola S, Nykäsenoja S, Raulo S, Llarena AK, Kovanen S, Kivistö R, Myllyniemi AL, Hänninen ML. Antimicrobial Resistance and Multilocus Sequence Types of Finnish *Campylobacter jejuni* Isolates from Multiple Sources. *Zoonoses Public Health.* 2015 Apr 27. doi: 10.1111/zph.12198. [Epub ahead of print]
- Pacholewicz E, Swart A, Schipper M, Gortemaker BG, Wagenaar JA, Havelaar AH, Lipman LJ. A comparison of fluctuations of *Campylobacter* and *Escherichia coli* concentrations on

broiler chicken carcasses during processing in two slaughterhouses. *Int J Food Microbiol.* 2015 Jul 16;205:119-27.

Pérez Pulido R, Grande Burgos MJ, Gálvez A, Lucas López R. Application of bacteriophages in post-harvest control of human pathogenic and food spoiling bacteria. *Crit Rev Biotechnol.* 2015 Jun 4:1-11. [Epub ahead of print]

Sandberg M, Sørensen LL, Steenberg B, Chowdhury S, Ersbøll AK, Alban L. Risk factors for *Campylobacter* colonization in Danish broiler flocks, 2010 to 2011. *Poult Sci.* 2015 Mar;94(3):447-53.

Sarjit A, Dykes GA. Trisodium phosphate and sodium hypochlorite are more effective as antimicrobials against *Campylobacter* and *Salmonella* on duck as compared to chicken meat. *Int J Food Microbiol.* 2015 Jun 16;203:63-9.

Scott MK, Geissler A, Poissant T, DeBess E, Melius B, Eckmann K, Salehi E, Cieslak PR; Centers for Disease Control and Prevention (CDC). Notes from the field: campylobacteriosis outbreak associated with consuming undercooked chicken liver pâté - Ohio and Oregon, December 2013-January 2014. *MMWR Morb Mortal Wkly Rep.* 2015 Apr 17;64(14):399.

Seliwiorstow T, Duarte A, Baré J, Botteldoorn N, Dierick K, Uyttendaele M, De Zutter L. Comparison of sample types and analytical methods for the detection of highly *campylobacter*-colonized broiler flocks at different stages in the poultry meat production chain. *Foodborne Pathog Dis.* 2015 May;12(5):399-405.

Seliwiorstow T, Baré J, Van Damme I, Uyttendaele M, De Zutter L. *Campylobacter* carcass contamination throughout the slaughter process of *Campylobacter*-positive broiler batches. *Int J Food Microbiol.* 2015 Feb 2;194:25-31.

Shyaka A, Kusumoto A, Asakura H, Kawamoto K. Whole-Genome Sequences of Eight *Campylobacter jejuni* Isolates from Wild Birds. *Genome Announc.* 2015 Apr 23;3(2).

Stingl K, Buhler C, Krüger NJ. *Campylobacter* detection along the food chain--towards improved quantitative risk analysis by live/dead discriminatory culture-independent methods. *Berl Munch Tierarztl Wochenschr.* 2015 Mar-Apr;128(3-4):122-9.

Umaraw P, Prajapati A, Verma AK, Pathak V, Singh VP. Control of *Campylobacter* in Poultry Industry from Farm to Poultry Processing Unit-a Review. *Crit Rev Food Sci Nutr.* 2015 Apr 21:0. [Epub ahead of print]

Wieczorek K, Osek J. A five-year study on prevalence and antimicrobial resistance of *Campylobacter* from poultry carcasses in Poland. *Food Microbiol.* 2015 Aug;49:161-5.

Zakariénė G, Rokaitytė A, Ramonaitė S, Novoslavskij A, Mulkytė K, Zaborskienė G, Malakauskas M. The antimicrobial effect of spice-based marinades against *Campylobacter jejuni* on contaminated fresh broiler wings. *J Food Sci.* 2015 Mar;80(3):M627-34.

Zhao S, Mukherjee S, Chen Y, Li C, Young S, Warren M, Abbott J, Friedman S, Kabera C, Karlsson M, McDermott PF. Novel gentamicin resistance genes in *Campylobacter* isolated from humans and retail meats in the USA. *J Antimicrob Chemother.* 2015 May;70(5):1314-21.

Clostridium

Bauer MP, Kuijper EJ. Potential sources of *Clostridium difficile* in human infection. *Infect Dis Clin North Am*. 2015 Mar;29(1):29-35.

Bolton DJ, Carroll J, Walsh D. A four-year survey of blown pack spoilage *Clostridium estertheticum* and *Clostridium gasigenes* on beef primal cuts. *Lett Appl Microbiol*. 2015 Apr 20. doi: 10.1111/lam.12431. [Epub ahead of print]

Carter AT, Peck MW. Genomes, neurotoxins and biology of *Clostridium botulinum* Group I and Group II. *Res Microbiol*. 2015 May;166(4):303-17.

Castor C, Mazuet C, Saint-Leger M, Vygen S, Coutureau J, Durand M, Popoff MR, Jourdan Da Silva N. Cluster of two cases of botulism due to *Clostridium baratii* type F in France, November 2014. *Euro Surveill*. 2015 Feb 12;20(6).

Clauwers C, Briers Y, Lavigne R, Michiels CW. Two Complete and One Draft Genome Sequence of Nonproteolytic *Clostridium botulinum* Type E Strains NCTC 8266, NCTC 8550, and NCTC 11219. *Genome Announc*. 2015 Mar 12;3(2). pii: e00083-15.

Dahlsten E, Lindström M, Korkeala H. Mechanisms of food processing and storage-related stress tolerance in *Clostridium botulinum*. *Res Microbiol*. 2015 May;166(4):344-52.

Deng K, Plaza-Garrido A, Torres JA, Paredes-Sabja D. Survival of *Clostridium difficile* spores at low temperatures. *Food Microbiol*. 2015 Apr;46:218-21.

Doyle CJ, Gleeson D, Jordan K, Beresford TP, Ross RP, Fitzgerald GF, Cotter PD. Anaerobic sporeformers and their significance with respect to milk and dairy products. *Int J Food Microbiol*. 2015 Mar 16;197:77-87.

Huang L. Dynamic determination of kinetic parameters, computer simulation, and probabilistic analysis of growth of *Clostridium perfringens* in cooked beef during cooling. *Int J Food Microbiol*. 2015 Feb 16;195:20-9.

Janezic S, Rupnik M. Genomic diversity of *Clostridium difficile* strains. *Res Microbiol*. 2015 May;166(4):353-60.

Lund BM, Peck MW. A possible route for foodborne transmission of *Clostridium difficile*? *Foodborne Pathog Dis*. 2015 Mar;12(3):177-82.

Mazuet C, Sautereau J, Legeay C, Bouchier C, Bouvet P, Popoff MR. An atypical outbreak of food-borne botulism due to *Clostridium botulinum* types B and E from ham. *J Clin Microbiol*. 2015 Feb;53(2):722-6.

Rodriguez C, Korsak N, Taminiau B, Avesani V, Van Broeck J, Brach P, Delmée M, Daube G. *Clostridium difficile* from food and surface samples in a Belgian nursing home: an unlikely source of contamination. *Anaerobe*. 2015 Apr;32:87-9.

Sakaguchi Y, Suzuki T, Yamamoto Y, Nishikawa A, Oguma K. Genomics of *Clostridium botulinum* group III strains. *Res Microbiol*. 2015 May;166(4):318-25.

Seyboldt C, Discher S, Jordan E, Neubauer H, Jensen KC, Campe A, Kreienbrock L, Scheu T, Wichern A, Gundling F, DoDuc P, Fohler S, Abdulmawjood A, Klein G, Hoedemaker M.

Occurrence of *Clostridium botulinum* neurotoxin in chronic disease of dairy cows. *Vet Microbiol.* 2015 Jun 12;177(3-4):398-402.

Steyer A, Gutiérrez-Aguirre I, Rački N, Beigot Glaser S, Brajer Humar B, Stražar M, Škrjanc I, Poljšak-Prijatelj M, Ravnikar M, Rupnik M. The Detection Rate of Enteric Viruses and *Clostridium difficile* in a Waste Water Treatment Plant Effluent. *Food Environ Virol.* 2015 Feb 7. [Epub ahead of print] PubMed PMID: 25663146.

Xiao Y, van Hijum SA, Abee T, Wells-Bennik MH. Genome-Wide Transcriptional Profiling of *Clostridium perfringens* SM101 during Sporulation Extends the Core of Putative Sporulation Genes and Genes Determining Spore Properties and Germination Characteristics. *PLoS One.* 2015 May 15;10(5):e0127036.

Yamoudy M, Mirlohi M, Isfahani BN, Jalali M, Esfandiari Z, Hosseini NS. Isolation of toxigenic *Clostridium difficile* from ready-to-eat salads by multiplex polymerase chain reaction in Isfahan, Iran. *Adv Biomed Res.* 2015 May 11;4:87.

Cryptosporidium

Delafosse A, Chartier C, Dupuy MC, Dumoulin M, Pors I, Paraud C. *Cryptosporidium parvum* infection and associated risk factors in dairy calves in western France. *Prev Vet Med.* 2015 Mar 1;118(4):406-12.

Johansen ØH, Hanevik K, Thrana F, Carlson A, Stachurska-Hagen T, Skaare D, Robertson LJ. Symptomatic and asymptomatic secondary transmission of *Cryptosporidium parvum* following two related outbreaks in schoolchildren. *Epidemiol Infect.* 2015 Jun;143(8):1702-9.

Marangi M, Giangaspero A, Lacasella V, Lonigro A, Gasser RB. Multiplex PCR for the detection and quantification of zoonotic taxa of *Giardia*, *Cryptosporidium* and *Toxoplasma* in wastewater and mussels. *Mol Cell Probes.* 2015 Apr;29(2):122-5.

McKerr C, Adak GK, Nichols G, Gorton R, Chalmers RM, Kafatos G, Cosford P, Charlett A, Reacher M, Pollock KG, Alexander CL, Morton S. An Outbreak of *Cryptosporidium parvum* across England & Scotland Associated with Consumption of Fresh Pre-Cut Salad Leaves, May 2012. *PLoS One.* 2015 May 27;10(5):e0125955.

Rosenthal M, Pedersen R, Leible S, Hill V, Carter K, Roellig DM; Centers for Disease Control and Prevention (CDC). Notes from the field: cryptosporidiosis associated with consumption of unpasteurized goat milk - Idaho, 2014. *MMWR Morb Mortal Wkly Rep.* 2015 Feb 27;64(7):194-5.

Åberg R, Sjöman M, Hemminki K, Pirnes A, Räsänen S, Kalanti A, Pohjanvirta T, Caccio SM, Pihlajasaari A, Toikkanen S, Huusko S, Rimhanen-Finne R. *Cryptosporidium parvum* Caused a Large Outbreak Linked to Frisée Salad in Finland, 2012. *Zoonoses Public Health.* 2015 Mar 21. doi: 10.1111/zph.12190. [Epub ahead of print].

Escherichia coli

Bai X, Wang H, Xin Y, Wei R, Tang X, Zhao A, Sun H, Zhang W, Wang Y, Xu Y, Zhang Z, Li Q, Xu J, Xiong Y. Prevalence and characteristics of Shiga toxin-producing *Escherichia coli* isolated from retail raw meats in China. *Int J Food Microbiol.* 2015 May 4; 200:31-8.

- Baker CA, Rubinelli PM, Park SH, Ricke SC. Immuno-based detection of Shiga toxin-producing pathogenic *Escherichia coli* in food - A review on current approaches and potential strategies for optimization. *Crit Rev Microbiol*. 2015 May 27:1-20.
- Balamurugan S, Ahmed R, Gao A. Survival of Shiga toxin-producing *Escherichia coli* in broth as influenced by pH, water activity and temperature. *Lett Appl Microbiol*. 2015 Apr;60(4):341-6.
- Bonanno L, Loukiadis E, Mariani-Kurkdjian P, Oswald E, Garnier L, Michel V, Auvray F. Diversity of Shiga Toxin-Producing *Escherichia coli* (STEC) O26:H11 Strains Examined via stx Subtypes and Insertion Sites of Stx and EspK Bacteriophages. *Appl Environ Microbiol*. 2015 Jun 1;81(11):3712-21.
- Chui L, Li V, Fach P, Delannoy S, Malejczyk K, Patterson-Fortin L, Poon A, King R, Simmonds K, Scott AN, Lee MC. Molecular profiling of *Escherichia coli* O157:H7 and non-O157 strains isolated from humans and cattle in Alberta, Canada. *J Clin Microbiol*. 2015 Mar;53(3):986-90.
- Dallman TJ, Byrne L, Ashton PM, Cowley LA, Perry NT, Adak G, Petrovska L, Ellis RJ, Elson R, Underwood A, Green J, Hanage WP, Jenkins C, Grant K, Wain J. Whole-Genome Sequencing for National Surveillance of Shiga Toxin-Producing *Escherichia coli* O157. *Clin Infect Dis*. 2015 Apr 17. pii: civ318. [Epub ahead of print]
- Delannoy S, Mariani-Kurkdjian P, Bonacorsi S, Liguori S, Fach P. Characteristics of emerging human-pathogenic *Escherichia coli* O26:H11 strains isolated in France between 2010 and 2013 and carrying the stx2d gene only. *J Clin Microbiol*. 2015 Feb;53(2):486-92.
- Eppinger M, Cebula TA. Future perspectives, applications and challenges of genomic epidemiology studies for food-borne pathogens: A case study of Enterohemorrhagic *Escherichia coli* (EHEC) of the O157:H7 serotype. *Gut Microbes*. 2015 May 4;6(3):194-201.
- Franz E, van Hoek AH, Wuite M, van der Wal FJ, de Boer AG, Bouw EI, Aarts HJ. Molecular hazard identification of non-O157 Shiga toxin-producing *Escherichia coli* (STEC). *PLoS One*. 2015 Mar 19;10(3):e0120353.
- Friesema IH, Schotsborg M, Heck ME, Van Pelt W. Risk factors for sporadic Shiga toxin-producing *Escherichia coli* O157 and non-O157 illness in The Netherlands, 2008-2012, using periodically surveyed controls. *Epidemiol Infect*. 2015 May;143(7):1360-7.
- Goji N, Mathews A, Huszczyński G, Laing CR, Gannon VP, Graham MR, Amoako KK. A new pyrosequencing assay for rapid detection and genotyping of Shiga toxin, intimin and O157-specific rfbE genes of *Escherichia coli*. *J Microbiol Methods*. 2015 Feb;109:167-79.
- Hoang Minh S, Kimura E, Hoang Minh D, Honjoh K, Miyamoto T. Virulence characteristics of Shiga toxin-producing *Escherichia coli* from raw meats and clinical samples. *Microbiol Immunol*. 2015 Mar;59(3):114-22
- Isiko J, Khaitsa M, Bergholz TM. Novel sequence types of non-O157 Shiga toxin-producing *Escherichia coli* isolated from cattle. *Lett Appl Microbiol*. 2015 Jun;60(6):552-7.
- Ison SA, Delannoy S, Bugarel M, Nightingale KK, Webb HE, Renter DG, Nagaraja TG, Loneragan GH, Fach P. Genetic Diversity and Pathogenic Potential of Attaching and Effacing *Escherichia coli* O26:H11 Strains Recovered from Bovine Feces in the United States. *Appl Environ Microbiol*. 2015 Jun 1;81(11):3671-8.

Jenkins C, Dallman TJ, Launders N, Willis C, Byrne L, Jorgensen F, Eppinger M, Adak GK, Aird H, Elviss N, Grant KA, Morgan D, McLauchlin J. Public Health Investigation of Two Outbreaks of Shiga Toxin-Producing *Escherichia coli* O157 Associated with Consumption of Watercress. *Appl Environ Microbiol*. 2015 Jun 15;81(12):3946-52.

Jiang Y, Scheinberg JA, Senevirathne R, Cutter CN. The efficacy of short and repeated high-pressure processing treatments on the reduction of non-O157:H7 Shiga-toxin producing *Escherichia coli* in ground beef patties. *Meat Sci*. 2015 Apr;102:22-6.

Kim YB, Kim HW, Song MK, Rhee MS. Decontamination method using heat and relative humidity for radish seeds achieves a 7-log reduction of *Escherichia coli* O157:H7 without affecting product quality. *Int J Food Microbiol*. 2015 May 18;201:42-6.

Lambert D, Carrillo CD, Koziol AG, Manninger P, Blais BW. GeneSippr: a rapid whole-genome approach for the identification and characterization of foodborne pathogens such as priority Shiga toxigenic *Escherichia coli*. *PLoS One*. 2015 Apr 10;10(4):e0122928.

Launders N, Locking ME, Hanson M, Willshaw G, Charlett A, Salmon R, Cowden J, Adak GK. A large Great Britain-wide outbreak of STEC O157 phage type 8 linked to handling of raw leeks and potatoes. *Epidemiol Infect*. 2015 Jun 4:1-11. [Epub ahead of print]

Liao YT, Brooks JC, Martin JN, Echeverry A, Loneragan GH, Brashears MM. Antimicrobial interventions for O157:H7 and non-O157 Shiga toxin-producing *Escherichia coli* on beef subprimal and mechanically tenderized steaks. *J Food Prot*. 2015 Mar;78(3):511-7.

Livezey KW, Groschel B, Becker MM. Use of the *ecf1* gene to detect Shiga toxin-producing *Escherichia coli* in beef samples. *J Food Prot*. 2015 Apr;78(4):675-84.

Masana MO, Barrio YX, Palladino PM, Sancho AM, Vaudagna SR. High pressure treatments combined with sodium lactate to inactivate *Escherichia coli* O157:H7 and spoilage microbiota in cured beef carpaccio. *Food Microbiol*. 2015 Apr;46:610-7.

Moore DA, Smith DR, Sisco WM, Heaton K, Besser TE. *Escherichia coli* O157:H7 - Discerning Facts from Fiction: An Integrated Research and Extension Project for Multiple Audiences. *Zoonoses Public Health*. 2015 Jun 1. doi: 10.1111/zph.12206. [Epub ahead of print]

Norman KN, Clawson ML, Strockbine NA, Mandrell RE, Johnson R, Ziebell K, Zhao S, Fratamico PM, Stones R, Allard MW, Bono JL. Comparison of whole genome sequences from human and non-human *Escherichia coli* O26 strains. *Front Cell Infect Microbiol*. 2015 Mar 11;5:21.

Paoli GC, Wijey C, Uhlich GA. Genetically Marked Strains of Shiga Toxin-Producing O157:H7 and Non-O157 *Escherichia coli*: Tools for Detection and Modeling. *J Food Prot*. 2015 May;78(5):888-901.

Pielaat A, Boer MP, Wijnands LM, van Hoek AH, Bouw E, Barker GC, Teunis PF, Aarts HJ, Franz E. First step in using molecular data for microbial food safety risk assessment; hazard identification of *Escherichia coli* O157:H7 by coupling genomic data with in vitro adherence to human epithelial cells. *Int J Food Microbiol*. 2015 Apr 10. pii: S0168-1605(15)00201-9. doi:10.1016/j.ijfoodmicro.2015.04.009. [Epub ahead of print]

Pradel N, Etienne-Mesmin L, Thévenot J, Cordonnier C, Blanquet-Diot S, Livrelli V. In vitro adhesion properties of Shiga toxin-producing *Escherichia coli* isolated from cattle, food, and humans. *Front Microbiol*. 2015 Feb 27;6:156.

Shen J, Rump L, Ju W, Shao J, Zhao S, Brown E, Meng J. Virulence characterization of non-O157 Shiga toxin-producing *Escherichia coli* isolates from food, humans and animals. *Food Microbiol.* 2015 Sep;50:20-7.

Sommers C, Rajkowski KT, Scullen OJ, Cassidy J, Fratamico P, Sheen S. Inactivation of Shiga toxin-producing *Escherichia coli* in lean ground beef by gamma irradiation. *Food Microbiol.* 2015 Aug;49:231-4.

Swartz RS, Luchansky JB, Kulas M, Shoyer BA, Shane LE, Strasser H, Munson M, Porto-Fett AC. Thermal Inactivation of Shiga Toxin-Producing *Escherichia coli* Cells within Cubed Beef Steaks following Cooking on a Griddle. *J Food Prot.* 2015 May;78(5):1013-7.

Yan X, Fratamico PM, Bono JL, Baranzoni GM, Chen CY. Genome sequencing and comparative genomics provides insights on the evolutionary dynamics and pathogenic potential of different H-serotypes of Shiga toxin-producing *Escherichia coli* O104. *BMC Microbiol.* 2015 Apr 3;15:83.

Hepatitis A and E

Bouwknegt M, Verhaelen K, Rzeżutka A, Kozyra I, Maunula L, von Bonsdorff CH, Vantarakis A, Kokkinos P, Petrovic T, Lazic S, Pavlik I, Vasickova P, Willems KA, Havelaar AH, Rutjes SA, de Roda Husman AM. Quantitative farm-to-fork risk assessment model for norovirus and hepatitis A virus in European leafy green vegetable and berry fruit supply chains. *Int J Food Microbiol.* 2015 Apr 2;198:50-8.

Bozkurt H, D'Souza DH, Davidson PM. Thermal inactivation kinetics of human norovirus surrogates and hepatitis A virus in turkey deli meat. *Appl Environ Microbiol.* 2015 May 8. pii: AEM.00874-15. [Epub ahead of print]

Burniston S, Okello AL, Khamlome B, Inthavong P, Gilbert J, Blacksell SD, Allen J, Welburn SC. Cultural drivers and health-seeking behaviours that impact on the transmission of pig-associated zoonoses in Lao People's Democratic Republic. *Infect Dis Poverty.* 2015 Mar 2;4:11.

Cook N, van der Poel WH. Survival and Elimination of Hepatitis E Virus: A Review. *Food Environ Virol.* 2015 May 20. [Epub ahead of print]

Di Bartolo I, Ponterio E, Angeloni G, Morandi F, Ostanello F, Nicoloso S, Ruggeri FM. Presence of Hepatitis E Virus in a RED Deer (*Cervus elaphus*) Population in Central Italy. *Transbound Emerg Dis.* 2015 Apr 19. doi: 10.1111/tbed.12353. [Epub ahead of print]

Echevarría JM, Fogeda M, Avellón A. [Epidemiology of hepatitis E virus infection in Spain]. *Enferm Infecc Microbiol Clin.* 2015 Apr;33(4):281-6. doi: 10.1016/j.eimc.2013.11.009. Epub 2014 Jan 18. Review. Spanish.

Gao S, Li D, Zha E, Zhou T, Wang S, Yue X. Surveillance of hepatitis E virus contamination in shellfish in China. *Int J Environ Res Public Health.* 2015 Feb 11;12(2):2026-36.

Ishii K, Kiyohara T, Yoshizaki S, Kawabata K, Kanayama A, Yahata Y, Takahashi T, Kinoshita H, Saitou T, Sunagawa T, Oishi K, Uema M, Noda M, Wakita T. Epidemiological and genetic analysis of a 2014 outbreak of hepatitis A in Japan. *Vaccine.* 2015 May 6. pii: S0264-410X(15)00525-3. [Epub ahead of print]

- Jones TH, Muehlhauser V. Survival of Porcine teschovirus as a surrogate virus on pork chops during storage at 2°C. *Int J Food Microbiol.* 2015 Feb 2;194:21-4.
- Kanayama A, Arima Y, Yamagishi T, Kinoshita H, Sunagawa T, Yahata Y, Matsui T, Ishii K, Wakita T, Oishi K. Epidemiology of domestically-acquired hepatitis E virus infection in Japan: assessment of the nationally reported surveillance data, 2007-2013. *J Med Microbiol.* 2015 May 14. pii: jmm.0.000084.
- Kantala T, Heinonen M, Oristo S, von Bonsdorff CH, Maunula L. Hepatitis E virus in young pigs in Finland and characterization of the isolated partial genomic sequences of genotype 3 HEV. *Foodborne Pathog Dis.* 2015 Mar;12(3):253-60.
- Lee SJ, Si J, Yun HS, Ko G. Effect of temperature and relative humidity on the survival of foodborne viruses during food storage. *Appl Environ Microbiol.* 2015 Mar;81(6):2075-81.
- Martinelli N, Pavoni E, Filogari D, Ferrari N, Chiari M, Canelli E, Lombardi G. Hepatitis E virus in wild boar in the central northern part of Italy. *Transbound Emerg Dis.* 2015 Apr;62(2):217-22.
- Moreno L, Aznar R, Sánchez G. Application of viability PCR to discriminate the infectivity of hepatitis A virus in food samples. *Int J Food Microbiol.* 2015 May 18;201:1-6.
- Myrmet M, Lange H, Rimstad E. A 1-Year Quantitative Survey of Noro-, Adeno-, Human Boca-, and Hepatitis E Viruses in Raw and Secondarily Treated Sewage from Two Plants in Norway. *Food Environ Virol.* 2015 May 24. [Epub ahead of print]
- O'Connor M, Roche SJ, Sammin D. Seroprevalence of Hepatitis E virus infection in the Irish pig population. *Ir Vet J.* 2015 May 8;68(1):8.
- Pavio N, Meng XJ, Doceul V. Zoonotic origin of hepatitis E. *Curr Opin Virol.* 2015 Feb;10:34-41.
- Pavoni E, Arcangeli G, Dalzini E, Bertasi B, Terregino C, Montesi F, Manfrin A, Bertoli E, Brutti A, Varisco G, Losio MN. Synergistic effect of high hydrostatic pressure (HHP) and marination treatment on the inactivation of hepatitis a virus in mussels (*Mytilus galloprovincialis*). *Food Environ Virol.* 2015 Mar;7(1):76-85.
- Polo D, Feal X, Romalde JL. Mathematical model for viral depuration kinetics in shellfish: an useful tool to estimate the risk for the consumers. *Food Microbiol.* 2015 Aug;49:220-5.
- Prpić J, Černi S, Škorić D, Keros T, Brnić D, Cvetnić Ž, Jemeršić L. Distribution and Molecular Characterization of Hepatitis E virus in Domestic Animals and Wildlife in Croatia. *Food Environ Virol.* 2015 Mar 28. [Epub ahead of print]
- Qi Y, Fan J, Huang W, Zhao C, Wang Y, Kong W, Jiang C. Expression and characterization of hepatitis E virus-like particles and non-virus-like particles from insect cells. *Biotechnol Appl Biochem.* 2015 Mar 31. doi: 10.1002/bab.1379. [Epub ahead of print]
- Rodríguez-Lázaro D, Diez-Valcarce M, Montes-Briones R, Gallego D, Hernández M, Rovira J. Presence of pathogenic enteric viruses in illegally imported meat and meat products to EU by international air travelers. *Int J Food Microbiol.* 2015 Apr 29. pii: S0168-1605(15)00239-1. doi: 10.1016/j.ijfoodmicro.2015.04.036. [Epub ahead of print]

Ruiz-Fons F. A Review of the Current Status of Relevant Zoonotic Pathogens in Wild Swine (*Sus scrofa*) Populations: Changes Modulating the Risk of Transmission to Humans. *Transbound Emerg Dis*. 2015 May 8. doi: 10.1111/tbed.12369. [Epub ahead of print]

Sa-Nguanmoo P, Posuwan N, Vichaiwattana P, Wuthiratkowit N, Owatanapanich S, Wasitthanasem R, Thongmee T, Poovorawan K, Theamboonlers A, Vongpunsawad S, Poovorawan Y. Swine is a possible source of hepatitis e virus infection by comparative study of hepatitis a and e seroprevalence in Thailand. *PLoS One*. 2015 Apr 30;10(4):e0126184. doi: 10.1371/journal.pone.0126184. eCollection 2015.

Serracca L, Battistini R, Rossini I, Mignone W, Peletto S, Boin C, Pistone G, Ercolini R, Ercolini C. Molecular Investigation on the Presence of Hepatitis E Virus (HEV) in Wild Game in North-Western Italy. *Food Environ Virol*. 2015 May 26. [Epub ahead of print]

Shrestha AC, Faddy HM, Flower RL, Seed CR, Keller AJ. Hepatitis E virus: do locally acquired infections in Australia necessitate laboratory testing in acute hepatitis patients with no overseas travel history? *Pathology*. 2015 Feb;47(2):97-100.

Sue PK, Pisanic N, Heaney CD, Mixson-Hayden T, Kamili S, Nelson K, Schwarz KB, Forman M, Valsamakis A, Ticehurst J, Karnsakul W. Variability of hepatitis E serologic assays in a pediatric liver transplant recipient: challenges to diagnosing hepatitis E virus infection in the United States. *Transpl Infect Dis*. 2015 Apr;17(2):284-8.

Sánchez G, Aznar R. Evaluation of Natural Compounds of Plant Origin for Inactivation of Enteric Viruses. *Food Environ Virol*. 2015 Jan 31. [Epub ahead of print]

Terio V, Bottaro M, Di Pinto A, Catella C, Chironna M, Bozzo G, Kingsley DH, Bonerba E, Morea A, Martella V. Outbreak of Hepatitis A in Italy Associated with Frozen Redcurrants Imported from Poland: A Case Study. *Food Environ Virol*. 2015 May 23. [Epub ahead of print]

Teshale EH, Denniston MM, Drobeniuc J, Kamili S, Teo CG, Holmberg SD. Decline in hepatitis E virus antibody prevalence in the United States from 1988-1994 to 2009-2010. *J Infect Dis*. 2015 Feb 1;211(3):366-73.

Ward P, Leblanc D, Houde A, Brassard J. Analysis of complete genome sequences and a V239A substitution in the helicase domain of swine hepatitis E virus strains isolated in Canada. *Arch Virol*. 2015 Apr 29. [Epub ahead of print]

Wilhelm B, Muellner P, Pearl DL, Rajić A, Houde A, McEwen SA. Preliminary molecular epidemiological investigation of hepatitis E virus sequences from Québec, Canada. *Prev Vet Med*. 2015 Mar 1;118(4):359-69.

Wilhelm B, Waddell L, Greig J, Rajić A, Houde A, McEwen SA. A scoping review of the evidence for public health risks of three emerging potentially zoonotic viruses: hepatitis E virus, norovirus, and rotavirus. *Prev Vet Med*. 2015 Apr 1;119(1-2):61-79.

Yu P, Huang L, Li H, Liu M, Zong J, Li C, Chen F. Epidemiological investigation of an outbreak of hepatitis A in rural China. *Int J Infect Dis*. 2015 Apr;33:191-5.

Listeria monocytogenes

Aryani DC, den Besten HM, Hazeleger WC, Zwietering MH. Quantifying strain variability in modeling growth of *Listeria monocytogenes*. *Int J Food Microbiol*. 2015 May 12;208:19-29.

Bouayad L, Hamdi TM, Naim M, Leclercq A, Lecuit M. Prevalence of *Listeria* spp. and Molecular Characterization of *Listeria monocytogenes* Isolates from Broilers at the Abattoir. Foodborne Pathog Dis. 2015 May 5. [Epub ahead of print]

Burall LS, Simpson AC, Chou L, Laksanalamai P, Datta AR. A novel gene, *lstC*, of *Listeria monocytogenes* is implicated in high salt tolerance. Food Microbiol. 2015 Jun;48:72-82.

Cao G, Zhang J, Xu X, Jin H, Yang X, Pan H, Allard M, Brown E, Meng J. Whole-Genome Sequences of 12 Clinical Strains of *Listeria monocytogenes*. Genome Announc. 2015 Feb 26;3(1).

Colás-Medà P, Abadias M, Alegre I, Usall J, Viñas I. Effect of ripeness stage during processing on *Listeria monocytogenes* growth on fresh-cut 'Conference' pears. Food Microbiol. 2015 Aug;49:116-22.

Evans EW, Redmond EC. Analysis of older adults' domestic kitchen storage practices in the United Kingdom: identification of risk factors associated with listeriosis. J Food Prot. 2015 Apr;78(4):738-45.

Gayán E, Serrano MJ, Pagán R, Álvarez I, Condón S. Environmental and biological factors influencing the UV-C resistance of *Listeria monocytogenes*. Food Microbiol. 2015 Apr;46:246-53.

Hammons SR, Stasiewicz MJ, Roof S, Oliver HF. Aerobic plate counts and ATP levels correlate with *Listeria monocytogenes* detection in retail delis. J Food Prot. 2015 Apr;78(4):825-30.

Jackson BR, Salter M, Tarr C, Conrad A, Harvey E, Steinbock L, Saupe A, Sorenson A, Katz L, Stroika S, Jackson KA, Carleton H, Kucerova Z, Melka D, Strain E, Parish M, Mody RK; Centers for Disease Control and Prevention (CDC). Notes from the field: listeriosis associated with stone fruit--United States, 2014. MMWR Morb Mortal Wkly Rep. 2015 Mar 20;64(10):282-3.

Khen BK, Lynch OA, Carroll J, McDowell DA, Duffy G. Occurrence, antibiotic resistance and molecular characterization of *Listeria monocytogenes* in the beef chain in the Republic of Ireland. Zoonoses Public Health. 2015 Feb;62(1):11-7.

Kurantowicz N, Sawosz E, Jaworski S, Kutwin M, Strojny B, Wierzbicki M, Szeliga J, Hotowy A, Lipińska L, Koziański R, Jagiełło J, Chwalibog A. Interaction of graphene family materials with *Listeria monocytogenes* and *Salmonella enterica*. Nanoscale Res Lett. 2015 Jan 28;10:23.

Lardeux AL, Guillier L, Basseur E, Doux C, Gautier J, Gnanou-Besse N. Impact of the contamination level and the background flora on the growth of *Listeria monocytogenes* in ready-to-eat diced poultry. Lett Appl Microbiol. 2015 May;60(5):481-90.

Luo K, Hong SS, Wang J, Chung MJ, Deog-Hwan O. Development of Predictive Models for the Growth Kinetics of *Listeria monocytogenes* on Fresh Pork under Different Storage Temperatures. J Food Prot. 2015 May;78(5):921-6.

Malley TJ, Butts J, Wiedmann M. Seek and destroy process: *Listeria monocytogenes* process controls in the ready-to-eat meat and poultry industry. J Food Prot. 2015 Feb;78(2):436-45.

Mataragas M, Rantsiou K, Alessandria V, Cocolin L. Estimating the non-thermal inactivation of *Listeria monocytogenes* in fermented sausages relative to temperature, pH and water activity. *Meat Sci.* 2015 Feb;100:171-8.

Schoder D, Schmalwieser A, Szakmary-Brändle K, Stessl B, Wagner M. Urban prevalence of *Listeria* spp. and *Listeria monocytogenes* in public lavatories and on shoe soles of facility patrons in the European capital city Vienna. *Zoonoses Public Health.* 2015 May; 62(3):179-86.

Tirloni E, Bernardi C, Colombo F, Stella S. Microbiological shelf life at different temperatures and fate of *Listeria monocytogenes* and *Escherichia coli* inoculated in unflavored and strawberry yogurts. *J Dairy Sci.* 2015 May 13. pii: S0022-0302(15)00337-9.

Tiwari U, Cummins E, Valero A, Walsh D, Dalmaso M, Jordan K, Duffy G. Farm to Fork Quantitative Risk Assessment of *Listeria monocytogenes* Contamination in Raw and Pasteurized Milk Cheese in Ireland. *Risk Anal.* 2015 Apr 7. doi: 10.1111/risa.12332. [Epub ahead of print]

Weller D, Wiedmann M, Strawn LK. Irrigation Is Significantly Associated with an Increased Prevalence of *Listeria monocytogenes* in Produce Production Environments in New York State. *J Food Prot.* 2015 Jun;78(6):1132-41.

Mycobacterium

Hammer P, Richter E, Rüscher-Gerdes S, Walte HG, Matzen S, Kiesner C. Inactivation of *Mycobacterium bovis* ssp. *caprae* in high-temperature, short-term pasteurized pilot-plant milk. *J Dairy Sci.* 2015 Mar;98(3):1634-9.

O'Hagan MJ, Courcier EA, Drewe JA, Gordon AW, McNair J, Abernethy DA. Risk factors for visible lesions or positive laboratory tests in bovine tuberculosis reactor cattle in Northern Ireland. *Prev Vet Med.* 2015 Jul 1;120(3-4):283-90.

Rónai Z, Csivincsik Á, Gyuranecz M, Kreizinger Z, Dán Á, Jánosi S. Molecular analysis and MIRU-VNTR typing of *Mycobacterium avium* subsp. *Paratuberculosis* strains from various sources. *J Appl Microbiol.* 2015 Feb;118(2):275-83.

Santos R, de Carvalho CC, Stevenson A, Grant IR, Hallsworth JE. Extraordinary solute-stress tolerance contributes to the environmental tenacity of mycobacteria. *Environ Microbiol Rep.* 2015 Jun 9. doi: 10.1111/1758-2229.12306. [Epub ahead of print]

Waddell LA, Rajić A, Stärk KD, McEWEN SA. The zoonotic potential of *Mycobacterium avium* ssp. *paratuberculosis*: a systematic review and meta-analyses of the evidence. *Epidemiol Infect.* 2015 May 20:1-23. [Epub ahead of print]

Norovirus

Aboubakr HA, Williams P, Gangal U, Youssef MM, El-Sohaimy SA, Bruggeman PJ, Goyal SM. Virucidal effect of cold atmospheric gaseous plasma on feline calicivirus, a surrogate for human norovirus. *Appl Environ Microbiol.* 2015 Jun 1;81(11):3612-22.

Bruggink LD, Dunbar NL, Marshall JA. Norovirus genotype diversity in community-based sporadic gastroenteritis incidents: a five-year study. *J Med Virol.* 2015 Jun;87(6):961-9.

- Cates SC, Kosa KM, Brophy JE, Hall AJ, Fraser A. Consumer education needed on norovirus prevention and control: findings from a nationally representative survey of U.S. adults. *J Food Prot.* 2015 Mar;78(3):484-90.
- DiCaprio E, Purgianto A, Li J. The Effect of Abiotic and Biotic Stress on the Internalization and Dissemination of Human Norovirus Surrogates in Growing Romaine Lettuce. *Appl Environ Microbiol.* 2015 May 8. pii: AEM.00650-15. [Epub ahead of print]
- DiCaprio E, Culbertson D, Li J. Evidence of the internalization of animal caliciviruses via the roots of growing strawberry plants and dissemination to the fruit. *Appl Environ Microbiol.* 2015 Apr;81(8):2727-34.
- Esseili MA, Saif LJ, Farkas T, Wang Q. Feline Calicivirus, Murine Norovirus, Porcine Sapovirus and Tulane Virus Survival on Postharvest Lettuce. *Appl Environ Microbiol.* 2015 May 22. pii: AEM.00558-15. [Epub ahead of print]
- Franck KT, Lisby M, Fonager J, Schultz AC, Böttiger B, Villif A, Absalonsen H, Ethelberg S. Sources of Calicivirus contamination in foodborne outbreaks in Denmark, 2005-2011--the role of the asymptomatic food handler. *J Infect Dis.* 2015 Feb 15;211(4):563-70
- Grove SF, Suriyanarayanan A, Puli B, Zhao H, Li M, Li D, Schaffner DW, Lee A. Norovirus cross-contamination during preparation of fresh produce. *Int J Food Microbiol.* 2015 Apr 2;198:43-9.
- Kong BH, Lee SG, Han SH, Jin JY, Jheong WH, Paik SY. Development of enhanced primer sets for detection of norovirus. *Biomed Res Int.* 2015;2015:103052.
- Langlet J, Kaas L, Greening G. Binding-Based RT-qPCR Assay to Assess Binding Patterns of Noroviruses to Shellfish. *Food Environ Virol.* 2015 Jan 29. [Epub ahead of print]
- Lee SJ, Si J, Yun HS, Ko G. Effect of temperature and relative humidity on the survival of foodborne viruses during food storage. *Appl Environ Microbiol.* 2015 Mar;81(6):2075-81.
- Liu P, Kim M, Schlesinger D, Kranz C, Ha S, Ha J, Slauch J, Baek S, Moe C. Immunomagnetic separation combined with RT-qPCR for determining the efficacy of disinfectants against human noroviruses. *J Infect Public Health.* 2015 Mar-Apr;8(2):145-54.
- Park JH, Jeong HS, Lee JS, Lee SW, Choi YH, Choi SJ, Joo IS, Kim YR, Park YK, Youn SK. First norovirus outbreaks associated with consumption of green seaweed (*Enteromorpha* spp.) in South Korea. *Epidemiol Infect.* 2015 Feb;143(3):515-21.
- Park SY, Bae SC, Ha SD. Heat inactivation of a norovirus surrogate in cell culture lysate, abalone meat, and abalone viscera. *Food Environ Virol.* 2015 Mar;7(1):58-66.
- Polo D, Feal X, Romalde JL. Mathematical model for viral depuration kinetics in shellfish: an useful tool to estimate the risk for the consumers. *Food Microbiol.* 2015 Aug;49:220-5.
- Pouillot R, Van Doren JM, Woods J, Plante D, Smith M, Goblick G, Roberts C, Locas A, Hajen W, Stobo J, White J, Holtzman J, Buenaventura E, Burkhardt W 3rd, Catford A, Edwards R, DePaola A, Calci KR. Reduction of Norovirus and Male-Specific Coliphage Concentrations in Wastewater Treatment Plants: a meta-analysis. *Appl Environ Microbiol.* 2015 May 1. pii: AEM.00509-15.

Predmore A, Sanglay G, Li J, Lee K. Control of human norovirus surrogates in fresh foods by gaseous ozone and a proposed mechanism of inactivation. *Food Microbiol.* 2015 Sep;50:118-25.

Saito H, Toho M, Tanaka T, Noda M. Development of a Practical Method to Detect Noroviruses Contamination in Composite Meals. *Food Environ Virol.* 2015 Mar 22. [Epub ahead of print]

Stals A, Jacxsens L, Baert L, Van Coillie E, Uyttendaele M. A quantitative exposure model simulating human norovirus transmission during preparation of deli sandwiches. *Int J Food Microbiol.* 2015 Mar 2;196:126-36.

Tuladhar E, Hazeleger WC, Koopmans M, Zwietering MH, Duizer E, Beumer RR. Reducing viral contamination from finger pads: handwashing is more effective than alcohol-based hand disinfectants. *J Hosp Infect.* 2015 Jul;90(3):226-34.

Verhoef L, Hewitt J, Barclay L, Ahmed SM, Lake R, Hall AJ, Lopman B, Kroneman A, Vennema H, Vinjé J, Koopmans M. Norovirus genotype profiles associated with foodborne transmission, 1999-2012. *Emerg Infect Dis.* 2015 Apr;21(4):592-9.

Vimont A, Fliss I, Jean J. Study of the virucidal potential of organic peroxyacids against norovirus on food-contact surfaces. *Food Environ Virol.* 2015 Mar;7(1):49-57.

Warnes SL, Summersgill EN, Keevil CW. Inactivation of murine norovirus on a range of copper alloy surfaces is accompanied by loss of capsid integrity. *Appl Environ Microbiol.* 2015 Feb;81(3):1085-91.

Xu S, Wang D, Yang D, Liu H, Tian P. Alternative methods to determine infectivity of Tulane virus: a surrogate for human norovirus. *Food Microbiol.* 2015 Jun;48:22-7.

Yavarmanesh M, Alum A, Abbaszadegan M. Occurrence of Noroviruses and Their Correlation with Microbial Indicators in Raw Milk. *Food Environ Virol.* 2015 Feb 13. [Epub ahead of print]

Ye M, Lingham T, Huang Y, Ozbay G, Ji L, Karwe M, Chen H. Effects of High-Hydrostatic Pressure on Inactivation of Human Norovirus and Physical and Sensory Characteristics of Oysters. *J Food Sci.* 2015 May 5. doi:10.1111/1750-3841.12899. [Epub ahead of print]

Salmonella

Abdul-Mutalib NA, Amin Nordin S, Osman M, Ishida N, Tashiro K, Sakai K, Tashiro Y, Maeda T, Shirai Y. Pyrosequencing analysis of microbial community and food-borne bacteria on restaurant cutting boards collected in Seri Kembangan, Malaysia, and their correlation with grades of food premises. *Int J Food Microbiol.* 2015 May 4;200:57-65.

Akbar A, Anal AK. Isolation of *Salmonella* from ready-to-eat poultry meat and evaluation of its survival at low temperature, microwaving and simulated gastric fluids. *J Food Sci Technol.* 2015 May;52(5):3051-7.

Angelo KM, Chu A, Anand M, Nguyen TA, Bottichio L, Wise M, Williams I, Seelman S, Bell R, Fatica M, Lance S, Baldwin D, Shannon K, Lee H, Trees E, Strain E, Gieraltowski L; Centers for Disease Control and Prevention (CDC). Outbreak of *Salmonella* Newport infections linked to cucumbers--United States, 2014. *MMWR Morb Mortal Wkly Rep.* 2015 Feb 20;64(6):144-7.

Arnold ME, Gosling RJ, Martelli F, Mueller-Doblies D, Davies RH. Evaluation of the sensitivity of faecal sampling for detection of monophasic *Salmonella* Typhimurium and other *Salmonella* in cattle and pigs. *Epidemiol Infect.* 2015 Jun;143(8):1681-91.

Ashton PM, Peters T, Ameh L, McAleer R, Petrie S, Nair S, Muscat I, de Pinna E, Dallman T. Whole Genome Sequencing for the Retrospective Investigation of an Outbreak of *Salmonella* Typhimurium DT 8. *PLoS Curr.* 2015 Feb 10;7.

Aspridou Z, Koutsoumanis KP. Individual cell heterogeneity as variability source in population dynamics of microbial inactivation. *Food Microbiol.* 2015 Feb;45(Pt B):216-21.

Bennett SD, Littrell KW, Hill TA, Mahovic M, Behravesh CB. Multistate foodborne disease outbreaks associated with raw tomatoes, United States, 1990-2010: a recurring public health problem. *Epidemiol Infect.* 2015 May;143(7):1352-9.

Butler AJ, Thomas MK, Pintar KD. Expert elicitation as a means to attribute 28 enteric pathogens to foodborne, waterborne, animal contact, and person-to-person transmission routes in Canada. *Foodborne Pathog Dis.* 2015 Apr;12(4):335-44.

Crim SM, Griffin PM, Tauxe R, Marder EP, Gilliss D, Cronquist AB, Cartter M, Tobin-D'Angelo M, Blythe D, Smith K, Lathrop S, Zansky S, Cieslak PR, Dunn J, Holt KG, Wolpert B, Henao OL. Preliminary incidence and trends of infection with pathogens transmitted commonly through food - foodborne diseases active surveillance network, 10 u.s. Sites, 2006-2014. *MMWR Morb Mortal Wkly Rep.* 2015 May 15;64(18):495-9.

Da Silva Felício MT, Hald T, Liebana E, Allende A, Hugas M, Nguyen-The C, Johannessen GS, Niskanen T, Uyttendaele M, McLauchlin J. Risk ranking of pathogens in ready-to-eat unprocessed foods of non-animal origin (FoNAO) in the EU: initial evaluation using outbreak data (2007-2011). *Int J Food Microbiol.* 2015 Feb 16;195:9-19.

DE Knecht LV, Pires SM, Hald T. Attributing foodborne salmonellosis in humans to animal reservoirs in the European Union using a multi-country stochastic model. *Epidemiol Infect.* 2015 Apr;143(6):1175-86.

DE Knecht LV, Pires SM, Hald T. Using surveillance and monitoring data of different origins in a *Salmonella* source attribution model: a European Union example with challenges and proposed solutions. *Epidemiol Infect.* 2015 Apr;143(6):1148-65.

Delbeke S, Ceuppens S, Jacxsens L, Uyttendaele M. Microbiological analysis of pre-packed sweet basil (*Ocimum basilicum*) and coriander (*Coriandrum sativum*) leaves for the presence of *Salmonella* spp. and Shiga toxin-producing *E. coli*. *Int J Food Microbiol.* 2015 May 21;208:11-18.

Delbeke S, Ceuppens S, Jacxsens L, Uyttendaele M. Survival of *Salmonella* and *Escherichia coli* O157:H7 on strawberries, basil, and other leafy greens during storage. *J Food Prot.* 2015 Apr;78(4):652-60.

Doyle ME. Multidrug-resistant pathogens in the food supply. *Foodborne Pathog Dis.* 2015 Apr;12(4):261-79.

Eckner KF, Høgåsen HR, Begum M, Økland M, Cudjoe KS, Johannessen GS. Survival of *Salmonella* on basil plants and in pesto. *J Food Prot.* 2015 Feb;78(2):402-6.

Erickson MC, Smith C, Jiang X, Flitcroft ID, Doyle MP. Manure source and age affect survival of zoonotic pathogens during aerobic composting at sublethal temperatures. *J Food Prot.* 2015 Feb;78(2):302-10.

Erickson MC, Smith C, Jiang X, Flitcroft ID, Doyle MP. Survival of *Salmonella* or *Escherichia coli* O157:H7 during holding of manure-based compost mixtures at sublethal temperatures as influenced by the carbon amendment. *J Food Prot.* 2015 Feb;78(2):248-55.

Espinosa MC, López G, Díaz P, Linares MB, Garrido MD. Development of a convenience and safety chilled sous vide fish dish: Diversification of aquacultural products. *Food Sci Technol Int.* 2015 May 4. pii: 1082013215582275. [Epub ahead of print]

Franklin K, Pollari F, Marshall BJ, Pintar KD, Nesbitt A, Young I, McEwen SA, Vanderlaan J, Papadopoulos A. Stool submission data to help inform population-level incidence rates of enteric disease in a Canadian community. *Epidemiol Infect.* 2015 May;143(7):1368-76.

Fu S, Octavia S, Tanaka MM, Sintchenko V, Lan R. Defining Core Genome of *Salmonella enterica* serovar Typhimurium for genomic surveillance and epidemiological typing. *J Clin Microbiol.* 2015 May 27. pii: JCM.03407-14. [Epub ahead of print]

Gast RK, Guraya R, Jones DR, Anderson KE. Persistence of fecal shedding of *Salmonella* Enteritidis by experimentally infected laying hens housed in conventional or enriched cages. *Poult Sci.* 2015 Apr 23. pii: pev113. [Epub ahead of print]

Gosling RJ, Davies RH. Investigation of laboratory testing issues in the context of the Salmonella National Control Programme in Great Britain. *Br Poult Sci.* 2015 Jun;56(3):315-9.

Gray MD, Lacher DW, Leonard SR, Abbott J, Zhao S, Lampel KA, Prothery E, Gouali M, Weill FX, Maurelli AT. Prevalence of Stx-producing *Shigella* species isolated from French Travelers Returning from the Caribbean: An Emerging Pathogen with International Implications. *Clin Microbiol Infect.* 2015 May 13. pii: S1198-743X(15)00443-7.

Greig J, Rajić A, Young I, Mascarenhas M, Waddell L, LeJeune J. A scoping review of the role of wildlife in the transmission of bacterial pathogens and antimicrobial resistance to the food Chain. *Zoonoses Public Health.* 2015 Jun;62(4):269-84.

Gurtler JB, Hinton A Jr, Bailey RB, Cray WC Jr, Meinersmann RJ, Ball TA, Jin TZ. *Salmonella* isolated from ready-to-eat pasteurized liquid egg products: Thermal resistance, biochemical profile, and fatty acid analysis. *Int J Food Microbiol.* 2015 Aug 3;206:109-17.

Herman KM, Hall AJ, Gould LH. Outbreaks attributed to fresh leafy vegetables, United States, 1973-2012. *Epidemiol Infect.* 2015 Feb 20:1-11.

Hill AA, Simons RR, Kelly L, Snary EL. A Farm Transmission Model for *Salmonella* in Pigs, Applicable to E.U. Member States. *Risk Anal.* 2015 Feb 25. doi: 10.1111/risa.12356. [Epub ahead of print]

Hoffmann M, Luo Y, Monday SR, Gonzales-Escalona N, Ottesen AR, Muruvanda T, Wang C, Kastanis G, Keys C, Janies D, Senturk IF, Catalyurek UV, Wang H, Hammack TS, Wolfgang WJ, Schoonmaker-Bopp D, Chu A, Myers R, Haendiges J, Evans PS, Meng J, Strain EA, Allard MW, Brown EW. Tracing Origins of the *Salmonella* Bareilly strain causing a Foodborne Outbreak in the United States. *J Infect Dis.* 2015 May 20. pii: jiv297. [Epub ahead of print]

- Huang J, Luo Y, Nou X. Growth of *Salmonella enterica* and *Listeria monocytogenes* on Fresh-Cut Cantaloupe under Different Temperature Abuse Scenarios. *J Food Prot.* 2015 Jun;78(6):1125-31.
- Huang Y, Sido R, Huang R, Chen H. Application of water-assisted pulsed light treatment to decontaminate raspberries and blueberries from *Salmonella*. *Int J Food Microbiol.* 2015 May 27;208:43-50.
- Inns T, Lane C, Peters T, Dallman T, Chatt C, McFarland N, Crook P, Bishop T, Edge J, Hawker J, Elson R, Neal K, Adak GK, Cleary P; Outbreak Control Team. A multi-country *Salmonella* Enteritidis phage type 14b outbreak associated with eggs from a German producer: near real-time application of whole genome sequencing and food chain investigations, United Kingdom, May to September 2014. *Euro Surveill.* 2015 Apr 23;20(16).
- Jansen W, Grabowski N, Gerulat B, Klein G. Food Safety Hazards and Microbiological Zoonoses in European Meat Imports Detected in Border Inspection in the Period 2008-2013. *Zoonoses Public Health.* 2015 May 29. doi: 10.1111/zph.12204. [Epub ahead of print]
- Johnson BB, Hallman WK, Cuite CL. Modeling retrospective attribution of responsibility to hazard-managing institutions: an example involving a food contamination incident. *Risk Anal.* 2015 Mar;35(3):423-33.
- Kent RM, Fitzgerald GF, Hill C, Stanton C, Ross RP. Novel approaches to improve the intrinsic microbiological safety of powdered infant milk formula. *Nutrients.* 2015 Feb 12;7(2):1217-44.
- Lahou E, Wang X, De Boeck E, Verguldt E, Geeraerd A, Devlieghere F, Uyttendaele M. Effectiveness of inactivation of foodborne pathogens during simulated home pan frying of steak, hamburger or meat strips. *Int J Food Microbiol.* 2015 Aug 3;206:118-29.
- Lublin A, Maler I, Mechani S, Pinto R, Sela-Saldinger S. Survival of *Salmonella enterica* serovar infantis on and within stored table eggs. *J Food Prot.* 2015 Feb;78(2):287-92.
- Luyckx K, Dewulf J, Van Weyenberg S, Herman L, Zoons J, Vervaet E, Heyndrickx M, De Reu K. Comparison of sampling procedures and microbiological and non-microbiological parameters to evaluate cleaning and disinfection in broiler houses. *Poult Sci.* 2015 Apr;94(4):740-9.
- Luyckx KY, Van Weyenberg S, Dewulf J, Herman L, Zoons J, Vervaet E, Heyndrickx M, De Reu K. On-farm comparisons of different cleaning protocols in broiler houses. *Poult Sci.* 2015 Jun 5. pii: pev143. [Epub ahead of print]
- Manios SG, Skandamis PN. Effect of frozen storage, different thawing methods and cooking processes on the survival of *Salmonella* spp. and *Escherichia coli* O157:H7 in commercially shaped beef patties. *Meat Sci.* 2015 Mar;101:25-32.
- Marine SC, Pagadala S, Wang F, Pahl DM, Melendez MV, Kline WL, Oni RA, Walsh CS, Everts KL, Buchanan RL, Micallef SA. The growing season, but not the farming system, is a food safety risk determinant for leafy greens in the mid-Atlantic region of the United States. *Appl Environ Microbiol.* 2015 Apr;81(7):2395-407.
- Morrison BJ, Rubin JE. Carbapenemase producing bacteria in the food supply escaping detection. *PLoS One.* 2015 May 12;10(5):e0126717.

Mytton OT, McCarthy N, Mannes T. Variation in incidence and notification of *Campylobacter* and *Salmonella* by general practice in the Thames Valley area. *Public Health*. 2015 Mar;129(3):258-65.

Møller CO, Nauta MJ, Schaffner DW, Dalgaard P, Christensen BB, Hansen TB. Risk assessment of *Salmonella* in Danish meatballs produced in the catering sector. *Int J Food Microbiol*. 2015 Mar 2;196:109-25.

Octavia S, Wang Q, Tanaka MM, Kaur S, Sintchenko V, Lan R. Delineating community outbreaks of *Salmonella enterica* serovar Typhimurium by use of whole-genome sequencing: insights into genomic variability within an outbreak. *J Clin Microbiol*. 2015 Apr;53(4):1063-71.

Pande VV, Gole VC, McWhorter AR, Abraham S, Chousalkar KK. Antimicrobial resistance of non-typhoidal *Salmonella* isolates from egg layer flocks and egg shells. *Int J Food Microbiol*. 2015 Jun 16;203:23-6.

Park S, Choi S, Kim H, Kim Y, Kim BS, Beuchat LR, Ryu JH. Fate of mesophilic aerobic bacteria and *Salmonella enterica* on the surface of eggs as affected by chicken feces, storage temperature, and relative humidity. *Food Microbiol*. 2015 Jun;48:200-5.

Plaza-Rodríguez C, Thoens C, Falenski A, Weiser AA, Appel B, Kaesbohrer A, Filter M. A strategy to establish Food Safety Model Repositories. *Int J Food Microbiol*. 2015 Jul 2;204:81-90.

Pyz-Łukasik R, Paszkiewicz W, Tatara MR, Brodzki P, Bełkot Z. Microbiological quality of milk sold directly from producers to consumers. *J Dairy Sci*. 2015 May 7. pii: S0022-0302(15)00299-4.

Pérez Pulido R, Grande Burgos MJ, Gálvez A, Lucas López R. Application of bacteriophages in post-harvest control of human pathogenic and food spoiling bacteria. *Crit Rev Biotechnol*. 2015 Jun 4:1-11.

Roccatto A, Uyttendaele M, Cibin V, Barrucci F, Cappa V, Zavagnin P, Longo A, Ricci A. Survival of *Salmonella* Typhimurium in poultry-based meat preparations during grilling, frying and baking. *Int J Food Microbiol*. 2015 Mar 16;197:1-8.

Routh JA, Pringle J, Mohr M, Bidol S, Arends K, Adams-Cameron M, Hancock WT, Kissler B, Rickert R, Folster J, Tolar B, Bosch S, Barton Behravesh C, Williams IT, Gieraltowski L. Nationwide outbreak of multidrug-resistant *Salmonella* Heidelberg infections associated with ground turkey: United States, 2011. *Epidemiol Infect*. 2015 Apr 13:1-8.

Ruiz-Fons F. A Review of the Current Status of Relevant Zoonotic Pathogens in Wild Swine (*Sus scrofa*) Populations: Changes Modulating the Risk of Transmission to Humans. *Transbound Emerg Dis*. 2015 May 8. doi: 10.1111/tbed.12369. [Epub ahead of print]

Scallan E, Hoekstra RM, Mahon BE, Jones TF, Griffin PM. An assessment of the human health impact of seven leading foodborne pathogens in the United States using disability adjusted life years. *Epidemiol Infect*. 2015 Jan 30:1-10.

Whiley H, Ross K. *Salmonella* and eggs: from production to plate. *Int J Environ Res Public Health*. 2015 Feb 26;12(3):2543-56.

Willis C, Sadler-Reeves L, Elviss N, Aird H, Fox A, Kaye M, de Pinna E, Lane C, McLaughlin J. An Assessment of the Microbiological Safety of Fresh Whole-Leaf Herbs From Retail

Premises in the United Kingdom with a Focus on *Salmonella* spp. J Appl Microbiol. 2015 May 23. doi: 10.1111/jam.12855. [Epub ahead of print]

Wu H, Wang Y, Wu Y, Qiao J, Li H, Zheng S, Xia X, Cui S, Wang X, Xi M, Meng J, Yang B. Emergence of β -lactamases and extended-spectrum β -lactamases (ESBLs) producing *Salmonella* in retail raw chicken in China. Foodborne Pathog Dis. 2015 Mar;12(3):228-34.

Yang Y, Kumar A, Zheng Q, Yuk HG. Preacclimation alters *Salmonella* Enteritidis surface properties and its initial attachment to food contact surfaces. Colloids Surf B Biointerfaces. 2015 Apr 1;128:577-85.

Yeater MC, Kirsch KR, Taylor TM, Mitchell J, Osburn WN. Effectiveness of sanitizing products on controlling selected pathogen surrogates on retail deli slicers. J Food Prot. 2015 Apr;78(4):707-15.

Zhang H, Zhang Y, Lin Y, Liang T, Chen Z, Li J, Yue Z, Lv J, Jiang Q, Yi C. Ultrasensitive detection and rapid identification of multiple foodborne pathogens with the naked eyes. Biosens Bioelectron. 2015 Sep 15;71:186-93.

Ziehm D, Rettenbacher-Riefler S, Kreienbrock L, Campe A, Pulz M, Dreesman J. Risk factors associated with sporadic salmonellosis in children: a case-control study in Lower Saxony, Germany, 2008-2011. Epidemiol Infect. 2015 Mar;143(4):687-94.

Staphylococcus aureus

Dhup V, Kearns AM, Pichon B, Foster HA. First report of identification of livestock-associated MRSA ST9 in retail meat in England. Epidemiol Infect. 2015 Feb 20:1-4.

Guran HS, Kahya S. Species Diversity and Pheno- and Genotypic Antibiotic Resistance Patterns of *Staphylococci* Isolated from Retail Ground Meats. J Food Sci. 2015 May 5. doi: 10.1111/1750-3841.12893. [Epub ahead of print]

Ho J, Boost MV, O'Donoghue MM. Tracking sources of *Staphylococcus aureus* hand contamination in food handlers by spa typing. Am J Infect Control. 2015 May 18. pii: S0196-6553(15)00192-3. doi: 10.1016/j.ajic.2015.03.022. [Epub ahead of print]

Ho J, Boost M, O'Donoghue M. Sustainable reduction of nasal colonization and hand contamination with *Staphylococcus aureus* in food handlers, 2002-2011. Epidemiol Infect. 2015 Jun;143(8):1751-60.

Hong J, Kim Y, Kim J, Heu S, Kim SR, Kim KP, Roh E. Genetic Diversity and Antibiotic Resistance Patterns of *Staphylococcus Aureus* Isolated from Leaf Vegetables in Korea. J Food Sci. 2015 May 27. doi: 10.1111/1750-3841.12909. [Epub ahead of print]

Kim YJ, Oh DH, Song BR, Heo EJ, Lim JS, Moon JS, Park HJ, Wee SH, Sung K. Molecular Characterization, Antibiotic Resistance, and Virulence Factors of Methicillin-Resistant *Staphylococcus aureus* Strains Isolated from Imported and Domestic Meat in Korea. Foodborne Pathog Dis. 2015 May;12(5):390-8.

Lee YJ, Jung BS, Kim KT, Paik HD. Predictive model for the growth kinetics of *Staphylococcus aureus* in raw pork developed using Integrated Pathogen Modeling Program (IPMP) 2013. Meat Sci. 2015 Sep;107:20-5.

Li G, Wu C, Wang X, Meng J. Prevalence and characterization of methicillin susceptible *Staphylococcus aureus* ST398 isolates from retail foods. *Int J Food Microbiol.* 2015 Mar 2;196:94-7.

Li G, Wu S, Luo W, Su Y, Luan Y, Wang X. *Staphylococcus aureus* ST6-t701 isolates from food-poisoning outbreaks (2006-2013) in Xi'an, China. *Foodborne Pathog Dis.* 2015 Mar;12(3):203-6.

Michael GB, Freitag C, Wendlandt S, Eidam C, Feßler AT, Lopes GV, Kadlec K, Schwarz S. Emerging issues in antimicrobial resistance of bacteria from food-producing animals. *Future Microbiol.* 2015 Mar;10:427-43.

Park MS, Kim YS, Lee SH, Kim SH, Park KH, Bahk GJ. Estimating the burden of foodborne disease, South Korea, 2008-2012. *Foodborne Pathog Dis.* 2015 Mar;12(3):207-13.

Riva A, Borghi E, Cirasola D, Colmegna S, Borgo F, Amato E, Pontello MM, Morace G. Methicillin-Resistant *Staphylococcus aureus* in Raw Milk: Prevalence, SCCmec Typing, Enterotoxin Characterization, and Antimicrobial Resistance Patterns. *J Food Prot.* 2015 Jun;78(6):1142-6.

Suzuki Y, Kubota H, Sato'o Y, Ono HK, Kato R, Sadamasu K, Kai A, Kamata Y. Identification and characterization of novel *Staphylococcus aureus* pathogenicity islands encoding staphylococcal enterotoxins originating from staphylococcal food poisoning isolates. *J Appl Microbiol.* 2015 Jun;118(6):1507-20.

Toxoplasma gondii

Bacci C, Vismarra A, Mangia C, Bonardi S, Bruini I, Genchi M, Kramer L, Brindani F. Detection of *Toxoplasma gondii* in free-range, organic pigs in Italy using serological and molecular methods. *Int J Food Microbiol.* 2015 Jun 2;202:54-6.

Burrells A, Benavides J, Cantón G, Garcia JL, Bartley PM, Nath M, Thomson J, Chianini F, Innes EA, Katzer F. Vaccination of pigs with the S48 strain of *Toxoplasma gondii* - safer meat for human consumption. *Vet Res.* 2015 May 1;46(1):47.

Duscher GG, Leschnik M, Fuehrer HP, Joachim A. Wildlife reservoirs for vector-borne canine, feline and zoonotic infections in Austria. *Int J Parasitol Parasites Wildl.* 2014 Dec 12;4(1):88-96.

Gomez-Samblas M, Vílchez S, Racero JC, Fuentes MV, Osuna A. Quantification and viability assays of *Toxoplasma gondii* in commercial "Serrano" ham samples using magnetic capture real-time qPCR and bioassay techniques. *Food Microbiol.* 2015 Apr;46:107-13.

Guo M, Dubey JP, Hill D, Buchanan RL, Gamble HR, Jones JL, Pradhan AK. Prevalence and risk factors for *Toxoplasma gondii* infection in meat animals and meat products destined for human consumption. *J Food Prot.* 2015 Feb;78(2):457-76.

Harker KS, Ueno N, Lodoen MB. *Toxoplasma gondii* dissemination: a parasite's journey through the infected host. *Parasite Immunol.* 2015 Mar;37(3):141-9.

Krusor C, Smith WA, Tinker MT, Silver M, Conrad PA, Shapiro K. Concentration and retention of *Toxoplasma gondii* oocysts by marine snails demonstrate a novel mechanism for transmission of terrestrial zoonotic pathogens in coastal ecosystems. *Environ Microbiol.* 2015 Jun 1. doi: 10.1111/1462-2920.12927. [Epub ahead of print]

Liu Q, Wang ZD, Huang SY, Zhu XQ. Diagnosis of toxoplasmosis and typing of *Toxoplasma gondii*. Parasit Vectors. 2015 May 28;8:292.

Paștiu AI, Ajzenberg D, Györke A, Șuteu O, Balea A, Rosenthal BM, Kalmár Z, Domșa C, Cozma V. Traditional goat husbandry may substantially contribute to human toxoplasmosis exposure. J Parasitol. 2015 Feb;101(1):45-9.

Xiao J, Yolken RH. Strain hypothesis of *Toxoplasma gondii* infection on the outcome of human diseases. Acta Physiol (Oxf). 2015 Apr;213(4):828-45.

Zhuo X, Huang B, Luo J, Yu H, Yan B, Yang Y, Du A. Development and application of loop-mediated isothermal amplification assays based on ITS-1 for rapid detection of *Toxoplasma gondii* in pork. Vet Parasitol. 2015 Mar 15;208(3-4):246-9.

Secretariat
June 2015