

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD
INFORMATION PAPER

Items of interest from the literature

Bacillus cereus

Akineden Ö, Murata KJ, Gross M, Usleber E. Microbiological Quality of Raw Dried Pasta from the German Market, with Special Emphasis on *Cronobacter* Species. J Food Sci. 2015 Oct 28. doi: 10.1111/1750-3841.13117. [Epub ahead of print]

Krawczyk AO, de Jong A, Eijlander RT, Berendsen EM, Holsappel S, Wells-Bennik MH, Kuipers OP. Next-Generation Whole-Genome Sequencing of Eight Strains of *Bacillus cereus*, Isolated from Food. Genome Announc. 2015 Dec 17;3(6). pii: e01480-15.

Pujol L, Johnson NB, Magras C, Albert I, Membré JM. Added value of experts' knowledge to improve a quantitative microbial exposure assessment model-- Application to aseptic-UHT food products. Int J Food Microbiol. 2015 Oct 15;211:6-17.

Pujol L, Albert I, Magras C, Johnson NB, Membré JM. Estimation and evaluation of management options to control and/or reduce the risk of not complying with commercial sterility. Int J Food Microbiol. 2015 Nov 20;213:124-9.

Campylobacter

Chandrashekhar K, Kassem II, Nislow C, Gangaiah D, Candelero-Rueda RA, Rajashekara G. Transcriptome analysis of *Campylobacter jejuni* polyphosphate kinase (ppk1 and ppk2) mutants. Virulence. 2015 Nov 17;6(8):814-8.

El-Adawy H, Ahmed MF, Hotzel H, Tomaso H, Tenhagen BA, Hartung J, Neubauer H, Hafez HM. Antimicrobial susceptibilities of *Campylobacter jejuni* and *Campylobacter coli* recovered from organic turkey farms in Germany. Poult Sci. 2015 Nov;94(11):2831-7.

Fernandes AM, Balasegaram S, Willis C, Wimalarathna HM, Maiden MC, McCarthy ND. Partial Failure of Milk Pasteurization as a Risk for the Transmission of *Campylobacter* From Cattle to Humans. Clin Infect Dis. 2015 Sep 15;61(6):903-9.

Giombelli A, Hammerschmitt D, Cerutti MF, Chiarini E, Landgraf M, Franco BD, Destro MT. High pressure spray with water shows similar efficiency to trimming in controlling microorganisms on poultry carcasses. Poult Sci. 2015 Oct;94(10):2589-95.

Gomes CN, Souza RA, Passaglia J, Duque SS, Medeiros MI, Falcão JP. Genotyping of *Campylobacter coli* strains isolated in Brazil suggests possible contamination

among environmental, human, animal and food sources. J Med Microbiol. 2015 Nov 2. doi: 10.1099/jmm.0.000201. [Epub ahead of print]

Huang H, Brooks BW, Lowman R, Carrillo CD. *Campylobacter* species in animal, food, and environmental sources, and relevant testing programs in Canada. Can J Microbiol. 2015 Oct;61(10):701-21.

Indikova I, Humphrey TJ, Hilbert F. Survival with a Helping Hand: *Campylobacter* and Microbiota. Front Microbiol. 2015 Nov 9;6:1266.

Kovač J, Čadež N, Stessl B, Stingl K, Gruntar I, Ocepek M, Trkov M, Wagner M, Smole Možina S. High genetic similarity of ciprofloxacin-resistant *Campylobacter jejuni* in central Europe. Front Microbiol. 2015 Oct 23;6:1169.

Lajhar SA, Jennison AV, Patel B, Duffy LL. Comparison of epidemiologically linked *Campylobacter jejuni* isolated from human and poultry sources. Epidemiol Infect. 2015 Dec; 143(16):3498-509.

MacDonald E, White R, Mexia R, Bruun T, Kapperud G, Lange H, Nygård K, Vold L. Risk Factors for Sporadic Domestically Acquired *Campylobacter* Infections in Norway 2010-2011: A National Prospective Case-Control Study. PLoS One. 2015 Oct 2; 10(10):e0139636.

Macé S, Haddad N, Zagorec M, Tresse O. Influence of measurement and control of microaerobic gaseous atmospheres in methods for *Campylobacter* growth studies. Food Microbiol. 2015 Dec; 52:169-76.

Masdor NA, Altintas Z, Tothill IE. Sensitive detection of *Campylobacter jejuni* using nanoparticles enhanced QCM sensor. Biosens Bioelectron. 2016 Apr 15; 78:328-36.

McCrackin MA, Helke KL, Galloway AM, Poole AZ, Salgado CD, Marriott BP. Effect of Antimicrobial Use in Agricultural Animals on Drug-resistant Foodborne *Campylobacteriosis* in Humans: A Systematic Literature Review. Crit Rev Food Sci Nutr. 2015 Nov 18:0. [Epub ahead of print]

Meunier M, Guyard-Nicodème M, Dory D, Chemaly M. Control Strategies against *Campylobacter* at the Poultry Production Level: Biosecurity Measures, Feed Additives and Vaccination. J Appl Microbiol. 2015 Nov 6. doi: 10.1111/jam.12986. [Epub ahead of print] Review.

Oh E, McMullen L, Jeon B. High Prevalence of Hyper-Aerotolerant *Campylobacter jejuni* in Retail Poultry with Potential Implication in Human Infection. Front Microbiol. 2015 Nov 12;6:1263.

Pacholewicz E, Liakopoulos A, Swart A, Gortemaker B, Dierikx C, Havelaar A, Schmitt H. Reduction of extended-spectrum- β -lactamase- and AmpC- β -lactamase-producing *Escherichia coli* through processing in two broiler chicken slaughterhouses. Int J Food Microbiol. 2015 Dec 23;215:57-63.

Pascoe B, Méric G, Murray S, Yahara K, Mageiros L, Bowen R, Jones NH, Jeeves RE, Lappin-Scott HM, Asakura H, Sheppard SK. Enhanced biofilm formation and multi-host transmission evolve from divergent genetic backgrounds in *Campylobacter jejuni*. *Environ Microbiol*. 2015 Nov;17(11):4779-89.

Pintar KD, Christidis T, Thomas MK, Anderson M, Nesbitt A, Keithlin J, Marshall B, Pollari F. A Systematic Review and Meta-Analysis of the *Campylobacter* spp. Prevalence and Concentration in Household Pets and Petting Zoo Animals for Use in Exposure Assessments. *PLoS One*. 2015 Dec 18;10(12):e0144976.

Pitter JG, Vokó Z, Halmos Á, Józwiak Á. Cost-Utility Analysis of Potential *Campylobacter* Control Measures in the Food Chain of Indoor Broiler Chicken in the Eu. *Value Health*. 2015 Nov;18(7):A649.

Rodrigues RC, Pocheron AL, Hernould M, Haddad N, Tresse O, Cappelier JM. Description of *Campylobacter jejuni* Bf, an atypical aero-tolerant strain. *Gut Pathog*. 2015 Nov 19;7:30.

Sarp CP, Hänninen ML, Rautelin HI. Campylobacteriosis: the role of poultry-meat. *Clin Microbiol Infect*. 2015 Dec 11. pii: S1198-743X(15)01025-3.

Wideman N, Bailey M, Bilgili SF, Thippareddi H, Wang L, Bratcher C, Sanchez-Plata M, Singh M. Evaluating best practices for *Campylobacter* and *Salmonella* reduction in poultry processing plants. *Poult Sci*. 2015 Nov 14. pii: pev328. [Epub ahead of print]

Clostridium

Bonke R, Drees N, Gareis M. Detection of psychrophilic and psychrotolerant *Clostridium* spp. in chilled fresh vacuum-packed meat using different PCR methods. *FEMS Microbiol Lett*. 2016 Jan; 363(1). pii: fnv218.

Dolan GP, Foster K, Lawler J, Amar C, Swift C, Aird H, Gorton R. An epidemiological review of gastrointestinal outbreaks associated with *Clostridium perfringens*, North East of England, 2012-2014. *Epidemiol Infect*. 2015 Nov 16:1-8.

Giordani F, Fillo S, Anselmo A, Palozzi AM, Fortunato A, Gentile B, Azarnia Tehran D, Ciannamaroni A, Spagnolo F, Pittiglio V, Anniballi F, Auricchio B, De Medici D, Lista F. Genomic characterization of Italian *Clostridium botulinum* group I strains. *Infect Genet Evol*. 2015 Dec; 36:62-71.

Hospital XF, Hierro E, Stringer S, Fernández M. A study on the toxigenesis by *Clostridium botulinum* in nitrate and nitrite-reduced dry fermented sausages. *Int J Food Microbiol*. 2015 Nov 17; 218:66-70.

Ihekwa AE, Mura I, Peck MW, Barker GC. The pattern of growth observed for *Clostridium botulinum* type A1 strain ATCC 19397 is influenced by nutritional status and quorum sensing: a modelling perspective. *Pathog Dis*. 2015 Dec; 73(9).pii: ftv084.

Irikura D, Monma C, Suzuki Y, Nakama A, Kai A, Fukui-Miyazaki A, Horiguchi Y, Yoshinari T, Sugita-Konishi Y, Kamata Y. Identification and Characterization of a New Enterotoxin Produced by *Clostridium perfringens* Isolated from Food Poisoning Outbreaks. PLoS One. 2015 Nov 19;10(11):e0138183.

Membré JM, Diao M, Thorin C, Cordier G, Zuber F, André S. Risk assessment of proteolytic *Clostridium botulinum* in canned foie gras. Int J Food Microbiol. 2015 Oct 1; 210:62-72.

Moono P, Putsathit P, Knight DR, Squire MM, Hampson DJ, Foster NF, Riley TV. Persistence of *Clostridium difficile* RT 237 infection in a Western Australian piggery. Anaerobe. 2015 Dec 8. pii: S1075-9964(15)30088-3.

Park M, Deck J, Foley SL, Nayak R, Songer JG, Seibel JR, Khan SA, Rooney AP, Hecht DW, Rafii F. Diversity of *Clostridium perfringens* isolates from various sources and prevalence of conjugative plasmids. Anaerobe. 2015 Nov 28; 38:25-35.

Rebecchi A, Pisacane V, Miragoli F, Polka J, Falasconi I, Morelli L, Puglisi E. High-throughput assessment of bacterial ecology in hog, cow and ovine casings used in sausages production. Int J Food Microbiol. 2015 Nov 6; 212:49-59.

Woudstra C, Le Maréchal C, Souillard R, Bayon-Auboyer MH, Mermoud I, Desoutter D, Fach P. Draft Genome Sequences of 17 French *Clostridium botulinum* Group III Strains. Genome Announc. 2015 Oct 1;3(5). pii: e01105-15.

Zeiller M, Rothballer M, Iwobi AN, Böhnel H, Gessler F, Hartmann A, Schmid M. Systemic colonization of clover (*Trifolium repens*) by *Clostridium botulinum* strain 2301. Front Microbiol. 2015 Oct 31;6:1207.

Giardia

Litleskare S, Wensaas KA, Eide GE, Hanevik K, Kahrs GE, Langeland N, Rortveit G. Perceived food intolerance and irritable bowel syndrome in a population 3 years after a giardiasis-outbreak: a historical cohort study. BMC Gastroenterol. 2015 Nov 19;15(1):164.

Minetti C, Lamden K, Durband C, Cheesbrough J, Platt K, Charlett A, O'Brien SJ, Fox A, Wastling JM. Case-Control Study of Risk Factors for Sporadic Giardiasis and Parasite Assemblages in North West England. J Clin Microbiol. 2015 Oct;53(10):3133-40.

Murphy HM, Thomas MK, Schmidt PJ, Medeiros DT, McFadyan S, Pintar KD. Estimating the burden of acute gastrointestinal illness due to *Giardia*, *Cryptosporidium*, *Campylobacter*, *E. coli* O157 and norovirus associated with private wells and small water systems in Canada. Epidemiol Infect. 2015 Nov 13:1-16.

Hepatitis A

Guzman-Herrador BR, Panning M, Stene-Johansen K, Borgen K, Einöder-Moreno M, Huzly D, Jensvoll L, Lange H, Maassen S, Myking S, Myrmet M, Neumann-

Haefelin C, Nygård K, Wenzel JJ, Øye AK, Vold L. Importance of molecular typing in confirmation of the source of a national hepatitis A virus outbreak in Norway and the detection of a related cluster in Germany. *Arch Virol*. 2015 Nov;160(11):2823-6.

Hu Y, Yan H, Mammel M, Chen H. Sequence-independent amplification coupled with DNA microarray analysis for detection and genotyping of noroviruses. *AMB Express*. 2015 Dec;5(1):69.

Ishii K, Kiyohara T, Yoshizaki S, Kawabata K, Kanayama A, Yahata Y, Takahashi T, Kinoshita H, Saitou T, Sunagawa T, Oishi K, Uema M, Noda M, Wakita T. Epidemiological and genetic analysis of a 2014 outbreak of hepatitis A in Japan. *Vaccine*. 2015 Nov 9; 33(45):6029-36.

Kaas L, Gourinat AC, Urbès F, Langlet J. A 1-Year Study on the Detection of Human Enteric Viruses in New Caledonia. *Food Environ Virol*. 2015 Dec 15. [Epub ahead of print].

Hepatitis E

Costanzo N, Sarno E, Peretti V, Ciambrone L, Casalnuovo F, Santoro A. Serological and Molecular Investigation of Swine Hepatitis E Virus in Pigs Raised in Southern Italy. *J Food Prot*. 2015 Nov;78(11):2099-102.

Di Bartolo I, Angeloni G, Monini M, Maione E, Marrone R, Ostanello F, Ruggeri FM. Complete genome sequencing of a genotype 3 hepatitis E virus strain identified in a swine farm in Italy. *Virus Res*. 2016 Jan 4;211:89-95.

Guillois Y, Abravanel F, Miura T, Pavio N, Vaillant V, Lhomme S, Le Guyader FS, Rose N, Le Saux JC, King LA, Izopet J, Couturier E. High Proportion of Asymptomatic Infections in an Outbreak of Hepatitis E Associated With a Spit-Roasted Piglet, France, 2013. *Clin Infect Dis*. 2015 Oct 1. pii: civ862. [Epub ahead of print]

Heaney CD, Kmush B, Navas-Acien A, Francesconi K, Gössler W, Schulze K, Fairweather D, Mehra S, Nelson KE, Klein SL, Li W, Ali H, Shaikh S, Merrill RD, Wu L, West KP Jr, Christian P, Labrique AB. Arsenic exposure and hepatitis E virus infection during pregnancy. *Environ Res*. 2015 Oct;142:273-80.

Iaconelli M, Purpari G, Libera SD, Petricca S, Guercio A, Ciccaglione AR, Bruni R, Taffon S, Equestre M, Fratini M, Muscillo M, La Rosa G. Hepatitis A and E Viruses in Wastewaters, in River Waters, and in Bivalve Molluscs in Italy. *Food Environ Virol*. 2015 Dec;7(4):316-24.

Ivanova A, Tefanova V, Reshetnjak I, Kuznetsova T, Geller J, Lundkvist Å, Janson M, Neare K, Velström K, Jokelainen P, Lassen B, Hütt P, Saar T, Viltrop A, Golovljova I. Hepatitis E Virus in Domestic Pigs, Wild Boars, Pig Farm Workers, and Hunters in Estonia. *Food Environ Virol*. 2015 Dec;7(4):403-12.

Lee GH, Tan BH, Teo EC, Lim SG, Dan YY, Wee A, Aw PP, Zhu Y, Hibberd ML, Tan CK, Purdy MA, Teo CG. Chronic Infection With Camelid Hepatitis E Virus in a Liver-

transplant Recipient Who Regularly Consumes Camel Meat and Milk. *Gastroenterology*. 2015 Nov 6. pii: S0016-5085(15)01585-1. doi: 10.1053/j.gastro.2015.10.048. [Epub ahead of print]

Monini M, Di Bartolo I, Ianiro G, Angeloni G, Magistrali CF, Ostanello F, Ruggeri FM. Detection and molecular characterization of zoonotic viruses in swine fecal samples in Italian pig herds. *Arch Virol*. 2015 Oct;160(10):2547-56.

Nyan DC, Swinson KL. A novel multiplex isothermal amplification method for rapid detection and identification of viruses. *Sci Rep*. 2015 Dec 8;5:17925.

Osterman A, Stellberger T, Gebhardt A, Kurz M, Friedel CC, Uetz P, Nitschko H, Baiker A, Vizoso-Pinto MG. The Hepatitis E virus intraviral interactome. *Sci Rep*. 2015 Oct 14;5:13872.

Schlosser J, Vina-Rodriguez A, Fast C, Groschup MH, Eiden M. Chronically infected wild boar can transmit genotype 3 hepatitis E virus to domestic pigs. *Vet Microbiol*. 2015 Oct 22;180(1-2):15-21.

Szabo K, Trojnar E, Anheyer-Behmenburg H, Binder A, Schotte U, Ellerbroek L, Klein G, Johne R. Detection of hepatitis E virus RNA in raw sausages and liver sausages from retail in Germany using an optimized method. *Int J Food Microbiol*. 2015 Dec 23;215:149-56.

Listeria monocytogenes

Ariza-Miguel J, Fernández-Natal MI, Soriano F, Hernández M, Stessl B, Rodríguez-Lázaro D. Molecular Epidemiology of Invasive Listeriosis due to *Listeria monocytogenes* in a Spanish Hospital over a Nine-Year Study Period, 2006-2014. *Biomed Res Int*. 2015;2015:191409. doi: 10.1155/2015/191409.

Bolocan AS, Nicolau AI, Alvarez-Ordóñez A, Borda D, Oniciuc EA, Stessl B, Gurgu L, Wagner M, Jordan K. Dynamics of *Listeria monocytogenes* colonisation in a newly-opened meat processing facility. *Meat Sci*. 2015 Oct 31;113:26-34.

Dhama K, Karthik K, Tiwari R, Shabbir MZ, Barbuddhe S, Malik SV, Singh RK. Listeriosis in animals, its public health significance (food-borne zoonosis) and advances in diagnosis and control: a comprehensive review. *Vet Q*. 2015 Dec;35(4):211-35.

Fox EM, Wall PG, Fanning S. Control of *Listeria* species food safety at a poultry food production facility. *Food Microbiol*. 2015 Oct;51:81-6.

Glass KA, Golden MC, Wanless BJ, Bedale W, Czuprynski C. Growth of *Listeria monocytogenes* within a Caramel-Coated Apple Microenvironment. *MBio*. 2015 Oct 13;6(5). pii: e01232-15.

Haley BJ, Sonnier J, Schukken YH, Karns JS, Van Kessel JA. Diversity of *Listeria monocytogenes* Within a U.S. Dairy Herd, 2004-2010. *Foodborne Pathog Dis*. 2015 Oct;12(10):844-50.

Jacks A, Pihlajasaari A, Vahe M, Myntti A, Kaukoranta SS, Elomaa N, Salmenlinna S, Rantala L, Lahti K, Huusko S, Kuusi M, Siitonen A, Rimhanen-Finne R. Outbreak of hospital-acquired gastroenteritis and invasive infection caused by *Listeria monocytogenes*, Finland, 2012. *Epidemiol Infect.* 2015 Oct 23;1-11.

Jiang X, Yu T, Liang Y, Ji S, Guo X, Ma J, Zhou L. Efflux pump-mediated benzalkonium chloride resistance in *Listeria monocytogenes* isolated from retail food. *Int J Food Microbiol.* 2016 Jan 18;217:141-5.

Kovacevic J, Ziegler J, Walecka-Zacharska E, Reimer A, Kitts DD, Gilmour MW. Tolerance of the foodborne pathogen *Listeria monocytogenes* to quaternary ammonium sanitizers is mediated by a novel efflux pump encoded by *emrELm*. *Appl Environ Microbiol.* 2015 Nov 20. pii: AEM.03741-15. [Epub ahead of print]

Langsrud S, Moen B, Møretrø T, Løype M, Heir E. Microbial dynamics in mixed culture biofilms of bacteria surviving sanitation of conveyor belts in salmon processing plants. *J Appl Microbiol.* 2015 Nov 28. doi: 10.1111/jam.13013. [Epub ahead of print]

Law JW, Ab Mutalib NS, Chan KG, Lee LH. An insight into the isolation, enumeration, and molecular detection of *Listeria monocytogenes* in food. *Front Microbiol.* 2015 Nov 3;6:1227.

Leong D, Alvarez-Ordóñez A, Zaouali S, Jordan K. Examination of *Listeria monocytogenes* in Seafood Processing Facilities and Smoked Salmon in the Republic of Ireland. *J Food Prot.* 2015 Dec;78(12):2184-90.

Lomonaco S, Nucera D, Filipello V. The evolution and epidemiology of *Listeria monocytogenes* in Europe and the United States. *Infect Genet Evol.* 2015 Oct;35:172-83.

Lough G, Kyriazakis I, Bergmann S, Lengeling A, Doeschl-Wilson AB. Health trajectories reveal the dynamic contributions of host genetic resistance and tolerance to infection outcome. *Proc Biol Sci.* 2015 Nov 22;282(1819). pii: 20152151.

Morganti M, Scaltriti E, Cozzolino P, Bolzoni L, Casadei G, Pierantoni M, Foni E, Pongolini S. Genetic analysis reveals the processing dependent and clonal contamination pattern of *Listeria monocytogenes* in cured ham food-chain. *Appl Environ Microbiol.* 2015 Nov 20. pii: AEM.03103-15. [Epub ahead of print]

Nyarko EB, Donnelly CW. *Listeria monocytogenes*: Strain Heterogeneity, Methods, and Challenges of Subtyping. *J Food Sci.* 2015 Nov 20. doi:10.1111/1750-3841.13133. [Epub ahead of print]

Okpo E, Leith J, Smith-Palmer A, Bell J, Parks D, Browning F, Byers L, Corrigan H, Webster D, Karcher AM, Murray A, Storey T. An outbreak of an unusual strain of *Listeria monocytogenes* infection in North-East Scotland. *J Infect Public Health.* 2015 Nov-Dec;8(6):612-8.

Ortiz S, López-Alonso V, Rodríguez P, Martínez-Suárez JV. The connection between persistent, disinfectant-resistant *Listeria monocytogenes* strains from two geographically separate Iberian pork processing plants: evidence from comparative genome analysis. *Appl Environ Microbiol*. 2015 Oct 23. pii:AEM.02824-15.

Perera MN, Abuladze T, Li M, Woolston J, Sulakvelidze A. Bacteriophage cocktail significantly reduces or eliminates *Listeria monocytogenes* contamination on lettuce, apples, cheese, smoked salmon and frozen foods. *Food Microbiol*. 2015 Dec;52:42-8.

Preußel K, Milde-Busch A, Schmich P, Wetzstein M, Stark K, Werber D. Risk Factors for Sporadic Non-Pregnancy Associated Listeriosis in Germany-Immunocompromised Patients and Frequently Consumed Ready-To-Eat Products. *PLoS One*. 2015 Nov 23;10(11):e0142986.

Tang S, Orsi RH, den Bakker HC, Wiedmann M, Boor KJ, Bergholz TM. Transcriptomic Analysis of the Adaptation of *Listeria monocytogenes* to Growth on Vacuum-Packed Cold Smoked Salmon. *Appl Environ Microbiol*. 2015 Oct;81(19):6812-24.

Van Meervenne E, Van Coillie E, Van Weyenberg S, Boon N, Herman L, Devlieghere F. Low Temperature and Modified Atmosphere: Hurdles for Antibiotic Resistance Transfer? *J Food Prot*. 2015 Dec;78(12):2191-9.

Wang Q, Holmes N, Martinez E, Howard P, Hill-Cawthorne G, Sintchenko V. It Is Not All about Single Nucleotide Polymorphisms: Comparison of Mobile Genetic Elements and Deletions in *Listeria monocytogenes* Genomes Links Cases of Hospital-Acquired Listeriosis to the Environmental Source. *J Clin Microbiol*. 2015 Nov;53(11):3492-500.

Zilelidou EA, Rychli K, Manthou E, Ciolacu L, Wagner M, Skandamis PN. Highly Invasive *Listeria monocytogenes* Strains Have Growth and Invasion Advantages in Strain Competition. *PLoS One*. 2015 Nov 3;10(11):e0141617.

Norovirus

Akasaka T, Shimizu-Onda Y, Hayakawa S, Ushijima H. The virucidal effects against murine norovirus and feline calicivirus F4 as surrogates for human norovirus by the different additive concentrations of ethanol-based sanitizers. *J Infect Chemother*. 2015 Oct 16. pii: S1341-321X(15)00227-5. doi:10.1016/j.jiac.2015.09.002. [Epub ahead of print]

Chiu S, Skura B, Petric M, McIntyre L, Gamage B, Isaac-Renton J. Efficacy of common disinfectant/cleaning agents in inactivating murine norovirus and feline calicivirus as surrogate viruses for human norovirus. *Am J Infect Control*. 2015 Nov 1;43(11):1208-12.

DiCaprio E, Purgianto A, Ma Y, Hughes J, Dai X, Li J. Attachment and localization of human norovirus and animal caliciviruses in fresh produce. *Int J Food Microbiol*. 2015 Oct 15;211:101-8.

Esseili MA, Gao X, Tegtmeier S, Saif LJ, Wang Q. Abiotic stress and Phyllosphere Bacteria Influence the Survival of Human Norovirus and its surrogates on Preharvest Leafy Greens. *Appl Environ Microbiol.* 2015 Oct 23. pii: AEM.02763-15. [Epub ahead of print]

Farkas T, Singh A, Le Guyader FS, La Rosa G, Saif L, McNeal M. Multiplex real-time RT-PCR for the simultaneous detection and quantification of GI, GII and GIV noroviruses. *J Virol Methods.* 2015 Oct; 223:109-14.

Gagné MJ, Barrette J, Savard T, Brassard J. Evaluation of survival of murine norovirus-1 during sauerkraut fermentation and storage under standard and low-sodium conditions. *Food Microbiol.* 2015 Dec;52:119-23.

Girard M, Mattison K, Fliss I, Jean J. Efficacy of oxidizing disinfectants at inactivating murine norovirus on ready-to-eat foods. *Int J Food Microbiol.* 2015 Nov 30; 219:7-11.

Glowacka I, Harste G, Witthuhn J, Heim A. An Improved One-Step Real-Time Reverse Transcription-PCR for the Detection of Norovirus. *J Clin Microbiol.* 2015 Dec 4. pii: JCM.02206-15. [Epub ahead of print]

Höhne M, Niendorf S, Mas Marques A, Bock CT. Use of sequence analysis of the P2 domain for characterization of norovirus strains causing a large multistate outbreak of norovirus gastroenteritis in Germany 2012. *Int J Med Microbiol.* 2015 Oct; 305(7):612-8.

Joshi SS, Su X, D'Souza DH. Antiviral effects of grape seed extract against feline calicivirus, murine norovirus, and hepatitis A virus in model food systems and under gastric conditions. *Food Microbiol.* 2015 Dec;52:1-10.

Knight A, Haines J, Stals A, Li D, Uyttendaele M, Knight A, Jaykus LA. A systematic review of human norovirus survival reveals a greater persistence of human norovirus RT-qPCR signals compared to those of cultivable surrogate viruses. *Int J Food Microbiol.* 2016 Jan 4;216:40-9.

Liu C, Li X, Chen H. Application of water-assisted ultraviolet light processing on the inactivation of murine norovirus on blueberries. *Int J Food Microbiol.* 2015 Dec 2;214:18-23.

Monini M, Di Bartolo I, Ianiro G, Angeloni G, Magistrali CF, Ostanello F, Ruggeri FM. Detection and molecular characterization of zoonotic viruses in swine fecal samples in Italian pig herds. *Arch Virol.* 2015 Oct;160(10):2547-56.

Ozawa H, Kumazaki M, Ueki S, Morita M, Usuku S. Detection and Genetic Analysis of Noroviruses and Sapoviruses in Sea Snail. *Food Environ Virol.* 2015 Dec;7(4):325-32.

Park SY, Kim AN, Lee KH, Ha SD. Ultraviolet-C efficacy against a norovirus surrogate and hepatitis A virus on a stainless steel surface. *Int J Food Microbiol.* 2015 Oct 15;211:73-8.

Perrin A, Loutreul J, Boudaud N, Bertrand I, Gantzer C. Rapid, simple and efficient method for detection of viral genomes on raspberries. *J Virol Methods*. 2015 Nov;224:95-101.

Petterson S, Grøndahl-Rosado R, Nilsen V, Myrmel M, Robertson LJ. Variability in the recovery of a virus concentration procedure in water: Implications for QMRA. *Water Res*. 2015 Dec 15;87:79-86.

Samandougou I, Hammami R, Morales Rayas R, Fliss I, Jean J. Stability of Secondary and Tertiary Structures of Virus-Like Particles Representing Noroviruses: Effects of pH, Ionic Strength, and Temperature and Implications for Adhesion to Surfaces. *Appl Environ Microbiol*. 2015 Nov 15;81(22):7680-6.

Takahashi M, Takahashi H, Kuda T, Kimura B. Viability and heat resistance of murine norovirus on bread. *Int J Food Microbiol*. 2016 Jan 4;216:127-31.

Wang Q, Kniel KE. Survival and transfer of murine norovirus within a hydroponic system during kale and mustard microgreen harvesting. *Appl Environ Microbiol*. 2015 Nov 13. pii: AEM.02990-15. [Epub ahead of print]

Wang Y, Zhang J, Shen Z. The impact of calicivirus mixed infection in an oyster-associated outbreak during a food festival. *J Clin Virol*. 2015 Dec;73:55-63.

Yeap JW, Kaur S, Lou F, DiCaprio E, Morgan M, Linton R, Li J. Inactivation kinetics and mechanism of a human norovirus surrogate on stainless steel coupons using chlorine dioxide gas. *Appl Environ Microbiol*. 2015 Oct 16. pii: AEM.02489-15. [Epub ahead of print]

Yeargin T, Fraser A, Huang G, Jiang X. Recovery and Disinfection of Two Human Norovirus Surrogates, Feline Calicivirus and Murine Norovirus, from Hard Nonporous and Soft Porous Surfaces. *J Food Prot*. 2015 Oct;78(10):1842-50.

Zonta W, Mauroy A, Farnir F, Thiry E. Comparative Virucidal Efficacy of Seven Disinfectants Against Murine Norovirus and Feline Calicivirus, Surrogates of Human Norovirus. *Food Environ Virol*. 2015 Oct 7. [Epub ahead of print] PubMed PMID: 26445948.

Salmonella

Alvarez-Ordóñez A, Broussolle V, Colin P, Nguyen-The C, Prieto M. The adaptive response of bacterial food-borne pathogens in the environment, host and food: Implications for food safety. *Int J Food Microbiol*. 2015 Nov 20;213:99-109.

Arnold ME, Mueller-Doblies D, Gosling RJ, Martelli F, Davies RH. Estimation of the sensitivity of various environmental sampling methods for detection of *Salmonella* in duck flocks. *Avian Pathol*. 2015 Dec; 44(6):423-9.

Bae D, Cheng CM, Khan AA. Characterization of extended-spectrum β -lactamase (ESBL) producing non-typhoidal *Salmonella* (NTS) from imported food products. *Int J Food Microbiol*. 2015 Dec 2; 214:12-7.

Bai L, Lan R, Zhang X, Cui S, Xu J, Guo Y, Li F, Zhang D. Prevalence of *Salmonella* Isolates from Chicken and Pig Slaughterhouses and Emergence of Ciprofloxacin and Cefotaxime Co-Resistant *S. enterica* Serovar Indiana in Henan, China. PLoS One. 2015 Dec 9; 10(12):e0144532.

Beutlich J, Hammerl JA, Appel B, Nöckler K, Helmuth R, Jöst K, Ludwig ML, Hanke C, Bechtold D, Mayer-Scholl A. Characterization of illegal food items and identification of foodborne pathogens brought into the European Union via two major German airports. Int J Food Microbiol. 2015 Sep 16;209:13-9.

Bourassa DV, Holmes JM, Cason JA, Cox NA, Rigsby LL, Buhr RJ. Prevalence and Serogroup Diversity of *Salmonella* for Broiler Neck Skin, Whole Carcass Rinse, and Whole Carcass Enrichment Sampling Methodologies following Air or Immersion Chilling. J Food Prot. 2015 Nov; 78(11):1938-44.

Burns AM, Lawlor PG, Gardiner GE, McCabe EM, Walsh D, Mohammed M, Grant J, Duffy G. *Salmonella* occurrence and Enterobacteriaceae counts in pig feed ingredients and compound feed from feed mills in Ireland. Prev Vet Med. 2015 Oct 1; 121(3-4):231-9.

Calle A, Porto-Fett AC, Shoyer BA, Luchansky JB, Thippareddi H. Microbiological Safety of Commercial Prime Rib Preparation Methods: Thermal Inactivation of *Salmonella* in Mechanically Tenderized Rib Eye. J Food Prot. 2015 Dec; 78(12):2126-35.

Choi S, Park S, Kim Y, Kim BS, Beuchat LR, Hoikyung K, Ryu JH. Reduction of *Salmonella enterica* on the surface of eggshells by sequential treatment with aqueous chlorine dioxide and drying. Int J Food Microbiol. 2015 Oct 1;210: 84-7.

Chousalkar KK, Sexton M, McWhorter A, Hewson K, Martin G, Shadbolt C, Goldsmith P. *Salmonella* Typhimurium in the Australian Egg Industry: Multidisciplinary Approach to Addressing the Public Health Challenge and Future Directions. Crit Rev Food Sci Nutr. 2015 Nov 11:0. [Epub ahead of print]

Ebel ED, Williams MS, Golden NJ, Schlosser WD, Travis C. Time valuation of historical outbreak attribution data. Epidemiol Infect. 2016 Jan; 144(2):396-407.

Erickson MC, Liao J, Cannon JL, Ortega YR. Contamination of knives and graters by bacterial foodborne pathogens during slicing and grating of produce. Food Microbiol. 2015 Dec; 52:138-45.

Freeman R, Dabrera G, Lane C, Adams N, Browning L, Fowler T, Gorton R, Peters T, Mather H, Ashton P, Dallman T, Godbole G, Tubin-Delic D, Charlett A, Fisher I, Adak GK. Association between use of proton pump inhibitors and non-typhoidal salmonellosis identified following investigation into an outbreak of *Salmonella* Mikawasima in the UK, 2013. Epidemiol Infect. 2015 Oct 1:1-8.

Gonzales-Barrón U, Piza L, Xavier C, Costa E, Cadavez V. An exposure assessment model of the prevalence of *Salmonella* spp. along the processing stages of Brazilian beef. Food Sci Technol Int. 2016 Jan; 22(1):10-20.

Gu W, Vieira AR, Hoekstra RM, Griffin PM, Cole D. Use of random forest to estimate population attributable fractions from a case-control study of *Salmonella enterica* serotype Enteritidis infections. *Epidemiol Infect.* 2015 Oct; 143(13):2786-94.

Gurman PM, Ross T, Holds GL, Jarrett RG, Kiermeier A. Thermal inactivation of *Salmonella* spp. in pork burger patties. *Int J Food Microbiol.* 2015 Nov 28; 219:12-21.

Généreux M, Breton MJ, Fairbrother JM, Fravallo P, Côté C. Persistence of Indicator and Pathogenic Microorganisms in Broccoli following Manure Spreading and Irrigation with Fecally Contaminated Water: Field Experiment. *J Food Prot.* 2015 Oct; 78(10):1776-84.

Hanson DL, Loneragan GH, Brown TR, Nisbet DJ, Hume ME, Edrington TS. Evidence supporting vertical transmission of *Salmonella* in dairy cattle. *Epidemiol Infect.* 2015 Sep 30:1-6.

Herman KM, Hall AJ, Gould LH. Outbreaks attributed to fresh leafy vegetables, United States, 1973-2012. *Epidemiol Infect.* 2015 Oct; 143(14):3011-21.

Karuppasamy K, Yadav AS, Saxena GK. Thermal inactivation of *Salmonella* Enteritidis on chicken skin previously exposed to acidified Sodium chlorite or tri-sodium phosphate. *J Food Sci Technol.* 2015 Dec; 52(12):8236-43.

Kobayashi T, Kutsuna S, Hayakawa K, Kato Y, Ohmagari N, Uryu H, Yamada R, Kashiwa N, Nei T, Ehara A, Takei R, Mori N, Yamada Y, Hayasaka T, Kagawa N, Sugawara M, Suzaki A, Takahashi Y, Nishiyama H, Morita M, Izumiya H, Ohnishi M. An Outbreak of Food-Borne Typhoid Fever Due to *Salmonella enterica* Serotype Typhi in Japan Reported for the First Time in 16 Years. *Am J Trop Med Hyg.* 2015 Nov 30.pii: 15-0484.

Lambertini E, Buchanan RL, Narrod C, Ford RM, Baker RC, Pradhan AK. Quantitative assessment of human and pet exposure to *Salmonella* associated with dry pet foods. *Int J Food Microbiol.* 2016 Jan 4;216:79-90.

Lee H, Kim JE, Chung MS, Min SC. Cold plasma treatment for the microbiological safety of cabbage, lettuce, and dried figs. *Food Microbiol.* 2015 Oct;51:74-80.

Manios SG, Grivokostopoulos NC, Bikouli VC, Doultzos DA, Zilelidou EA, Gialitaki MA, Skandamis PN. A 3-year hygiene and safety monitoring of a meat processing plant which uses raw materials of global origin. *Int J Food Microbiol.* 2015 Sep 16; 209:60-9.

Mann E, Dzieciol M, Pinior B, Neubauer V, Metzler-Zebeli BU, Wagner M, Schmitz-Esser S. High diversity of viable bacteria isolated from lymph nodes of slaughter pigs and its possible impacts for food safety. *J Appl Microbiol.* 2015 Nov;119(5):1420-1432.

Martínez-Chávez L, Cabrera-Díaz E, Pérez-Montaño JA, Garay-Martínez LE, Varela-Hernández JJ, Castillo A, Lucía L, Ávila-Novoa MG, Cardona-López MA, Gutiérrez-

González P, Martínez-González NE. Quantitative distribution of *Salmonella* spp. and *Escherichia coli* on beef carcasses and raw beef at retail establishments. *Int J Food Microbiol.* 2015 Oct 1;210:149-55.

McAuley CM, Duffy LL, Subasinghe N, Hogg G, Coventry J, Fegan N. *Salmonella* Typhimurium and *Salmonella* Sofia: Growth in and Persistence on Eggs under Production and Retail Conditions. *Biomed Res Int.* 2015;2015:914987. doi: 10.1155/2015/914987.

Nguyen VD, Bennett SD, Mungai E, Gieraltowski L, Hise K, Gould LH. Increase in Multistate Foodborne Disease Outbreaks-United States, 1973-2010. *Foodborne Pathogen Dis.* 2015 Nov; 12(11):867-72.

Oni RA, Sharma M, Buchanan RL. Survival of *Salmonella enterica* in Dried Turkey Manure and Persistence on Spinach Leaves. *J Food Prot.* 2015 Oct; 78(10):1791-9.

Prado-Silva L, Cadavez V, Gonzales-Barron U, Rezende AC, Sant'Ana AS. Meta-analysis of the Effects of Sanitizing Treatments on *Salmonella*, *Escherichia coli* O157:H7, and *Listeria monocytogenes* Inactivation in Fresh Produce. *Appl Environ Microbiol.* 2015 Dec 1; 81(23):8008-21.

Rettenbacher-Riefler S, Ziehm D, Kreienbrock L, Campe A, Pulz M, Dreesman J. Sporadic salmonellosis in Lower Saxony, Germany, 2011-2013: raw ground pork consumption is associated with *Salmonella* Typhimurium infections and foreign travel with *Salmonella* Enteritidis infections. *Epidemiol Infect.* 2015 Oct; 143(13):2777-85.

Roccatò A, Uyttendaele M, Cibin V, Barrucci F, Cappa V, Zavagnin P, Longo A, Catellani P, Ricci A. Effects of Domestic Storage and Thawing Practices on *Salmonella* in Poultry-Based Meat Preparations. *J Food Prot.* 2015 Dec; 78(12):2117-25.

Rodríguez-Lázaro D, Ariza-Miguel J, Díez-Valcarce M, Stessl B, Beutlich J, Fernández-Natal I, Hernández M, Wagner M, Rovira J. Identification and molecular characterization of pathogenic bacteria in foods confiscated from non-EU flights passengers at one Spanish airport. *Int J Food Microbiol.* 2015 Sep 16; 209:20-5.

Rohde A, Hammerl JA, Appel B, Dieckmann R, Al Dahouk S. Sampling and Homogenization Strategies Significantly Influence the Detection of Foodborne Pathogens in Meat. *Biomed Res Int.* 2015; 2015:145437.

Ryan D, Pati NB, Ojha UK, Padhi C, Ray S, Jaiswal S, Singh GP, Mannala GK, Schultze T, Chakraborty T, Suar M. Global Transcriptome and Mutagenic Analyses of the Acid Tolerance Response of *Salmonella enterica* Serovar Typhimurium. *Appl Environ Microbiol.* 2015 Dec 1; 81(23):8054-65.

Sadler-Reeves L, Aird H, de Pinna E, Elviss N, Fox A, Kaye M, Jorgensen F, Lane C, Willis C, McLauchlin J. The occurrence of *Salmonella* in raw and ready-to-eat bean-sprouts and sprouted-seeds on retail sale in England and Northern Ireland. *Lett Appl Microbiol.* 2015 Dec 10. doi: 10.1111/lam.12530.

Sanad YM, Johnson K, Park SH, Han J, Deck J, Foley SL, Kenney B, Ricke S, Nayak R. Molecular Characterization of *Salmonella enterica* Serovars Isolated from a Turkey Production Facility in the Absence of Selective Antimicrobial Pressure. Foodborne Pathog Dis. 2015 Dec 14. [Epub ahead of print]

Scallan E, Hoekstra RM, Mahon BE, Jones TF, Griffin PM. An assessment of the human health impact of seven leading foodborne pathogens in the United States using disability adjusted life years. Epidemiol Infect. 2015 Oct; 143(13):2795-804.

Schoder D, Strauß A, Szakmary-Brändle K, Stessl B, Schlager S, Wagner M. Prevalence of major foodborne pathogens in food confiscated from air passenger luggage. Int J Food Microbiol. 2015 Sep 16;209:3-12.

Schroeder S, Harries M, Prager R, Höfig A, Ahrens B, Hoffmann L, Rabsch W, Mertens E, Rimek D. A prolonged outbreak of *Salmonella* Infantis associated with pork products in central Germany, April-October 2013. Epidemiol Infect. 2015 Nov 23:1-11. [Epub ahead of print]

Thomas MK, Murray R, Flockhart L, Pintar K, Fazil A, Nesbitt A, Marshall B, Tataryn J, Pollari F. Estimates of Foodborne Illness-Related Hospitalizations and Deaths in Canada for 30 Specified Pathogens and Unspecified Agents. Foodborne Pathog Dis. 2015 Oct; 12(10):820-7.

Tu LT, Hoang NV, Cuong NV, Campbell J, Bryant JE, Hoa NT, Kiet BT, Thompson C, Duy DT, Phat VV, Hien VB, Thwaites G, Baker S, Carrique-Mas JJ. High levels of contamination and antimicrobial-resistant non-typhoidal *Salmonella* serovars on pig and poultry farms in the Mekong Delta of Vietnam. Epidemiol Infect. 2015 Oct; 143(14):3074-86.

Vestrheim DF, Lange H, Nygård K, Borgen K, Wester AL, Kvarme ML, Vold L. Are ready-to-eat salads ready to eat? An outbreak of *Salmonella* Coeln linked to imported, mixed, pre-washed and bagged salad, Norway, November 2013. Epidemiol Infect. 2015 Nov 20:1-5.

Wideman N, Bailey M, Bilgili SF, Thippareddi H, Wang L, Bratcher C, Sanchez-Plata M, Singh M. Evaluating best practices for *Campylobacter* and *Salmonella* reduction in poultry processing plants. Poult Sci. 2015 Nov 14. pii: pev328. [Epub ahead of print]

Williams S, Markey P, Harlock M, Binns P, Gaggin J, Patel M. Individual and household-level risk factors for sporadic salmonellosis in children. J Infect. 2015 Sep 28. pii: S0163-4453(15)00292-3.

Young I, Waddell L, Cahill S, Kojima M, Clarke R, Rajić A. Application of a Rapid Knowledge Synthesis and Transfer Approach To Assess the Microbial Safety of Low-Moisture Foods. J Food Prot. 2015 Dec;78(12):2264-78.

Zhang J, Yang X, Kuang D, Shi X, Xiao W, Zhang J, Gu Z, Xu X, Meng J. Prevalence of antimicrobial resistance of non-typhoidal *Salmonella* serovars in retail aquaculture products. *Int J Food Microbiol.* 2015 Oct 1;210:47-52.

Zhang Y, Sallach JB, Hodges L, Snow DD, Bartelt-Hunt SL, Eskridge KM, Li X. Effects of soil texture and drought stress on the uptake of antibiotics and the internalization of *Salmonella* in lettuce following wastewater irrigation. *Environ Pollut.* 2016 Jan;208(Pt B):523-31.

Staphylococcus aureus

Boss R, Cosandey A, Luini M, Artursson K, Bardiau M, Breitenwieser F, Hehenberger E, Lam T, Mansfeld M, Michel A, Mösslacher G, Naskova J, Nelson S, Podpečan O, Raemy A, Ryan E, Salat O, Zangerl P, Steiner A, Graber HU. Bovine *Staphylococcus aureus*: Subtyping, evolution, and zoonotic transfer. *J Dairy Sci.* 2015 Nov 18. pii: S0022-0302(15)00834-6.

Cosandey A, Boss R, Luini M, Artursson K, Bardiau M, Breitenwieser F, Hehenberger E, Lam T, Mansfeld M, Michel A, Mösslacher G, Naskova J, Nelson S, Podpečan O, Raemy A, Ryan E, Salat O, Zangerl P, Steiner A, Graber HU. *Staphylococcus aureus* genotype B and other genotypes isolated from cow milk in European countries. *J Dairy Sci.* 2015 Nov 13. pii: S0022-0302(15)00820-6. doi: 10.3168/jds.2015-9587. [Epub ahead of print]

Feltrin F, Alba P, Kraushaar B, Ianzano A, Argudín MA, Di Matteo P, Porrero MC, Aarestrup FM, Butaye P, Franco A, Battisti A. Molecular characterization of a livestock-associated, multidrug-resistant, methicillin-resistant *Staphylococcus aureus* Clonal Complex 97 lineage spreading in dairy cattle and pigs in Italy. *Appl Environ Microbiol.* 2015 Nov 20. pii: AEM.02854-15. [Epub ahead of print]

Han L, Patil S, Boehm D, Milosavljević V, Cullen PJ, Bourke P. Mechanism of Inactivation by High Voltage Atmospheric Cold Plasma Differs between *Escherichia coli* and *Staphylococcus aureus*. *Appl Environ Microbiol.* 2015 Oct 30. pii: AEM.02660-15. [Epub ahead of print]

Lee JS, Bae YM, Lee SY, Lee SY. Biofilm Formation of *Staphylococcus aureus* on Various Surfaces and Their Resistance to Chlorine Sanitizer. *J Food Sci.* 2015 Oct;80(10):M2279-86. doi: 10.1111/1750-3841.13017.

Mossong J, Decruyenaere F, Moris G, Ragimbeau C, Olinger CM, Johler S, Perrin M, Hau P, Weicherding P. Investigation of a staphylococcal food poisoning outbreak combining case-control, traditional typing and whole genome sequencing methods, Luxembourg, June 2014. *Euro Surveill.* 2015 Nov 12;20(45).

Narvaez Bravo C, Toufeer M, Weese SJ, Diarra MS, Deckert AE, Reid-Smith R, Aslam M. Prevalence of Methicillin-Resistant *Staphylococcus aureus* in Canadian commercial Pork Processing Plants. *J Appl Microbiol.* 2015 Dec 18. doi: 10.1111/jam.13024. [Epub ahead of print]

Sallam KI, Abd-Elghany SM, Elhadidy M, Tamura T. Molecular Characterization and Antimicrobial Resistance Profile of Methicillin-Resistant *Staphylococcus aureus* in Retail Chicken. J Food Prot. 2015 Oct;78(10):1879-84.

Tango CN, Park JH, Oh DH. An experimental validated in silico model to assess *Staphylococcus aureus* growth kinetics on different pork products. J Appl Microbiol. 2015 Dec 16. doi: 10.1111/jam.13028. [Epub ahead of print]

STEC

Adhikari A, Syamaladevi RM, Killinger K, Sablani SS. Ultraviolet-C light inactivation of *Escherichia coli* O157:H7 and *Listeria monocytogenes* on organic fruit surfaces. Int J Food Microbiol. 2015 Oct 1;210:136-42.

Brusa V, Galli L, Linares LH, Ortega EE, Lirón JP, Leotta GA. Development and validation of two SYBR green PCR assays and a multiplex real-time PCR for the detection of Shiga toxin-producing *Escherichia coli* in meat. J Microbiol Methods. 2015 Dec;119:10-7.

Corliss B, Brooks JC, Martin JN, Echeverry A, Parks AR, Pokharel S, Brashears MM. The influence of beef quality characteristics on the internalization and thermal susceptibility of Shiga toxin-producing *Escherichia coli* (STEC) in blade-tenderized beef steaks. Meat Sci. 2015 Dec; 110:85-92.

Elhadidy M, Elkhatib WF, Piérard D, De Reu K, Heyndrickx M. Model-based clustering of *Escherichia coli* O157:H7 genotypes and their potential association with clinical outcome in human infections. Diagn Microbiol Infect Dis. 2015 Oct; 83(2):198-202.

Ferdous M, Zhou K, Mellmann A, Morabito S, Crougns PD, de Boer RF, Kooistra-Smid AM, Rossen JW, Friedrich AW. Is Shiga Toxin-Negative *Escherichia coli* O157:H7 Enteropathogenic or Enterohemorrhagic *Escherichia coli*? Comprehensive Molecular Analysis Using Whole-Genome Sequencing. J Clin Microbiol. 2015 Nov; 53(11):3530-8.

Harada T, Iguchi A, Iyoda S, Seto K, Taguchi M, Kumeda Y. Multiplex Real-Time PCR Assays for Screening of Shiga Toxin 1 and 2 Genes, Including All Known Subtypes, and *Escherichia coli* O26-, O111-, and O157-Specific Genes in Beef and Sprout Enrichment Cultures. J Food Prot. 2015 Oct; 78(10):1800-11.

Kim GH, Breidt F, Fratamico P, Oh DH. Acid Resistance and Molecular Characterization of *Escherichia coli* O157:H7 and Different Non-O157 Shiga Toxin-Producing *E. coli* Serogroups. J Food Sci. 2015 Oct; 80(10):M2257-64.

Krüger A, Lucchesi PM, Sanso AM, Etcheverría AI, Bustamante AV, Burgán J, Fernández L, Fernández D, Leotta G, Friedrich AW, Padola NL, Rossen JW. Genetic characterization of Shiga toxin-producing *Escherichia coli* O26:H11 strains isolated from animal, food, and clinical samples. Front Cell Infect Microbiol. 2015 Oct 20; 5:74.

Launders N, Locking ME, Hanson M, Willshaw G, Charlett A, Salmon R, Cowden J, Adak GK. A large Great Britain-wide outbreak of STEC O157 phage type 8 linked to handling of raw leeks and potatoes. *Epidemiol Infect.* 2016 Jan; 144(1):171-81.

Leonard SR, Mammel MK, Lacher DW, Elkins CA. Application of Metagenomic Sequencing to Food Safety: Detection of Shiga Toxin-Producing *Escherichia coli* on Fresh Bagged Spinach. *Appl Environ Microbiol.* 2015 Dec 1; 81(23):8183-91.

Mei GY, Tang J, Carey C, Bach S, Kostrzynska M. The effect of oxidative stress on gene expression of Shiga toxin-producing *Escherichia coli* (STEC) O157:H7 and non-O157 serotypes. *Int J Food Microbiol.* 2015 Dec 23;215:7-15.

Melton-Celsa AR, O'Brien AD, Feng PC. Virulence Potential of Activatable Shiga Toxin 2d-Producing *Escherichia coli* Isolates from Fresh Produce. *J Food Prot.* 2015 Nov; 78(11):2085-8.

Nagy B, Szmolka A, Smole Možina S, Kovač J, Strauss A, Schlager S, Beutlich J, Appel B, Lušický M, Aprikian P, Pászti J, Tóth I, Kugler R, Wagner M. Virulence and antimicrobial resistance determinants of verotoxigenic *Escherichia coli* (VTEC) and of multidrug-resistant *E. coli* from foods of animal origin illegally imported to the EU by flight passengers. *Int J Food Microbiol.* 2015 Sep 16;209:52-9.

Nyholm O, Heinikainen S, Pelkonen S, Hallanvuo S, Haukka K, Siitonen A. Hybrids of Shigatoxigenic and Enterotoxigenic *Escherichia coli* (STEC/ETEC) Among Human and Animal Isolates in Finland. *Zoonoses Public Health.* 2015 Nov; 62(7):518-24.

Pielat A, Boer MP, Wijnands LM, van Hoek AH, Bouw E, Barker GC, Teunis PF, Aarts HJ, Franz E. First step in using molecular data for microbial food safety risk assessment; hazard identification of *Escherichia coli* O157:H7 by coupling genomic data with in vitro adherence to human epithelial cells. *Int J Food Microbiol.* 2015 Nov 20; 213:130-8.

Sayk F, Asselborn NH, Eisemann N, Katalinic A, Metzner J, Wolfrum S, Fellermann K, Knobloch J, Nitschke M. Management of Food-Related Diarrhea Outbreak in the Emergency Department: Lessons Learned from the German STEC O104:H4 Epidemic. *Biomed Res Int.* 2015;2015:480680. doi: 10.1155/2015/480680.

Sheen S, Cassidy J, Scullen B, Sommers C. Inactivation of a diverse set of shiga toxin-producing *Escherichia coli* in ground beef by high pressure processing. *Food Microbiol.* 2015 Dec;52:84-7.

Sheng H, Shringi S, Baker KN, Minnich SA, Hovde CJ, Besser TE. Standardized *E. coli* O157:H7 exposure studies in cattle: Evidence that bovine factors do not drive increased summertime colonization. *Appl Environ Microbiol.* 2015 Nov 25. pii: AEM.02839-15. [Epub ahead of print]

Toro M, Cao G, Rump L, Nagaraja TG, Meng J, Gonzalez-Escalona N. Genome Sequences of 64 Non-O157:H7 Shiga Toxin-Producing *Escherichia coli* Strains. *Genome Announc.* 2015 Oct 1;3(5). pii: e01067-15.

Verhaegen B, De Reu K, Heyndrickx M, Van Damme I, De Zutter L. Growth of Stressed Strains of Four Non-O157 Shiga Toxin-Producing *Escherichia coli* Serogroups in Five Enrichment Broths. *J Food Prot.* 2015 Nov; 78(11):1960-6.

Yin S, Rusconi B, Sanjar F, Goswami K, Xiaoli L, Eppinger M, Dudley EG. *Escherichia coli* O157:H7 strains harbor at least three distinct sequence types of Shiga toxin 2a-converting phages. *BMC Genomics.* 2015 Sep 29; 16(1):733.

Toxoplasma gondii

Boughattas S. *Toxoplasma* Infection and Milk Consumption: Meta-analysis of Assumptions and Evidences. *Crit Rev Food Sci Nutr.* 2015 Oct 14:0. [Epub ahead of print]

Calero-Bernal R, Pérez-Martín JE, Reina D, Serrano FJ, Frontera E, Fuentes I, Dubey JP. Detection of Zoonotic Protozoa *Toxoplasma gondii* and *Sarcocystis suihominis* in Wild Boars from Spain. *Zoonoses Public Health.* 2015 Nov 25. doi:10.1111/zph.12243. [Epub ahead of print]

Franco-Hernandez EN, Acosta A, Cortés-Vecino J, Gómez-Marín JE. Survey for *Toxoplasma gondii* by PCR detection in meat for human consumption in Colombia. *Parasitol Res.* 2015 Oct 19. [Epub ahead of print]

Guo M, Mishra A, Buchanan RL, Dubey JP, E Hill D, Gamble HR, Jones JL, Du X, Pradhan AK. Development of Dose-Response Models to Predict the Relationship for Human *Toxoplasma gondii* Infection Associated with Meat Consumption. *Risk Anal.* 2015 Oct 19. doi: 10.1111/risa.12500. [Epub ahead of print]

Guo M, Buchanan RL, Dubey JP, Hill DE, Lambertini E, Ying Y, Gamble HR, Jones JL, Pradhan AK. Qualitative Assessment for *Toxoplasma gondii* Exposure Risk Associated with Meat Products in the United States. *J Food Prot.* 2015 Dec; 78(12):2207-19.

Weight CM, Jones EJ, Horn N, Wellner N, Carding SR. Elucidating pathways of *Toxoplasma gondii* invasion in the gastrointestinal tract: involvement of the tight junction protein occludin. *Microbes Infect.* 2015 Oct; 17(10):698-709.

**Secretariat
January 2016**