

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD

INFORMATION PAPER

Items of interest from the literature***Bacillus cereus***

Biesta-Peters EG, Dissel S, Reij MW, Zwietering MH, in't Veld PH. Characterization and Exposure Assessment of Emetic *Bacillus cereus* and Cereulide Production in Food Products on the Dutch Market. J Food Prot. 2016 Feb;79(2):230-8.

Hayrapetyan H, Boekhorst J, de Jong A, Kuipers OP, Nierop Groot MN, Abee T. Draft Whole-Genome Sequences of 11 *Bacillus cereus* Food Isolates. Genome Announc. 2016 Jun 2;4(3). pii: e00485-16.

Miguéis S, Moura AT, Saraiva C, Esteves A. Influence of season and type of restaurants on sashimi microbiota. Eur J Public Health. 2016 Feb 24. pii: ckw009. [Epub ahead of print]

Nicholls M, Purcell B, Willis C, Amar CF, Kanagarajah S, Chamberlain D, Wooldridge D, Morgan J, McLauchlin J, Grant KA, Harvey-Vince L, Padfield M, Mearkle R, Chow JY. Investigation of an outbreak of vomiting in nurseries in South East England, May 2012. Epidemiol Infect. 2016 Feb;144(3):582-90.

O'Connell A, Ruegg PL, Jordan K, O'Brien B, Gleeson D. The effect of storage temperature and duration on the microbial quality of bulk tank milk. J Dairy Sci. 2016 May;99(5):3367-74.

Schmid D, Rademacher C, Kanitz EE, Frenzel E, Simons E, Allerberger F, Ehling-Schulz M. Elucidation of enterotoxigenic *Bacillus cereus* outbreaks in Austria by complementary epidemiological and microbiological investigations, 2013. Int J Food Microbiol. 2016 May 12;232:80-86.

Zhu K, Hölzel CS, Cui Y, Mayer R, Wang Y, Dietrich R, Didier A, Bassitta R, Märtlbauer E, Ding S. Probiotic *Bacillus cereus* Strains, a Potential Risk for Public Health in China. Front Microbiol. 2016 May 23;7:718.

Campylobacter

Ahmed MF, El-Adawy H, Hotzel H, Tomaso H, Neubauer H, Kemper N, Hartung J, Hafez HM. Prevalence, genotyping and risk factors of thermophilic *Campylobacter* spreading in organic turkey farms in Germany. Gut Pathog. 2016 Jun 2;8:28.

Al-Qadiri HM, Ovissipour M, Al-Alami N, Govindan BN, Shiroodi SG, Rasco B. Efficacy of Neutral Electrolyzed Water, Quaternary Ammonium and Lactic Acid-

Based Solutions in Controlling Microbial Contamination of Food Cutting Boards Using a Manual Spraying Technique. *J Food Sci.* 2016 May;81(5):M1177-83.

Banting GS, Braithwaite S, Scott C, Kim J, Jeon B, Ashbolt N, Ruecker N, Tymensen L, Charest J, Pintar K, Checkley S, Neumann NF. Evaluation of various *Campylobacter*-specific qPCR assays for detection and enumeration of Campylobacteraceae in irrigation water and wastewater using a miniaturized MPN-qPCR assay. *Appl Environ Microbiol.* 2016 May 27. pii: AEM.00077-16. [Epub ahead of print]

Battersby T, Whyte P, Bolton DJ. The pattern of *Campylobacter* contamination on broiler farms; external and internal sources. *J Appl Microbiol.* 2016 Apr;120(4):1108-18.

Battersby T, Walsh D, Whyte P, Bolton DJ. *Campylobacter* growth rates in four different matrices: broiler caecal material, live birds, Bolton broth, and brain heart infusion broth. *Infect Ecol Epidemiol.* 2016 Apr 5;6:31217.

Ciolacu L, Stessl B, Bolocan AS, Oniciuc EA, Wagner M, Rychli K, Nicolau AI. Tracking Foodborne Pathogenic Bacteria in Raw and Ready-to-Eat Food Illegally Sold at the Eastern EU Border. *Foodborne Pathog Dis.* 2016 Mar;13(3):148-55.

Davis KR, Dunn AC, Burnett C, McCullough L, Dimond M, Wagner J, Smith L, Carter A, Willardson S, Nakashima AK. *Campylobacter jejuni* Infections Associated with Raw Milk Consumption - Utah, 2014. *MMWR Morb Mortal Wkly Rep.* 2016 Apr 1;65(12):301-5.

Duarte A, Seliwiorstow T, Miller WG, De Zutter L, Uyttendaele M, Dierick K, Botteldoorn N. Discriminative power of *Campylobacter* phenotypic and genotypic typing methods. *J Microbiol Methods.* 2016 Jun;125:33-9.

Ebel ED, Williams MS, Golden NJ, Tankson J. Bayesian techniques for comparison of the test performance of PCR and culture for the identification of *Campylobacter* in enriched comminuted chicken samples. *J Appl Microbiol.* 2016 May;120(5):1418-26.

Grant A, Hashem F, Parveen S. *Salmonella* and *Campylobacter*: Antimicrobial resistance and bacteriophage control in poultry. *Food Microbiol.* 2016 Feb;53(Pt B):104-9.

Gunther NW 4th, Phillips JG, Sommers C. The Effects of 405-nm Visible Light on the Survival of *Campylobacter* on Chicken Skin and Stainless Steel. *Foodborne Pathog Dis.* 2016 May;13(5):245-50.

Guyard-Nicodème M, Keita A, Quesne S, Amelot M, Poezevara T, Le Berre B, Sánchez J, Vasseur P, Martín Á, Medel P, Chemaly M. Efficacy of feed additives against *Campylobacter* in live broilers during the entire rearing period. *Poult Sci.* 2016 Feb;95(2):298-305.

Hald B, Skov MN, Nielsen EM, Rahbek C, Madsen JJ, Wainø M, Chriél M, Nordentoft S, Baggesen DL, Madsen M. *Campylobacter jejuni* and *Campylobacter coli* in wild birds on Danish livestock farms. *Acta Vet Scand*. 2016 Feb 3;58:11.

Kovanen S, Kivistö R, Llarena AK, Zhang J, Kärkkäinen UM, Tuuminen T, Uksila J, Hakkinen M, Rossi M, Hänninen ML. Tracing isolates from domestic human *Campylobacter jejuni* infections to chicken slaughter batches and swimming water using whole-genome multilocus sequence typing. *Int J Food Microbiol*. 2016 Jun 2;226:53-60.

Liu KC, Jinneman KC, Neal-McKinney J, Wu WH, Rice DH. Genome sequencing and annotation of a *Campylobacter coli* strain isolated from milk with multidrug resistance. *Genom Data*. 2016 May 5;8:123-5.

Lund M, Jensen JD. A real options approach to biotechnology investment policy-the case of developing a *Campylobacter* vaccine to poultry. *Prev Vet Med*. 2016 Jun 1;128:58-69.

Mikkilä A, Ranta J, González M, Hakkinen M, Tuominen P. *Campylobacter* QMRA: A Bayesian Estimation of Prevalence and Concentration in Retail Foods Under Clustering and Heavy Censoring. *Risk Anal*. 2016 Feb 9. doi: 10.1111/risa.12572. [Epub ahead of print]

Nothhaft H, Davis B, Lock YY, Perez-Munoz ME, Vinogradov E, Walter J, Coros C, Szymanski CM. Engineering the *Campylobacter jejuni* N-glycan to create an effective chicken vaccine. *Sci Rep*. 2016 May 25;6:26511.

Olkkola S, Nykäsenoja S, Raulo S, Llarena AK, Kovanen S, Kivistö R, Myllyniemi AL, Hänninen ML. Antimicrobial Resistance and Multilocus Sequence Types of Finnish *Campylobacter jejuni* Isolates from Multiple Sources. *Zoonoses Public Health*. 2016 Feb;63(1):10-9.

Pogreba-Brown K, Baker A, Ernst K, Stewart J, Harris RB, Weiss J. Assessing risk factors of sporadic *Campylobacter* infection: a case-control study in Arizona. *Epidemiol Infect*. 2016 Mar;144(4):829-39.

Skarp CP, Hänninen ML, Rautelin HI. *Campylobacteriosis*: the role of poultry meat. *Clin Microbiol Infect*. 2016 Feb;22(2):103-9.

Smith S, Messam LL, Meade J, Gibbons J, McGill K, Bolton D, Whyte P. The impact of biosecurity and partial depopulation on *Campylobacter* prevalence in Irish broiler flocks with differing levels of hygiene and economic performance. *Infect Ecol Epidemiol*. 2016 May 10;6:31454.

Tam CC, O'Brien SJ. Economic Cost of *Campylobacter*, Norovirus and Rotavirus Disease in the United Kingdom. *PLoS One*. 2016 Feb 1;11(2):e0138526.

Taylor NM, Wales AD, Ridley AM, Davies RH. Farm level risk factors for fluoroquinolone resistance in *E. coli* and thermophilic *Campylobacter* spp. on poultry farms. *Avian Pathol*. 2016 May 12:1-33. [Epub ahead of print]

Wallace N, Zani A, Abrams E, Sun Y. The Impact of Oxygen on Bacterial Enteric Pathogens. *Adv Appl Microbiol.* 2016;95:179-204.

Weaver L, Karki N, Mackenzie M, Sinton L, Wood D, Flintoft M, Havelaar P, Close M. Microbial transport into groundwater from irrigation: Comparison of two irrigation practices in New Zealand. *Sci Total Environ.* 2016 Feb 1;543(Pt A):83-94.

Wideman N, Bailey M, Bilgili SF, Thippareddi H, Wang L, Bratcher C, Sanchez-Plata M, Singh M. Evaluating best practices for *Campylobacter* and *Salmonella* reduction in poultry processing plants. *Poult Sci.* 2016 Feb;95(2):306-15.

Clostridium

Abbona CC, Stagnitta PV. *Clostridium perfringens*: Comparative effects of heat and osmotic stress on non-enterotoxigenic and enterotoxigenic strains. *Anaerobe.* 2016 Jun;39:105-13.

Bandelj P, Blagus R, Briski F, Frljic O, Vergles Rataj A, Rupnik M, Ocepek M, Vengust M. Identification of risk factors influencing *Clostridium difficile* prevalence in middle-size dairy farms. *Vet Res.* 2016 Mar 12;47:41.

Burke P, Needham M, Jackson BR, Bokanyi R, St Germain E, Englander SJ. Outbreak of Foodborne Botulism Associated with Improperly Jarred Pesto - Ohio and California, 2014. *MMWR Morb Mortal Wkly Rep.* 2016 Feb 26;65(7):175-7.

Carter AT, Austin JW, Weedmark KA, Peck MW. Evolution of Chromosomal *Clostridium botulinum* Type E Neurotoxin Gene Clusters: Evidence Provided by Their Rare Plasmid-Borne Counterparts. *Genome Biol Evol.* 2016 Mar 2;8(3):540-55.

Charlebois A, Jacques M, Archambault M. Comparative transcriptomic analysis of *Clostridium perfringens* biofilms and planktonic cells. *Avian Pathol.* 2016 May 20:1-27. [Epub ahead of print] PubMed PMID: 27207477.

Chu DM, Aagaard KM. Microbiome: Eating for trillions. *Nature.* 2016 Apr 21;532(7599):316-7.

Dolan GP, Foster K, Lawler J, Amar C, Swift C, Aird H, Gorton R. An epidemiological review of gastrointestinal outbreaks associated with *Clostridium perfringens*, North East of England, 2012-2014. *Epidemiol Infect.* 2016 May;144(7):1386-93.

Fohler S, Discher S, Jordan E, Seyboldt C, Klein G, Neubauer H, Hoedemaker M, Scheu T, Campe A, Charlotte Jensen K, Abdulmawjood A. Detection of *Clostridium botulinum* neurotoxin genes (A-F) in dairy farms from Northern Germany using PCR: A case-control study. *Anaerobe.* 2016 Jun;39:97-104.

Hospital XF, Hierro E, Stringer S, Fernández M. A study on the toxigenesis by *Clostridium botulinum* in nitrate and nitrite-reduced dry fermented sausages. *Int J Food Microbiol.* 2016 Feb 2;218:66-70.

Huang L, Vinyard BT. Direct Dynamic Kinetic Analysis and Computer Simulation of Growth of *Clostridium perfringens* in Cooked Turkey during Cooling. J Food Sci. 2016 Mar;81(3):M692-701.

Huang L. Evaluating the Performance of a New Model for Predicting the Growth of *Clostridium perfringens* in Cooked, Uncured Meat and Poultry Products under Isothermal, Heating, and Dynamically Cooling Conditions. J Food Sci. 2016 Jun 3. doi: 10.1111/1750-3841.13356. [Epub ahead of print]

Lim SC, Foster NF, Riley TV. Susceptibility of *Clostridium difficile* to the food preservatives sodium nitrite, sodium nitrate and sodium metabisulphite. Anaerobe. 2016 Feb;37:67-71.

Metzler-Zebeli BU, Lawlor PG, Magowan E, Zebeli Q. Effect of Freezing Conditions on Fecal Bacterial Composition in Pigs. Animals (Basel). 2016 Feb 25;6(3). pii: E18.

Park M, Deck J, Foley SL, Nayak R, Songer JG, Seibel JR, Khan SA, Rooney AP, Hecht DW, Rafii F. Diversity of *Clostridium perfringens* isolates from various sources and prevalence of conjugative plasmids. Anaerobe. 2016 Apr;38:25-35.

Roy Chowdhury P, DeMaere M, Chapman T, Worden P, Charles IG, Darling AE, Djordjevic SP. Comparative genomic analysis of toxin-negative strains of *Clostridium difficile* from humans and animals with symptoms of gastrointestinal disease. BMC Microbiol. 2016 Mar 12;16:41.

Thitaram SN, Frank JF, Siragusa GR, Bailey JS, Dargatz DA, Lombard JE, Haley CA, Lyon SA, Fedorka-Cray PJ. Antimicrobial susceptibility of *Clostridium difficile* isolated from food animals on farms. Int J Food Microbiol. 2016 Jun 16;227:1-5.

Williamson CH, Sahl JW, Smith TJ, Xie G, Foley BT, Smith LA, Fernández RA, Lindström M, Korkeala H, Keim P, Foster J, Hill K. Comparative genomic analyses reveal broad diversity in botulinum-toxin-producing Clostridia. BMC Genomics. 2016 Mar 3;17(1):180.

Cryptosporidium

Cacciò SM, Chalmers RM. Human cryptosporidiosis in Europe. Clin Microbiol Infect. 2016 May 9. pii: S1198-743X(16)30118-5. doi: 10.1016/j.cmi.2016.04.021. [Epub ahead of print] Review.

Custodio H. Protozoan Parasites. Pediatr Rev. 2016 Feb;37(2):59-69; quiz 70-1.

Nasser AM. Removal of *Cryptosporidium* by wastewater treatment processes: a review. J Water Health. 2016 Feb;14(1):1-13.

Hepatitis A

Araud E, DiCaprio E, Ma Y, Lou F, Gao Y, Kingsley D, Hughes JH, Li J. Thermal Inactivation of Enteric Viruses and Bioaccumulation of Enteric Foodborne Viruses in Live Oysters (*Crassostrea virginica*). *Appl Environ Microbiol*. 2016 Jan 29;82(7):2086-99.

Bruni R, Taffon S, Equestre M, Chionne P, Madonna E, Rizzo C, Tosti ME, Alfonsi V, Ricotta L, De Medici D, Di Pasquale S, Scavia G, Pavoni E, Losio MN, Romanò L, Zanetti AR, Morea A, Pacenti M, Palù G, Capobianchi MR, Chironna M, Pompa MG, Ciccaglione AR; Italian National Task Force on Hepatitis A. Key Role of Sequencing to Trace Hepatitis A Viruses Circulating in Italy During a Large Multi-Country European Foodborne Outbreak in 2013. *PLoS One*. 2016 Feb 22;11(2):e0149642.

Epson EE, Cronquist A, Lamba K, Kimura AC, Hassan R, Selvage D, McNeil CS, Varan AK, Silvaggio JL, Fan L, Tong X, Spradling PR. Risk factors for hospitalisation and associated costs among patients with hepatitis A associated with imported pomegranate arils, United States, 2013. *Public Health*. 2016 May 3. pii: S0033-3506(16)30014-2. doi: 10.1016/j.puhe.2016.03.027. [Epub ahead of print]

Murphy TV, Denniston MM, Hill HA, McDonald M, Klevens MR, Elam-Evans LD, Nelson NP, Iskander J, Ward JD. Progress Toward Eliminating Hepatitis A Disease in the United States. *MMWR Suppl*. 2016 Feb 12;65(1):29-41.

Parada-Fabián JC, Juárez-García P, Natividad-Bonifacio I, Vázquez-Salinas C, Quiñones-Ramírez EI. Identification of Enteric Viruses in Foods from Mexico City. *Food Environ Virol*. 2016 May 24. [Epub ahead of print] PubMed PMID: 27221088.

Shukla S, Cho HJ, Kwon OJ, Chung SH, Kim M. Prevalence and Evaluation Strategies for Viral Contamination in Food Products: Risk to Human Health – A Review. *Crit Rev Food Sci Nutr*. 2016 May 31;0. [Epub ahead of print] PubMed PMID: 27245816.

Weiser AA, Thöns C, Filter M, Falenski A, Appel B, Käsbohrer A. FoodChain-Lab: A Trace-Back and Trace-Forward Tool Developed and Applied during Food-Borne Disease Outbreak Investigations in Germany and Europe. *PLoS One*. 2016 Mar 17;11(3):e0151977.

Hepatitis E

Burt SA, Veltman J, Hakze-van der Honing R, Schmitt H, van der Poel WH. Hepatitis E Virus in Farmed Rabbits, Wild Rabbits and Petting Farm Rabbits in the Netherlands. *Food Environ Virol*. 2016 May 4. [Epub ahead of print] PubMed PMID: 27147250.

Dalton HR, Webb GW, Norton BC, Woolson KL. Hepatitis E Virus: Time to Change the Textbooks. *Dig Dis*. 2016;34(4):308-16.

Gao S, Li D, Liu Y, Zha E, Wang S, Li Y, Zhou T, Yue X. Development and evaluation of a RT-LAMP assay for rapid detection of hepatitis E virus from shellfish. *Int J Food Microbiol.* 2016 Mar 2;220:1-5.

Geng Y, Zhao C, Wang Y. Reply to "Rhesus macaques persistently infected with hepatitis E shed virus into urine". *J Hepatol.* 2016 Jun;64(6):1448-9.

Guillois Y, Abravanel F, Miura T, Pavio N, Vaillant V, Lhomme S, Le Guyader FS, Rose N, Le Saux JC, King LA, Izopet J, Couturier E. High Proportion of Asymptomatic Infections in an Outbreak of Hepatitis E Associated With a Spit-Roasted Piglet, France, 2013. *Clin Infect Dis.* 2016 Feb 1;62(3):351-7.

Heldt FH, Staggmeier R, Gularte JS, Demoliner M, Henzel A, Spilki FR. Hepatitis E Virus in Surface Water, Sediments, and Pork Products Marketed in Southern Brazil. *Food Environ Virol.* 2016 May 12. [Epub ahead of print] PubMed PMID: 27169536.

Johne R, Trojnar E, Filter M, Hofmann J. Thermal stability of hepatitis E virus estimated by a cell culture method. *Appl Environ Microbiol.* 2016 May 6. pii: AEM.00951-16. [Epub ahead of print]

Kokki I, Smith D, Simmonds P, Ramalingam S, Wellington L, Willocks L, Johannessen I, Harvala H. Hepatitis E virus is the leading cause of acute viral hepatitis in Lothian, Scotland. *New Microbes New Infect.* 2015 Dec 15;10:6-12.

Liu K, Cai J, Wang S, Wu Z, Li L, Jiang T, Chen B, Cai G, Jiang Z, Chen Y, Wang Z, Zhu X, Hu L, Gu H, Jiang J. Identification of Distribution Characteristics and Epidemic Trends of Hepatitis E in Zhejiang Province, China from 2007 to 2012. *Sci Rep.* 2016 May 5;6:25407.

Mesquita JR, Oliveira D, Rivadulla E, Abreu-Silva J, Varela MF, Romalde JL, Nascimento MS. Hepatitis E virus genotype 3 in mussels (*Mytilus galloprovincialis*), Spain. *Food Microbiol.* 2016 Sep;58:13-5.

Papafragkou E, Kulka M. Review: Approaches to the Viral Extraction, Detection, and Identification of Hepatitis Viruses, HAV and HEV, in Foods. *J AOAC Int.* 2016 Jan-Feb;99(1):130-42.

Wilhelm B, Leblanc D, Leger D, Gow S, Deckert A, Pearl DL, Friendship R, Rajić A, Houde A, McEwen S. Farm-level prevalence and risk factors for detection of hepatitis E virus, porcine enteric calicivirus, and rotavirus in Canadian finisher pigs. *Can J Vet Res.* 2016 Apr;80(2):95-105.

Wilhelm BJ, Leblanc D, Avery B, Pearl DL, Houde A, Rajić A, McEwen SA. Factors Affecting Detection of Hepatitis E Virus on Canadian Retail Pork Chops and Pork Livers Assayed Using Real-Time RT-PCR. *Zoonoses Public Health.* 2016 Mar;63(2):152-9.

Wu X, Chen P, Lin H, Hao X, Liang Z. Hepatitis E Virus: Current Epidemiology and Vaccine. *Hum Vaccin Immunother.* 2016 May 16:0. [Epub ahead of print] PubMed PMID: 27184971.

Yapa CM, Furlong C, Rosewell A, Ward KA, Adamson S, Shadbolt C, Kok J, Tracy SL, Bowden S, Smedley EJ, Ferson MJ, Sheppard V, McAnulty JM. First reported outbreak of locally acquired hepatitis E virus infection in Australia. *Med J Aust.* 2016 Apr 18;204(7):274.

Listeria

Aguirre JS, Koutsoumanis KP. Towards lag phase of microbial populations at growth-limiting conditions: The role of the variability in the growth limits of individual cells. *Int J Food Microbiol.* 2016 May 2;224:1-6.

Al-Qadiri HM, Ovissipour M, Al-Alami N, Govindan BN, Shiroodi SG, Rasco B. Efficacy of Neutral Electrolyzed Water, Quaternary Ammonium and Lactic Acid-Based Solutions in Controlling Microbial Contamination of Food Cutting Boards Using a Manual Spraying Technique. *J Food Sci.* 2016 May;81(5):M1177-83.

Angelidis AS, Tsiota S, Pexara A, Govaris A. The microbiological quality of pasteurized milk sold by automatic vending machines. *Lett Appl Microbiol.* 2016 Jun;62(6):472-9.

Auvolat A, Besse NG. The challenge of enumerating *Listeria monocytogenes* in food. *Food Microbiol.* 2016 Feb;53(Pt B):135-49.

Belluco S, Losasso C, Patuzzi I, Rigo L, Conficoni D, Gallochio F, Cibin V, Catellani P, Segato S, Ricci A. Silver As Antibacterial toward *Listeria monocytogenes*. *Front Microbiol.* 2016 Mar 7;7:307.

Bolocan AS, Nicolau AI, Alvarez-Ordóñez A, Borda D, Oniciuc EA, Stessl B, Gurgu L, Wagner M, Jordan K. Dynamics of *Listeria monocytogenes* colonisation in a newly-opened meat processing facility. *Meat Sci.* 2016 Mar;113:26-34.

Broadly JW 2nd, Han D, Yuan J, Liao C, Bratcher CL, Lilies MR, Schwartz EH, Wang L. Survival and Metabolic Activity of *Listeria monocytogenes* on Ready-to-Eat Roast Beef Stored at 4 °C. *J Food Sci.* 2016 Jun 3. doi: 10.1111/1750-3841.13347. [Epub ahead of print].

Brown LG, Hoover ER, Ripley D, Matis B, Nicholas D, Hedeem N, Faw B. Retail Deli Slicer Cleaning Frequency - Six Selected Sites, United States, 2012. *MMWR Morb Mortal Wkly Rep.* 2016 Apr 1;65(12):306-10.

Burall LS, Grim CJ, Mammel MK, Datta AR. Whole Genome Sequence Analysis Using JSpecies Tool Establishes Clonal Relationships between *Listeria monocytogenes* Strains from Epidemiologically Unrelated Listeriosis Outbreaks. *PLoS One.* 2016 Mar 7;11(3):e0150797.

Camargo AC, Woodward JJ, Nero LA. The Continuous Challenge of Characterizing the Foodborne Pathogen *Listeria monocytogenes*. *Foodborne Pathog Dis.* 2016 Apr 27. [Epub ahead of print] PubMed PMID: 27120361.

Carrascosa C, Millán R, Saavedra P, Jaber JR, Raposo A, Sanjuán E. Identification of the risk factors associated with cheese production to implement the hazard analysis and critical control points (HACCP) system on cheese farms. *J Dairy Sci.* 2016 Apr;99(4):2606-16.

Choi KH, Lee H, Lee S, Kim S, Yoon Y. Cheese Microbial Risk Assessments – A Review. *Asian-Australas J Anim Sci.* 2016 Mar;29(3):307-14.

Cordero N, Maza F, Navea-Perez H, Aravena A, Marquez-Fontt B, Navarrete P, Figueroa G, González M, Latorre M, Reyes-Jara A. Different Transcriptional Responses from Slow and Fast Growth Rate Strains of *Listeria monocytogenes* Adapted to Low Temperature. *Front Microbiol.* 2016 Mar 1;7:229.

da Silva DA, Dias MR, Cossi MV, de Castilho NP, Camargo AC, Nero LA. Hygiene and Safety in the Meat Processing Environment from Butcher Shops: Microbiological Contamination and *Listeria monocytogenes*. *J Food Prot.* 2016 Apr;79(4):628-34.

de Vasconcelos Byrne V, Hofer E, Vallim DC, de Castro Almeida RC. Occurrence and antimicrobial resistance patterns of *Listeria monocytogenes* isolated from vegetables. *Braz J Microbiol.* 2016 Apr-Jun;47(2):438-43.

Dzieciol M, Schornsteiner E, Muhterem-Uyar M, Stessl B, Wagner M, Schmitz-Esser S. Bacterial diversity of floor drain biofilms and drain waters in a *Listeria monocytogenes* contaminated food processing environment. *Int J Food Microbiol.* 2016 Apr 16;223:33-40.

Falk LE, Fader KA, Cui DS, Totton SC, Fazil AM, Lammerding AM, Smith BA. Comparing listeriosis risks in at-risk populations using a user-friendly quantitative microbial risk assessment tool and epidemiological data. *Epidemiol Infect.* 2016 Mar 28:1-16.

Garner D, Kathariou S. Fresh Produce-Associated Listeriosis Outbreaks, Sources of Concern, Teachable Moments, and Insights. *J Food Prot.* 2016 Feb;79(2):337-44.

Hadjilouka A, Molfeta C, Panagiotopoulou O, Paramithiotis S, Mataragas M, Drosinos EH. Expression of *Listeria monocytogenes* key virulence genes during growth in liquid medium, on rocket and melon at 4, 10 and 30 °C. *Food Microbiol.* 2016 May;55:7-15.

Hyden P, Pietzka A, Allerberger F, Springer B, Sensen C, Ruppitsch W. Draft Genome Sequence of a 94-Year-Old *Listeria monocytogenes* Isolate, SLCC208. *Genome Announc.* 2016 Jan 21;4(1). pii: e01572-15.

Jackson BR, Tarr C, Strain E, Jackson KA, Conrad A, Carleton H, Katz LS, Stroika S, Gould LH, Mody RK, Silk BJ, Beal J, Chen Y, Timme R, Doyle M, Fields A, Wise M, Tillman G, Defibaugh-Chavez S, Kucerova Z, Sabol A, Roache K, Trees E, Simmons M, Wasilenko J, Kubota K, Pouseele H, Klimke W, Besser J, Brown E, Allard M, Gerner-Smidt P. Implementation of Nationwide Real-time Whole-genome Sequencing to Enhance Listeriosis Outbreak Detection and Investigation. *Clin Infect Dis.* 2016 Apr 18. pii: ciw242. [Epub ahead of print]

Korir RC, Parveen S, Hashem F, Bowers J. Microbiological quality of fresh produce obtained from retail stores on the Eastern Shore of Maryland, United States of America. *Food Microbiol.* 2016 Jun;56:29-34.

Kvistholm Jensen A, Nielsen EM, Björkman JT, Jensen T, Müller L, Persson S, Bjerager G, Perge A, Krause TG, Kiil K, Sørensen G, Andersen JK, Mølbak K, Ethelberg S. Whole-genome Sequencing Used to Investigate a Nationwide Outbreak of Listeriosis Caused by Ready-to-eat Delicatessen Meat, Denmark, 2014. *Clin Infect Dis.* 2016 Mar 29. pii: ciw192. [Epub ahead of print]

Martínez-Suárez JV, Ortiz S, López-Alonso V. Potential Impact of the Resistance to Quaternary Ammonium Disinfectants on the Persistence of *Listeria monocytogenes* in Food Processing Environments. *Front Microbiol.* 2016 May 2;7:638.

Müller-Herbst S, Wüstner S, Kabisch J, Pichner R, Scherer S. Acidified nitrite inhibits proliferation of *Listeria monocytogenes* – Transcriptional analysis of a preservation method. *Int J Food Microbiol.* 2016 Jun 2;226:33-41.

Nousiainen LL, Joutsen S, Lunden J, Hänninen ML, Fredriksson-Ahomaa M. Bacterial quality and safety of packaged fresh leafy vegetables at the retail level in Finland. *Int J Food Microbiol.* 2016 May 24;232:73-79.

Nucera DM, Grassi MA, Morra P, Piano S, Tabacco E, Borreani G. Detection, identification, and typing of *Listeria* species from baled silages fed to dairy cows. *J Dairy Sci.* 2016 May 18. pii: S0022-0302(16)30280-6

Pusztahelyi T, Szabó J, Dombrádi Z, Kovács S, Pócsi I. Foodborne *Listeria monocytogenes*: A Real Challenge in Quality Control. *Scientifica (Cairo).* 2016;2016:5768526. doi: 10.1155/2016/5768526.

Scharff RL, Besser J, Sharp DJ, Jones TF, Peter GS, Hedberg CW. An Economic Evaluation of PulseNet: A Network for Foodborne Disease Surveillance. *Am J Prev Med.* 2016 May;50(5 Suppl 1):S66-73.

Tasara T, Klumpp J, Bille J, Stephan R. Genome Sequences of *Listeria monocytogenes* Strains Responsible for Cheese- and Cooked Ham Product-Associated Swiss Listeriosis Outbreaks in 2005 and 2011. *Genome Announc.* 2016 Mar 10;4(2). pii: e00106-16.

Willis C, McLauchlin J, Amar C, Sadler-Reeves L, Elviss N, Aird H, Fox A, Kaye M. Assessment of the Microbiological Safety of Precut Fruit from Retail and Catering Premises in the United Kingdom. *J Food Prot.* 2016 Apr;79(4):598-604.

Yim DG, Jo C, Kim HC, Seo KS, Nam KC. Application of Electron-Beam Irradiation Combined with Aging for Improvement of Microbiological and Physicochemical Quality of Beef Loin. *Korean J Food Sci Anim Resour.* 2016;36(2):215-22.

Mycobacterium

Li L, Katani R, Schilling M, Kapur V. Molecular Epidemiology of *Mycobacterium avium* subsp. paratuberculosis on Dairy Farms. *Annu Rev Anim Biosci.* 2016 Feb 15;4:155-76.

Ricchi M, Savi R, Bolzoni L, Pongolini S, Grant IR, De Cicco C, Cerutti G, Cammi G, Garbarino CA, Arrigoni N. Estimation of *Mycobacterium avium* subsp. paratuberculosis load in raw bulk tank milk in Emilia-Romagna Region (Italy) by qPCR. *Microbiologyopen.* 2016 Mar 17. doi: 10.1002/mbo3.350.

Slater N, Mitchell RM, Whitlock RH, Fyock T, Pradhan AK, Knupfer E, Schukken YH, Louzoun Y. Impact of the shedding level on transmission of persistent infections in *Mycobacterium avium* subspecies paratuberculosis (MAP). *Vet Res.* 2016 Feb 29;47:38.

Smith RL, Gröhn YT, Pradhan AK, Whitlock RH, Van Kessel JS, Smith JM, Wolfgang DR, Schukken YH. The effects of progressing and nonprogressing *Mycobacterium avium* ssp. paratuberculosis infection on milk production in dairy cows. *J Dairy Sci.* 2016 Feb;99(2):1383-90.

Waddell LA, Rajić A, Stärk KD, McEwen SA. The potential Public Health Impact of *Mycobacterium avium* ssp. paratuberculosis: Global Opinion Survey of Topic Specialists. *Zoonoses Public Health.* 2016 May;63(3):212-22.

Norovirus

Akasaka T, Shimizu-Onda Y, Hayakawa S, Ushijima H. The virucidal effects against murine norovirus and feline calicivirus F4 as surrogates for human norovirus by the different additive concentrations of ethanol-based sanitizers. *J Infect Chemother.* 2016 Mar;22(3):191-3.

Araud E, DiCaprio E, Ma Y, Lou F, Gao Y, Kingsley D, Hughes JH, Li J. Thermal Inactivation of Enteric Viruses and Bioaccumulation of Enteric Foodborne Viruses in Live Oysters (*Crassostrea virginica*). *Appl Environ Microbiol.* 2016 Jan 29;82(7):2086-99.

Arthur SE, Gibson KE. Environmental persistence of Tulane virus - a surrogate for human norovirus. *Can J Microbiol.* 2016 May;62(5):449-54.

Baehner F, Bogaerts H, Goodwin R. Vaccines against norovirus: state of the art trials in children and adults. *Clin Microbiol Infect.* 2016 Apr 26. pii: S1198-743X(16)00015-X.

Chen MY, Chen WC, Chen PC, Hsu SW, Lo YC. An outbreak of norovirus gastroenteritis associated with asymptomatic food handlers in Kinmen, Taiwan. *BMC Public Health.* 2016 May 4;16(1):372.

Choi C, Kingsley DH. Temperature-Dependent Persistence of Human Norovirus Within Oysters (*Crassostrea virginica*). *Food Environ Virol.* 2016 Jun;8(2):141-7.

D'Ugo E, Marcheggiani S, Fioramonti I, Giuseppetti R, Spurio R, Helmi K, Guillebault D, Medlin LK, Simeonovski I, Boots B, Breitenbach U, Koker L, Albay M, Mancini L. Detection of Human Enteric Viruses in Freshwater from European Countries. *Food Environ Virol.* 2016 Apr 27. [Epub ahead of print]

de Graaf M, van Beek J, Koopmans MP. Human norovirus transmission and evolution in a changing world. *Nat Rev Microbiol.* 2016 May 23. doi: 10.1038/nrmicro.2016.48. [Epub ahead of print]

DiCaprio E, Phantkankum N, Culbertson D, Ma Y, Hughes JH, Kingsley D, Uribe RM, Li J. Inactivation of human norovirus and Tulane virus in simple media and fresh whole strawberries by ionizing radiation. *Int J Food Microbiol.* 2016 May 11;232:43-51.

Einöder-Moreno M, Lange H, Grepp M, Osborg E, Vainio K, Vold L. Non-heat-treated frozen raspberries the most likely vehicle of a norovirus outbreak in Oslo, Norway, November 2013. *Epidemiol Infect.* 2016 Feb 16:1-8.

Gao X, Esseili MA, Lu Z, Saif LJ, Wang Q. Recognition of Histo-Blood Group Antigen-Like Carbohydrates in Lettuce by Human GII.4 Norovirus. *Appl Environ Microbiol.* 2016 May 2;82(10):2966-74.

Girard M, Mattison K, Fliss I, Jean J. Efficacy of oxidizing disinfectants at inactivating murine norovirus on ready-to-eat foods. *Int J Food Microbiol.* 2016 Feb 16;219:7-11.

Guan H, Zhang J, Xiao Y, Sha D, Ling X, Kan B. Evaluation of PCR Based Assays for the Improvement of Proportion Estimation of Bacterial and Viral Pathogens in Diarrheal Surveillance. *Front Microbiol.* 2016 Mar 30;7:386.

Ha S, Choi IS, Choi C, Myoung J. Infection models of human norovirus: challenges and recent progress. *Arch Virol.* 2016 Apr;161(4):779-88.

Ibfelt T, Frandsen T, Permin A, Andersen LP, Schultz AC. Test and validation of methods to sample and detect human virus from environmental surfaces using norovirus as a model virus. *J Hosp Infect.* 2016 Apr;92(4):378-84.

Lunestad BT, Maage A, Roiha IS, Myrmel M, Svanevik CS, Duinker A. An Outbreak of Norovirus Infection from Shellfish Soup Due to Unforeseen Insufficient Heating During Preparation. *Food Environ Virol.* 2016 May 23. [Epub ahead of print] PubMed PMID: 27216466.

Shukla S, Cho HJ, Kwon OJ, Chung SH, Kim M. Prevalence and Evaluation Strategies for Viral Contamination in Food Products: Risk to Human Health – A Review. *Crit Rev Food Sci Nutr.* 2016 May 31:0. [Epub ahead of print] PubMed PMID: 27245816.

Zonta W, Mauroy A, Farnir F, Thiry E. Comparative Virucidal Efficacy of Seven Disinfectants Against Murine Norovirus and Feline Calicivirus, Surrogates of Human Norovirus. *Food Environ Virol.* 2016 Mar;8(1):1-12.

Salmonella

Antunes P, Mourão J, Campos J, Peixe L. Salmonellosis: the role of poultry meat. *Clin Microbiol Infect.* 2016 Feb;22(2):110-21.

Ballou AL, Ali RA, Mendoza MA, Ellis JC, Hassan HM, Croom WJ, Koci MD. Development of the Chick Microbiome: How Early Exposure Influences Future Microbial Diversity. *Front Vet Sci.* 2016 Jan 20;3:2.

Baron F, Nau F, Guérin-Dubiard C, Bonnassie S, Gautier M, Andrews SC, Jan S. Egg white versus *Salmonella Enteritidis*! A harsh medium meets a resilient pathogen. *Food Microbiol.* 2016 Feb;53(Pt B):82-93.

Bell RL, Jarvis KG, Ottesen AR, McFarland MA, Brown EW. Recent and emerging innovations in *Salmonella* detection: a food and environmental perspective. *Microb Biotechnol.* 2016 May;9(3):279-92.

Bollerslev AM, Nauta M, Hansen TB, Aabo S. A risk modelling approach for setting microbiological limits using enterococci as indicator for growth potential of *Salmonella* in pork. *Int J Food Microbiol.* 2016 May 7. pii: S0168-1605(16)30218-5.

Burgess CM, Gianotti A, Gruzdev N, Holah J, Knøchel S, Lehner A, Margas E, Esser SS, Sela Saldinger S, Tresse O. The response of foodborne pathogens to osmotic and desiccation stresses in the food chain. *Int J Food Microbiol.* 2016 Mar 16;221:37-53.

Cebrián G, Mañas P, Condón S. Comparative Resistance of Bacterial Foodborne Pathogens to Non-thermal Technologies for Food Preservation. *Front Microbiol.* 2016 May 20;7:734.

Davies R, Gosling RJ, Wales AD, Smith RP. Use of an attenuated live *Salmonella* Typhimurium vaccine on three breeding pig units: A longitudinal observational field study. *Comp Immunol Microbiol Infect Dis.* 2016 Jun;46:7-15.

de Moraes MH, Chapin TK, Ginn A, Wright AC, Parker K, Hoffman C, Pascual DW, Danyluk MD, Teplitski M. Development of an avirulent *Salmonella* surrogate for modeling pathogen behavior in pre- and post-harvest environments. *Appl Environ Microbiol.* 2016 Apr 29. pii: AEM.00898-16.

Dias MR, Cavicchioli VQ, Camargo AC, Lanna FG, Pinto PS, Bersot Ldos S, Nero LA. Molecular tracking of *Salmonella* spp. in chicken meat chain: from slaughterhouse reception to end cuts. *J Food Sci Technol.* 2016 Feb;53(2):1084-91.

Ding T, Case KA, Omolo MA, Reiland HA, Metz ZP, Diao X, Baumler DJ. Predicting Essential Metabolic Genome Content of Niche-Specific Enterobacterial Human

Pathogens during Simulation of Host Environments. PLoS One. 2016 Feb 17;11(2):e0149423.

Doumith M, Godbole G, Ashton P, Larkin L, Dallman T, Day M, Day M, Muller-Pebody B, Ellington MJ, de Pinna E, Johnson AP, Hopkins KL, Woodford N. Detection of the plasmid-mediated *mcr-1* gene conferring colistin resistance in human and food isolates of *Salmonella enterica* and *Escherichia coli* in England and Wales. J Antimicrob Chemother. 2016 Apr 18. pii: dkw093.

Dunn JR. Whole-Genome Sequencing: Opportunities and Challenges for Public Health, Food-borne Outbreak Investigations, and the Global Food Supply. J Infect Dis. 2016 Feb 15;213(4):499-501.

Ferrer Savall J, Bidot C, Leblanc-Maridor M, Belloc C, Touzeau S. Modelling *Salmonella* transmission among pigs from farm to slaughterhouse: Interplay between management variability and epidemiological uncertainty. Int J Food Microbiol. 2016 Jul 16;229:33-43.

Fong K, Wang S. Heat resistance of *Salmonella enterica* is increased by pre-adaptation to peanut oil or sub-lethal heat exposure. Food Microbiol. 2016 Sep;58:139-47.

García P, Malorny B, Rodicio MR, Stephan R, Hächler H, Guerra B, Lucarelli C. Horizontal Acquisition of a Multidrug-Resistance Module (R-type ASSuT) Is Responsible for the Monophasic Phenotype in a Widespread Clone of *Salmonella* Serovar 4,[5],12:i:. Front Microbiol. 2016 May 10; 7: 680.

Geveke DJ, Gurtler JB, Jones DR, Bigley AB. Inactivation of *Salmonella* in Shell Eggs by Hot Water Immersion and Its Effect on Quality. J Food Sci. 2016 Mar;81(3):M709-14.

Grant A, Hashem F, Parveen S. *Salmonella* and *Campylobacter*: Antimicrobial resistance and bacteriophage control in poultry. Food Microbiol. 2016 Feb;53 (Pt B):104-9.

Guan H, Zhang J, Xiao Y, Sha D, Ling X, Kan B. Evaluation of PCR Based Assays for the Improvement of Proportion Estimation of Bacterial and Viral Pathogens in Diarrheal Surveillance. Front Microbiol. 2016 Mar 30;7:386.

Gurman PM, Ross T, Holds GL, Jarrett RG, Kiermeier A. Thermal inactivation of *Salmonella* spp. in pork burger patties. Int J Food Microbiol. 2016 Feb 16;219:12-21.

Hanson DL, Loneragan GH, Brown TR, Nisbet DJ, Hume ME, Edrington TS. Evidence supporting vertical transmission of *Salmonella* in dairy cattle. Epidemiol Infect. 2016 Apr;144(5):962-7.

Hill AA, Simons RL, Swart AN, Kelly L, Hald T, Snary EL. Assessing the Effectiveness of On-Farm and Abattoir Interventions in Reducing Pig Meat-Borne Salmonellosis within E.U. Member States. Risk Anal. 2016 Mar;36(3):546-60.

Jones DR, Guard J, Gast RK, Buhr RJ, Fedorka-Cray PJ, Abdo Z, Plumblee JR, Bourassa DV, Cox NA, Rigsby LL, Robison CI, Regmi P, Karcher DM. Influence of commercial laying hen housing systems on the incidence and identification of *Salmonella* and *Campylobacter*. *Poult Sci*. 2016 May;95(5):1116-24.

Kim SY, Lee SK, Park MS, Na HT. Analysis of Fluoroquinolone Antibiotics Resistance Mechanism of *Salmonella enterica* Isolates. *J Microbiol Biotechnol*. 2016 Apr 27. doi: 10.4014/jmb.1602.02063.

Lai EP, Iqbal Z, Avis TJ. Combating Antimicrobial Resistance in Foodborne Microorganisms. *J Food Prot*. 2016 Feb;79(2):321-36.

Leekitcharoenphon P, Hendriksen RS, Le Hello S, Weill FX, Baggesen DL, Jun SR, Ussery DW, Lund O, Crook DW, Wilson DJ, Aarestrup FM. Global Genomic Epidemiology of *Salmonella enterica* Serovar Typhimurium DT104. *Appl Environ Microbiol*. 2016 Apr 4;82(8):2516-26.

Long M, Lai H, Deng W, Zhou K, Li B, Liu S, Fan L, Wang H, Zou L. Disinfectant susceptibility of different *Salmonella* serotypes isolated from chicken and egg production chains. *J Appl Microbiol*. 2016 May 21. doi: 10.1111/jam.13184.

Moffatt CR, Musto J, Pingault N, Miller M, Stafford R, Gregory J, Polkinghorne BG, Kirk MD. *Salmonella* Typhimurium and Outbreaks of Egg-Associated Disease in Australia, 2001 to 2011. *Foodborne Pathog Dis*. 2016 Mar 30. [Epub ahead of print] PubMed PMID: 27028267.

Müller L, Kjelsø C, Frank C, Jensen T, Torpdahl M, Søborg B, Dorleans F, Rabsch W, Prager R, Gossner CM, Ethelberg S. Outbreak of *Salmonella* Strathcona caused by datterino tomatoes, Denmark, 2011. *Epidemiol Infect*. 2016 Feb 5:1-10.

Nousiainen LL, Joutsen S, Lunden J, Hänninen ML, Fredriksson-Ahomaa M. Bacterial quality and safety of packaged fresh leafy vegetables at the retail level in Finland. *Int J Food Microbiol*. 2016 May 24;232:73-79.

Pachepsky Y, Shelton D, Dorner S, Whelan G. Can *E. coli* or thermotolerant coliform concentrations predict pathogen presence or prevalence in irrigation waters? *Crit Rev Microbiol*. 2016 May;42(3):384-93.

Pande VV, Devon RL, Sharma P, McWhorter AR, Chousalkar KK. Study of *Salmonella* Typhimurium Infection in Laying Hens. *Front Microbiol*. 2016 Feb 25;7:203.

Robertson K, Green A, Allen L, Ihry T, White P, Chen WS, Douris A, Levine J. Foodborne Outbreaks Reported to the U.S. Food Safety and Inspection Service, Fiscal Years 2007 through 2012. *J Food Prot*. 2016 Mar;79(3):442-7.

Santillana Farakos SM, Pouillot R, Anderson N, Johnson R, Son I, Van Doren J. Modeling the survival kinetics of *Salmonella* in tree nuts for use in risk assessment. *Int J Food Microbiol*. 2016 Jun 16;227:41-50.

Shimamura Y, Shinke M, Hiraishi M, Tsuchiya Y, Masuda S. The application of alkaline and acidic electrolyzed water in the sterilization of chicken breasts and beef liver. *Food Sci Nutr*. 2015 Nov 1;4(3):431-40.

Snary EL, Swart AN, Simons RR, Domingues AR, Vigre H, Evers EG, Hald T, Hill AA. A Quantitative Microbiological Risk Assessment for *Salmonella* in Pigs for the European Union. *Risk Anal*. 2016 Mar;36(3):437-49.

Snary EL, Swart AN, Hald T. Quantitative Microbiological Risk Assessment and Source Attribution for *Salmonella*: Taking it Further. *Risk Anal*. 2016 Mar;36(3):433-6.

Tadesse DA, Singh A, Zhao S, Bartholomew M, Womack N, Ayers S, Fields PI, McDermott PF. Antimicrobial Resistance in *Salmonella* in the United States from 1948 to 1995. *Antimicrob Agents Chemother*. 2016 Mar 25;60(4):2567-71.

Tyson GH, Li C, Ayers S, McDermott PF, Zhao S. Using whole-genome sequencing to determine appropriate streptomycin epidemiological cutoffs for *Salmonella* and *Escherichia coli*. *FEMS Microbiol Lett*. 2016 Feb;363(4).

Vanantwerpen G, De Zutter L, Berkvens D, Houf K. Impact of the sampling method and chilling on the *Salmonella* recovery from pig carcasses. *Int J Food Microbiol*. 2016 May 10;232:22-25.

Vieira AR, Grass J, Fedorka-Cray PJ, Plumblee JR, Tate H, Cole DJ. Attribution of *Salmonella enterica* serotype Hadar infections using antimicrobial resistance data from two points in the food supply system. *Epidemiol Infect*. 2016 Jul;144(9):1983-90.

Vigre H, Domingues AR, Pedersen UB, Hald T. An Approach to Cluster EU Member States into Groups According to Pathways of *Salmonella* in the Farm-to-Consumption Chain for Pork Products. *Risk Anal*. 2016 Mar;36(3):450-60.

Wales AD, Davies RH. *Salmonella* Vaccination in Pigs: A Review. *Zoonoses Public Health*. 2016 Feb 8. doi: 10.1111/zph.12256. [Epub ahead of print] Review.

Wilson MR, Brown E, Keys C, Strain E, Luo Y, Muruvanda T, Grim C, Jean-Gilles Beaubrun J, Jarvis K, Ewing L, Gopinath G, Hanes D, Allard MW, Musser S. Whole Genome DNA Sequence Analysis of *Salmonella* subspecies *enterica* serotype Tennessee obtained from related peanut butter foodborne outbreaks. *PLoS One*. 2016 Jun 3;11(6):e0146929.

Wright AP, Richardson L, Mahon BE, Rothenberg R, Cole DJ. The rise and decline in *Salmonella enterica* serovar Enteritidis outbreaks attributed to egg-containing foods in the United States, 1973-2009. *Epidemiol Infect*. 2016 Mar;144(4):810-9.

Zhang WH, Lin XY, Xu L, Gu XX, Yang L, Li W, Ren SQ, Liu YH, Zeng ZL, Jiang HX. CTX-M-27 Producing *Salmonella enterica* Serotypes Typhimurium and Indiana Are Prevalent among Food-Producing Animals in China. *Front Microbiol*. 2016 Mar 31;7:436.

Ziech RE, Lampugnani C, Perin AP, Sereno MJ, Sfaciotte RA, Viana C, Soares VM, de Almeida Nogueira Pinto JP, Dos Santos Bersot L. Multidrug resistance and ESBL-producing *Salmonella* spp. isolated from broiler processing plants. *Braz J Microbiol.* 2016 Jan-Mar;47(1):191-5.

Staphylococcus aureus

Al-Ashmawy MA, Sallam KI, Abd-Elghany SM, Elhadidy M, Tamura T. Prevalence, Molecular Characterization, and Antimicrobial Susceptibility of Methicillin-Resistant *Staphylococcus aureus* Isolated from Milk and Dairy Products. *Foodborne Pathog Dis.* 2016 Mar;13(3):156-62.

Al-Kharousi ZS, Guizani N, Al-Sadi AM, Al-Bulushi IM, Shaharoon B. Hiding in Fresh Fruits and Vegetables: Opportunistic Pathogens May Cross Geographical Barriers. *Int J Microbiol.* 2016;2016:4292417. doi: 10.1155/2016/4292417.

Carrascosa C, Millán R, Saavedra P, Jaber JR, Raposo A, Sanjuán E. Identification of the risk factors associated with cheese production to implement the hazard analysis and critical control points (HACCP) system on cheese farms. *J Dairy Sci.* 2016 Apr;99(4):2606-16.

Castro A, Santos C, Meireles H, Silva J, Teixeira P. Food handlers as potential sources of dissemination of virulent strains of *Staphylococcus aureus* in the community. *J Infect Public Health.* 2016 Mar-Apr;9(2):153-60.

Dierikx CM, Hengeveld PD, Veldman KT, de Haan A, van der Voorde S, Dop PY, Bosch T, van Duijkeren E. Ten years later: still a high prevalence of MRSA in slaughter pigs despite a significant reduction in antimicrobial usage in pigs the Netherlands. *J Antimicrob Chemother.* 2016 Jun 3. pii: dkw190. [Epub ahead of print]

Johler S, Zurfluh K, Stephan R. Tracing and inhibiting growth of *Staphylococcus aureus* in barbecue cheese production after product recall. *J Dairy Sci.* 2016 May;99(5):3345-50.

Lather P, Mohanty AK, Jha P, Garsa AK. Contribution of Cell Surface Hydrophobicity in the Resistance of *Staphylococcus aureus* against Antimicrobial Agents. *Biochem Res Int.* 2016;2016:1091290. doi: 10.1155/2016/1091290. Epub 2016 Feb 7. PubMed PMID: 26966577; PubMed Central PMCID: PMC4761388.

Li L, Ye L, Yu L, Zhou C, Meng H. Characterization of Extended Spectrum B-Lactamase Producing Enterobacteria and Methicillin-Resistant *Staphylococcus aureus* Isolated from Raw Pork and Cooked Pork Products in South China. *J Food Sci.* 2016 May 27. doi: 10.1111/1750-3841.13346.

Narvaez-Bravo C, Toufeer M, Weese SJ, Diarra MS, Deckert AE, Reid-Smith R, Aslam M. Prevalence of methicillin-resistant *Staphylococcus aureus* in Canadian commercial pork processing plants. *J Appl Microbiol.* 2016 Mar;120(3):770-80.

Osman KM, Amer AM, Badr JM, Helmy NM, Elhelw RA, Orabi A, Bakry M, Saad AS.

Antimicrobial Resistance, Biofilm Formation and *mecA* Characterization of Methicillin-Susceptible *S. aureus* and Non-*S. aureus* of Beef Meat Origin in Egypt. *Front Microbiol.* 2016 Feb 29;7:222.

Parisi A, Caruso M, Normanno G, Latorre L, Sottili R, Miccolupo A, Fraccalvieri R, Santagada G. Prevalence, antimicrobial susceptibility and molecular typing of Methicillin-Resistant *Staphylococcus aureus* (MRSA) in bulk tank milk from southern Italy. *Food Microbiol.* 2016 Sep;58:36-42.

Schulze-Geisthövel SV, Tappe EV, Schmithausen RM, Lepkojic J, Röttgen K, Petersen B. Survey on the risk awareness of German pig and cattle farmers in relation to dealing with MRSA and antibiotics. *Infect Ecol Epidemiol.* 2016 Feb 3;6:29817.

Yang X, Noyes NR, Doster E, Martin JN, Linke LM, Magnuson RJ, Yang H, Geornaras I, Woerner DR, Jones KL, Ruiz J, Boucher C, Morley PS, Belk KE. Use of Metagenomic Shotgun Sequencing Technology To Detect Foodborne Pathogens within the Microbiome of the Beef Production Chain. *Appl Environ Microbiol.* 2016 Apr 4;82(8):2433-43.

Ye X, Wang X, Fan Y, Peng Y, Li L, Li S, Huang J, Yao Z, Chen S. Genotypic and phenotypic markers of livestock-associated methicillin-resistant *Staphylococcus aureus* CC9 in humans. *Appl Environ Microbiol.* 2016 Apr 22. pii: AEM.00091-16. [Epub ahead of print]

STEC

Baranzoni GM, Fratamico PM, Gangiredla J, Patel I, Bagi LK, Delannoy S, Fach P, Boccia F, Anastasio A, Pepe T. Characterization of Shiga Toxin Subtypes and Virulence Genes in Porcine Shiga Toxin-Producing *Escherichia coli*. *Front Microbiol.* 2016 Apr 21;7:574.

Chopyk J, Moore RM, DiSpirito Z, Stromberg ZR, Lewis GL, Renter DG, Cernicchiaro N, Moxley RA, Wommack KE. Presence of pathogenic *Escherichia coli* is correlated with bacterial community diversity and composition on pre-harvest cattle hides. *Microbiome.* 2016 Mar 22;4:9.

Colello R, Cáceres ME, Ruiz MJ, Sanz M, Etcheverría AI, Padola NL. From Farm to Table: Follow-Up of Shiga Toxin-Producing *Escherichia coli* Throughout the Pork Production Chain in Argentina. *Front Microbiol.* 2016 Feb 8;7:93.

DeGeer SL, Wang L, Hill GN, Singh M, Bilgili SF, Bratcher CL. Optimizing application parameters for lactic acid and sodium metasilicate against pathogens on fresh beef, pork and deli meats. *Meat Sci.* 2016 Aug;118:28-33.

Delannoy S, Chaves BD, Ison SA, Webb HE, Beutin L, Delaval J, Billet I, Fach P. Revisiting the STEC Testing Approach: Using *espK* and *espV* to Make Enterohemorrhagic *Escherichia coli* (EHEC) Detection More Reliable in Beef. *Front Microbiol.* 2016 Jan 22;7:1.

Douëllou T, Delannoy S, Ganet S, Mariani-Kurkdjian P, Fach P, Loukiadis E, Montel M, Thevenot-Sergent D. Shiga toxin-producing *Escherichia coli* strains isolated from dairy products - Genetic diversity and virulence gene profiles. *Int J Food Microbiol.* 2016 May 2;232:52-62.

Elhadidy M, Álvarez-Ordóñez A. Diversity of Survival Patterns among *Escherichia coli* O157:H7 Genotypes Subjected to Food-Related Stress Conditions. *Front Microbiol.* 2016 Mar 15;7:322.

Ercoli L, Farneti S, Zicavo A, Mencaroni G, Blasi G, Striano G, Scuto S. Prevalence and characteristics of verotoxigenic *Escherichia coli* strains isolated from pigs and pork products in Umbria and Marche regions of Italy. *Int J Food Microbiol.* 2016 May 8;232:7-14.

Gómez-Aldapa CA, Cerna-Cortes JF, Rangel-Vargas E, Torres-Vitela MR, Villarruel-López A, Gutiérrez-Alcántara EJ, Castro-Rosas J. Presence of Multidrug-Resistant Shiga Toxin-Producing *Escherichia coli*, Enteropathogenic *E. coli* and Enterotoxigenic *E. coli*, on Raw Nopalitos (*Opuntia ficus-indica* L.) and in Nopalitos Salads from Local Retail Markets in Mexico. *Foodborne Pathog Dis.* 2016 May;13(5):269-74.

Kim JC, Chui L, Wang Y, Shen J, Jeon B. Expansion of Shiga Toxin-Producing *Escherichia coli* by Use of Bovine Antibiotic Growth Promoters. *Emerg Infect Dis.* 2016 May;22(5):802-9.

Kusumoto M, Hikoda Y, Fujii Y, Murata M, Miyoshi H, Ogura Y, Gotoh Y, Iwata T, Hayashi T, Akiba M. Emergence of a Multidrug-Resistant Shiga Toxin-Producing Enterotoxigenic *Escherichia coli* Lineage in Diseased Swine in Japan. *J Clin Microbiol.* 2016 Apr;54(4):1074-81.

Li H, Garcia-Hernandez R, Driedger D, McMullen LM, Gänzle M. Effect of the food matrix on pressure resistance of Shiga-toxin producing *Escherichia coli*. *Food Microbiol.* 2016 Aug;57:96-102.

Mir RA, Weppelmann TA, Elzo M, Ahn S, Driver JD, Jeong KC. Colonization of Beef Cattle by Shiga Toxin-Producing *Escherichia coli* during the First Year of Life: A Cohort Study. *PLoS One.* 2016 Feb 5;11(2):e0148518.

Pianciola L, D'Astek BA, Mazzeo M, Chinen I, Masana M, Rivas M. Genetic features of human and bovine *Escherichia coli* O157:H7 strains isolated in Argentina. *Int J Med Microbiol.* 2016 Feb;306(2):123-30.

Pokharel S, Brooks JC, Martin JN, Echeverry A, Parks AR, Corliss B, Brashears MM. Internalization and thermal susceptibility of Shiga toxin-producing *Escherichia coli* (STEC) in marinated beef products. *Meat Sci.* 2016 Jun;116:213-20.

Stromberg ZR, Lewis GL, Aly SS, Lehenbauer TW, Bosilevac JM, Cernicchiaro N, Moxley RA. Prevalence and Level of Enterohemorrhagic *Escherichia coli* in Culled Dairy Cows at Harvest. *J Food Prot.* 2016 Mar;79(3):421-31.

Verhaegen B, Van Damme I, Heyndrickx M, Botteldoorn N, Elhadidy M, Verstraete K, Dierick K, Denayer S, De Zutter L, De Reu K. Evaluation of detection methods for non-O157 Shiga toxin-producing *Escherichia coli* from food. *Int J Food Microbiol.* 2016 Feb 16;219:64-70.

Toxoplasma

Belluco S, Mancin M, Conficoni D, Simonato G, Pietrobelli M, Ricci A. Investigating the Determinants of *Toxoplasma gondii* Prevalence in Meat: A Systematic Review and Meta-Regression. *PLoS One.* 2016 Apr 15;11(4):e0153856.

Cabezón O, Cerdà-Cuéllar M, Morera V, García-Bocanegra I, González-Solís J, Napp S, Ribas MP, Blanch-Lázaro B, Fernández-Aguilar X, Antilles N, López-Soria S, Lorca-Oró C, Dubey JP, Almería S. *Toxoplasma gondii* Infection in Seagull Chicks Is Related to the Consumption of Freshwater Food Resources. *PLoS One.* 2016 Mar 14;11(3):e0150249.

Deng H, Dam-Deisz C, Lutikholt S, Maas M, Nielen M, Swart A, Vellema P, van der Giessen J, Opsteegh M. Risk factors related to *Toxoplasma gondii* seroprevalence in indoor-housed Dutch dairy goats. *Prev Vet Med.* 2016 Feb 1;124:45-51.

Gomez-Samblas M, Vilchez S, Racero JC, Fuentes MV, Osuna A. *Toxoplasma gondii* detection and viability assays in ham legs and shoulders from experimentally infected pigs. *Food Microbiol.* 2016 Sep;58:112-20.

Guo M, Mishra A, Buchanan RL, Dubey JP, Hill DE, Gamble HR, Jones JL, Du X, Pradhan AK. Development of Dose-Response Models to Predict the Relationship for Human *Toxoplasma gondii* Infection Associated with Meat Consumption. *Risk Anal.* 2016 May;36(5):926-38.

Guo M, Mishra A, Buchanan RL, Dubey JP, Hill DE, Gamble HR, Jones JL, Pradhan AK. A Systematic Meta-Analysis of *Toxoplasma gondii* Prevalence in Food Animals in the United States. *Foodborne Pathog Dis.* 2016 Mar;13(3):109-18.

Harito JB, Campbell AT, Prestrud KW, Dubey JP, Robertson LJ. Surface binding properties of aged and fresh (recently excreted) *Toxoplasma gondii* oocysts. *Exp Parasitol.* 2016 Jun;165:88-94.

Purslow P. Parasitic zoonoses present some risks with low-temperature cooking of pork. *Meat Sci.* 2016 Sep;119:14-15.

Secretariat June 2016

[Source: Pubmed - accessed 07/06/16: Publication date range 20/01/16 to 07/06/16]