

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD

INFORMATION PAPER

Items of interest from the literature***Campylobacter***

Bless PJ, Muela Ribera J, Schmutz C, Zeller A, Mäusezahl D. Acute Gastroenteritis and Campylobacteriosis in Swiss Primary Care: The Viewpoint of General Practitioners. PLoS One. 2016 Sep 7;11(9):e0161650.

Borck Høg B, Sommer HM, Larsen LS, Sørensen AI, David B, Hofshagen M, Rosenquist H. Farm specific risk factors for *Campylobacter* colonisation in Danish and Norwegian broilers. Prev Vet Med. 2016 Aug 1;130:137-45..

Bronnec V, Turoňová H, Bouju A, Cruveiller S, Rodrigues R, Demnerova K, Tresse O, Haddad N, Zagorec M. Adhesion, Biofilm Formation, and Genomic Features of *Campylobacter jejuni* Bf, an Atypical Strain Able to Grow under Aerobic Conditions. Front Microbiol. 2016 Jun 30;7:1002.

Dutta V, Altermann E, Olson J, Wray GA, Siletzky RM, Kathariou S. Whole-Genome Sequences of Agricultural, Host-Associated *Campylobacter coli* and *Campylobacter jejuni* Strains. Genome Announc. 2016 Aug 18;4(4). pii: e00833-16.

Firleyanti AS, Connerton PL, Connerton IF. *Campylobacters* and their bacteriophages from chicken liver: The prospect for phage biocontrol. Int J Food Microbiol. 2016 Nov 21;237:121-127.

Hellberg RS, Chu E. Effects of climate change on the persistence and dispersal of foodborne bacterial pathogens in the outdoor environment: A review. Crit Rev Microbiol. 2016 Aug;42(4):548-72.

Jones AK, Rigby D, Burton M, Millman C, Williams NJ, Jones TR, Wigley P, O'Brien SJ, Cross P; ENIGMA Consortium. Restaurant Cooking Trends and Increased Risk for Campylobacter Infection. Emerg Infect Dis. 2016 Jul;22(7):1208-15. doi: 10.3201/eid2207.151775. PubMed PMID: 27314748; PubMed Central PMCID: PMC4918174.

Lapierre L, Gatica MA, Riquelme V, Vergara C, Yañez JM, San Martín B, Sáenz L, Vidal M, Martínez MC, Araya P, Flores R, Duery O, Vidal R. Characterization of Antimicrobial Susceptibility and Its Association with Virulence Genes Related to Adherence, Invasion, and Cytotoxicity in *Campylobacter jejuni* and *Campylobacter coli* Isolates from Animals, Meat, and Humans. Microb Drug Resist. 2016 Jul;22(5):432-44.

Lee S, Lee J, Ha J, Choi Y, Kim S, Lee H, Yoon Y, Choi KH. Clinical relevance of infections with zoonotic and human oral species of *Campylobacter*. J Microbiol. 2016 Jul;54(7):459-67.

Lim SK, Moon DC, Chae MH, Kim HJ, Nam HM, Kim SR, Jang GC, Lee K, Jung SC, Lee HS. Macrolide resistance mechanisms and virulence factors in erythromycin-resistant *Campylobacter* species isolated from chicken and swine feces and carcasses. J Vet Med Sci. 2016 Sep 2. [Epub ahead of print]

Meunier M, Guyard-Nicodème M, Hirchaud E, Parra A, Chemaly M, Dory D. Identification of Novel Vaccine Candidates against *Campylobacter* through Reverse Vaccinology. J Immunol Res. 2016;2016:5715790.

Moffatt CR, Greig A, Valcanis M, Gao W, Seemann T, Howden BP, Kirk MD. A large outbreak of *Campylobacter jejuni* infection in a university college caused by chicken liver pâté, Australia, 2013. Epidemiol Infect. 2016 Oct;144(14):2971-2978.

Olkkola S, Culebro A, Juntunen P, Hänninen ML, Rossi M. Functional genomics in *Campylobacter coli* identified a novel streptomycin resistance gene located in a hypervariable genomic region. Microbiology. 2016 Jul;162(7):1157-66.

Royden A, Wedley A, Merga JY, Rushton S, Hald B, Humphrey T, Williams NJ. A role for flies (Diptera) in the transmission of *Campylobacter* to broilers? Epidemiol Infect. 2016 Aug 15:1-9.

Seliwiorstow T, De Zutter L, Houf K, Botteldoorn N, Baré J, Van Damme I. Comparative performance of isolation methods using Preston broth, Bolton broth and their modifications for the detection of *Campylobacter* spp. from naturally contaminated fresh and frozen raw poultry meat. Int J Food Microbiol. 2016 Oct 3;234:60-4.

Smith S, Meade J, Gibbons J, McGill K, Bolton D, Whyte P. The impact of environmental conditions on *Campylobacter jejuni* survival in broiler faeces and litter. Infect Ecol Epidemiol. 2016 Jun 28;6:31685.

Zawack K, Li M, Booth JG, Love W, Lanzas C, Gröhn YT. Monitoring Antimicrobial Resistance in the Food Supply Chain and Its Implications for FDA Policy Initiatives. Antimicrob Agents Chemother. 2016 Aug 22;60(9):5302-11.

Clostridium

Duan Z, Hansen TH, Hansen TB, Dalgaard P, Knøchel S. Predicting outgrowth and inactivation of *Clostridium perfringens* in meat products during low temperature long time heat treatment. Int J Food Microbiol. 2016 Aug 2;230:45-57.

Fohler S, Klein G, Hoedemaker M, Scheu T, Seyboldt C, Campe A, Jensen KC, Abdulmawjood A. Diversity of *Clostridium perfringens* toxin-genotypes from dairy farms. BMC Microbiol. 2016 Aug 30;16(1):199.

Huang L. Evaluating the Performance of a New Model for Predicting the Growth of *Clostridium perfringens* in Cooked, Uncured Meat and Poultry Products under Isothermal, Heating, and Dynamically Cooling Conditions. *J Food Sci.* 2016 Jul;81(7):M1754-65.

Lee H, Lee S, Kim S, Lee J, Ha J, Yoon Y. Quantitative Microbial Risk Assessment for *Clostridium perfringens* in Natural and Processed Cheeses. *Asian-Australas J Anim Sci.* 2016 Aug;29(8):1188-96.

Moon P, Foster NF, Hampson DJ, Knight DR, Bloomfield LE, Riley TV. *Clostridium difficile* Infection in Production Animals and Avian Species: A Review. *Foodborne Pathogen Dis.* 2016 Sep 7. [Epub ahead of print]

Oman Evans li M, Starley B, Galagan JC, Yabes JM, Evans S, Salama JJ. Tea and Recurrent *Clostridium difficile* Infection. *Gastroenterol Res Pract.* 2016;2016:4514687.

Reid R, Fanning S, Whyte P, Kerry J, Lindqvist R, Yu Z, Bolton D. The microbiology of beef carcasses and primals during chilling and commercial storage. *Food Microbiol.* 2017 Feb;61:50-57.

Thitaram SN, Frank JF, Siragusa GR, Bailey JS, Dargatz DA, Lombard JE, Haley CA, Lyon SA, Fedorka-Cray PJ. Antimicrobial susceptibility of *Clostridium difficile* isolated from food animals on farms. *Int J Food Microbiol.* 2016 Jun 16;227:1-5.

***E.coli* O157**

Balière C, Rincé A, Delannoy S, Fach P, Gourmelon M. Molecular Profiling of Shiga Toxin-Producing *Escherichia coli* and Enteropathogenic *E. coli* Strains Isolated from French Coastal Environments. *Appl Environ Microbiol.* 2016 Jun 13;82(13):3913-27.

Barth SA, Menge C, Eichhorn I, Semmler T, Wieler LH, Pickard D, Belka A, Berens C, Geue L. The Accessory Genome of Shiga Toxin-Producing *Escherichia coli* Defines a Persistent Colonization Type in Cattle. *Appl Environ Microbiol.* 2016 Aug 15;82(17):5455-64.

Beier RC, Franz E, Bono JL, Mandrell RE, Fratamico PM, Callaway TR, Andrews K, Poole TL, Crippen TL, Sheffield CL, Anderson RC, Nisbet DJ. Disinfectant and Antimicrobial Susceptibility Profiles of the Big Six Non-O157 Shiga Toxin-Producing *Escherichia coli* Strains from Food Animals and Humans. *J Food Prot.* 2016 Aug;79(8):1355-70.

Byrne L, Adams N, Glen K, Dallman TJ, Kar-Purkayastha I, Beasley G, Willis C, Padfield S, Adak G, Jenkins C. Epidemiological and Microbiological Investigation of an Outbreak of Severe Disease from Shiga Toxin-Producing *Escherichia coli* O157 Infection Associated with Consumption of a Slaw Garnish. *J Food Prot.* 2016 Jul;79(7):1161-8.

Böhnlein C, Kabisch J, Meske D, Franz CM, Pichner R. Fitness of EHEC/EAEC O104:H4 in comparison to EHEC O157: survival studies in food and in vitro. *Appl Environ Microbiol.* 2016 Aug 19. pii: AEM.01796-16. [Epub ahead of print]

Cadona JS, Bustamante AV, González J, Sanso AM. Genetic Relatedness and Novel Sequence Types of Non-O157 Shiga Toxin-Producing *Escherichia coli* Strains Isolated in Argentina. *Front Cell Infect Microbiol.* 2016 Aug 30;6:93.

Crozier L, Hedley PE, Morris J, Wagstaff C, Andrews SC, Toth I, Jackson RW, Holden NJ. Whole-Transcriptome Analysis of Verocytotoxigenic *Escherichia coli* O157:H7 (Sakai) Suggests Plant-Species-Specific Metabolic Responses on Exposure to Spinach and Lettuce Extracts. *Front Microbiol.* 2016 Jul 12;7:1088.

Elder JR, Bugarel M, den Bakker HC, Loneragan GH, Nightingale KK. Interrogation of single nucleotide polymorphisms in *gnd* provides a novel method for molecular serogrouping of clinically important Shiga toxin producing *Escherichia coli* (STEC) targeted by regulation in the United States, including the "big six" non-O157 STEC and STEC O157. *J Microbiol Methods.* 2016 Oct;129:85-93.

Ercoli L, Farneti S, Zicavo A, Mencaroni G, Blasi G, Striano G, Scuto S. Prevalence and characteristics of verotoxigenic *Escherichia coli* strains isolated from pigs and pork products in Umbria and Marche regions of Italy. *Int J Food Microbiol.* 2016 Sep 2;232:7-14.

Fontcuberta M, Planell R, Torrents A, Sabaté S, Gonzalez R, Ramoneda M, de Simón M. Characterization of Shiga Toxin-Producing *Escherichia coli* O157 Isolates from Bovine Carcasses. *J Food Prot.* 2016 Aug;79(8):1418-23.

Gayán E, Cambré A, Michiels CW, Aertsen A. Stress-induced evolution of heat resistance and resuscitation speed in *E. coli* O157:H7 ATCC 43888. *Appl Environ Microbiol.* 2016 Sep 2. pii: AEM.02027-16. [Epub ahead of print]

Gill A, Huszczyński G. Enumeration of *Escherichia coli* O157:H7 in Outbreak-Associated Beef Patties. *J Food Prot.* 2016 Jul;79(7):1266-8.

Hara-Kudo Y, Konishi N, Ohtsuka K, Iwabuchi K, Kikuchi R, Isobe J, Yamazaki T, Suzuki F, Nagai Y, Yamada H, Tanouchi A, Mori T, Nakagawa H, Ueda Y, Terajima J. An interlaboratory study on efficient detection of Shiga toxin-producing *Escherichia coli* O26, O103, O111, O121, O145, and O157 in food using real-time PCR assay and chromogenic agar. *Int J Food Microbiol.* 2016 Aug 2;230:81-8.

Khalil RK, Skinner C, Patfield S, He X. Phage-mediated Shiga toxin (Stx) horizontal gene transfer and expression in non-Shiga toxigenic *Enterobacter* and *Escherichia coli* strains. *Pathog Dis.* 2016 Jul;74(5). pii: ftw037.

Kim GH, Fratamico P, Breidt F, Oh DH. Survival and expression of acid resistance genes in Shiga toxin-producing *Escherichia coli* acid adapted in pineapple juice and exposed to synthetic gastric fluid. *J Appl Microbiol.* 2016 Jul 5. doi: 10.1111/jam.13223. [Epub ahead of print]

Miszczyncha SD, Bel N, Gay-Perret P, Michel V, Montel MC, Sergentet-Thevenot D. Short communication: Behavior of different Shiga toxin-producing *Escherichia coli* serotypes (O26:H11, O103:H2, O145:H28, O157:H7) during the manufacture, ripening, and storage of a white mold cheese. *J Dairy Sci.* 2016 Jul;99(7):5224-9.

Nyambe S, Burgess C, Whyte P, Bolton D. Survival studies of a temperate and lytic bacteriophage in bovine faeces and slurry. *J Appl Microbiol.* 2016 Oct;121(4):1144-51.

Rusconi B, Sanjar F, Koenig SS, Mammel MK, Tarr PI, Eppinger M. Whole Genome Sequencing for Genomics-Guided Investigations of *Escherichia coli* O157:H7 Outbreaks. *Front Microbiol.* 2016 Jun 30;7:985.

Seys SA, Sampedro F, Hedberg CW. Factors associated with recovery of meat products following recalls due to Shiga toxin-producing *Escherichia coli*. *Epidemiol Infect.* 2016 Oct;144(14):2940-2947.

Snyder AB, Perry JJ, Yousef AE. Developing and optimizing bacteriophage treatment to control enterohemorrhagic *Escherichia coli* on fresh produce. *Int J Food Microbiol.* 2016 Nov 7;236:90-7.

Stanford K, Johnson RP, Alexander TW, McAllister TA, Reuter T. Influence of Season and Feedlot Location on Prevalence and Virulence Factors of Seven Serogroups of *Escherichia coli* in Feces of Western-Canadian Slaughter Cattle. *PLoS One.* 2016 Aug 2;11(8):e0159866

Venegas-Vargas C, Henderson S, Khare A, Mosci RE, Lehnert JD, Singh P, Ouellette LM, Norby B, Funk JA, Rust S, Bartlett PC, Grooms D, Manning SD. Factors Associated with Shiga Toxin-Producing *Escherichia coli* Shedding by Dairy and Beef Cattle. *Appl Environ Microbiol.* 2016 Jul 29;82(16):5049-56.

Zhou Y, Karwe MV, Matthews KR. Differences in inactivation of *Escherichia coli* O157:H7 strains in ground beef following repeated high pressure processing treatments and cold storage. *Food Microbiol.* 2016 Sep;58:7-12.

Álvarez-Suárez ME, Otero A, García-López ML, Dahbi G, Blanco M, Mora A, Blanco J, Santos JA. Genetic characterization of Shiga toxin-producing *Escherichia coli* (STEC) and atypical enteropathogenic *Escherichia coli* (EPEC) isolates from goat's milk and goat farm environment. *Int J Food Microbiol.* 2016 Nov 7;236:148-54.

Hepatitis A

Epson EE, Cronquist A, Lamba K, Kimura AC, Hassan R, Selvage D, McNeil CS, Varan AK, Silvaggio JL, Fan L, Tong X, Spradling PR. Risk factors for hospitalisation and associated costs among patients with hepatitis A associated with imported pomegranate arils, United States, 2013. *Public Health.* 2016 Jul;136:144-51.

Parada-Fabián JC, Juárez-García P, Natividad-Bonifacio I, Vázquez-Salinas C, Quiñones-Ramírez EI. Identification of Enteric Viruses in Foods from Mexico City. *Food Environ Virol.* 2016 Sep;8(3):215-20.

Pascoli F, Pezzuto A, Buratin A, Piovesana A, Fortin A, Arcangeli G, Toffan A. Efficacy of domestic cooking inactivation of human hepatitis A virus in experimentally infected manila clams (*Ruditapes philippinarum*). J Appl Microbiol. 2016 Oct;121(4):1163-71.

Yang Z, Leonard SR, Mammel MK, Elkins CA, Kulka M. Towards next-generation sequencing analytics for foodborne RNA viruses: Examining the effect of RNA input quantity and viral RNA purity. J Virol Methods. 2016 Oct;236:221-30.

Hepatitis E

Adlhoch C, Avellon A, Baylis SA, Ciccaglione AR, Couturier E, de Sousa R, Epstein J, Ethelberg S, Faber M, Fehér Á, Ijaz S, Lange H, Mandáková Z, Mellou K, Mozalevskis A, Rimhanen-Finne R, Rizzi V, Said B, Sundqvist L, Thornton L, Tosti ME, van Pelt W, Aspinall E, Domanovic D, Severi E, Takkinen J, Dalton HR. Hepatitis E virus: Assessment of the epidemiological situation in humans in Europe, 2014/15. J Clin Virol. 2016 Sep;82:9-16.

Chen YJ, Cao NX, Xie RH, Ding CX, Chen EF, Zhu HP, Sun JM, Shang XP, Wang XX, Miao ZP. Epidemiological investigation of a tap water-mediated hepatitis E virus genotype 4 outbreak in Zhejiang Province, China. Epidemiol Infect. 2016 Aug 22:1-13.

Heldt FH, Staggmeier R, Gularte JS, Demoliner M, Henzel A, Spilki FR. Hepatitis E Virus in Surface Water, Sediments, and Pork Products Marketed in Southern Brazil. Food Environ Virol. 2016 Sep;8(3):200-5.

Intharasongkroh D, Sa-Nguanmoo P, Tuanthap S, Thongmee T, Duang-In A, Klinfueng S, Chansaenroj J, Vongpunsawad S, Theamboonlers A, Payungporn S, Chirathaworn C, Poovorawan Y. Hepatitis E Virus in Pork and Variety Meats Sold in Fresh Markets. Food Environ Virol. 2016 Aug 31. [Epub ahead of print] PubMed

Johne R, Trojnar E, Filter M, Hofmann J. Thermal Stability of Hepatitis E Virus as Estimated by a Cell Culture Method. Appl Environ Microbiol. 2016 Jun 30;82(14):4225-31.

Martin-Latil S, Hennechart-Collette C, Delannoy S, Guillier L, Fach P, Perelle S. Quantification of Hepatitis E Virus in Naturally-Contaminated Pig Liver Products. Front Microbiol. 2016 Aug 3;7:1183.

Mesquita JR, Oliveira D, Rivadulla E, Abreu-Silva J, Varela MF, Romalde JL, Nascimento MS. Hepatitis E virus genotype 3 in mussels (*Mytilus galloprovincialis*), Spain. Food Microbiol. 2016 Sep;58:13-5.

Nantel-Fortier N, Letellier A, Lachapelle V, Fravalo P, L'Homme Y, Brassard J. Detection and Phylogenetic Analysis of the Hepatitis E Virus in a Canadian Swine Production Network. Food Environ Virol. 2016 Jul 15. [Epub ahead of print]

Reperant LA, Brown IH, Haenen OL, de Jong MD, Osterhaus AD, Papa A, Rimstad E, Valarcher JF, Kuiken T. Companion Animals as a Source of Viruses for Human Beings and Food Production Animals. *J Comp Pathol*. 2016 Jul;155(1 Suppl 1):S41-53.

Tarantino G, Bagnarelli P, Marzioni M, Marinelli K, Surace G, Traini S, Baroni GS, Menzo S, Benedetti A. Hepatitis E in a region of Italy: An emerging autochthonous infection? *Dig Liver Dis*. 2016 Jul 18. pii: S1590-8658(16)30509-6.

Yugo DM, Hauck R, Shivaprasad HL, Meng XJ. Hepatitis Virus Infections in Poultry. *Avian Dis*. 2016 Sep;60(3):576-88.

Listeria monocytogenes

Augustin JC, Kalmokoff M, Ells T, Favret S, Desreumaux J, Decourseulles Brasseur E, Gnanou Besse N. Modeling the behavior of *Listeria monocytogenes* during enrichment in half Fraser broth; impact of pooling and the duration of enrichment on the detection of *L. monocytogenes* in food. *Food Microbiol*. 2016 Dec;60:131-6.

Baka M, Noriega E, Van Langendonck K, Van Impe JF. Influence of food intrinsic complexity on *Listeria monocytogenes* growth in/on vacuum-packed model systems at suboptimal temperatures. *Int J Food Microbiol*. 2016 Oct 17;235:17-27.

Camargo AC, Woodward JJ, Nero LA. The Continuous Challenge of Characterizing the Foodborne Pathogen *Listeria monocytogenes*. *Foodborne Pathog Dis*. 2016 Aug;13(8):405-16.

Chen Y, Evans P, Hammack TS, Brown EW, Macarisin D. Internalization of *Listeria monocytogenes* in Whole Avocado. *J Food Prot*. 2016 Aug;79(8):1440-5.

Colagiorgi A, Di Ciccio P, Zanardi E, Ghidini S, Ianieri A. A Look inside the *Listeria monocytogenes* Biofilms Extracellular Matrix. *Microorganisms*. 2016 Jul 5;4(3). pii: E22.

Gallagher D, Pouillot R, Hoelzer K, Tang J, Dennis SB, Kause JR. *Listeria monocytogenes* in Retail Delicatessens: An Interagency Risk Assessment-Risk Mitigations. *J Food Prot*. 2016 Jul;79(7):1076-88.

Gelbíčová T, Pantůček R, Karpíšková R. Virulence factors and resistance to antimicrobials in *Listeria monocytogenes* serotype 1/2c isolated from food. *J Appl Microbiol*. 2016 Aug;121(2):569-76.

Gillesberg Lassen S, Ethelberg S, Björkman JT, Jensen T, Sørensen G, Kvistholm Jensen A, Müller L, Nielsen EM, Mølbak K. Two listeria outbreaks caused by smoked fish consumption-using whole-genome sequencing for outbreak investigations. *Clin Microbiol Infect*. 2016 Jul;22(7):620-4.

Jackson BR, Tarr C, Strain E, Jackson KA, Conrad A, Carleton H, Katz LS, Stroika S, Gould LH, Mody RK, Silk BJ, Beal J, Chen Y, Timme R, Doyle M, Fields A, Wise

M, Tillman G, Defibaugh-Chavez S, Kucerova Z, Sabol A, Roache K, Trees E, Simmons M, Wasilenko J, Kubota K, Pouseele H, Klimke W, Besser J, Brown E, Allard M, Gerner-Smidt P. Implementation of Nationwide Real-time Whole-genome Sequencing to Enhance Listeriosis Outbreak Detection and Investigation. *Clin Infect Dis.* 2016 Aug 1;63(3):380-6.

Koyama K, Hokunan H, Hasegawa M, Kawamura S, Koseki S. Do bacterial cell numbers follow a theoretical Poisson distribution? Comparison of experimentally obtained numbers of single cells with random number generation via computer simulation. *Food Microbiol.* 2016 Dec;60:49-53.

Kvistholm Jensen A, Nielsen EM, Björkman JT, Jensen T, Müller L, Persson S, Bjerager G, Perge A, Krause TG, Kiil K, Sørensen G, Andersen JK, Mølbak K, Ethelberg S. Whole-genome Sequencing Used to Investigate a Nationwide Outbreak of Listeriosis Caused by Ready-to-eat Delicatessen Meat, Denmark, 2014. *Clin Infect Dis.* 2016 Jul 1;63(1):64-70.

Lee J, Ha J, Kim S, Lee S, Lee H, Yoon Y, Choi KH. The Correlation between NaCl Adaptation and Heat Sensitivity of *Listeria monocytogenes*, a Foodborne Pathogen through Fresh and Processed Meat. *Korean J Food Sci Anim Resour.* 2016;36(4):469-75.

Metselaar KI, Abee T, Zwietering MH, den Besten HM. Modeling and Validation of the Ecological Behavior of Wild-Type *Listeria monocytogenes* and Stress-Resistant Variants. *Appl Environ Microbiol.* 2016 Aug 15;82(17):5389-401.

Nucera DM, Grassi MA, Morra P, Piano S, Tabacco E, Borreani G. Detection, identification, and typing of *Listeria* species from baled silages fed to dairy cows. *J Dairy Sci.* 2016 Aug;99(8):6121-33.

Nyarko E, Kniel KE, Millner PD, Luo Y, Handy ET, Reynnells R, East C, Sharma M. Survival and growth of *Listeria monocytogenes* on whole cantaloupes is dependent on site of contamination and storage temperature. *Int J Food Microbiol.* 2016 Oct 3;234:65-70. doi: 10.1016/j.ijfoodmicro.2016.06.030. Epub 2016 Jun 25. PubMed PMID: 27376678.

16: Nyarko E, Kniel KE, Reynnells R, East C, Handy ET, Luo Y, Millner PD, Sharma M. Survival and Growth of *Listeria monocytogenes* on Fresh-Cut "Athena" and "Rocky Ford" Cantaloupes During Storage at 4°C and 10°C. *Foodborne Pathog Dis.* 2016 Aug 22. [Epub ahead of print]

Sauders BD, D'Amico DJ. *Listeria monocytogenes* cross-contamination of cheese: risk throughout the food supply chain. *Epidemiol Infect.* 2016 Oct;144(13):2693-7.

Seel W, Derichs J, Lipski A. Increased Biomass Production by Mesophilic Food-Associated Bacteria through Lowering the Growth Temperature from 30°C to 10°C. *Appl Environ Microbiol.* 2016 Jun 13;82(13):3754-64.

Trmčić A, Chauhan K, Kent DJ, Ralyea RD, Martin NH, Boor KJ, Wiedmann M. Coliform detection in cheese is associated with specific cheese characteristics, but

no association was found with pathogen detection. J Dairy Sci. 2016 Aug;99(8):6105-20.

Wemmenhove E, Wells-Bennik MH, Stara A, van Hooijdonk AC, Zwietering MH. How NaCl and water content determine water activity during ripening of Gouda cheese, and the predicted effect on inhibition of *Listeria monocytogenes*. J Dairy Sci. 2016 Jul;99(7):5192-201.

Zhang J, Cao G, Xu X, Allard M, Li P, Brown E, Yang X, Pan H, Meng J. Evolution and Diversity of *Listeria monocytogenes* from Clinical and Food Samples in Shanghai, China. Front Microbiol. 2016 Jul 22;7:1138.

Zilelidou E, Manthou E, Skandamis P. Growth differences and competition between *Listeria monocytogenes* strains determine their predominance on ham slices and lead to bias during selective enrichment with the ISO protocol. Int J Food Microbiol. 2016 Oct 17;235:60-70.

Mycobacterium

Alajmi A, Klein G, Grabowski NT, Fohler S, Akineden Ö, Abdulmawjood A. Evaluation of a Commercial Real-Time PCR Kit for the Detection of *Mycobacterium avium* subspecies paratuberculosis in Milk. Curr Microbiol. 2016 Nov;73(5):668-75.

Alajmi A, Klein G, Greiner M, Grabowski NT, Fohler S, Campe A, Scheu T, Hoedemaker M, Abdulmawjood A. Potential role of real-time PCR for detecting *Mycobacterium avium* subsp. paratuberculosis in chronically diseased milking cows: a case control study. Berl Munch Tierarztl Wochenschr. 2016 Jul-Aug;129(7-8):304-9.

Doyle LP, Courcier EA, Gordon AW, O'Hagan MJ, Menzies FD. Bovine tuberculosis in Northern Ireland: Risk factors associated with duration and recurrence of chronic herd breakdowns. Prev Vet Med. 2016 Sep 1;131:1-7.

Dziedzinska R, Makovcova J, Kaevska M, Slany M, Babak V, Moravkova M. Nontuberculous Mycobacteria on Ready-to-Eat, Raw and Frozen Fruits and Vegetables. J Food Prot. 2016 Aug;79(8):1452-6.

Forgrave R, Donaghy J A, Fisher A, Rowe MT. Survival kinetics of *Mycobacterium bovis* during manufacture and ripening of raw milk Cheddar and Caerphilly cheese produced on a laboratory-scale. J Appl Microbiol. 2016 Aug 26. doi: 10.1111/jam.13278. [Epub ahead of print]

Jurkovich V, Bognár B, Balogh K, Kovács-Weber M, Fornyos K, Szabó RT, Kovács P, Könyves L, Mézes M. Effects of subclinical *Mycobacterium avium* ssp. paratuberculosis infection on some physiological parameters, health status and production in dairy cows. Acta Vet Hung. 2016 Sep;64(3):301-312.

O'Hagan MJ, Matthews DI, Laird C, McDowell SW. Herd-level risk factors for bovine tuberculosis and adoption of related biosecurity measures in Northern Ireland: A case-control study. Vet J. 2016 Jul;213:26-32.

Ricchi M, Savi R, Bolzoni L, Pongolini S, Grant IR, De Cicco C, Cerutti G, Cammi G, Garbarino CA, Arrigoni N. Estimation of *Mycobacterium avium* subsp. paratuberculosis load in raw bulk tank milk in Emilia-Romagna Region (Italy) by qPCR. *Microbiologyopen*. 2016 Aug;5(4):551-9.

Waddell L, Rajić A, Stärk K, McEwen SA. *Mycobacterium avium* ssp. paratuberculosis detection in animals, food, water and other sources or vehicles of human exposure: A scoping review of the existing evidence. *Prev Vet Med*. 2016 Sep 15;132:32-48.

Norovirus

Bartsch C, Szabo K, Dinh-Thanh M, Schrader C, Trojnar E, Johne R. Comparison and optimization of detection methods for noroviruses in frozen strawberries containing different amounts of RT-PCR inhibitors. *Food Microbiol*. 2016 Dec;60:124-30.

Cook N, Knight A, Richards GP. Persistence and Elimination of Human Norovirus in Food and on Food Contact Surfaces: A Critical Review. *J Food Prot*. 2016 Jul;79(7):1273-94.

D'Ugo E, Marcheggiani S, Fioramonti I, Giuseppetti R, Spurio R, Helmi K, Guillebault D, Medlin LK, Simeonovski I, Boots B, Breitenbach U, Koker L, Albay M, Mancini L. Detection of Human Enteric Viruses in Freshwater from European Countries. *Food Environ Virol*. 2016 Sep;8(3):206-14.

de Graaf M, van Beek J, Koopmans MP. Human norovirus transmission and evolution in a changing world. *Nat Rev Microbiol*. 2016 Jul;14(7):421-33.

Godoy P, Alsedà M, Bartolomé R, Clavería D, Módol I, Bach P, Mirada G, Domínguez À. Norovirus gastroenteritis outbreak transmitted by food and vomit in a high school. *Epidemiol Infect*. 2016 Jul;144(9):1951-8.

Hartard C, Banas S, Loutreul J, Rincé A, Benoit F, Boudaud N, Gantzer C. Relevance of F-Specific RNA Bacteriophages in Assessing Human Norovirus Risk in Shellfish and Environmental Waters. *Appl Environ Microbiol*. 2016 Aug 30;82(18):5709-19.

Hennechart-Collette C, Martin-Latil S, Fraise A, Perelle S. Comparison of three extraction methods to detect noroviruses in dairy products. *Food Microbiol*. 2017 Feb;61:113-119.

Huang Y, Ye M, Cao X, Chen H. Pulsed light inactivation of murine norovirus, Tulane virus, *Escherichia coli* O157:H7 and *Salmonella* in suspension and on berry surfaces. *Food Microbiol*. 2017 Feb;61:1-4.

Imamura S, Haruna M, Goshima T, Kanezashi H, Okada T, Akimoto K. Application of Next-Generation Sequencing to Evaluate the Profile of Noroviruses in Pre- and Post-Depurated Oysters. *Foodborne Pathog Dis*. 2016 Aug 1. [Epub ahead of print]

Kanagarajah S, Mook P, Crook P, Awofisayo-Okuyelu A, McCarthy N. Taste and Safety: Is the Exceptional Cuisine Offered by High End Restaurants Paralleled by High Standards of Food Safety? PLoS Curr. 2016 Aug 2;8. pii: ecurrents.outbreaks.007219ac3b9a2117418df7ab629686b6.

López-Gálvez F, Truchado P, Sánchez G, Aznar R, Gil MI, Allende A. Occurrence of enteric viruses in reclaimed and surface irrigation water: relationship with microbiological and physicochemical indicators. J Appl Microbiol. 2016 Oct;121(4):1180-8.

Randazzo W, López-Gálvez F, Allende A, Aznar R, Sánchez G. Evaluation of viability PCR performance for assessing norovirus infectivity in fresh-cut vegetables and irrigation water. Int J Food Microbiol. 2016 Jul 16;229:1-6.

Sabrià A, Pintó RM, Bosch A, Bartolomé R, Cornejo T, Torner N, Martínez A, Simón Md, Domínguez A, Guix S. Norovirus shedding among food and healthcare workers exposed to the virus in outbreak settings. J Clin Virol. 2016 Sep;82:119-25.

Winterbourn JB, Clements K, Lowther JA, Malham SK, McDonald JE, Jones DL. Use of *Mytilus edulis* biosentinels to investigate spatial patterns of norovirus and faecal indicator organism contamination around coastal sewage discharges. Water Res. 2016 Sep 5;105:241-250.

Salmonella

Abu Aboud OA, Adaska JM, Williams DR, Rossitto PV, Champagne JD, Lehenbauer TW, Atwill R, Li X, Aly SS. Epidemiology of *Salmonella* sp. in California cull dairy cattle: prevalence of fecal shedding and diagnostic accuracy of pooled enriched broth culture of fecal samples. PeerJ. 2016 Aug 30;4:e2386. doi:10.7717/peerj.2386. eCollection 2016.

Campos J, Cristino L, Peixe L, Antunes P. MCR-1 in multidrug-resistant and copper-tolerant clinically relevant *Salmonella* 1,4,[5],12:i:- and S. Rissen clones in Portugal, 2011 to 2015. Euro Surveill. 2016 Jun 30;21(26).

Carminati Jde A, Amorim Neto DP, Morishita KN, Takano LV, Olivier Bernardi A, Copetti MV, do Nascimento Mda S. Microbiological contamination in peanut confectionery processing plants. J Appl Microbiol. 2016 Oct;121(4):1071-8.

Chousalkar K, Gole V, Caraguel C, Rault JL. Chasing *Salmonella* Typhimurium in free range egg production system. Vet Microbiol. 2016 Aug 30;192:67-72.

Curiao T, Marchi E, Grandgirard D, León-Sampedro R, Viti C, Leib SL, Baquero F, Oggioni MR, Martinez JL, Coque TM. Multiple adaptive routes of *Salmonella enterica* Typhimurium to biocide and antibiotic exposure. BMC Genomics. 2016 Jul 13;17:491.

Doumith M, Godbole G, Ashton P, Larkin L, Dallman T, Day M, Day M, Muller-Pebody B, Ellington MJ, de Pinna E, Johnson AP, Hopkins KL, Woodford N. Detection of the plasmid-mediated mcr-1 gene conferring colistin resistance in

human and food isolates of *Salmonella enterica* and *Escherichia coli* in England and Wales. J Antimicrob Chemother. 2016 Aug;71(8):2300-5.

Escobar-Zepeda A, Sanchez-Flores A, Quirasco Baruch M. Metagenomic analysis of a Mexican ripened cheese reveals a unique complex microbiota. Food Microbiol. 2016 Aug;57:116-27.

Feasey NA, Hadfield J, Keddy KH, Dallman TJ, Jacobs J, Deng X, Wigley P, Barquist Barquist L, Langridge GC, Feltwell T, Harris SR, Mather AE, Fookes M, Aslett M, Msefula C, Kariuki S, Maclennan CA, Onsare RS, Weill FX, Le Hello S, Smith AM, McClelland M, Desai P, Parry CM, Cheesbrough J, French N, Campos J, Chabalgoity JA, Betancor L, Hopkins KL, Nair S, Humphrey TJ, Lunguya O, Cogan TA, Tapia MD, Sow SO, Tennant SM, Bornstein K, Levine MM, Lacharme-Lora L, Everett DB, Kingsley RA, Parkhill J, Heyderman RS, Dougan G, Gordon MA, Thomson NR. Distinct *Salmonella* Enteritidis lineages associated with enterocolitis in high-income settings and invasive disease in low-income settings. Nat Genet. 2016 Oct;48(10):1211-7.

Fernandes L, Centeno MM, Couto N, Nunes T, Almeida V, Alban L, Pomba C. Longitudinal characterization of monophasic *Salmonella* Typhimurium throughout the pig's life cycle. Vet Microbiol. 2016 Aug 30;192:231-7.

Ferrer Savall J, Bidot C, Leblanc-Maridor M, Belloc C, Touzeau S. Modelling *Salmonella* transmission among pigs from farm to slaughterhouse: Interplay between management variability and epidemiological uncertainty. Int J Food Microbiol. 2016 Jul 16;229:33-43.

Gayán E, Serrano MJ, Álvarez I, Condón S. Modeling optimal process conditions for UV-heat inactivation of foodborne pathogens in liquid foods. Food Microbiol. 2016 Dec;60:13-20.

Gomba A, Chidamba L, Korsten L. Antimicrobial Resistance Profiles of *Salmonella* spp. from Agricultural Environments in Fruit Production Systems. Foodborne Pathog Dis. 2016 Sep;13(9):495-501.

Guzman-Hernandez R, Contreras-Rodriguez A, Hernandez-Velez R, Perez-Martinez I, Lopez-Merino A, Zaidi MB, Estrada-Garcia T. Mexican unpasteurised fresh cheeses are contaminated with *Salmonella* spp., non-O157 Shiga toxin producing *Escherichia coli* and potential uropathogenic *E. coli* strains: A public health risk. Int J Food Microbiol. 2016 Nov 21;237:10-16.

Harris LJ, Lieberman V, Mashiana RP, Atwill E, Yang M, Chandler JC, Bisha B, Jones T. Prevalence and Amounts of *Salmonella* Found on Raw California Inshell Pistachios. J Food Prot. 2016 Aug;79(8):1304-15.

Hay AJ, Zhu J. In Sickness and in Health: The Relationships Between Bacteria and Bile in the Human Gut. Adv Appl Microbiol. 2016;96:43-64.

Helke KL, McCrackin MA, Galloway AM, Poole AZ, Salgado CD, Marriott BP. Effects of antimicrobial use in agricultural animals on drug-resistant foodborne

salmonellosis in humans: A systematic literature review. Crit Rev Food Sci Nutr. 2016 Sep 7:0. [Epub ahead of print]

Hellberg RS, Chu E. Effects of climate change on the persistence and dispersal of foodborne bacterial pathogens in the outdoor environment: A review. Crit Rev Microbiol. 2016 Aug;42(4):548-72.

Hildebrandt IM, Marks BP, Juneja VK, Osoria M, Hall NO, Ryser ET. Cross-Laboratory Comparative Study of the Impact of Experimental and Regression Methodologies on *Salmonella* Thermal Inactivation Parameters in Ground Beef. J Food Prot. 2016 Jul;79(7):1097-106.

Kim J, Han X, Bae J, Chui L, Louie M, Finley R, Mulvey MR, Ferrato CJ, Jeon B. Prevalence of plasmid-mediated quinolone resistance (PMQR) genes in nontyphoidal *Salmonella* strains with resistance and reduced susceptibility to fluoroquinolones from human clinical cases in Alberta, Canada, 2009-13. J Antimicrob Chemother. 2016 Oct;71(10):2988-90.

Lang E, Zoz F, Iaconelli C, Guyot S, Alvarez-Martin P, Beney L, Perrier-Cornet JM, Gervais P. Recovery Estimation of Dried Foodborne Pathogens Is Directly Related to Rehydration Kinetics. PLoS One. 2016 Aug 5;11(8):e0160844.

Margot H, Stephan R, Tasara T. Mungo bean sprout microbiome and changes associated with culture based enrichment protocols used in detection of Gram-negative foodborne pathogens. Microbiome. 2016 Sep 6;4(1):48.

Margot H, Tasara T, Zwietering MH, Joosten H, Stephan R. Effects of different media on the enrichment of low numbers of Shiga toxin-producing *Escherichia coli* in mung bean sprouts and on the development of the sprout microbiome. Int J Food Microbiol. 2016 Sep 2;232:26-34.

McDermott PF, Tyson GH, Kabera C, Chen Y, Li C, Folster JP, Ayers SL, Lam C, Tate HP, Zhao S. Whole-Genome Sequencing for Detecting Antimicrobial Resistance in Nontyphoidal *Salmonella*. Antimicrob Agents Chemother. 2016 Aug 22;60(9):5515-20.

Michael GB, Schwarz S. Antimicrobial resistance in zoonotic nontyphoidal *Salmonella*: an alarming trend? Clin Microbiol Infect. 2016 Aug 6. pii: S1198-743X(16)30290-7.

Mostafa MM, Nassef M, Badr A. Computational determination of the effects of virulent *Escherichia coli* and salmonella bacteriophages on human gut. Comput Methods Programs Biomed. 2016 Oct;135:27-35.

Niemann JK, Alter T, Götz G, Tietze E, Fruth A, Rabsch W, von Münchhausen C, Merle R, Kreienbrock L. Simultaneous occurrence of *Salmonella enterica*, *Campylobacter* spp. and *Yersinia enterocolitica* along the pork production chain from farm to meat processing in five conventional fattening pig herds in Lower Saxony. Berl Munch Tierarztl Wochenschr. 2016 Jul-Aug;129(7-8):296-303.

Nousiainen LL, Joutsen S, Lunden J, Hänninen ML, Fredriksson-Ahomaa M. Bacterial quality and safety of packaged fresh leafy vegetables at the retail level in Finland. *Int J Food Microbiol.* 2016 Sep 2;232:73-9.

Osimani A, Aquilanti L, Clementi F. Salmonellosis associated with mass catering: a survey of European Union cases over a 15-year period. *Epidemiol Infect.* 2016 Oct;144(14):3000-3012.

Owen M, Jorgensen F, Willis C, McLauchlin J, Elviss N, Aird H, Fox A, Kaye M, Lane C, de Pinna E. The occurrence of *Salmonella* spp. in duck eggs on sale at retail or from catering in England. *Lett Appl Microbiol.* 2016 Aug 26. doi:10.1111/lam.12660. [Epub ahead of print]

Pokharel S, Brooks JC, Martin JN, Brashears MM. Antimicrobial Susceptibility and Internalization of *Salmonella* Typhimurium in Vacuum Tumbled Marinated Beef Products. *Lett Appl Microbiol.* 2016 Aug 31. doi: 10.1111/lam.12663. [Epub ahead of print]

Powell MR. Trends in Reported Foodborne Illness in the United States; 1996-2013. *Risk Anal.* 2016 Aug;36(8):1589-98.

Rachon G, Peñaloza W, Gibbs PA. Inactivation of *Salmonella*, *Listeria monocytogenes* and *Enterococcus faecium* NRRL B-2354 in a selection of low moisture foods. *Int J Food Microbiol.* 2016 Aug 16;231:16-25.

Saito S, Koori Y, Ohsaki Y, Osaka S, Oana K, Nagano Y, Arakawa Y, Nagano N. Third-generation cephalosporin-resistant non-typhoidal *Salmonella* isolated from human feces in Japan. *Jpn J Infect Dis.* 2016 Aug 31. [Epub ahead of print]

Santillana Farakos SM, Pouillot R, Anderson N, Johnson R, Son I, Van Doren J. Modeling the survival kinetics of *Salmonella* in tree nuts for use in risk assessment. *Int J Food Microbiol.* 2016 Jun 16;227:41-50.

Soumet C, Méheust D, Pissavin C, Le Grandois P, Frémaux B, Feurer C, Le Roux A, Denis M, Maris P. Reduced susceptibilities to biocides and resistance to antibiotics in food-associated bacteria following exposure to quaternary ammonium compounds. *J Appl Microbiol.* 2016 Aug 2. doi: 10.1111/jam.13247. [Epub ahead of print]

Valderrama WB, Dudley EG, Doores S, Cutter CN. Commercially Available Rapid Methods for Detection of Selected Food-borne Pathogens. *Crit Rev Food Sci Nutr.* 2016 Jul 3;56(9):1519-31.

Vanantwerpen G, De Zutter L, Berkvens D, Houf K. Impact of the sampling method and chilling on the *Salmonella* recovery from pig carcasses. *Int J Food Microbiol.* 2016 Sep 2;232:22-5.

Vieira AR, Grass J, Fedorka-Cray PJ, Plumlee JR, Tate H, Cole DJ. Attribution of *Salmonella enterica* serotype Hadar infections using antimicrobial resistance data

from two points in the food supply system. *Epidemiol Infect.* 2016 Jul;144(9):1983-90.

Vrbova L, Patrick DM, Stephen C, Robertson C, Koehoorn M, Parmley EJ, DE With NI, Galanis E. Utility of algorithms for the analysis of integrated *Salmonella* surveillance data. *Epidemiol Infect.* 2016 Jul;144(10):2165-75.

Walia K, Argüello H, Lynch H, Leonard FC, Grant J, Yearsley D, Kelly S, Duffy G, Gardiner GE, Lawlor PG. Effect of feeding sodium butyrate in the late finishing period on *Salmonella* carriage, seroprevalence, and growth of finishing pigs. *Prev Vet Med.* 2016 Sep 1;131:79-86.

Wang D, Wang Z, He F, Kinchla AJ, Nugen SR. Enzymatic Digestion for Improved Bacteria Separation from Leafy Green Vegetables. *J Food Prot.* 2016 Aug;79(8):1378-86.

Wang H, Zheng J, Ayers S, Melka DC, Curry PE, Payne JS, Laasri A, Wang C, Hammack TS, Brown EW. Draft Genome Sequences of *Salmonella enterica* subsp. *enterica* Serovars Typhimurium and Nottingham Isolated from Food Products. *Genome Announc.* 2016 Jul 21;4(4). pii: e00699-16.

Wang W, Liu F, Peng Z, Li F, Ma A. Complete Genome Sequence of *Salmonella enterica* subsp. *enterica* Serovar Indiana C629, a Carbapenem-Resistant Bacterium Isolated from Chicken Carcass in China. *Genome Announc.* 2016 Jul 14;4(4). pii: e00662-16.

Yang YQ, Zhang AY, Ma SZ, Kong LH, Li YX, Liu JX, Davis MA, Guo XY, Liu BH, Lei CW, Wang HN. Co-occurrence of *mcr-1* and ESBL on a single plasmid in *Salmonella enterica*. *J Antimicrob Chemother.* 2016 Aug;71(8):2336-8.

Yun J, Greiner M, Höller C, Messelhäusser U, Rampf A, Klein G. Association between the ambient temperature and the occurrence of human *Salmonella* and *Campylobacter* infections. *Sci Rep.* 2016 Jun 21;6:28442.

Staphylococcus aureus

Fijałkowski K, Peitler D, Karakulska J. *Staphylococci* isolated from ready-to-eat meat - Identification, antibiotic resistance and toxin gene profile. *Int J Food Microbiol.* 2016 Sep 5;238:113-120.

Grøntvedt CA, Elstrøm P, Stegger M, Skov RL, Skytt Andersen P, Larssen KW, Urdahl AM, Angen Ø, Larsen J, Åmdal S, Løtvedt SM, Sunde M, Bjørnholt JV. Methicillin-Resistant *Staphylococcus aureus* CC398 in Humans and Pigs in Norway: A "One Health" Perspective on Introduction and Transmission. *Clin Infect Dis.* 2016 Aug 11. pii: ciw552. [Epub ahead of print]

Parisi A, Caruso M, Normanno G, Latorre L, Sottili R, Miccolupo A, Fracalvieri R, Santagada G. Prevalence, antimicrobial susceptibility and molecular typing of

Methicillin-Resistant *Staphylococcus aureus* (MRSA) in bulk tank milk from southern Italy. Food Microbiol. 2016 Sep;58:36-42.

Rashid T, VonVille HM, Hasan I, Garey KW. Shoe soles as a potential vector for pathogen transmission: a systematic review. J Appl Microbiol. 2016 Aug 6. doi: 10.1111/jam.13250. [Epub ahead of print] Review.

Ruiz P, Barragán I, Seseña S, Palop ML. Is *staphylococci* population from milk of healthy goats safe? Int J Food Microbiol. 2016 Sep 5;238:146-152.

Vibrio

Crowe SJ, Newton AE, Gould LH, Parsons MB, Stroika S, Bopp CA, Freeman M, Greene K, Mahon BE. Vibriosis, not cholera: toxigenic *Vibrio cholerae* non-O1, non-O139 infections in the United States, 1984-2014. Epidemiol Infect. 2016 Aug 11:1-7. [Epub ahead of print]

Elmahdi S, DaSilva LV, Parveen S. Antibiotic resistance of *Vibrio parahaemolyticus* and *Vibrio vulnificus* in various countries: A review. Food Microbiol. 2016 Aug;57:128-34.

Hu Q, Chen L. Virulence and Antibiotic and Heavy Metal Resistance of *Vibrio parahaemolyticus* Isolated from Crustaceans and Shellfish in Shanghai, China. J Food Prot. 2016 Aug;79(8):1371-7.

Raszi SM, Froelich BA, Vieira CR, Blackwood AD, Noble RT. *Vibrio parahaemolyticus* and *Vibrio vulnificus* in South America: water, seafood and human infections. J Appl Microbiol. 2016 Jul 27. doi: 10.1111/jam.13246. [Epub ahead of print] Review.

**Secretariat
October 2016**