

**ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD**  
**INFORMATION PAPER**

**Items of interest from the literature**

***Bacillus***

Glasset B, Herbin S, Guillier L, Cadel-Six S, Vignaud ML, Grout J, Pairaud S, Michel V, Hennekinne JA, Ramarao N, Brisabois A. *Bacillus cereus*-induced food-borne outbreaks in France, 2007 to 2014: epidemiology and genetic characterisation. Euro Surveill. 2016 Dec 1;21(48). pii: 30413.

Mai-Prochnow A, Clauson M, Hong J, Murphy AB. Gram positive and Gram negative *bacteria* differ in their sensitivity to cold plasma. Sci Rep. 2016 Dec 9;6:38610.

Wolde T, Bacha K. Microbiological Safety of Kitchen Sponges Used in Food Establishments. Int J Food Sci. 2016;2016:1659784.

***Campylobacter***

Carrillo CD, Kenwell R, Iugovaz I, Oyarzabal OA. Recovery of *Campylobacter* spp. from Food and Environmental Sources. Methods Mol Biol. 2017;1512:9-18.

El-Zamkan MA, Hameed KG. Prevalence of *Campylobacter jejuni* and *Campylobacter coli* in raw milk and some dairy products. Vet World. 2016 Oct;9(10):1147-1151.

Firleyanti AS, Connerton PL, Connerton IF. *Campylobacters* and their bacteriophages from chicken liver: The prospect for phage biocontrol. Int J Food Microbiol. 2016 Nov 21;237:121-127.

Georgiev M, Beauvais W, Guitian J. Effect of enhanced biosecurity and selected on-farm factors on *Campylobacter* colonization of chicken broilers. Epidemiol Infect. 2016 Nov 22:1-15. [Epub ahead of print]

Havelaar AH, Swart A. Impact of waning acquired immunity and asymptomatic infections on case-control studies for enteric pathogens. Epidemics. 2016 Dec;17:56-63.

Mikkilä A, Ranta J, González M, Hakkinen M, Tuominen P. *Campylobacter* QMRA: A Bayesian Estimation of Prevalence and Concentration in Retail Foods Under Clustering and Heavy Censoring. Risk Anal. 2016 Nov;36(11):2065-2080.

O'Brien SJ. The consequences of *Campylobacter* infection. *Curr Opin Gastroenterol*. 2016 Oct 27. [Epub ahead of print]

Royden A, Wedley A, Merga JY, Rushton S, Hald B, Humphrey T, Williams NJ. A role for flies (*Diptera*) in the transmission of *Campylobacter* to broilers? *Epidemiol Infect*. 2016 Nov;144(15):3326-3334.

Salaheen S, Peng M, Biswas D. Ecological Dynamics of *Campylobacter* in Integrated Mixed Crop-Livestock Farms and Its Prevalence and Survival Ability in Post-Harvest Products. *Zoonoses Public Health*. 2016 Dec;63(8):641-650.

Stella S, Soncini G, Ziino G, Panebianco A, Pedonese F, Nuvoloni R, Di Giannatale E, Colavita G, Alberghini L, Giaccone V. Prevalence and quantification of thermophilic *Campylobacter* spp. in Italian retail poultry meat: Analysis of influencing factors. *Food Microbiol*. 2017 Apr;62:232-238.

Sweileh WM, Al-Jabi SW, Sawalha AF, AbuTaha AS, Zyoud SH. Bibliometric analysis of publications on *Campylobacter*: (2000-2015). *J Health Popul Nutr*. 2016 Nov 29;35(1):39.

Weis AM, Storey DB, Taff CC, Townsend AK, Huang BC, Kong NT, Clothier KA, Spinner A, Byrne BA, Weimer BC. Genomic Comparison of *Campylobacter* spp. and Their Potential for Zoonotic Transmission between Birds, Primates, and Livestock. *Appl Environ Microbiol*. 2016 Nov 21;82(24):7165-7175.

Yahara K, Méric G, Taylor AJ, de Vries SP, Murray S, Pascoe B, Mageiros L, Torralbo A, Vidal A, Ridley A, Komukai S, Wimalaratna H, Cody AJ, Colles FM, McCarthy N, Harris D, Bray JE, Jolley KA, Maiden MC, Bentley SD, Parkhill J, Bayliss CD, Grant A, Maskell D, Didelot X, Kelly DJ, Sheppard SK. Genome-wide association of functional traits linked with *Campylobacter jejuni* survival from farm to fork. *Environ Microbiol*. 2016 Nov 24. doi: 10.1111/1462-2920.13628. [Epub ahead of print]

Zhang T, Luo Q, Chen Y, Li T, Wen G, Zhang R, Luo L, Lu Q, Ai D, Wang H, Shao H. Molecular epidemiology, virulence determinants and antimicrobial resistance of *Campylobacter* spreading in retail chicken meat in Central China. *Gut Pathog*. 2016 Oct 26;8:48.

## ***Clostridium***

Broecker F, Russo G, Klumpp J, Moelling K. Stable core virome despite variable microbiome after fecal transfer. *Gut Microbes*. 2016 Dec 9:1-7. doi: 10.1080/19490976.2016.1265196. [Epub ahead of print]

Janezic S, Potocnik M, Zidaric V, Rupnik M. Highly Divergent *Clostridium difficile* Strains Isolated from the Environment. PLoS One. 2016 Nov 23;11(11):e0167101.

Moono P, Foster NF, Hampson DJ, Knight DR, Bloomfield LE, Riley TV. *Clostridium difficile* Infection in Production Animals and Avian Species: A Review. Foodborne Pathog Dis. 2016 Dec;13(12):647-655.

Roughead EE, Chan EW, Choi NK, Griffiths J, Jin XM, Lee J, Kimura M, Kimura T, Kubota K, Lai EC, Man KK, Nguyen TA, Ooba N, Park BJ, Sato T, Shin JY, Wang T, Wong IC, Yang YK, Pratt NL. Proton pump inhibitors and risk of *Clostridium difficile* infection: a multi-country study using sequence symmetry analysis. Expert Opin Drug Saf. 2016 Dec;15(12):1589-1595.

Usui M, Kawakura M, Yoshizawa N, San LL, Nakajima C, Suzuki Y, Tamura Y. Survival and prevalence of *Clostridium difficile* in manure compost derived from pigs. Anaerobe. 2016 Nov 18;43:15-20.

Warriner K, Xu C, Habash M, Sultan S, Weese SJ. Dissemination of *Clostridium difficile* in food and the environment: Significant sources of *C. difficile* community-acquired infection? J Appl Microbiol. 2016 Nov 4. doi: 10.1111/jam.13338. [Epub ahead of print] Review.

Wormald JC, Dindyal S, Mellor F, Behar N. Adult necrotising enterocolitis-pig-bel disease: a Pacific disease in London. BMJ Case Rep. 2016 Oct 28;2016. pii: bcr2016217903.

Wu YC, Chen CM, Kuo CJ, Lee JJ, Chen PC, Chang YC, Chen TH. Prevalence and molecular characterization of *Clostridium difficile* isolates from a pig slaughterhouse, pork, and humans in Taiwan. Int J Food Microbiol. 2016 Nov 12;242:37-44.

### ***E. coli***

Al-Tawfiq JA, Laxminarayan R, Mendelson M. How should we respond to the emergence of plasmid-mediated colistin resistance in humans and animals? Int J Infect Dis. 2017 Jan;54:77-84. Review.

Czekalski N, Imminger S, Salhi E, Veljkovic M, Kleffel K, Drissner D, Hammes F, Bürgmann H, von Gunten U. Inactivation of Antibiotic Resistant Bacteria and Resistance Genes by Ozone: From Laboratory Experiments to Full-Scale Wastewater Treatment. Environ Sci Technol. 2016 Nov 1;50(21):11862-11871.

Day M, Doumith M, Jenkins C, Dallman TJ, Hopkins KL, Elson R, Godbole G, Woodford N. Antimicrobial resistance in Shiga toxin-producing *Escherichia coli*

serogroups O157 and O26 isolated from human cases of diarrhoeal disease in England, 2015. *J Antimicrob Chemother.* 2017 Jan;72(1):145-152.

Evers EG, Pielaat A, Smid JH, van Duijkeren E, Vennemann FB, Wijnands LM, Chardon JE. Comparative Exposure Assessment of ESBL-Producing *Escherichia coli* through Meat Consumption. *PLoS One.* 2017 Jan 5;12(1):e0169589.

Hoang TA, Nguyen TN, Ueda S, Le QP, Tran TT, Nguyen TN, Dao TV, Tran MT, Le TT, Le TL, Nakayama T, Hirai I, Do TH, Vien QM, Yamamoto Y. Common findings of bla (CTX-M-55)-encoding 104-139 kbp plasmids harbored by extended-spectrum  $\beta$ -lactamase-producing *Escherichia coli* in pork meat, wholesale market workers, and patients with urinary tract infection in Vietnam. *Curr Microbiol.* 2016 Dec 9. [Epub ahead of print] PubMed PMID: 27942843.

Honish L, Punja N, Nunn S, Nelson D, Hislop N, Gosselin G, Stashko N, Dittrich D. *Escherichia coli* O157:H7 Infections Associated with Contaminated Pork Products- Alberta, Canada, July-October 2014. *MMWR Morb Mortal Wkly Rep.* 2017 Jan 6;65(52):1477-1481.

Hwang D, Kim SM, Kim HJ. Modelling of tetracycline resistance gene transfer by commensal *Escherichia coli* food isolates that survived in gastric fluid conditions. *Int J Antimicrob Agents.* 2017 Jan;49(1):81-87.

Jaakkonen A, Salmenlinna S, Rimhanen-Finne R, Lundström H, Heinikainen S, Hakkinen M, Hallanvuo S. Severe Outbreak of Sorbitol-Fermenting *Escherichia coli* O157 via Unpasteurized Milk and Farm Visits, Finland 2012. *Zoonoses Public Health.* 2017 Jan 3. doi: 10.1111/zph.12327. [Epub ahead of print]

Kawanishi M, Abo H, Ozawa M, Uchiyama M, Shirakawa T, Suzuki S, Shima A, Yamashita A, Sekizuka T, Kato K, Kuroda M, Koike R, Kijima M. Prevalence of Colistin Resistance Gene mcr-1 and Absence of mcr-2 in *Escherichia coli* Isolated from Healthy Food-Producing Animals in Japan. *Antimicrob Agents Chemother.* 2016 Dec 27;61(1). pii: e02057-16.

Kempf I, Jouy E, Chauvin C. Colistin use and colistin resistance in bacteria from animals. *Int J Antimicrob Agents.* 2016 Dec;48(6):598-606.

King T, Kocharunchitt C, Gobius K, Bowman JP, Ross T. Physiological Response of *Escherichia coli* O157:H7 Sakai to Dynamic Changes in Temperature and Water Activity as Experienced during Carcass Chilling. *Mol Cell Proteomics.* 2016 Nov;15(11):3331-3347.

Kinsinger NM, Mayton HM, Luth MR, Walker SL. Efficacy of post-harvest rinsing and bleach disinfection of *E. coli* O157:H7 on spinach leaf surfaces. *Food Microbiol.* 2017 Apr;62:212-220.

Lalak A, Wasyl D, Zając M, Skarżyńska M, Hoszowski A, Samcik I, Woźniakowski G, Szulowski K. Mechanisms of cephalosporin resistance in indicator *Escherichia coli* isolated from food animals. *Vet Microbiol.* 2016 Oct 15;194:69-73.

Li L, Ye L, Kromann S, Meng H. Occurrence of Extended-Spectrum  $\beta$ -Lactamases, Plasmid-Mediated Quinolone Resistance, and Disinfectant Resistance Genes in *Escherichia coli* Isolated from Ready-To-Eat Meat Products. *Foodborne Pathog Dis.* 2016 Nov 21. [Epub ahead of print]

Meinersmann RJ, Ladely SR, Plumblee JR, Cook KL, Thacker E. Prevalence of *mcr-1* in US Food-Animal Cecal Contents. *Antimicrob Agents Chemother.* 2016 Nov 14. pii: AAC.02244-16. [Epub ahead of print]

Murphy BP, McCabe E, Murphy M, Buckley JF, Crowley D, Fanning S, Duffy G. Longitudinal Study of Two Irish Dairy Herds: Low Numbers of Shiga Toxin-Producing *Escherichia coli* O157 and O26 Super-Shedders Identified. *Front Microbiol.* 2016 Nov 18;7:1850.

Ntuli V, Njage PM, Buys EM. Characterization of *Escherichia coli* and other Enterobacteriaceae in producer-distributor bulk milk. *J Dairy Sci.* 2016 Dec;99(12):9534-9549.

Odenthal S, Akineden Ö, Usleber E. Extended-spectrum  $\beta$ -lactamase producing Enterobacteriaceae in bulk tank milk from German dairy farms. *Int J Food Microbiol.* 2016 Dec 5;238:72-78.

Picozzi C, Antoniani D, Vigentini I, Foschino R. Genotypic Characterization and Biofilm Formation of Shiga-toxin producing *Escherichia coli*. *FEMS Microbiol Lett.* 2016 Dec 22. pii: fnw291.

Päivärinta M, Pohjola L, Fredriksson-Ahomaa M, Heikinheimo A. Low Occurrence of Extended-Spectrum  $\beta$ -lactamase-Producing *Escherichia coli* in Finnish Food-Producing Animals. *Zoonoses Public Health.* 2016 Dec;63(8):624-631.

Randall LP, Lodge MP, Elviss NC, Lemma FL, Hopkins KL, Teale CJ, Woodford N. Evaluation of meat, fruit and vegetables from retail stores in five United Kingdom regions as sources of extended-spectrum beta-lactamase (ESBL)-producing and carbapenem-resistant *Escherichia coli*. *Int J Food Microbiol.* 2017 Jan 16;241:283-290.

Rhouma M, Beaudry F, Thériault W, Letellier A. Colistin in Pig Production: Chemistry, Mechanism of Antibacterial Action, Microbial Resistance Emergence, and One Health Perspectives. *Front Microbiol.* 2016 Nov 11;7:1789. Review.

Ruengsomwong S, La-Ongkham O, Jiang J, Wannissorn B, Nakayama J, Nitisinprasert S. Microbial Community of Healthy Thai Vegetarians and Non-Vegetarians, Their Core Gut Microbiota, and Pathogen Risk. *J Microbiol Biotechnol.* 2016 Oct 28;26(10):1723-1735.

Shea S, Kubota KA, Maguire H, Gladbach S, Woron A, Atkinson-Dunn R, Couturier MR, Miller MB. Clinical Microbiology Laboratories' Adoption of Culture-Independent Diagnostic Tests Is a Threat to Foodborne-Disease Surveillance in the United States. *J Clin Microbiol.* 2016 Dec 28;55(1):10-19.

Sinclair C, Jenkins C, Warburton F, Adak GK, Harris JP. Investigation of a national outbreak of STEC *Escherichia coli* O157 using online consumer panel control methods: Great Britain, October 2014. *Epidemiol Infect.* 2016 Dec 14:1-8. [Epub ahead of print]

Soumet C, Méheust D, Pissavin C, Le Grandois P, Frémaux B, Feurer C, Le Roux A, Denis M, Maris P. Reduced susceptibilities to biocides and resistance to antibiotics in food-associated bacteria following exposure to quaternary ammonium compounds. *J Appl Microbiol.* 2016 Nov;121(5):1275-1281.

Toombs-Ruane LJ, Benschop J, Burgess S, Priest P, Murdoch DR, French NP. Multidrug resistant Enterobacteriaceae in New Zealand: a current perspective. *N Z Vet J.* 2016 Dec 7:1-25. [Epub ahead of print]

Wadamori Y, Gooneratne R, Hussain MA. Outbreaks and factors influencing microbiological contamination of fresh produce. *J Sci Food Agric.* 2016 Nov 3. doi: 10.1002/jsfa.8125. [Epub ahead of print] Review.

Wang J, Gibbons JF, McGrath K, Bai L, Li F, Leonard FC, Stephan R, Fanning S. Molecular characterization of blaESBL-producing *Escherichia coli* cultured from pig farms in Ireland. *J Antimicrob Chemother.* 2016 Nov;71(11):3062-3065.

## **Hepatitis**

De Sabato L, Di Bartolo I, Montomoli E, Trombetta C, Ruggeri FM, Ostanello F. Retrospective Study Evaluating Seroprevalence of Hepatitis E Virus in Blood Donors and in Swine Veterinarians in Italy (2004). *Zoonoses Public Health.* 2016 Dec 2. doi: 10.1111/zph.12332. [Epub ahead of print].

Emmoth E, Rovira J, Rajkovic A, Corcuera E, Wilches Pérez D, Dergel I, Ottoson JR, Widén F. Inactivation of Viruses and Bacteriophages as Models for Swine Hepatitis E Virus in Food Matrices. *Food Environ Virol.* 2016 Oct 25. [Epub ahead of print]

Halfpenny NJ, Quigley JM, Thompson JC, Scott DA. Value and usability of unpublished data sources for systematic reviews and network meta-analyses. *Evid Based Med.* 2016 Dec;21(6):208-213.

Müller A, Collineau L, Stephan R, Müller A, Stärk KD. Assessment of the risk of foodborne transmission and burden of hepatitis E in Switzerland. *Int J Food Microbiol.* 2016 Nov 22;242:107-115.

Nantel-Fortier N, Letellier A, Lachapelle V, Fravallo P, L'Homme Y, Brassard J. Detection and Phylogenetic Analysis of the Hepatitis E Virus in a Canadian Swine Production Network. *Food Environ Virol.* 2016 Dec;8(4):296-304.

Tarantino G, Bagnarelli P, Marzioni M, Marinelli K, Surace G, Traini S, Baroni GS, Menzo S, Benedetti A. Hepatitis E in a region of Italy: An emerging autochthonous infection? *Dig Liver Dis.* 2016 Nov;48(11):1340-1345.

### ***Listeria monocytogenes***

Baka M, Noriega E, Van Langendonck K, Van Impe JF. Influence of food intrinsic complexity on *Listeria monocytogenes* growth in/on vacuum-packed model systems at suboptimal temperatures. *Int J Food Microbiol.* 2016 Oct 17;235:17-27.

Bertrand S, Ceysens PJ, Yde M, Dierick K, Boyen F, Vanderpas J, Vanhoof R, Mattheus W. Diversity of *Listeria monocytogenes* Strains of Clinical and Food Chain Origins in Belgium between 1985 and 2014. *PLoS One.* 2016 Oct 10;11(10):e0164283.

Chen Y, Luo Y, Pettengill J, Timme R, Melka D, Doyle M, Jackson A, Parish M, Hammack TS, Allard M, Brown EW, Strain EA. Singleton ST382, an emerging clonal group of *Listeria monocytogenes* associated with three multistate outbreaks linked to contaminated stone fruit, caramel apples and leafy green salad. *J Clin Microbiol.* 2017 Jan 4. pii: JCM.02140-16. doi: 10.1128/JCM.02140-16. [Epub ahead of print]

Chen Y, Burall LS, Luo Y, Timme R, Melka D, Muruvanda T, Payne J, Wang C, Kastanis G, Maounounen-Laasri A, De Jesus AJ, Curry PE, Stones R, K'Aluoch O, Liu E, Salter M, Hammack TS, Evans PS, Parish M, Allard MW, Datta A, Strain EA, Brown EW. *Listeria monocytogenes* in Stone Fruits Linked to a Multistate Outbreak:

Enumeration of Cells and Whole-Genome Sequencing. *Appl Environ Microbiol*. 2016 Nov 21;82(24):7030-7040.

Conficoni D, Losasso C, Cortini E, Di Cesare A, Cibin V, Giaccone V, Corno G, Ricci A. Resistance to Biocides in *Listeria monocytogenes* Collected in Meat-Processing Environments. *Front Microbiol*. 2016 Oct 19;7:1627.

Dutta V, Lee S, Ward TJ, Orwig N, Altermann E, Jima D, Parsons C, Kathariou S. Draft Genome Sequences of Two Historical *Listeria monocytogenes* Strains from Human Listeriosis Cases in 1933. *Genome Announc*. 2016 Dec 8;4(6). pii: e01364-16.

Grabowski NT, Klein G. Microbiology of processed edible insect products - Results of a preliminary survey. *Int J Food Microbiol*. 2016 Nov 9. pii: S0168-1605(16)30593-1. doi: 10.1016/j.ijfoodmicro.2016.11.005. [Epub ahead of print]

Henriques AR, Gama LT, Fraqueza MJ. Tracking *Listeria monocytogenes* contamination and virulence-associated characteristics in the ready-to-eat meat-based food products industry according to the hygiene level. *Int J Food Microbiol*. 2016 Nov 21;242:101-106.

Kremer PH, Lees JA, Koopmans MM, Ferwerda B, Arends AW, Feller MM, Schipper K, Seron MV, van der Ende A, Brouwer MC, van de Beek D, Bentley SD. Benzalkonium tolerance genes and outcome in *Listeria monocytogenes* meningitis. *Clin Microbiol Infect*. 2016 Dec 17. pii: S1198-743X(16)30614-0.

Moura A, Criscuolo A, Pouseele H, Maury MM, Leclercq A, Tarr C, Björkman JT, Dallman T, Reimer A, Enouf V, Larssonneur E, Carleton H, Bracq-Dieye H, Katz LS, Jones L, Touchon M, Tourdjman M, Walker M, Stroika S, Cantinelli T, Chenal-Francisque V, Kucerova Z, Rocha EP, Nadon C, Grant K, Nielsen EM, Pot B, Gerner-Smidt P, Lecuit M, Brisse S. Whole genome-based population biology and epidemiological surveillance of *Listeria monocytogenes*. *Nat Microbiol*. 2016 Oct 10;2:16185. doi: 10.1038/nmicrobiol.2016.185.

Møretrø T, Schirmer BC, Heir E, Fagerlund A, Hjemli P, Langsrud S. Tolerance to quaternary ammonium compound disinfectants may enhance growth of *Listeria monocytogenes* in the food industry. *Int J Food Microbiol*. 2017 Jan 16;241:215-224.

NicAogáin K, O'Byrne CP. The Role of Stress and Stress Adaptations in Determining the Fate of the Bacterial Pathogen *Listeria monocytogenes* in the Food Chain. *Front Microbiol*. 2016 Nov 23;7:1865. Review.

Ottesen A, Ramachandran P, Reed E, White JR, Hasan N, Subramanian P, Ryan G, Jarvis K, Grim C, Daquiqaq N, Hanes D, Allard M, Colwell R, Brown E, Chen Y.



Enrichment dynamics of *Listeria monocytogenes* and the associated microbiome from naturally contaminated ice cream linked to a listeriosis outbreak. BMC Microbiol. 2016 Nov 16;16(1):275.

Poimenidou SV, Chrysadaku M, Tzakoniati A, Bikouli VC, Nychas GJ, Skandamis PN. Variability of *Listeria monocytogenes* strains in biofilm formation on stainless steel and polystyrene materials and resistance to peracetic acid and quaternary ammonium compounds. Int J Food Microbiol. 2016 Nov 21;237:164-171.

Pouillot R, Klontz KC, Chen Y, Burall LS, Macarasin D, Doyle M, Bally KM, Strain E, Datta AR, Hammack TS, Van Doren JM. Infectious Dose of *Listeria monocytogenes* in Outbreak Linked to Ice Cream, United States, 2015. Emerg Infect Dis. 2016 Dec;22(12):2113-2119.

Schjørring S, Niskanen T, Torpdahl M, Björkman JT, Nielsen EM. Evaluation of molecular typing of foodborne pathogens in European reference laboratories from 2012 to 2013. Euro Surveill. 2016 Dec 15;21(50). pii: 30429.

Wadamori Y, Gooneratne R, Hussain MA. Outbreaks and factors influencing microbiological contamination of fresh produce. J Sci Food Agric. 2016 Nov 3. doi: 10.1002/jsfa.8125. [Epub ahead of print] Review.

Wang X, Devlieghere F, Geeraerd A, Uyttendaele M. Thermal inactivation and sublethal injury kinetics of *Salmonella enterica* and *Listeria monocytogenes* in broth versus agar surface. Int J Food Microbiol. 2016 Dec 14;243:70-77.

Witkowska E, Korsak D, Kowalska A, Książopolska-Gocalska M, Niedziółka-Jönsson J, Roźniecka E, Michałowicz W, Albrycht P, Podrażka M, Hołyst R, Waluk J, Kamińska A. Surface-enhanced Raman spectroscopy introduced into the International Standard Organization (ISO) regulations as an alternative method for detection and identification of pathogens in the food industry. Anal Bioanal Chem. 2016 Dec 21. doi: 10.1007/s00216-016-0090-z. [Epub ahead of print] PubMed

## **Norovirus**

Angelo KM, Nisler AL, Hall AJ, Brown LG, Gould LH. Epidemiology of restaurant-associated foodborne disease outbreaks, United States, 1998-2013. Epidemiol Infect. 2016 Oct 18:1-12. [Epub ahead of print].

Campos CJ, Kershaw S, Morgan OC, Lees DN. Risk factors for norovirus contamination of shellfish water catchments in England and Wales. Int J Food Microbiol. 2017 Jan 16;241:318-324.

Fraisse A, Coudray-Meunier C, Martin-Latil S, Hennechart-Collette C, Delannoy S, Fach P, Perelle S. Digital RT-PCR method for hepatitis A virus and norovirus quantification in soft berries. *Int J Food Microbiol.* 2016 Nov 23;243:36-45.

Fusco G, Di Bartolo I, Cioffi B, Ianiro G, Palermo P, Monini M, Amoroso MG. Prevalence of Foodborne Viruses in Mussels in Southern Italy. *Food Environ Virol.* 2017 Jan 4. doi: 10.1007/s12560-016-9277-x. [Epub ahead of print]

Jacxsens L, Stals A, De Keuckelaere A, Deliens B, Rajkovic A, Uyttendaele M. Quantitative farm-to-fork human norovirus exposure assessment of individually quick frozen raspberries and raspberry puree. *Int J Food Microbiol.* 2016 Nov 21;242:87-97.

Lacombe A, Niemira BA, Gurtler JB, Sites J, Boyd G, Kingsley DH, Li X, Chen H. Nonthermal inactivation of norovirus surrogates on blueberries using atmospheric cold plasma. *Food Microbiol.* 2017 May;63:1-5.

Lunestad BT, Maage A, Roiha IS, Myrmel M, Svanevik CS, Duinker A. An Outbreak of Norovirus Infection from Shellfish Soup Due to Unforeseen Insufficient Heating During Preparation. *Food Environ Virol.* 2016 Dec;8(4):231-234.

Miura F, Watanabe T, Watanabe K, Takemoto K, Fukushi K. Comparative assessment of primary and secondary infection risks in a norovirus outbreak using a household model simulation. *J Environ Sci (China).* 2016 Dec;50:13-20.

Tomb RM, Maclean M, Coia JE, Graham E, McDonald M, Atreya CD, MacGregor SJ, Anderson JG. New Proof-of-Concept in Viral Inactivation: Virucidal Efficacy of 405 nm Light Against Feline Calicivirus as a Model for Norovirus Decontamination. *Food Environ Virol.* 2016 Dec 31. doi: 10.1007/s12560-016-9275-z. [Epub ahead of print]

### ***Salmonella***

Ballesté-Delpierre C, Vila Estapé J. Why are we still detecting food-related *Salmonella* outbreaks in Spain? *Enferm Infecc Microbiol Clin.* 2016 Nov;34(9):541-543.

Brown AC, Grass JE, Richardson LC, Nisler AL, Bicknese AS, Gould LH. Antimicrobial resistance in *Salmonella* that caused foodborne disease outbreaks: United States, 2003-2012. *Epidemiol Infect.* 2016 Dec 6:1-9. [Epub ahead of print]

Chai SJ, Cole D, Nisler A, Mahon BE. Poultry: the most common food in outbreaks with known pathogens, United States, 1998-2012. *Epidemiol Infect.* 2017 Jan;145(2):316-325.

Chen Y, Glass K, Liu B, Hope K, Kirk M. *Salmonella* Infection in Middle-Aged and Older Adults: Incidence and Risk Factors from the 45 and Up Study. *Foodborne Pathog Dis.* 2016 Dec;13(12):689-694.

de Freitas Costa E, Corbellini LG, da Silva AP, Nauta M. A Stochastic Model to Assess the Effect of Meat Inspection Practices on the Contamination of the Pig Carcasses. *Risk Anal.* 2016 Dec 20. doi: 10.1111/risa.12753. [Epub ahead of print]

Fachmann MS, Löfström C, Hoorfar J, Hansen F, Christensen J, Mansdal S, Josefsen MH. Detection of *Salmonella* in meat in less than 5 hours by a low-cost and non-complex sample preparation method. *Appl Environ Microbiol.* 2016 Dec 16.pii: AEM.03151-16. [Epub ahead of print]

Gole VC, Woodhouse R, Caraguel C, Moyle T, Rault JL, Sexton M, Chousalkar K. Dynamics of *Salmonella* shedding and welfare of hens in free range egg production systems. *Appl Environ Microbiol.* 2016 Dec 30. pii: AEM.03313-16. doi: 10.1128/AEM.03313-16. [Epub ahead of print]

Gunn L, Finn S, Hurley D, Bai L, Wall E, Iversen C, Threlfall JE, Fanning S. Molecular Characterization of *Salmonella* Serovars Anatum and Ealing Associated with Two Historical Outbreaks, Linked to Contaminated Powdered Infant Formula. *Front Microbiol.* 2016 Oct 21;7:1664.

Iwamoto M, Reynolds J, Karp BE, Tate H, Fedorka-Cray PJ, Plumblee JR, Hoekstra RM, Whichard JM, Mahon BE. Ceftriaxone-Resistant Nontyphoidal *Salmonella* from Humans, Retail Meats, and Food Animals in the United States, 1996-2013. *Foodborne Pathog Dis.* 2016 Nov 18. [Epub ahead of print]

Jacobson AP, Wang H, Gill VS, Duvall R, Arce G, Chirtel S, Hammack TS. Relative effectiveness of selected preenrichment media for the detection of *Salmonella* from leafy green produce and herbs. *Food Microbiol.* 2017 May;63:123-128.

Keerthirathne TP, Ross K, Fallowfield H, Whiley H. A Review of Temperature, pH, and Other Factors that Influence the Survival of *Salmonella* in Mayonnaise and Other Raw Egg Products. *Pathogens.* 2016 Nov 18;5(4). pii: E63. Review.

Kempf I, Jouy E, Chauvin C. Colistin use and colistin resistance in bacteria from animals. *Int J Antimicrob Agents.* 2016 Dec;48(6):598-606.

Michael GB, Schwarz S. Antimicrobial resistance in zoonotic nontyphoidal *Salmonella*: an alarming trend? *Clin Microbiol Infect.* 2016 Dec;22(12):968-974.

Milazzo A, Giles LC, Zhang Y, Koehler AP, Hiller JE, Bi P. Factors Influencing Knowledge, Food Safety Practices and Food Preferences During Warm Weather of

*Salmonella* and *Campylobacter* Cases in South Australia. Foodborne Pathog Dis. 2017 Jan 3. doi: 10.1089/fpd.2016.2201. [Epub ahead of print]

Owen M, Jorgensen F, Willis C, McLauchlin J, Elviss N, Aird H, Fox A, Kaye M, Lane C, de Pinna E. The occurrence of *Salmonella* spp. in duck eggs on sale at retail or from catering in England. Lett Appl Microbiol. 2016 Nov;63(5):335-339.

Pesciaroli M, Cucco L, De Luca S, Massacci FR, Maresca C, Medici L, Paniccià M, Scoccia E, Staffolani M, Pezzotti G, Magistrali CF. Association between pigs with high caecal *Salmonella* loads and carcass contamination. Int J Food Microbiol. 2016 Nov 23;242:82-86.

Reid R, Fanning S, Whyte P, Kerry J, Bolton D. The fate of *Salmonella* Typhimurium and *Escherichia coli* O157 on hot boned versus conventionally chilled beef. Meat Sci. 2016 Dec 21;126:50-54.

Schjørring S, Niskanen T, Torpdahl M, Björkman JT, Nielsen EM. Evaluation of molecular typing of foodborne pathogens in European reference laboratories from 2012 to 2013. Euro Surveill. 2016 Dec 15;21(50). pii: 30429.

Shengzhi Y, Guoyan W, Mei L, Wenwen D, Hongning W, Likou Z. Antibiotic and disinfectant resistance of *Salmonella* isolated from egg production chains. Yi Chuan. 2016 Oct 20;38(10):948-956.

Soumet C, Méheust D, Pissavin C, Le Grandois P, Frémaux B, Feurer C, Le Roux A, Denis M, Maris P. Reduced susceptibilities to biocides and resistance to antibiotics in food-associated bacteria following exposure to quaternary ammonium compounds. J Appl Microbiol. 2016 Nov;121(5):1275-1281.

Suijkerbuijk AW, Bouwknegt M, Mangen MJ, de Wit GA, van Pelt W, Bijkerk P, Friesema IH. The economic burden of a *Salmonella* Thompson outbreak caused by smoked salmon in the Netherlands, 2012-2013. Eur J Public Health. 2016 Nov 11.pii: ckw205. [Epub ahead of print]

Tyson GH, Zhao S, Li C, Ayers S, Sabo JL, Lam C, Miller RA, McDermott PF. Establishing Genotypic Cutoff Values to Measure Antimicrobial Resistance in *Salmonella*. Antimicrob Agents Chemother. 2016 Dec 19. pii: AAC.02140-16. [Epub ahead of print]

Wadamori Y, Gooneratne R, Hussain MA. Outbreaks and factors influencing microbiological contamination of fresh produce. J Sci Food Agric. 2016 Nov 3. doi: 10.1002/jsfa.8125. [Epub ahead of print] Review.

Weaver T, Valcanis M, Mercoulia K, Sait M, Tuke J, Kiermeier A, Hogg G, Pointon A, Hamilton D, Billman-Jacobe H. Longitudinal study of *Salmonella* 1,4,[5],12:i:- shedding in five Australian pig herds. *Prev Vet Med*. 2017 Jan 1;136:19-28.

Wilhelm BJ, Young I, Cahill S, Nakagawa R, Desmarchelier P, Rajić A. Rapid systematic review and meta-analysis of the evidence for effectiveness of primary production interventions to control *Salmonella* in beef and pork. *Prev Vet Med*. 2016 Dec 6. pii: S0167-5877(16)30644-4. doi: 10.1016/j.prevetmed.2016.12.004. [Epub ahead of print] Review.

Zhang HN, Hou PB, Chen YZ, Ma Y, Li XP, Lv H, Wang M, Tan HL, Bi ZW. Prevalence of Foodborne Pathogens in Cooked Meat and Seafood from 2010 to 2013 in Shandong Province, China. *Iran J Public Health*. 2016 Dec;45(12):1577-1585.

### ***Toxoplasma***

Bik HM, Maritz JM, Luong A, Shin H, Dominguez-Bello MG, Carlton JM. Microbial Community Patterns Associated with Automated Teller Machine Keypads in New York City. *mSphere*. 2016 Nov 16;1(6). pii: e00226-16.

Cinar HN, Qvarnstrom Y, Wei-Pridgeon Y, Li W, Nascimento FS, Arrowood MJ, Murphy HR, Jang A, Kim E, Kim R, da Silva A, Gopinath GR. Comparative sequence analysis of *Cyclospora cayetanensis* apicoplast genomes originating from diverse geographical regions. *Parasit Vectors*. 2016 Nov 29;9(1):611.

Koethe M, Schade C, Fehlhaber K, Ludewig M. Survival of *Toxoplasma gondii* tachyzoites in simulated gastric fluid and cow's milk. *Vet Parasitol*. 2017 Jan15;233:111-114.

Said B, Halsby KD, O'Connor CM, Francis J, Hewitt K, Verlander NQ, Guy E, Morgan D. Risk factors for acute toxoplasmosis in England and Wales. *Epidemiol Infect*. 2017 Jan;145(1):23-29.

Slany M, Reslova N, Babak V, Lorencova A. Molecular characterization of *Toxoplasma gondii* in pork meat from different production systems in the Czech Republic. *Int J Food Microbiol*. 2016 Dec 5;238:252-255.