

**ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD****Items of interest from the literature*****Bacillus***

Deeth H. Optimum Thermal Processing for Extended Shelf-Life (ESL) Milk. *Foods*. 2017 Nov 20;6(11). pii: E102. doi: 10.3390/foods6110102. Review.

Granum PE. Spotlight on *Bacillus cereus* and its food poisoning toxins. *FEMS Microbiol Lett*. 2017 May 1;364(10).

Guérin A, Rønning HT, Dargaignaratz C, Clavel T, Broussolle V, Mahillon J, Granum PE, Nguyen-The C. Cereulide production by *Bacillus weihenstephanensis* strains during growth at different pH values and temperatures. *Food Microbiol*. 2017 Aug;65:130-135.

Kadri HE, Devanthi PVP, Overton TW, Gkatzionis K. Do oil-in-water (O/W) nano-emulsions have an effect on survival and growth of bacteria? *Food Res Int*. 2017 Nov;101:114-128.

McLauchlin J, Jørgensen F, Aird H, Charlett A, Elviss N, Fenelon D, Fox A, Willis C, Amar CFL. An assessment of the microbiological quality of liver-based pâté in England 2012-13: comparison of samples collected at retail and from catering businesses. *Epidemiol Infect*. 2017 Jun;145(8):1545-1556.

Porcellato D, Aspholm M, Skeie SB, Monshaugen M, Brendehaug J, Mellegård H. Microbial diversity of consumption milk during processing and storage. *Int J Food Microbiol*. 2017 Nov 8;266:21-30.

Tirloni E, Ghelardi E, Celandroni F, Bernardi C, Stella S. Effect of dairy product environment on the growth of *Bacillus cereus*. *J Dairy Sci*. 2017 Sep;100(9):7026-7034.

Vithanage NR, Dissanayake M, Bolge G, Palombo EA, Yeager TR, Datta N. Microbiological quality of raw milk attributable to prolonged refrigeration conditions. *J Dairy Res*. 2017 Feb;84(1):92-101

***Campylobacter***

Ae Kim S, Hong Park S, In Lee S, Owens CM, Ricke SC. Assessment of Chicken Carcass Microbiome Responses During Processing in the Presence of Commercial Antimicrobials Using a Next Generation Sequencing Approach. *Sci Rep*. 2017 Feb 23;7:43354.

Andersen SC, Kiil K, Harder CB, Josefsen MH, Persson S, Nielsen EM, Hoorfar J.

Towards diagnostic metagenomics of *Campylobacter* in fecal samples. BMC Microbiol. 2017 Jun 8;17(1):133.

Awofisayo-Okuyelu A, Hall I, Adak G, Hawker JI, Abbott S, McCARTHY N. A systematic review and meta-analysis on the incubation period of *Campylobacteriosis*. Epidemiol Infect. 2017 Aug;145(11):2241-2253.

Babo Martins S, Rushton J, Stärk KD. Economics of zoonoses surveillance in a 'One Health' context: an assessment of *Campylobacter* surveillance in Switzerland. Epidemiol Infect. 2017 Apr;145(6):1148-1158.

Bolinger H, Kathariou S. The Current State of Macrolide Resistance in *Campylobacter* spp.: Trends and Impacts of Resistance Mechanisms. Appl Environ Microbiol. 2017 May 31;83(12). pii: e00416-17.

David JM, Pollari F, Pintar KDM, Nesbitt A, Butler AJ, Ravel A. Do contamination of and exposure to chicken meat and water drive the temporal dynamics of *Campylobacter* cases? Epidemiol Infect. 2017 Nov;145(15):3191-3203.

de Vries SP, Gupta S, Baig A, Wright E, Wedley A, Jensen AN, Lora LL, Humphrey S, Skovgård H, Macleod K, Pont E, Wolanska DP, L'Heureux J, Mobegi FM, Smith DGE, Everest P, Zomer A, Williams N, Wigley P, Humphrey T, Maskell DJ, Grant AJ. Genome-wide fitness analyses of the foodborne pathogen *Campylobacter jejuni* in *in vitro* and *in vivo* models. Sci Rep. 2017 Apr 28;7(1):1251

Del Collo LP, Karns JS, Biswas D, Lombard JE, Haley BJ, Kristensen RC, Koprak CA, Fossler CP, Van Kessel JAS. Prevalence, antimicrobial resistance, and molecular characterization of *Campylobacter* spp. in bulk tank milk and milk filters from US dairies. J Dairy Sci. 2017 May;100(5):3470-3479.

García-Sánchez L, Melero B, Jaime I, Hänninen ML, Rossi M, Rovira J. *Campylobacter jejuni* survival in a poultry processing plant environment. Food Microbiol. 2017 Aug;65:185-192.

Ge B, Domesle KJ, Yang Q, Young SR, Rice-Trujillo CL, Bodeis Jones SM, Gaines SA, Keller MW, Li X, Piñeiro SA, Whitney BM, Harbottle HC, Gilbert JM. Effects of low concentrations of erythromycin, penicillin, and virginiamycin on bacterial resistance development *in vitro*. Sci Rep. 2017 Sep 8;7(1):11017.

Jørgensen F, Sadler-Reeves L, Shore J, Aird H, Elviss N, Fox A, Kaye M, Willis C, Amar C, DE Pinna E, McLauchlin J. An assessment of the microbiological quality of lightly cooked food (including sous-vide) at the point of consumption in England. Epidemiol Infect. 2017 May;145(7):1500-1509.

Kim S, Jeong J, Lee H, Lee J, Lee S, Ha J, Choi Y, Yoon Y, Choi KH. Kinetic Behavior of *Campylobacter jejuni* in Beef Tartare at Cold Temperatures and Transcriptomes Related to Its Survival. J Food Prot. 2017 Dec;80(12):2127-2131.

Kovac J, Stessl B, Čadež N, Gruntar I, Cimerman M, Stingl K, Lušicky M, Ocepek M, Wagner M, Smole Možina S. Population structure and attribution of human clinical *Campylobacter jejuni* isolates from central Europe to livestock and environmental sources. *Zoonoses Public Health*. 2017 Jul 28. doi:10.1111/zph.12366. [Epub ahead of print]

Kuhn KG, Nielsen EM, Mølbak K, Ethelberg S. Epidemiology of campylobacteriosis in Denmark 2000-2015. *Zoonoses Public Health*. 2017 Jun 9. doi:10.1111/zph.12367. [Epub ahead of print]

Lackner J, Schlichting D, Müller-Graf C, Greiner M. [Systematic Review of the Burden of *Campylobacter*-associated Disease]. *Gesundheitswesen*. 2017 Dec 7. doi:10.1055/s-0043-121885. [Epub ahead of print] German.

Lahti E, Löfdahl M, Ågren J, Hansson I, Olsson Engvall E. Confirmation of a *Campylobacter* Outbreak Associated with Chicken Liver Pâté Using PFGE and WGS. *Zoonoses Public Health*. 2017 Feb;64(1):14-20.

Landrum MA, Cox NA, Cosby DE, Berrang ME, Russell SM. Treatment with a low pH processing aid to reduce *Campylobacter* counts on broiler parts. *Poult Sci*. 2017 Apr 1;96(4):1028-1031.

Lekshmi M, Ammini P, Kumar S, Varela MF. The Food Production Environment and the Development of Antimicrobial Resistance in Human Pathogens of Animal Origin. *Microorganisms*. 2017 Mar 14;5(1). pii: E11. doi: 10.3390/microorganisms5010011. Review.

Lim SK, Moon DC, Chae MH, Kim HJ, Nam HM, Kim SR, Jang GC, Lee K, Jung SC, Lee HS. Macrolide resistance mechanisms and virulence factors in erythromycin-resistant *Campylobacter* species isolated from chicken and swine feces and carcasses. *J Vet Med Sci*. 2017 Jan 10;78(12):1791-1795.

Maertens de Noordhout C, Devleeschauwer B, Haagsma JA, Havelaar AH, Bertrand S, Vandenberg O, Quoilin S, Brandt PT, Speybroeck N. Burden of salmonellosis, campylobacteriosis and listeriosis: a time series analysis, Belgium, 2012 to 2020. *Euro Surveill*. 2017 Sep 21;22(38).

Milazzo A, Giles LC, Zhang Y, Koehler AP, Hiller JE, Bi P. The effects of ambient temperature and heatwaves on daily *Campylobacter* cases in Adelaide, Australia, 1990-2012. *Epidemiol Infect*. 2017 Sep;145(12):2603-2610.

Narvaez-Bravo C, Taboada EN, Mutschall SK, Aslam M. Epidemiology of antimicrobial resistant *Campylobacter* spp. isolated from retail meats in Canada. *Int J Food Microbiol*. 2017 Jul 17;253: 43-47.

O'Hara GA, Fitchett JRA, Klein JL. *Campylobacter* bacteremia in London: A 44-year single-center study. *Diagn Microbiol Infect Dis*. 2017 Sep;89(1):67-71.

Osimani A, Aquilanti L, Pasquini M, Clementi F. Prevalence and risk factors for thermotolerant species of *Campylobacter* in poultry meat at retail in Europe.

Poult Sci. 2017 Sep 1;96(9):3382-3391.

Patrick ME, Henao OL, Robinson T, Geissler AL, Cronquist A, Hanna S, Hurd S, Medalla F, Pruckler J, Mahon BE. Features of illnesses caused by five species of *Campylobacter*, Foodborne Diseases Active Surveillance Network (FoodNet) - 2010-2015. *Epidemiol Infect.* 2018 Jan;146(1):1-10.

Poulsen MN, Pollak J, Sills DL, Casey JA, Rasmussen SG, Nachman KE, Cosgrove SE, Stewart D, Schwartz BS. Residential proximity to high-density poultry operations associated with campylobacteriosis and infectious diarrhea. *Int J Hyg Environ Health.* 2017 Dec 15. pii: S1438-4639(17)30498-4.

Raeisi M, Khoshbakht R, Ghaemi EA, Bayani M, Hashemi M, Seyedghasemi NS, Shirzad-Aski H. Antimicrobial Resistance and Virulence-Associated Genes of *Campylobacter* spp. Isolated from Raw Milk, Fish, Poultry, and Red Meat. *Microb Drug Resist.* 2017 Oct;23(7):925-933.

Rosner BM, Schielke A, Didelot X, Kops F, Breidenbach J, Willrich N, Götz G, Alter T, Stingl K, Josenhans C, Suerbaum S, Stark K. A combined case-control and molecular source attribution study of human *Campylobacter* infections in Germany, 2011-2014. *Sci Rep.* 2017 Jul 11;7(1):5139.

Sanderson RA, Maas JA, Blain AP, Gorton R, Ward J, O'Brien SJ, Hunter PR, Rushton SP. Spatio-temporal models to determine association between *Campylobacter* cases and environment. *Int J Epidemiol.* 2017 Oct 24. doi: 10.1093/ije/dyx217. [Epub ahead of print]

Schrijver R, Stijntjes M, Rodríguez-Baño J, Tacconelli E, Babu Rajendran N, Voss A. Review of antimicrobial resistance surveillance programmes in livestock and their meat in Europe, with a focus on antimicrobial resistance patterns in humans. *Clin Microbiol Infect.* 2017 Sep 29. pii: S1198-743X(17)30526-8.

Tang Y, Meinersmann RJ, Sahin O, Wu Z, Dai L, Carlson J, Plumblee J, Genzlinger L, LeJeune JT, Zhang Q. Wide but variable distribution of a hypervirulent *Campylobacter jejuni* clone in beef and dairy cattle in the United States. *Appl Environ Microbiol.* 2017 Sep 29. pii: AEM.01425-17.

Tang Y, Fang L, Xu C, Zhang Q. Antibiotic resistance trends and mechanisms in the foodborne pathogen, *Campylobacter*. *Anim Health Res Rev.* 2017 Nov 23:1-12.

Tang Y, Sahin O, Pavlovic N, LeJeune J, Carlson J, Wu Z, Dai L, Zhang Q. Rising fluoroquinolone resistance in *Campylobacter* isolated from feedlot cattle in the United States. *Sci Rep.* 2017 Mar 29;7(1):494.

Tang Y, Dai L, Sahin O, Wu Z, Liu M, Zhang Q. Emergence of a plasmid-borne multidrug resistance gene *cfr(C)* in foodborne pathogen *Campylobacter*. *J Antimicrob Chemother.* 2017 Jun 1;72(6):1581-1588.

Umaraw P, Prajapati A, Verma AK, Pathak V, Singh VP. Control of *campylobacter* in poultry industry from farm to poultry processing unit: A review. Crit Rev Food Sci Nutr. 2017 Mar 4;57(4):659-665. Review.

Yamazaki W, Sabike II, Sekiguchi S. High Prevalence of *Campylobacter* in Broiler Flocks is a Crucial Factor for Frequency of Food Poisoning in Humans. Jpn J Infect Dis. 2017 Nov 22;70(6):691-692.

### ***Clostridium***

Anniballi F, Auricchio B, Fiore A, Lonati D, Locatelli CA, Lista F, Fillo S, Mandarino G, De Medici D. Botulism in Italy, 1986 to 2015. Euro Surveill. 2017 Jun 15;22(24). pii: 30550.

Collins J, Robinson C, Danhof H, Knetsch CW, van Leeuwen HC, Lawley TD, Auchtung JM, Britton RA. Dietary trehalose enhances virulence of epidemic *Clostridium difficile*. Nature. 2018 Jan 3. doi: 10.1038/nature25178. [Epub ahead of print]

Deng K, Talukdar PK, Sarker MR, Paredes-Sabja D, Torres JA. Survival of *Clostridium difficile* spores at low water activity. Food Microbiol. 2017 Aug;65:274-278.

Halpin AL, Khouri JM, Payne JR, Nakao JH, Cronquist A, Kalas N, Mohr M, Osborne M, O'Dell S, Luquez C, Klontz KC, Sobel J, Rao AK. Type F Infant Botulism: Investigation of Recent Clusters and Overview of This Exceedingly Rare Disease. Clin Infect Dis. 2017 Dec 27;66(suppl\_1):S92-S94.

Huang L, Li C, Hwang CA. Growth/no growth boundary of *Clostridium perfringens* from spores in cooked meat: A logistic analysis. Int J Food Microbiol. 2017 Dec 16;266:257-266.

Jung JY, Ahn Y, Khare S, Gokulan K, Piñeiro SA, Cerniglia CE. An in vitro study to assess the impact of tetracycline on the human intestinal microbiome. Anaerobe. 2017 Dec 30;49:85-94.

Knetsch CW, Kumar N, Forster SC, Connor TR, Browne HP, Harmanus C, Sanders IM, Harris SR, Turner L, Morris T, Perry M, Miyajima F, Roberts P, Pirmohamed M, Songer JG, Weese JS, Indra A, Corver J, Rupnik M, Wren BW, Riley TV, Kuijper EJ, Lawley TD. Zoonotic transfer of *Clostridium difficile* harboring antimicrobial resistance between farm animals and humans. J Clin Microbiol. 2017 Dec 13. pii: JCM.01384-17.

Osterbauer KJ, King AM, Seman DL, Milkowski AL, Glass KA, Sindelar JJ. Effects of Nitrite and Erythorbate on *Clostridium perfringens* Growth during Extended Cooling of Cured Ham. J Food Prot. 2017 Oct;80(10):1697-1704.

Reid R, Fanning S, Whyte P, Kerry J, Bolton D. Comparison of hot versus cold boning of beef carcasses on bacterial growth and the risk of blown pack spoilage. Meat Sci. 2017 Mar;125:46-52.

Rodriguez-Palacios A, Ilic S, LeJeune JT. Food Indwelling *Clostridium difficile* in Naturally Contaminated Household Meals: Data for Expanded Risk Mathematical Predictions. *Infect Control Hosp Epidemiol*. 2017 Apr;38(4):509-510.

Usui M, Kawakura M, Yoshizawa N, San LL, Nakajima C, Suzuki Y, Tamura Y. Survival and prevalence of *Clostridium difficile* in manure compost derived from pigs. *Anaerobe*. 2017 Feb;43:15-20.

Warriner K, Xu C, Habash M, Sultan S, Weese SJ. Dissemination of *Clostridium difficile* in food and the environment: Significant sources of *C. difficile* community-acquired infection? *J Appl Microbiol*. 2017 Mar;122(3):542-553.

Wilkins T, Sequoia J. Probiotics for Gastrointestinal Conditions: A Summary of the Evidence. *Am Fam Physician*. 2017 Aug 1;96(3):170-178. Review.

Wu YC, Chen CM, Kuo CJ, Lee JJ, Chen PC, Chang YC, Chen TH. Prevalence and molecular characterization of *Clostridium difficile* isolates from a pig slaughterhouse, pork, and humans in Taiwan. *Int J Food Microbiol*. 2017 Feb 2;242:37-44.

### ***Cryptosporidium***

Boor KJ, Wiedmann M, Murphy S, Alcaine S. A 100-Year Review: Microbiology and safety of milk handling. *J Dairy Sci*. 2017 Dec;100(12):9933-9951.

Conrad CC, Stanford K, Narvaez-Bravo C, Callaway T, McAllister T. Farm Fairs and Petting Zoos: A Review of Animal Contact as a Source of Zoonotic Enteric Disease. *Foodborne Pathog Dis*. 2017 Feb;14(2):59-73.

Domenech E, Amorós I, Moreno Y, Alonso JL. *Cryptosporidium* and *Giardia* safety margin increase in leafy green vegetables irrigated with treated wastewater. *Int J Hyg Environ Health*. 2018 Jan;221(1):112-119.

Helmy YA, Krücken J, Abdelwhab EM, von Samson-Himmelstjerna G, Hafez HM. Molecular diagnosis and characterization of *Cryptosporidium* spp. in turkeys and chickens in Germany reveals evidence for previously undetected parasite species. *PLoS One*. 2017 Jun 2;12(6):e0177150.

Ryan U, Hijawi N, Xiao L. Foodborne cryptosporidiosis. *Int J Parasitol*. 2018 Jan;48(1):1-12.

Utaaker KS, Skjerve E, Robertson LJ. Keeping it cool: Survival of *Giardia* cysts and *Cryptosporidium* oocysts on lettuce leaves. *Int J Food Microbiol*. 2017 Aug 16;255:51-57.

Vanathy K, Parija SC, Mandal J, Hamide A, Krishnamurthy S. Cryptosporidiosis: A mini review. *Trop Parasitol*. 2017 Jul-Dec;7(2):72-80.

### ***Hepatitis viruses***

Ankorn MJ, Tedder RS. Hepatitis E: the current state of play. *Transfus Med*.

2017 Apr;27(2):84-95.

Cook N, D'Agostino M, Johne R. Potential Approaches to Assess the Infectivity of Hepatitis E Virus in Pork Products: A Review. *Food Environ Virol.* 2017 Sep;9(3):243-255.

Di Bartolo I, Ponterio E, Angeloni G, Morandi F, Ostanello F, Nicoloso S, Ruggeri FM. Presence of Hepatitis E Virus in a RED Deer (*Cervus elaphus*) Population in Central Italy. *Transbound Emerg Dis.* 2017 Feb;64(1):137-143.

Donnelly MC, Scobie L, Crossan CL, Dalton H, Hayes PC, Simpson KJ. Review article: hepatitis E-a concise review of virology, epidemiology, clinical presentation and therapy. *Aliment Pharmacol Ther.* 2017 Jul;46(2):126-141.

Fusco G, Di Bartolo I, Cioffi B, Ianiro G, Palermo P, Monini M, Amoroso MG. Prevalence of Foodborne Viruses in Mussels in Southern Italy. *Food Environ Virol.* 2017 Jun;9(2):187-194.

Giannini P, Jermini M, Leggeri L, Nüesch-Inderbinnen M, Stephan R. Detection of Hepatitis E Virus RNA in Raw Cured Sausages and Raw Cured Sausages Containing Pig Liver at Retail Stores in Switzerland. *J Food Prot.* 2018 Jan;81(1):43-45.

Intharasongkroh D, Sa-Nguanmoo P, Tuanthap S, Thongmee T, Duang-In A, Klinfueng S, Chansaenroj J, Vongpunsawad S, Theamboonlers A, Payungporn S, Chirathaworn C, Poovorawan Y. Hepatitis E Virus in Pork and Variety Meats Sold in Fresh Markets. *Food Environ Virol.* 2017 Mar;9(1):45-53.

Izopet J, Lhomme S, Chapuy-Regaud S, Mansuy JM, Kamar N, Abravanel F. HEV and transfusion-recipient risk. *Transfus Clin Biol.* 2017 Sep;24(3):176-181.

Jones TH, Muehlhauser V. Frequency of hepatitis E virus, rotavirus and porcine enteric calicivirus at various stages of pork carcass processing in two pork processing plants. *Int J Food Microbiol.* 2017 Oct 16;259:29-34.

Kubacki J, Fraefel C, Jermini M, Giannini P, Martinetti G, Ripellino P, Bernasconi E, Sidler X, Stephan R, Bachofen C. Complete Genome Sequences of Two Swiss Hepatitis E Virus Isolates from Human Stool and Raw Pork Sausage. *Genome Announc.* 2017 Aug 31;5(35).

La Rosa G, Proroga YTR, De Medici D, Capuano F, Iaconelli M, Della Libera S, Suffredini E. First Detection of Hepatitis E Virus in Shellfish and in Seawater from Production Areas in Southern Italy. *Food Environ Virol.* 2017 Sep 27. doi: 10.1007/s12560-017-9319-z. [Epub ahead of print]

La Rosa G, Della Libera S, Brambilla M, Bisaglia C, Pisani G, Ciccaglione AR, Bruni R, Taffon S, Equestre M, Iaconelli M. Hepatitis E Virus (Genotype 3) in Slurry Samples from Swine Farming Activities in Italy. *Food Environ Virol.* 2017 Jun;9(2):219-229. 27853931.

- Lowther JA, Bosch A, Butot S, Ollivier J, Mäde D, Rutjes SA, Hardouin G, Lombard B, In't Veld P, Leclercq A. Validation of ISO method 15216 part 1 - Quantification of hepatitis A virus and norovirus in food matrices. *Int J Food Microbiol.* 2017 Nov 21. pii: S0168-1605(17)30508-1.
- Mauceri C, Grazia Clemente M, Castiglia P, Antonucci R, Schwarz KB. Hepatitis E in Italy: A silent presence. *J Infect Public Health.* 2018 Jan - Feb;11(1):1-8.
- Morey RJ, Collier MG, Nelson NP. The Financial Burden of Public Health Responses to Hepatitis A Cases Among Food Handlers, 2012-2014. *Public Health Rep.* 2017 Jul/Aug;132(4):443-447.
- Mykytczuk O, Harlow J, Bidawid S, Corneau N, Nasheri N. Prevalence and Molecular Characterization of the Hepatitis E Virus in Retail Pork Products Marketed in Canada. *Food Environ Virol.* 2017 Jun;9(2):208-218.
- Müller A, Collineau L, Stephan R, Müller A, Stärk KDC. Assessment of the risk of foodborne transmission and burden of hepatitis E in Switzerland. *Int J Food Microbiol.* 2017 Feb 2;242:107-115.
- Nieuwenhuijse DF, Koopmans MP. Metagenomic Sequencing for Surveillance of Food- and Waterborne Viral Diseases. *Front Microbiol.* 2017 Feb 15;8:230.
- Oeser C, Said B, Warburton F, Ijaz S, Tedder R, Morgan D. Using data linkage to improve surveillance methods for acute hepatitis E infections in England and Wales 2010-2016. *Epidemiol Infect.* 2017 Oct;145(14):2886-2889.
- Raspor Lainšček P, Toplak I, Kirbiš A. A comprehensive study of hepatitis E virus infection in pigs entering a slaughterhouse in Slovenia. *Vet Microbiol.* 2017 Dec;212:52-58.
- Rossati A, Bargiacchi O, Kroumova V, Nebbiolo C, Tacca MG, Pratillo S, Garavelli PL. Outbreak of severe Hepatitis A in Eastern Piedmont, Italy. *Infez Med.* 2017 Dec 1;25(4):344-346.
- Ruiz-Fons F. A Review of the Current Status of Relevant Zoonotic Pathogens in Wild Swine (*Sus scrofa*) Populations: Changes Modulating the Risk of Transmission to Humans. *Transbound Emerg Dis.* 2017 Feb;64(1):68-88.
- Said B, Usdin M, Warburton F, Ijaz S, Tedder RS, Morgan D. Pork products associated with human infection caused by an emerging phylotype of hepatitis E virus in England and Wales. *Epidemiol Infect.* 2017 Sep;145(12):2417-2423.
- Sasaki Y, Haruna M, Uema M, Noda M, Yamada Y. Prevalence and phylogenetic analysis of hepatitis E virus in pigs in Japan. *Jpn J Infect Dis.* 2017 Dec 26. doi: 10.7883/yoken.JJID.2017.235. [Epub ahead of print]
- Scavia G, Alfonsi V, Taffon S, Escher M, Bruni R, Medici D, Pasquale SD, Guizzardi S, Cappelletti B, Iannazzo S, Losio NM, Pavoni E, Decastelli L, Ciccaglione AR, Equestre M, Tosti ME, Rizzo C, National Italian Task Force On Hepatitis A. A large

prolonged outbreak of hepatitis A associated with consumption of frozen berries, Italy, 2013-14. *J Med Microbiol*. 2017 Mar;66(3):342-349.

Slot E, Zaaier HL, Molier M, Van den Hurk K, Prinsze F, Hogema BM. Meat consumption is a major risk factor for hepatitis E virus infection. *PLoS One*. 2017 Apr 27;12(4):e0176414.

Tedder RS, Ijaz S, Kitchen A, Ushiro-Lumb I, Tettmar KI, Hewitt P, Andrews N. Hepatitis E risks: pigs or blood-that is the question. *Transfusion*. 2017 Feb;57(2):267-272.

Terio V, Bottaro M, Pavoni E, Losio MN, Serraino A, Giacometti F, Martella V, Mottola A, Di Pinto A, Tantillo G. Occurrence of hepatitis A and E and norovirus GI and GII in ready-to-eat vegetables in Italy. *Int J Food Microbiol*. 2017 May 16;249:61-65.

Van der Poel WHM, Dalton HR, Johne R, Pavió N, Bouwknecht M, Wu T, Cook N, Meng XJ. Knowledge gaps and research priorities in the prevention and control of hepatitis E virus infection. *Transbound Emerg Dis*. 2018 Jan 10. doi:10.1111/tbed.12760. [Epub ahead of print]

van Gageldonk-Lafeber AB, van der Hoek W, Borlée F, Heederik DJ, Mooi SH, Maassen CB, Yzermans CJ, Rockx B, Smit LA, Reimerink JH. Hepatitis E virus seroprevalence among the general population in a livestock-dense area in the Netherlands: a cross-sectional population-based serological survey. *BMC Infect Dis*. 2017 Jan 5;17(1):21.

Wilhelm B, Fazil A, Rajić A, Houde A, McEwen SA. Risk Profile of Hepatitis E Virus from Pigs or Pork in Canada. *Transbound Emerg Dis*. 2017 Dec;64(6):1694-1708.

Yamaguchi Y, Takagi H, Suzuki Y, Maruhashi K, Kosone T, Kakizaki S, Sato K, Yamada M, Nagashima S, Takahashi M, Okamoto H. Autochthonous sporadic acute hepatitis E caused by two distinct subgenotype 3b hepatitis E virus strains with only 90% nucleotide identity. *Clin J Gastroenterol*. 2017 Apr;10(2):168-173.

### ***Listeria monocytogenes***

Angelo KM, Conrad AR, Saupe A, Dragoo H, West N, Sorenson A, Barnes A, Doyle M, Beal J, Jackson KA, Stroika S, Tarr C, Kucerova Z, Lance S, Gould LH, Wise M, Jackson BR. Multistate outbreak of *Listeria monocytogenes* infections linked to whole apples used in commercially produced, prepackaged caramel apples: United States, 2014-2015. *Epidemiol Infect*. 2017 Apr;145(5):848-856.

Buyck G, Devriendt V, Van den Abeele AM, Bachmann C. *Listeria monocytogenes* sepsis in the nursing home community: a case report and short review of the literature. *Acta Clin Belg*. 2018 Jan 9:1-5.

Castro H, Ruusunen M, Lindström M. Occurrence and growth of *Listeria monocytogenes* in packaged raw milk. *Int J Food Microbiol*. 2017 Nov 16;261:1-10.

Ceylan E, McMahon W, Garren DM. Thermal Inactivation of *Listeria monocytogenes* and Salmonella during Water and Steam Blanching of Vegetables. J Food Prot. 2017 Sep;80(9):1550-1556.

Chen P, Kong N, Huang B, Thao K, Ng W, Storey DB, Arabyan N, Foutouhi A, Foutouhi S, Weimer BC. 100K Pathogen Genome Project: 306 *Listeria* Draft Genome Sequences for Food Safety and Public Health. Genome Announc. 2017 Feb 9;5(6). pii: e00967-16.

Chen Y, Luo Y, Pettengill J, Timme R, Melka D, Doyle M, Jackson A, Parish M, Hammack TS, Allard MW, Brown EW, Strain EA. Singleton Sequence Type 382, an Emerging Clonal Group of *Listeria monocytogenes* Associated with Three Multistate Outbreaks Linked to Contaminated Stone Fruit, Caramel Apples, and Leafy Green Salad. J Clin Microbiol. 2017 Mar;55(3):931-941.

Dahl V, Sundqvist L, Hedenström I, Löfdahl M, Alm E, Ringberg H, Lindblad M, Wallensten A, Thisted Lambertz S, Jernberg C. A nationwide outbreak of listeriosis associated with cold-cuts, Sweden 2013-2014. Infect Ecol Epidemiol. 2017 Jun 13;7(1):1324232.

Etter AJ, Hammons SR, Roof S, Simmons C, Wu T, Cook PW, Katubig A, Stasiewicz MJ, Wright E, Warchocki S, Hollingworth J, Thesmar HS, Ibrahim SA, Wiedmann M, Oliver HF. Enhanced Sanitation Standard Operating Procedures Have Limited Impact on *Listeria monocytogenes* Prevalence in Retail Delis. J Food Prot. 2017 Oct 20:1903-1912.

Grabowski NT, Klein G. Microbiology of processed edible insect products - Results of a preliminary survey. Int J Food Microbiol. 2017 Feb 21;243:103-107.

Hammons SR, Etter AJ, Wang J, Wu T, Ford T, Howard MT, Oliver HF. Evaluation of Third-Party Deep Cleaning as a *Listeria monocytogenes* Control Strategy in Retail Delis. J Food Prot. 2017 Oct 20:1913-1923.

Henri C, Leekitcharoenphon P, Carleton HA, Radomski N, Kaas RS, Mariet JF, Felten A, Aarestrup FM, Gerner Smidt P, Roussel S, Guillier L, Mistou MY, Hendriksen RS. An Assessment of Different Genomic Approaches for Inferring Phylogeny of *Listeria monocytogenes*. Front Microbiol. 2017 Nov 29;8:2351.

Kleta S, Hammerl JA, Dieckmann R, Malorny B, Borowiak M, Halbedel S, Prager R, Trost E, Fliieger A, Wilking H, Vygen-Bonnet S, Busch U, Messelhäußer U, Horlacher S, Schönberger K, Lohr D, Aichinger E, Lubert P, Hensel A, Al Dahouk S. Molecular Tracing to Find Source of Protracted Invasive Listeriosis Outbreak, Southern Germany, 2012-2016. Emerg Infect Dis. 2017 Oct;23(10):1680-1683.

Leong D, NicAogáin K, Luque-Sastre L, McManamon O, Hunt K, Alvarez-Ordóñez A, Scollard J, Schmalenberger A, Fanning S, O'Byrne C, Jordan K. A 3-year multi-food study of the presence and persistence of *Listeria monocytogenes* in 54 small food businesses in Ireland. Int J Food Microbiol. 2017 May 16;249:18-26.

- Li Z, Pérez-Osorio A, Wang Y, Eckmann K, Glover WA, Allard MW, Brown EW, Chen Y. Whole genome sequencing analyses of *Listeria monocytogenes* that persisted in a milkshake machine for a year and caused illnesses in Washington State. *BMC Microbiol.* 2017 Jun 15;17(1):134.
- Macarisin D, Wooten A, De Jesus A, Hur M, Bae S, Patel J, Evans P, Brown E, Hammack T, Chen Y. Internalization of *Listeria monocytogenes* in cantaloupes during dump tank washing and hydrocooling. *Int J Food Microbiol.* 2017 Sep 18;257:165-175.
- Mazengia E, Kawakami V, Rietberg K, Kay M, Wyman P, Skilton C, Aberra A, Boonyaratanakornkit J, Limaye AP, Pergam SA, Whimbey E, Olsen-Scribner RJ, Duchin JS. Hospital-acquired listeriosis linked to a persistently contaminated milkshake machine. *Epidemiol Infect.* 2017 Apr;145(5):857-863.
- Nastasijevic I, Milanov D, Velebit B, Djordjevic V, Swift C, Painset A, Lakicevic B. Tracking of *Listeria monocytogenes* in meat establishment using Whole Genome Sequencing as a food safety management tool: A proof of concept. *Int J Food Microbiol.* 2017 Sep 18;257:157-164.
- Noll M, Kleta S, Al Dahouk S. Antibiotic susceptibility of 259 *Listeria monocytogenes* strains isolated from food, food-processing plants and human samples in Germany. *J Infect Public Health.* 2017 Dec 26. pii: S1876-0341(17)30295-2.
- Pohl AM, Pouillot R, Van Doren JM. Changing US Population Demographics: What Does This Mean for Listeriosis Incidence and Exposure? *Foodborne Pathog Dis.* 2017 Sep;14(9):524-530.
- Redfern J, Verran J. Effect of humidity and temperature on the survival of *Listeria monocytogenes* on surfaces. *Lett Appl Microbiol.* 2017 Apr;64(4):276-282.
- Rothrock MJ Jr, Davis ML, Locatelli A, Bodie A, McIntosh TG, Donaldson JR, Ricke SC. *Listeria* Occurrence in Poultry Flocks: Detection and Potential Implications. *Front Vet Sci.* 2017 Aug 11;4:125.
- Sheng L, Edwards K, Tsai HC, Hanrahan I, Zhu MJ. Fate of *Listeria monocytogenes* on Fresh Apples under Different Storage Temperatures. *Front Microbiol.* 2017 Jul 24;8:1396.
- Steckler AJ, Cardenas-Alvarez MX, Townsend Ramsett MK, Dyer N, Bergholz TM. Genetic characterization of *Listeria monocytogenes* from ruminant listeriosis from different geographical regions in the U.S. *Vet Microbiol.* 2017 Dec 26. pii: S0378-1135(17)31210-5.
- Ye K, Wang K, Liu M, Liu J, Zhu L, Zhou G. Mathematical modelling of growth of *Listeria monocytogenes* in raw chilled pork. *Lett Appl Microbiol.* 2017 Apr;64(4):309-316.

## **Norovirus**

Almand EA, Moore MD, Jaykus LA. Norovirus Binding to Ligands Beyond Histo-Blood Group Antigens. *Front Microbiol.* 2017 Dec 21;8:2549.

Angelo KM, Nisler AL, Hall AJ, Brown LG, Gould LH. Epidemiology of restaurant-associated foodborne disease outbreaks, United States, 1998-2013. *Epidemiol Infect.* 2017 Feb;145(3):523-534.

Campos CJA, Kershaw S, Morgan OC, Lees DN. Risk factors for norovirus contamination of shellfish water catchments in England and Wales. *Int J Food Microbiol.* 2017 Jan 16;241:318-324.

Deng W, Gibson KE. Interaction of microorganisms within leafy green phyllospheres: Where do human noroviruses fit in? *Int J Food Microbiol.* 2017 Oct 3;258:28-37.

Duret S, Pouillot R, Fanaselle W, Papafragkou E, Liggins G, Williams L, Van Doren JM. Quantitative Risk Assessment of Norovirus Transmission in Food Establishments: Evaluating the Impact of Intervention Strategies and Food Employee Behavior on the Risk Associated with Norovirus in Foods. *Risk Anal.* 2017 Nov;37(11):2080-2106.

Emmoth E, Rovira J, Rajkovic A, Corcuera E, Wilches Pérez D, Dergel I, Ottoson JR, Widén F. Inactivation of Viruses and Bacteriophages as Models for Swine Hepatitis E Virus in Food Matrices. *Food Environ Virol.* 2017 Mar;9(1):20-34.

Jacxsens L, Stals A, De Keuckelaere A, Deliens B, Rajkovic A, Uyttendaele M. Quantitative farm-to-fork human norovirus exposure assessment of individually quick frozen raspberries and raspberry puree. *Int J Food Microbiol.* 2017 Feb 2;242:87-97.

Lowther JA, Bosch A, Butot S, Ollivier J, Mäde D, Rutjes SA, Hardouin G, Lombard B, In't Veld P, Leclercq A. Validation of ISO method 15216 part 1 - Quantification of hepatitis A virus and norovirus in food matrices. *Int J Food Microbiol.* 2017 Nov 21. pii: S0168-1605(17)30508-1.

Messens W, Fernandez-Escamez PS, Lees D, Lindqvist R, O'Mahony M, Suffredini E, Cortiñas Abrahantes J, Chantzis E, Koutsoumanis K. Thermal processing of live bivalve molluscs for controlling viruses: On the need for a risk-based design. *Crit Rev Food Sci Nutr.* 2017 Jul 19:1-12.

Moore MD, Jaykus LA. A plate-based histo-blood group antigen binding assay for evaluation of human norovirus receptor binding ability. *Anal Biochem.* 2017 Sep 15;533:56-59.

Moore MD, Mertens BS, Jaykus LA. Alternative In Vitro Methods for the Determination of Viral Capsid Structural Integrity. *J Vis Exp.* 2017 Nov 16;(129). doi: 10.3791/56444.

Pagani E, Folli F, Tofani S, Ruggeri FM, Ostanello F, Di Bartolo I. Pilot survey of norovirus in Northern Italy: an example of surveillance of norovirus gastroenteritis. *Epidemiol Infect.* 2018 Jan 8;1-6.

Parra GI, Squires RB, Karangwa CK, Johnson JA, Lepore CJ, Sosnovtsev SV, Green KY. Static and Evolving Norovirus Genotypes: Implications for Epidemiology and Immunity. *PLoS Pathog.* 2017 Jan 19;13(1):e1006136.

Rumble C, Addiman S, Balasegaram S, Chima K, Ready D, Heard J, Alexander E. Role of Food Handlers in Norovirus Outbreaks in London and South East England, 2013 to 2015. *J Food Prot.* 2017 Feb;80(2):257-264.

Suffredini E, Iaconelli M, Equestre M, Valdazo-González B, Ciccaglione AR, Marcantonio C, Della Libera S, Bignami F, La Rosa G. Genetic Diversity Among Genogroup II Noroviruses and Progressive Emergence of GII.17 in Wastewaters in Italy (2011-2016) Revealed by Next-Generation and Sanger Sequencing. *Food Environ Virol.* 2017 Nov 28. doi: 10.1007/s12560-017-9328-y. [Epub ahead of print]

Summa M, Maunula L. Rapid Detection of Human Norovirus in Frozen Raspberries. *Food Environ Virol.* 2017 Oct 10. doi: 10.1007/s12560-017-9321-5. [Epub ahead of print]

Takahashi M, Okakura Y, Takahashi H, Imamura M, Takeuchi A, Shidara H, Kuda T, Kimura B. Heat-denatured lysozyme could be a novel disinfectant for reducing hepatitis A virus and murine norovirus on berry fruit. *Int J Food Microbiol.* 2017 Nov 24;266:104-108.

Terio V, Bottaro M, Pavoni E, Losio MN, Serraino A, Giacometti F, Martella V, Mottola A, Di Pinto A, Tantillo G. Occurrence of hepatitis A and E and norovirus GI and GII in ready-to-eat vegetables in Italy. *Int J Food Microbiol.* 2017 May 16;249:61-65.

Tomb RM, Maclean M, Coia JE, Graham E, McDonald M, Atreya CD, MacGregor SJ, Anderson JG. New Proof-of-Concept in Viral Inactivation: Virucidal Efficacy of 405 nm Light Against Feline Calicivirus as a Model for Norovirus Decontamination. *Food Environ Virol.* 2017 Jun;9(2):159-167.

Turnage NL, Gibson KE. Sampling methods for recovery of human enteric viruses from environmental surfaces. *J Virol Methods.* 2017 Oct;248:31-38.

### ***Salmonella***

Disease surveillance in England and Wales, September 2017. *Vet Rec.* 2017 Oct 7;181(14):362-365.

Allard MW, Bell R, Ferreira CM, Gonzalez-Escalona N, Hoffmann M, Muruvanda T, Ottesen A, Ramachandran P, Reed E, Sharma S, Stevens E, Timme R, Zheng J, Brown EW. Genomics of foodborne pathogens for microbial food safety. *Curr Opin Biotechnol.* 2017 Nov 20;49:224-229.

Andersen SC, Fachmann MSR, Kiil K, Møller Nielsen E, Hoorfar J. Gene-Based Pathogen Detection: Can We Use qPCR to Predict the Outcome of Diagnostic Metagenomics? *Genes (Basel)*. 2017 Nov 20;8(11). pii: E332.

Arunima A, Yelamanchi SD, Padhi C, Jaiswal S, Ryan D, Gupta B, Sathe G, Advani J, Gowda H, Prasad TSK, Suar M. "Omics" of Food-Borne Gastroenteritis: Global Proteomic and Mutagenic Analysis of *Salmonella enterica* Serovar Enteritidis. *OMICS*. 2017 Oct;21(10):571-583.

Asakura H, Kawase J, Ikeda T, Honda M, Sasaki Y, Uema M, Kabeya H, Sugiyama H, Igimi S, Takai S. Microbiological Quality Assessment of Game Meats at Retail in Japan. *J Food Prot*. 2017 Dec;80(12):2119-2126.

Barrett KA, Nakao JH, Taylor EV, Eggers C, Gould LH. Fish-Associated Foodborne Disease Outbreaks: United States, 1998-2015. *Foodborne Pathog Dis*. 2017 Sep;14(9):537-543.

Bonardi S. *Salmonella* in the pork production chain and its impact on human health in the European Union. *Epidemiol Infect*. 2017 Jun;145(8):1513-1526.

Borrusso PA, Quinlan JJ. Prevalence of Pathogens and Indicator Organisms in Home Kitchens and Correlation with Unsafe Food Handling Practices and Conditions. *J Food Prot*. 2017 Apr;80(4):590-597.

Brashears MM, Chaves BD. The diversity of beef safety: A global reason to strengthen our current systems. *Meat Sci*. 2017 Oct;132:59-71.

Brown AC, Grass JE, Richardson LC, Nisler AL, Bicknese AS, Gould LH. Antimicrobial resistance in *Salmonella* that caused foodborne disease outbreaks: United States, 2003-2012. *Epidemiol Infect*. 2017 Mar;145(4):766-774.

Cao TT, Deng GH, Fang LX, Yang RS, Sun J, Liu YH, Liao XP. Characterization of Quinolone Resistance in *Salmonella enterica* from Farm Animals in China. *J Food Prot*. 2017 Oct;80(10):1742-1748.

Chiou CS, Chen YT, Wang YW, Liu YY, Kuo HC, Tu YH, Lin AC, Liao YS, Hong YP. Dissemination of mcr-1-Carrying Plasmids among Colistin-Resistant *Salmonella* Strains from Humans and Food-Producing Animals in Taiwan. *Antimicrob Agents Chemother*. 2017 Jun 27;61(7). pii: e00338-17.

Colavecchio A, Cadieux B, Lo A, Goodridge LD. Bacteriophages Contribute to the Spread of Antibiotic Resistance Genes among Foodborne Pathogens of the *Enterobacteriaceae* Family - A Review. *Front Microbiol*. 2017 Jun 20;8:1108.

Costa A, Gusmara C, Gardoni D, Zaninelli M, Tambone F, Sala V, Guarino M. The effect of anaerobic digestion and storage on indicator microorganisms in swine and dairy manure. *Environ Sci Pollut Res Int*. 2017 Nov;24(31):24135-24146.

Costard S, Espejo L, Groenendaal H, Zagmutt FJ. Outbreak-Related Disease

Burden Associated with Consumption of Unpasteurized Cow's Milk and Cheese, United States, 2009-2014. *Emerg Infect Dis.* 2017 Jun;23(6):957-964.

De Cesare A, Doménech E, Comin D, Meluzzi A, Manfreda G. Impact of Cooking Procedures and Storage Practices at Home on Consumer Exposure to *Listeria Monocytogenes* and *Salmonella* Due to the Consumption of Pork Meat. *Risk Anal.* 2017 Aug 28. doi: 10.1111/risa.12882. [Epub ahead of print]

de Freitas Costa E, Corbellini LG, da Silva APSP, Nauta M. A Stochastic Model to Assess the Effect of Meat Inspection Practices on the Contamination of the Pig Carcasses. *Risk Anal.* 2017 Oct;37(10):1849-1864.

de la Cruz ML, Conrado I, Nault A, Perez A, Dominguez L, Alvarez J. Vaccination as a control strategy against *Salmonella* infection in pigs: A systematic review and meta-analysis of the literature. *Res Vet Sci.* 2017 Oct;114:86-94.

Deng W, Quan Y, Yang S, Guo L, Zhang X, Liu S, Chen S, Zhou K, He L, Li B, Gu Y, Zhao S, Zou L. Antibiotic Resistance in *Salmonella* from Retail Foods of Animal Origin and Its Association with Disinfectant and Heavy Metal Resistance. *Microb Drug Resist.* 2017 Oct 17. doi: 10.1089/mdr.2017.0127. [Epub ahead of print]

Dufort EL, Sogin J, Etzel MR, Ingham BH. Inactivation Kinetics of Pathogens during Thermal Processing in Acidified Broth and Tomato Purée (pH 4.5). *J Food Prot.* 2017 Dec;80(12):2014-2021.

El Garch F, de Jong A, Bertrand X, Hocquet D, Sauget M. mcr-1-like detection in commensal *Escherichia coli* and *Salmonella* spp. from food-producing animals at slaughter in Europe. *Vet Microbiol.* 2018 Jan;213: 42-46.

Emond-Rheault JG, Jeukens J, Freschi L, Kukavica-Ibrulj I, Boyle B, Dupont MJ, Colavecchio A, Barrere V, Cadieux B, Arya G, Bekal S, Berry C, Burnett E, Cavestri C, Chapin TK, Crouse A, Daigle F, Danyluk MD, Delaquis P, Dewar K, Doualla-Bell F, Fliss I, Fong K, Fournier E, Franz E, Garduno R, Gill A, Gruenheid S, Harris L, Huang CB, Huang H, Johnson R, Joly Y, Kerhoas M, Kong N, Lapointe G, Larivière L, Loignon S, Malo D, Moineau S, Mottawea W, Mukhopadhyay K, Nadon C, Nash J, Ngueng Feze I, Ogunremi D, Perets A, Pilar AV, Reimer AR, Robertson J, Rohde J, Sanderson KE, Song L, Stephan R, Tamber S, Thomassin P, Tremblay D, Usongo V, Vincent C, Wang S, Weadge JT, Wiedmann M, Wijnands L, Wilson ED, Wittum T, Yoshida C, Youfsi K, Zhu L, Weimer BC, Goodridge L, Levesque RC. A Syst-OMICS Approach to Ensuring Food Safety and Reducing the Economic Burden of Salmonellosis. *Front Microbiol.* 2017 Jun 2;8:996.

Facciola A, Riso R, Avventuroso E, Visalli G, Delia SA, Laganà P. *Campylobacter*: from microbiology to prevention. *J Prev Med Hyg.* 2017 Jun;58(2):E79-E92. Review.

Ferrari RG, Panzenhagen PHN, Conte-Junior CA. Phenotypic and Genotypic Eligible Methods for *Salmonella Typhimurium* Source Tracking. *Front Microbiol.* 2017 Dec 22;8: 2587.

- Fiedler G, Kabisch J, Böhnlein C, Huch M, Becker B, Cho GS, Franz CMAP. Presence of Human Pathogens in Produce from Retail Markets in Northern Germany. *Foodborne Pathog Dis.* 2017 Sep;14(9):502-509.
- Fischer J, San José M, Roschanski N, Schmogger S, Baumann B, Irrgang A, Friese A, Roesler U, Helmuth R, Guerra B. Spread and persistence of VIM-1 Carbapenemase-producing *Enterobacteriaceae* in three German swine farms in 2011 and 2012. *Vet Microbiol.* 2017 Feb;200:118-123.
- Flórez AB, Vázquez L, Mayo B. A Functional Metagenomic Analysis of Tetracycline Resistance in Cheese Bacteria. *Front Microbiol.* 2017 May 24;8:907.
- Fredriksson-Ahomaa M, Heikkilä T, Pernu N, Kovanen S, Hielm-Björkman A, Kivistö R. Raw Meat-Based Diets in Dogs and Cats. *Vet Sci.* 2017 Jun 28;4(3). pii: E33.
- Furukawa I, Ishihara T, Teranishi H, Saito S, Yatsuyanagi J, Wada E, Kumagai Y, Takahashi S, Konno T, Kashio H, Kobayashi A, Kato N, Hayashi KI, Fukushima K, Ishikawa K, Horikawa K, Oishi A, Izumiya H, Ohnishi T, Konishi Y, Kuroki T. Prevalence and Characteristics of *Salmonella* and *Campylobacter* in Retail Poultry Meat in Japan. *Jpn J Infect Dis.* 2017 May 24;70(3):239-247.
- Gkana EN, Doulgeraki AI, Nychas GE. Survival and transfer efficacy of mixed strain *Salmonella enterica* ser. Typhimurium from beef burgers to abiotic surfaces and determination of individual strain contribution. *Meat Sci.* 2017 Aug;130:58-63.
- Gosling RJ, Mawhinney I, Vaughan K, Davies RH, Smith RP. Efficacy of disinfectants and detergents intended for a pig farm environment where *Salmonella* is present. *Vet Microbiol.* 2017 May;204:46-53.
- Gould LH, Kline J, Monahan C, Vierk K. Outbreaks of Disease Associated with Food Imported into the United States, 1996-2014(1). *Emerg Infect Dis.* 2017 Mar;23(3):525-528.
- Gymoese P, Sørensen G, Litrup E, Olsen JE, Nielsen EM, Torpdahl M. Investigation of Outbreaks of *Salmonella enterica* Serovar Typhimurium and Its Monophasic Variants Using Whole-Genome Sequencing, Denmark. *Emerg Infect Dis.* 2017 Oct;23(10):1631-1639.
- Helke KL, McCrackin MA, Galloway AM, Poole AZ, Salgado CD, Marriott BP. Effects of antimicrobial use in agricultural animals on drug-resistant foodborne salmonellosis in humans: A systematic literature review. *Crit Rev Food Sci Nutr.* 2017 Feb 11;57(3):472-488.
- Hu M, Gurtler JB. Selection of Surrogate Bacteria for Use in Food Safety Challenge Studies: A Review. *J Food Prot.* 2017 Sep;80(9):1506-1536.
- Hutchinson JA, Wheeler C, Mohle-Boetani JC. Outbreak epidemiologically linked with a composite product of beef, mechanically separated chicken and textured vegetable protein contaminated with multiple serotypes of *Salmonella enterica*

including multidrug-resistant *Infantis*, California 2016. *Epidemiol Infect.* 2018 Jan 8:1-7.

Hörmansdorfer S, Messelhäuser U, Rampp A, Schönberger K, Dallman T, Allerberger F, Kornschober C, Sing A, Wallner P, Zapf A. Re-evaluation of a 2014 multi-country European outbreak of *Salmonella* Enteritidis phage type 14b using recent epidemiological and molecular data. *Euro Surveill.* 2017 Dec;22(50). doi: 10.2807/1560-7917.ES.2017.22.50.17-00196.

Karyotis D, Skandamis PN, Juneja VK. Thermal inactivation of *Listeria monocytogenes* and *Salmonella* spp. in sous-vide processed marinated chicken breast. *Food Res Int.* 2017 Oct;100(Pt 1):894-898.

Kassem A, Meade J, Gibbons J, McGill K, Walsh C, Lyng J, Whyte P. Evaluation of chemical immersion treatments to reduce microbial populations in fresh beef. *Int J Food Microbiol.* 2017 Nov 16;261:19-24.

Kong N, Davis M, Arabyan N, Huang BC, Weis AM, Chen P, Thao K, Ng W, Chin N, Foutouhi S, Foutouhi A, Kaufman J, Xie Y, Storey DB, Weimer BC. Draft Genome Sequences of 1,183 *Salmonella* Strains from the 100K Pathogen Genome Project. *Genome Announc.* 2017 Jul 13;5(28). pii: e00518-17.

Lake IR. Food-borne disease and climate change in the United Kingdom. *Environ Health.* 2017 Dec 5;16(Suppl 1):117. Review.

Li Q, Wang X, Yin K, Hu Y, Xu H, Xie X, Xu L, Fei X, Chen X, Jiao X. Genetic analysis and CRISPR typing of *Salmonella enterica* serovar Enteritidis from different sources revealed potential transmission from poultry and pig to human. *Int J Food Microbiol.* 2017 Nov 28;266:119-125.

Liljebjelke KA, Hofacre CL, White DG, Ayers S, Lee MD, Maurer JJ. Diversity of Antimicrobial Resistance Phenotypes in *Salmonella* Isolated from Commercial Poultry Farms. *Front Vet Sci.* 2017 Jun 23;4:96.

Martelli F, Lambert M, Butt P, Cheney T, Tatone FA, Callaby R, Rabie A, Gosling RJ, Fordon S, Crocker G, Davies RH, Smith RP. Evaluation of an enhanced cleaning and disinfection protocol in *Salmonella* contaminated pig holdings in the United Kingdom. *PLoS One.* 2017 Jun 8;12(6):e0178897.

Melo ANF, Souza GT, Schaffner D, Oliveira TCM, Maciel JF, Souza EL, Magnani M. Changes in thermo-tolerance and survival under simulated gastrointestinal conditions of *Salmonella* Enteritidis PT4 and *Salmonella* Typhimurium PT4 in chicken breast meat after exposure to sequential stresses. *Int J Food Microbiol.* 2017 Jun 19;251:15-23.

Mercer R, Nguyen O, Ou Q, McMullen L, Gänzle MG. Functional Analysis of Genes Comprising the Locus of Heat Resistance in *Escherichia coli*. *Appl Environ Microbiol.* 2017 Sep 29;83(20).

Muniandy S, Dinshaw IJ, Teh SJ, Lai CW, Ibrahim F, Thong KL, Leo BF. Graphene-based label-free electrochemical aptasensor for rapid and sensitive detection of foodborne pathogen. *Anal Bioanal Chem.* 2017 Nov;409(29):6893-6905.

Murray R, Tataryn J, Pintar K, Thomas MK. Estimates of the burden of illness for eight enteric pathogens associated with animal contact in Canada. *Epidemiol Infect.* 2017 Dec;145(16):3413-3423.

Parada J, Carranza A, Alvarez J, Pichel M, Tamiozzo P, Busso J, Ambrogi A. Spatial distribution and risk factors associated with *Salmonella enterica* in pigs. *Epidemiol Infect.* 2017 Feb;145(3):568-574.

Park JH, Kim HS, Yim JH, Kim YJ, Kim DH, Chon JW, Kim H, Om AS, Seo KH. Comparison of the isolation rates and characteristics of *Salmonella* isolated from antibiotic-free and conventional chicken meat samples. *Poult Sci.* 2017 Aug 1;96(8):2831-2838.

Paudyal N, Anihouvi V, Hounhouigan J, Matsheka MI, Sekwati-Monang B, Amoa-Awua W, Atter A, Ackah NB, Mbugua S, Asagbra A, Abdelgadir W, Nakavuma J, Jakobsen M, Fang W. Prevalence of foodborne pathogens in food from selected African countries - A meta-analysis. *Int J Food Microbiol.* 2017 May 16;249:35-43.

Pesciaroli M, Cucco L, De Luca S, Massacci FR, Maresca C, Medici L, Panicià M, Scoccia E, Staffolani M, Pezzotti G, Magistrali CF. Association between pigs with high caecal *Salmonella* loads and carcass contamination. *Int J Food Microbiol.* 2017 Feb 2;242:82-86.

Rajan K, Shi Z, Ricke SC. Current aspects of *Salmonella* contamination in the US poultry production chain and the potential application of risk strategies in understanding emerging hazards. *Crit Rev Microbiol.* 2017 May;43(3):370-392.

Ramirez-Hernandez A, Inestroza B, Parks A, Brashears MM, Sanchez-Plata MX, Echeverry A. Thermal Inactivation of *Salmonella* in High-Fat Rendering Meat Products. *J Food Prot.* 2018 Jan;81(1):54-58.

Sarjit A, Dykes GA. Transfer of *Campylobacter* and *Salmonella* from Poultry Meat onto Poultry Preparation Surfaces. *J Food Prot.* 2017 Mar 30;750-757.

Schielke A, Rabsch W, Prager R, Simon S, Fruth A, Helling R, Schnabel M, Siffczyk C, Wiczorek S, Schroeder S, Ahrens B, Oppermann H, Pfeiffer S, Merbecks SS, Rosner B, Frank C, Weiser AA, Lubber P, Gilsdorf A, Stark K, Werber D. Two consecutive large outbreaks of *Salmonella* Muenchen linked to pig farming in Germany, 2013 to 2014: Is something missing in our regulatory framework? *Euro Surveill.* 2017 May 4;22(18). pii: 30528.

Schrijver R, Stijntjes M, Rodríguez-Baño J, Tacconelli E, Babu Rajendran N, Voss A. Review of antimicrobial resistance surveillance programmes in livestock and their meat in Europe, with a focus on antimicrobial resistance patterns in humans. *Clin Microbiol Infect.* 2017 Sep 29. pii: S1198-743X(17)30526-8. Review.

Self JL, Luna-Gierke RE, Fothergill A, Holt KG, Vieira AR. Outbreaks attributed to pork in the United States, 1998-2015. *Epidemiol Infect.* 2017 Oct;145(14):2980-2990.

Seys SA, Sampedro F, Hedberg CW. Assessment of Meat and Poultry Product Recalls Due to *Salmonella* Contamination: Product Recovery and Illness Prevention. *J Food Prot.* 2017 Aug;80(8):1288-1292.

Shah DH, Paul NC, Sischo WC, Crespo R, Guard J. Population dynamics and antimicrobial resistance of the most prevalent poultry-associated *Salmonella* serotypes. *Poult Sci.* 2017 Mar 1;96(3):687-702.

Suijkerbuijk AWM, Bouwknegt M, Mangen MJ, de Wit GA, van Pelt W, Bijkerk P, Friesema IHM. The economic burden of a *Salmonella* Thompson outbreak caused by smoked salmon in the Netherlands, 2012-2013. *Eur J Public Health.* 2017 Apr 1;27(2):325-330.

Timmermans RAH, Mastwijk HC, Nierop Groot MN, Van Boekel MAJS. Evaluation of the Gauss-Eyring model to predict thermal inactivation of micro-organisms at short holding times. *Int J Food Microbiol.* 2017 Dec 18;263:47-60.

Van Cauteren D, Le Strat Y, Sommen C, Bruyand M, Tourdjman M, Da Silva NJ, Couturier E, Fournet N, de Valk H, Desenclos JC. Estimated Annual Numbers of Foodborne Pathogen-Associated Illnesses, Hospitalizations, and Deaths, France, 2008-2013. *Emerg Infect Dis.* 2017 Sep;23(9):1486-1492.

Viator CL, Cates SC, Karns SA, Muth MK. Food Safety Practices in the U.S. Meat Slaughter and Processing Industry: Changes from 2005 to 2015. *J Food Prot.* 2017 Aug;80(8):1384-1392.

Vital PG, Caballes MBD, Rivera WL. Antimicrobial resistance in *Escherichia coli* and *Salmonella* spp. isolates from fresh produce and the impact to food safety. *J Environ Sci Health B.* 2017 Sep 2;52(9):683-689.

Vohra P, Bugarel M, Turner F, Loneragan GH, Hope JC, Hopkins J, Stevens MP. Quantifying the Survival of Multiple *Salmonella enterica* Serovars *in vivo* using Massively-parallel Whole Genome Sequencing to Predict Zoonotic Risk. *Appl Environ Microbiol.* 2017 Nov 27. pii: AEM.02262-17.

Wadamori Y, Gooneratne R, Hussain MA. Outbreaks and factors influencing microbiological contamination of fresh produce. *J Sci Food Agric.* 2017 Mar;97(5):1396-1403.

Wang J, Zhi CP, Chen XJ, Guo ZW, Liu WL, Luo J, Huang XY, Zeng L, Huang JW, Xia YB, Yi MY, Huang T, Zeng ZL, Liu JH. Characterization of oqxAB in *Escherichia coli* Isolates from Animals, Retail Meat, and Human Patients in Guangzhou, China. *Front Microbiol.* 2017 Oct 13;8:1982.

Whiley H, Clarke B, Ross K. Knowledge and Attitudes towards Handling Eggs in the Home: An Unexplored Food Safety Issue? *Int J Environ Res Public Health*. 2017 Jan 6;14(1). pii: E48. doi: 10.3390/ijerph14010048.

Wilhelm BJ, Young I, Cahill S, Nakagawa R, Desmarchelier P, Rajić A. Rapid systematic review and meta-analysis of the evidence for effectiveness of primary production interventions to control *Salmonella* in beef and pork. *Prev Vet Med*. 2017 Nov 1;147:213-225.

Williamson DA, Lane CR, Easton M, Valcanis M, Strachan J, Veitch MG, Kirk MD, Howden BP. Increasing antimicrobial resistance in non-typhoidal *Salmonella* in Australia, 1979 - 2015. *Antimicrob Agents Chemother*. 2017 Nov 27. pii: AAC.02012-17.

Willis C, Jørgensen F, Aird H, Elviss N, Fox A, Jenkins C, Fenelon D, Sadler-Reeves L, McLauchlin J. An Assessment of the Microbiological Quality and Safety of Raw Drinking Milk on Retail Sale in England. *J Appl Microbiol*. 2017 Dec 7. doi: 10.1111/jam.13660. [Epub ahead of print]

Young I, Thaivalappil A, Reimer D, Greig J. Food Safety at Farmers' Markets: A Knowledge Synthesis of Published Research. *J Food Prot*. 2017 Dec;80(12):2033-2047.

Zankari E, Allesøe R, Joensen KG, Cavaco LM, Lund O, Aarestrup FM. PointFinder: a novel web tool for WGS-based detection of antimicrobial resistance associated with chromosomal point mutations in bacterial pathogens. *J Antimicrob Chemother*. 2017 Oct 1;72(10):2764-2768.

### ***Staphylococcus aureus***

Aires-de-Sousa M. Methicillin-resistant *Staphylococcus aureus* among animals: current overview. *Clin Microbiol Infect*. 2017 Jun;23(6):373-380.

Alban L, Ellis-Iversen J, Andreassen M, Dahl J, Sönksen UW. Assessment of the Risk to Public Health due to Use of Antimicrobials in Pigs-An Example of Pleuromutilins in Denmark. *Front Vet Sci*. 2017 May 26;4:74.

Argudín MA, Deplano A, Meghraoui A, Dodémont M, Heinrichs A, Denis O, Nonhoff C, Roisin S. Bacteria from Animals as a Pool of Antimicrobial Resistance Genes. *Antibiotics (Basel)*. 2017 Jun 6;6(2). pii: E12.

Basanisi MG, La Bella G, Nobili G, Franconieri I, La Salandra G. Genotyping of methicillin-resistant *Staphylococcus aureus* (MRSA) isolated from milk and dairy products in South Italy. *Food Microbiol*. 2017 Apr;62:141-146.

Buzón-Durán L, Capita R, Alonso-Calleja C. Microbial loads and antibiotic resistance patterns of *Staphylococcus aureus* in different types of raw poultry-based meat preparations. *Poult Sci*. 2017 Sep 1;96(11):4046-4052.

Fox A, Pichon B, Wilkinson H, Doumith M, Hill RL, McLauchlin J, Kearns AM. Detection and molecular characterization of Livestock-Associated MRSA in raw meat on retail sale in North West England. *Lett Appl Microbiol*. 2017 Mar;64(3):239-245. doi: 10.1111/lam.12709. Epub 2017 Jan 28. PubMed PMID: 28036110.

Ivbule M, Miklaševičs E, Čupāne L, Bērziņa L, Bāliņš A, Valdovska A. MRSA in Pig Population. *Pol J Microbiol*. 2017 Sep 27;66(3):383-392.

Kraushaar B, Ballhausen B, Leeser D, Tenhagen BA, Käsbohrer A, Fetsch A. Antimicrobial resistances and virulence markers in Methicillin-resistant *Staphylococcus aureus* from broiler and turkey: A molecular view from farm to fork. *Vet Microbiol*. 2017 Feb;200:25-32.

Kwon JH, Reske KA, Hink T, Seiler SM, Wallace MA, Bommarito KM, Burnham CD, Dubberke ER. An Evaluation of the Prevalence of Vancomycin-Resistant Enterococci (VRE) and Methicillin-Resistant *Staphylococcus aureus* (MRSA) in Hospital Food. *Infect Control Hosp Epidemiol*. 2017 Nov;38(11):1373-1375

McMillan K, Allnut TR, Fox EM. Draft Genome Sequences of 15 *Staphylococcus aureus* Isolates Recovered from Raw Milk and Associated Milk Filters from Victoria, Australia. *Genome Announc*. 2017 Jan 12;5(2). pii: e01463-16.

Ou Q, Zhou J, Lin D, Bai C, Zhang T, Lin J, Zheng H, Wang X, Ye J, Ye X, Yao Z. A large meta-analysis of the global prevalence rates of *S. aureus* and MRSA contamination of milk. *Crit Rev Food Sci Nutr*. 2017 Jul 7:1-16.

Safarpour Dehkordi F, Gandomi H, Basti AA, Misaghi A, Rahimi E. Phenotypic and genotypic characterization of antibiotic resistance of methicillin-resistant *Staphylococcus aureus* isolated from hospital food. *Antimicrob Resist Infect Control*. 2017 Oct 4;6:104.

Sato T, Usui M, Konishi N, Kai A, Matsui H, Hanaki H, Tamura Y. Closely related methicillin-resistant *Staphylococcus aureus* isolates from retail meat, cows with mastitis, and humans in Japan. *PLoS One*. 2017 Oct 30;12(10):e0187319.

Suzuki Y, Kubota H, Ono HK, Kobayashi M, Murauchi K, Kato R, Hirai A, Sadamasu K. Food poisoning outbreak in Tokyo, Japan caused by *Staphylococcus argenteus*. *Int J Food Microbiol*. 2017 Dec 4;262:31-37.

Tang Y, Larsen J, Kjeldgaard J, Andersen PS, Skov R, Ingmer H. Methicillin-resistant and -susceptible *Staphylococcus aureus* from retail meat in Denmark. *Int J Food Microbiol*. 2017 May 16;249:72-76.

Tegegne HA, Koláčková I, Karpíšková R. Diversity of livestock associated methicillin-resistant *Staphylococcus aureus*. *Asian Pac J Trop Med*. 2017 Sep;10(9):929-931.

Thiran E, Di Ciccio PA, Graber HU, Zanardi E, Ianieri A, Hummerjohann J. Biofilm formation of *Staphylococcus aureus* dairy isolates representing different genotypes. *J Dairy Sci*. 2017 Nov 15. pii: S0022-0302(17)31079-2.

Wang W, Liu F, Baloch Z, Zhang CS, Ma K, Peng ZX, Yan SF, Hu YJ, Gan X, Dong YP, Bai Y, Li FQ, Yan XM, Ma AG, Xu J. Genotypic Characterization of Methicillin-resistant *Staphylococcus aureus* Isolated from Pigs and Retail Foods in China. *Biomed Environ Sci.* 2017 Aug;30(8):570-580.

Xavier AREO, Almeida AC, Souza CN, Silva LMV, Ruas AXA, Sanglard DA, Júnior AFM, Oliveira AME, Xavier MAS. Phenotypic and genotypic characterization of *Staphylococcus aureus* isolates in milk from flocks diagnosed with subclinical mastitis. *Genet Mol Res.* 2017 Jun 29;16(2).

## **STEC**

Brashears MM, Chaves BD. The diversity of beef safety: A global reason to strengthen our current systems. *Meat Sci.* 2017 Oct;132:59-71.

Bruyand M, Mariani-Kurkdjian P, Gouali M, de Valk H, King LA, Le Hello S, Bonacorsi S, Loirat C. Hemolytic uremic syndrome due to Shiga toxin-producing *Escherichia coli* infection. *Med Mal Infect.* 2017 Oct 17. pii: S0399-077X(16)30859-9.

Crowe SJ, Bottichio L, Shade LN, Whitney BM, Corral N, Melius B, Arends KD, Donovan D, Stone J, Allen K, Rosner J, Beal J, Whitlock L, Blackstock A, Wetherington J, Newberry LA, Schroeder MN, Wagner D, Trees E, Viazis S, Wise ME, Neil KP. Shiga Toxin-Producing *E. coli* Infections Associated with Flour. *N Engl J Med.* 2017 Nov 23;377(21):2036-2043.

Giacometti F, Bonilauri P, Piva S, Scavia G, Amatiste S, Bianchi DM, Losio MN, Bilei S, Cascone G, Comin D, Daminelli P, Decastelli L, Merialdi G, Mioni R, Peli A, Petruzzelli A, Tonucci F, Liuzzo G, Serraino A. Paediatric HUS Cases Related to the Consumption of Raw Milk Sold by Vending Machines in Italy: Quantitative Risk Assessment Based on *Escherichia coli* O157 Official Controls over 7 years. *Zoonoses Public Health.* 2017 Nov;64(7):505-516.

Gieraltowski L, Schwensohn C, Meyer S, Eikmeier D, Medus C, Sorenson A, Forstner M, Madad A, Blankenship J, Feng P, Williams I. Notes from the Field: Multistate Outbreak of *Escherichia coli* O157:H7 Infections Linked to Dough Mix - United States, 2016. *MMWR Morb Mortal Wkly Rep.* 2017 Jan 27;66(3):88-89.

Gunathilaka GU, Tahlan V, Mafiz A, Polur M, Zhang Y. Phages in urban wastewater have the potential to disseminate antibiotic resistance. *Int J Antimicrob Agents.* 2017 Nov;50(5):678-683.

Jaakkonen A, Salmenlinna S, Rimhanen-Finne R, Lundström H, Heinikainen S, Hakkinen M, Hallanvuo S. Severe Outbreak of Sorbitol-Fermenting *Escherichia coli* O157 via Unpasteurized Milk and Farm Visits, Finland 2012. *Zoonoses Public Health.* 2017 Sep;64(6):468-475.

Jensen DA, Danyluk MD, Harris LJ, Schaffner DW. Quantifying Bacterial Cross-Contamination Rates between Fresh-Cut Produce and Hands. *J Food Prot.* 2017 Feb;80(2):213-219.

- Jones M, Octavia S, Lammers G, Heller J, Lan R. Population and evolutionary dynamics of Shiga-toxin producing *Escherichia coli* O157 in a beef herd: A longitudinal study. *Environ Microbiol*. 2017 May;19(5):1836-1844.
- Katani R, Cote R, Kudva IT, DebRoy C, Arthur TM, Kapur V. Comparative genomics of two super-shedder isolates of *Escherichia coli* O157:H7. *PLoS One*. 2017 Aug 10;12(8):e0182940.
- Köckerling E, Karrasch L, Schweitzer A, Razum O, Krause G. Public Health Research Resulting from One of the World's Largest Outbreaks Caused by Enterohemorrhagic *Escherichia coli* in Germany 2011: A Review. *Front Public Health*. 2017 Dec 11;5:332.
- Li B, Liu H, Wang W. Multiplex real-time PCR assay for detection of *Escherichia coli* O157:H7 and screening for non-O157 Shiga toxin-producing *E. coli*. *BMC Microbiol*. 2017 Nov 9;17(1):215.
- Mikhail AFW, Jenkins C, Dallman TJ, Inns T, Martín AIC, Fox A, Cleary P, Elson R, Hawker J. An outbreak of Shiga toxin-producing *Escherichia coli* O157:H7 associated with contaminated salad leaves: epidemiological, genomic and food trace back investigations. *Epidemiol Infect*. 2017 Dec 17:1-10.
- Mishra A, Pang H, Buchanan RL, Schaffner DW, Pradhan AK. A System Model for Understanding the Role of Animal Feces as a Route of Contamination of Leafy Greens before Harvest. *Appl Environ Microbiol*. 2016 Dec 30;83(2). pii: e02775-16.
- Mughini-Gras L, van Pelt W, van der Voort M, Heck M, Friesema I, Franz E. Attribution of human infections with Shiga toxin-producing *Escherichia coli* (STEC) to livestock sources and identification of source-specific risk factors, The Netherlands (2010-2014). *Zoonoses Public Health*. 2017 Sep 17. doi:10.1111/zph.12403. [Epub ahead of print]
- Pang H, Lambertini E, Buchanan RL, Schaffner DW, Pradhan AK. Quantitative Microbial Risk Assessment for *Escherichia coli* O157:H7 in Fresh-Cut Lettuce. *J Food Prot*. 2017 Feb;80(2):302-311.
- Pollari F, Christidis T, Pintar KDM, Nesbitt A, Farber J, Lavoie MC, Gill A, Kirsch P, Johnson RP. Evidence for the benefits of food chain interventions on *E. coli* O157:H7/NM prevalence in retail ground beef and human disease incidence: A success story. *Can J Public Health*. 2017 Apr 20;108(1):e71-e78.
- Saeedi P, Yazdanparast M, Behzadi E, Salmanian AH, Mousavi SL, Nazarian S, Amani J. A review on strategies for decreasing *E. coli* O157:H7 risk in animals. *Microb Pathog*. 2017 Feb;103:186-195.
- Sinclair C, Jenkins C, Warburton F, Adak GK, Harris JP. Investigation of a national outbreak of STEC *Escherichia coli* O157 using online consumer panel control methods: Great Britain, October 2014. *Epidemiol Infect*. 2017 Apr;145(5):864-871.

Zaheer R, Dugat-Bony E, Holman DB, Cousteix E, Xu Y, Munns K, Selinger LJ, Barbieri R, Alexander T, McAllister TA, Selinger LB. Changes in bacterial community composition of *Escherichia coli* O157:H7 super-shedder cattle occur in the lower intestine. PLoS One. 2017 Jan 31;12(1):e0170050. Erratum in: PLoS One. 2017 Feb 13;12(2):e0172387.

Çekiç SK, De J, Jubair M, Schneider KR. Persistence of Indigenous *Escherichia coli* in Raw Bovine Manure-Amended Soil. J Food Prot. 2017 Sep;80(9):1562-1573.

### ***Toxoplasma gondii***

Belluco S, Simonato G, Mancin M, Pietrobelli M, Ricci A. *Toxoplasma gondii* infection and food consumption: A systematic review and meta-analysis of case-controlled studies. Crit Rev Food Sci Nutr. 2017 Oct 11:1-12.

Boughattas S. Toxoplasma infection and milk consumption: Meta-analysis of assumptions and evidences. Crit Rev Food Sci Nutr. 2017 Sep 2;57(13):2924-2933.

Caradonna T, Marangi M, Del Chierico F, Ferrari N, Reddel S, Bracaglia G, Normanno G, Putignani L, Giangaspero A. Detection and prevalence of protozoan parasites in ready-to-eat packaged salads on sale in Italy. Food Microbiol. 2017 Oct;67:67-75.

Condoleo R, Rinaldi L, Sette S, Mezher Z. Risk Assessment of Human Toxoplasmosis Associated with the Consumption of Pork Meat in Italy. Risk Anal. 2017 Nov 3. doi: 10.1111/risa.12934. [Epub ahead of print]

Crotta M, Limon G, Blake DP, Guitian J. Knowledge gaps in host-parasite interaction preclude accurate assessment of meat-borne exposure to *Toxoplasma gondii*. Int J Food Microbiol. 2017 Nov 16;261:95-101.

De Berardinis A, Paludi D, Pennisi L, Vergara A. *Toxoplasma gondii*, a Foodborne Pathogen in the Swine Production Chain from a European Perspective. Foodborne Pathog Dis. 2017 Nov;14(11):637-648. doi: 10.1089/fpd.2017.2305. Epub 2017 Jul 31. PubMed PMID: 28759251.

Gazzonis AL, Marangi M, Villa L, Ragona ME, Olivieri E, Zanzani SA, Giangaspero A, Manfredi MT. *Toxoplasma gondii* infection and biosecurity levels in fattening pigs and sows: serological and molecular epidemiology in the intensive pig industry (Lombardy, Northern Italy). Parasitol Res. 2018 Jan 3. doi:10.1007/s00436-017-5736-z. [Epub ahead of print]

Genchi M, Vismarra A, Mangia C, Faccini S, Vicari N, Rigamonti S, Prati P, Marino AM, Kramer L, Fabbi M. Lack of viable parasites in cured 'Parma Ham' (PDO), following experimental *Toxoplasma gondii* infection of pigs. Food Microbiol. 2017 Sep;66:157-164.

Herrero L, Gracia MJ, Pérez-Arquillué C, Lázaro R, Herrera A, Bayarri S. *Toxoplasma gondii* in raw and dry-cured ham: The influence of the curing process. Food Microbiol. 2017 Aug;65:213-220.

Hussain MA, Stitt V, Szabo EA, Nelan B. *Toxoplasma gondii* in the Food Supply. Pathogens. 2017 May 26;6(2). pii: E21. doi: 10.3390/pathogens6020021.

Koethe M, Schade C, Fehlhaber K, Ludewig M. Survival of *Toxoplasma gondii* tachyzoites in simulated gastric fluid and cow's milk. Vet Parasitol. 2017 Jan 15;233:111-114.

Limon G, Beauvais W, Dadios N, Villena I, Cockle C, Blaga R, Guitian J. Cross-Sectional Study of *Toxoplasma gondii* Infection in Pig Farms in England. Foodborne Pathog Dis. 2017 May;14(5):269-281.

Rostami A, Riahi SM, Fakhri Y, Saber V, Hanifehpour H, Valizadeh S, Gholizadeh M, Pouya RH, Gamble HR. The global seroprevalence of *Toxoplasma gondii* among wild boars: A systematic review and meta-analysis. Vet Parasitol. 2017 Sep 15;244:12-20.

Schares G, Bangoura B, Randau F, Goroll T, Ludewig M, Maksimov P, Matzkeit B, Sens M, Bärwald A, Conraths FJ, Opsteegh M, Van der Giessen J. High seroprevalence of *Toxoplasma gondii* and probability of detecting tissue cysts in backyard laying hens compared with hens from large free-range farms. Int J Parasitol. 2017 Oct;47(12):765-777.

Sharif M, Amouei A, Sarvi S, Mizani A, Aarabi M, Hosseini SA, Daryani A. Genetic diversity of *Toxoplasma gondii* isolates from ruminants: A systematic review. Int J Food Microbiol. 2017 Oct 3;258:38-49.

van Asseldonk M, van Wagenberg CPA, Wisselink HJ. Break-even analysis of costs for controlling *Toxoplasma gondii* infections in slaughter pigs via a serological surveillance program in the Netherlands. Prev Vet Med. 2017 Mar 1;138:139-146.

Ying Y, Verma SK, Kwok OCH, Alibana F, Mcleod R, Su C, Dubey JP, Pradhan AK. Prevalence and genetic characterization of *Toxoplasma gondii* in free-range chickens from grocery stores and farms in Maryland, Ohio and Massachusetts, USA. Parasitol Res. 2017 May;116(5):1591-1595.

**Secretariat  
January 2018**