

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD
INFORMATION PAPER

Items of interest from the literature

Bacillus cereus

Gao T, Ding Y, Wu Q, Wang J, Zhang J, Yu S, Yu P, Liu C, Kong L, Feng Z, Chen M, Wu S, Zeng H, Wu H. Prevalence, Virulence Genes, Antimicrobial Susceptibility, and Genetic Diversity of *Bacillus cereus* Isolated From Pasteurized Milk in China. *Front Microbiol.* 2018 Mar 26;9:533.

Juneja VK, Mishra A, Pradhan AK. Dynamic Predictive Model for Growth of *Bacillus cereus* from Spores in Cooked Beans. *J Food Prot.* 2018 Feb;81(2):308-315.

Porcellato D, Aspholm M, Skeie SB, Monshaugen M, Brendehaug J, Mellegård H. Microbial diversity of consumption milk during processing and storage. *Int J Food Microbiol.* 2018 Feb 2;266:21-30.

Srinivasan VB, Angrasan M, Chandel N, Rajamohan G. Genome sequence and comparative analysis of *Bacillus cereus* BC04, reveals genetic diversity and alterations for antimicrobial resistance. *Funct Integr Genomics.* 2018 Apr 4. doi: 10.1007/s10142-018-0600-5. [Epub ahead of print]

Campylobacter

Allan PD, Palmer C, Chan F, Lyons R, Nicholson O, Rose M, Hales S, Baker MG. Food safety labelling of chicken to prevent campylobacteriosis: consumer expectations and current practices. *BMC Public Health.* 2018 Mar 27;18(1):414.

Burakoff A, Brown K, Knutsen J, Hopewell C, Rowe S, Bennett C, Cronquist A. Outbreak of Fluoroquinolone-Resistant *Campylobacter jejuni* Infections Associated with Raw Milk Consumption from a Herdshare Dairy - Colorado, 2016. *MMWR Morb Mortal Wkly Rep.* 2018 Feb 9;67(5):146-148.

Chen FC, Godwin S, Chambers D, Chambers E 4th, Cates S, Stone R, Donelan A. Contamination by Meat Juice When Shopping for Packages of Raw Poultry. *J Food Prot.* 2018 May;81(5):835-841.

Crofts AA, Poly FM, Ewing CP, Kuroiwa JM, Rimmer JE, Harro C, Sack D, Talaat KR, Porter CK, Gutierrez RL, DeNearing B, Brubaker J, Laird RM, Maue AC, Jaep K, Alcala A, Tribble DR, Riddle MS, Ramakrishnan A, McCoy AJ, Davies BW, Guerry P,

Trent MS. *Campylobacter jejuni* transcriptional and genetic adaptation during human infection. *Nat Microbiol*. 2018 Apr;3(4):494-502.

Duqué B, Daviaud S, Guillou S, Haddad N, Membré JM. Quantification of *Campylobacter jejuni* contamination on chicken carcasses in France. *Food Res Int*. 2018 Apr;106:1077-1085.

Hafiz RA, Wong C, Paynter S, David M, Peeters G. The Risk of Community-Acquired Enteric Infection in Proton Pump Inhibitor Therapy: Systematic Review and Meta-analysis. *Ann Pharmacother*. 2018 Feb 1:1060028018760569. doi: 10.1177/1060028018760569. [Epub ahead of print]

Hansson I, Sandberg M, Habib I, Lowman R, Engvall EO. Knowledge gaps in control of *Campylobacter* for prevention of campylobacteriosis. *Transbound Emerg Dis*. 2018 Apr 16. doi: 10.1111/tbed.12870. [Epub ahead of print]

Jans C, Sarno E, Colineau L, Meile L, Stärk KDC, Stephan R. Consumer Exposure to Antimicrobial Resistant Bacteria From Food at Swiss Retail Level. *Front Microbiol*. 2018 Mar 6;9:362.

Kovac J, Stessl B, Čadež N, Gruntar I, Cimerman M, Stingl K, Lušický M, Ocepek M, Wagner M, Smole Možina S. Population structure and attribution of human clinical *Campylobacter jejuni* isolates from central Europe to livestock and environmental sources. *Zoonoses Public Health*. 2018 Feb;65(1):51-58.

Kuhn KG, Nielsen EM, Mølbak K, Ethelberg S. Epidemiology of campylobacteriosis in Denmark 2000-2015. *Zoonoses Public Health*. 2018 Feb;65(1):59-66.

Marder Mph EP, Griffin PM, Cieslak PR, Dunn J, Hurd S, Jervis R, Lathrop S, Muse A, Ryan P, Smith K, Tobin-D'Angelo M, Vugia DJ, Holt KG, Wolpert BJ, Tauxe R, Geissler AL. Preliminary Incidence and Trends of Infections with Pathogens Transmitted Commonly Through Food - Foodborne Diseases Active Surveillance Network, 10 U.S. Sites, 2006-2017. *MMWR Morb Mortal Wkly Rep*. 2018 Mar 23;67(11):324-328.

Sanderson RA, Maas JA, Blain AP, Gorton R, Ward J, O'Brien SJ, Hunter PR, Rushton SP. Spatio-temporal models to determine association between *Campylobacter* cases and environment. *Int J Epidemiol*. 2018 Feb 1;47(1):202-216.

Seguino A, Chintoan-Uta C, Smith SH, Shaw DJ. Public health significance of *Campylobacter* spp. colonisation of wild game pheasants (*Phasianus colchicus*) in Scotland. *Food Microbiol*. 2018 Sep;74:163-170.

Signorini ML, Rossler E, Díaz David DC, Olivero CR, Romero-Scharpen A, Soto LP, Astesana DM, Berisvil AP, Zimmermann JA, Fusari ML, Frizzo LS, Zbrun MV. Antimicrobial Resistance of Thermotolerant *Campylobacter* Species Isolated from Humans, Food-Producing Animals, and Products of Animal Origin: A Worldwide Meta-Analysis. *Microb Drug Resist*. 2018 Apr 30. doi: 10.1089/mdr.2017.0310. [Epub ahead of print]

van Asselt M, Poortvliet PM, Ekkel ED, Kemp B, Stassen EN. Risk perceptions of public health and food safety hazards in poultry husbandry by citizens, poultry farmers and poultry veterinarians. *Poult Sci*. 2018 Feb 1;97(2):607-619.

Vinueza-Burgos C, Cevallos M, Cisneros M, Van Damme I, De Zutter L. Quantification of the *Campylobacter* contamination on broiler carcasses during the slaughter of *Campylobacter* positive flocks in semi-industrialized slaughterhouses. *Int J Food Microbiol*. 2018 Mar 23;269:75-79.

Walter F, Ott JJ, Claus H, Krause G. Sex- and age patterns in incidence of infectious diseases in Germany: analyses of surveillance records over a 13-year period (2001-2013). *Epidemiol Infect*. 2018 Feb;146(3):372-378.

Whitehouse CA, Young S, Li C, Hsu CH, Martin G, Zhao S. Use of whole-genome sequencing for *Campylobacter* surveillance from NARMS retail poultry in the United States in 2015. *Food Microbiol*. 2018 Aug;73:122-128.

Clostridium

Brunt J, Carter AT, Stringer SC, Peck MW. Identification of a novel botulinum neurotoxin gene cluster in *Enterococcus*. *FEBS Lett*. 2018 Feb;592(3):310-317.

Hampikyan H, Bingol EB, Muratoglu K, Akkaya E, Cetin O, Colak H. The prevalence of *Clostridium difficile* in cattle and sheep carcasses and the antibiotic susceptibility of isolates. *Meat Sci*. 2018 May;139:120-124.

Huang L, Li C, Hwang CA. Growth/no growth boundary of *Clostridium perfringens* from spores in cooked meat: A logistic analysis. *Int J Food Microbiol*. 2018 Feb 2;266:257-266.

Kim D, Hong S, Kim YT, Ryu S, Kim HB, Lee JH. Metagenomic Approach to Identifying Foodborne Pathogens on Chinese Cabbage. *J Microbiol Biotechnol*. 2018 Feb 28;28(2):227-235.

Knetsch CW, Kumar N, Forster SC, Connor TR, Browne HP, Harmanus C, Sanders IM, Harris SR, Turner L, Morris T, Perry M, Miyajima F, Roberts P, Pirmohamed M, Songer JG, Weese JS, Indra A, Corver J, Rupnik M, Wren BW, Riley TV, Kuijper EJ, Lawley TD. Zoonotic Transfer of *Clostridium difficile* Harboring Antimicrobial Resistance between Farm Animals and Humans. J Clin Microbiol. 2018 Feb 22;56(3). pii: e01384-17.

Lee CA, Labbé R. Distribution of Enterotoxin- and Epsilon-Positive *Clostridium perfringens* Spores in U.S. Retail Spices. J Food Prot. 2018 Mar;81(3):394-399.

Lee S, Lee H, Kim S, Lee J, Ha J, Choi Y, Oh H, Choi KH, Yoon Y. Microbiological Safety of Processed Meat Products Formulated with Low Nitrite Concentration: A Mini Review. Asian-Australas J Anim Sci. 2018 Mar 13. doi: 10.5713/ajas.17.0675. [Epub ahead of print]

Olivares M, Benítez-Páez A, de Palma G, Capilla A, Nova E, Castillejo G, Varea V, Marcos A, Garrote JA, Polanco I, Donat E, Ribes-Koninckx C, Calvo C, Ortigosa L, Palau F, Sanz Y. Increased prevalence of pathogenic bacteria in the gut microbiota of infants at risk of developing celiac disease: the PROFICEL study. Gut Microbes. 2018 Apr 19:1-19. doi: 10.1080/19490976.2018.1451276.

Ramaroson M, Guillou S, Rossero A, Rezé S, Anthoine V, Moriceau N, Martin JL, Duranton F, Zagorec M. Selection procedure of bioprotective cultures for their combined use with High Pressure Processing to control spore-forming bacteria in cooked ham. Int J Food Microbiol. 2018 Apr 7;276:28-38.

Scott A, Tien YC, Drury CF, Reynolds WD, Topp E. Enrichment of antibiotic resistance genes in soil receiving composts derived from swine manure, yard wastes, or food wastes, and evidence for multiyear persistence of swine *Clostridium* spp. Can J Microbiol. 2018 Mar;64(3):201-208.

Skinner GE, Morrissey TR, Patazca E, Loeza V, Halik LA, Schill KM, Reddy NR. Effect of High Pressures in Combination with Temperature on the Inactivation of Spores of Nonproteolytic *Clostridium botulinum* Types B and F. J Food Prot. 2018 Feb;81(2):261-271.

Cryptosporidium, Giardia and Toxoplasma

Ahmed SA, Karanis P. An overview of methods/techniques for the detection of *Cryptosporidium* in food samples. Parasitol Res. 2018 Mar;117(3):629-653.

Battisti E, Zanet S, Triscioglio A, Bruno S, Ferroglio E. Circulating genotypes of *Toxoplasma gondii* in Northwestern Italy. Vet Parasitol. 2018 Apr 15;253:43-47.

Belluco S, Patuzzi I, Ricci A. Bovine meat versus pork in *Toxoplasma gondii* transmission in Italy: A quantitative risk assessment model. *Int J Food Microbiol.* 2018 Mar 23;269:1-11.

Bouwknegt M, Devleeschauwer B, Graham H, Robertson LJ, van der Giessen JW, The Euro-Fbp Workshop Participants. Prioritisation of food-borne parasites in Europe, 2016. *Euro Surveill.* 2018 Mar;23(9). doi:10.2807/15607917.ES.2018.23.9.17-00161.

Deng H, Devleeschauwer B, Liu M, Li J, Wu Y, van der Giessen JWB, Opsteegh M. Seroprevalence of *Toxoplasma gondii* in pregnant women and livestock in the mainland of China: a systematic review and hierarchical meta-analysis. *Sci Rep.* 2018 Apr 18;8(1):6218.

Jiang T, Shwab EK, Martin RM, Gerhold RW, Rosenthal BM, Dubey JP, Su C. A partition of *Toxoplasma gondii* genotypes across spatial gradients and among host species, and decreased parasite diversity towards areas of human settlement in North America. *Int J Parasitol.* 2018 Mar 23. pii: S0020-7519(18)30061-4.

Rousseau A, La Carbona S, Dumètre A, Robertson LJ, Gargala G, Escotte-Binet S, Favennec L, Villena I, Gérard C, Aubert D. Assessing viability and infectivity of foodborne and waterborne stages (cysts/oocysts) of *Giardia duodenalis*, *Cryptosporidium* spp., and *Toxoplasma gondii*: a review of methods. *Parasite.* 2018;25:14. doi: 10.1051/parasite/2018009. Epub 2018 Mar 19.

Hepatitis A and E viruses

Brié A, Boudaud N, Mssihid A, Loutreul J, Bertrand I, Gantzer C. Inactivation of murine norovirus and hepatitis A virus on fresh raspberries by gaseous ozone treatment. *Food Microbiol.* 2018 Apr;70:1-6. doi: 10.1016/j.fm.2017.08.010.

De Sabato L, Lemey P, Vrancken B, Bonfanti L, Ceglie L, Vaccari G, Di Bartolo I. Proposal for a new subtype of the zoonotic genotype 3 Hepatitis E virus: HEV-3I. *Virus Res.* 2018 Mar 15;248:1-4.

Lee SY, Kim MJ, Kim HJ, Jeong KC, Kim HY. Simultaneous Detection of Four Foodborne Viruses in Food Samples Using a One-Step Multiplex Reverse Transcription PCR. *J Microbiol Biotechnol.* 2018 Feb 28;28(2):210-217.

Moor D, Liniger M, Baumgartner A, Felleisen R. Screening of Ready-to-Eat Meat Products for Hepatitis E Virus in Switzerland. *Food Environ Virol.* 2018 Feb 28. doi: 10.1007/s12560-018-9340-x. [Epub ahead of print] PubMed PMID: 29492902.

O'Hara Z, Crossan C, Craft J, Scobie L. First Report of the Presence of Hepatitis E Virus in Scottish-Harvested Shellfish Purchased at Retail Level. *Food Environ Virol.* 2018 Feb 13. doi: 10.1007/s12560-018-9337-5. [Epub ahead of print]

Polo D, García-Fernández I, Fernández-Ibañez P, Romalde JL. Hepatitis A Virus Disinfection in Water by Solar Photo-Fenton Systems. *Food Environ Virol.* 2018 Feb 21. doi: 10.1007/s12560-018-9339-3. [Epub ahead of print]

Randazzo W, Vásquez-García A, Bracho MA, Alcaraz MJ, Aznar R, Sánchez G. Hepatitis E virus in lettuce and water samples: A method-comparison study. *Int J Food Microbiol.* 2018 Apr 4;277:34-40.

Sasaki Y, Haruna M, Uema M, Noda M, Yamada Y. Prevalence and Phylogenetic Analysis of Hepatitis E Virus among Pigs in Japan. *Jpn J Infect Dis.* 2018 Jan 23;71(1):75-78.

Spancerniene U, Grigas J, Buitkuvieniė J, Zymantiene J, Juozaitiene V, Stankeviciute M, Razukevicius D, Zienius D, Stankevicius A. Prevalence and phylogenetic analysis of hepatitis E virus in pigs, wild boars, roe deer, red deer and moose in Lithuania. *Acta Vet Scand.* 2018 Feb 23;60(1):13.

Syed SF, Zhao Q, Umer M, Alagawany M, Ujjan IA, Soomro F, Bangulzai N, Baloch AH, Abd El-Hack M, Zhou EM, Arain MA. Past, present and future of hepatitis E virus infection: Zoonotic perspectives. *Microb Pathog.* 2018 Apr 3;119:103-108.

Takahashi M, Okakura Y, Takahashi H, Imamura M, Takeuchi A, Shidara H, Kuda T, Kimura B. Heat-denatured lysozyme could be a novel disinfectant for reducing hepatitis A virus and murine norovirus on berry fruit. *Int J Food Microbiol.* 2018 Feb 2;266:104-108.

Zafrullah M, Zhang X, Tran C, Nguyen M, Kamili S, Purdy MA, Stramer SL. Disparities in detection of antibodies against hepatitis E virus in US blood donor samples using commercial assays. *Transfusion.* 2018 May;58(5):1254-1263.

Listeria monocytogenes

Brown LG, Hoover ER, Faw BV, Hedeem NK, Nicholas D, Wong MR, Shepherd C, Gallagher DL, Kause JR. Food Safety Practices Linked with Proper Refrigerator Temperatures in Retail Delis. *Foodborne Pathog Dis.* 2018 Mar 2. doi: 10.1089/fpd.2017.2358. [Epub ahead of print]

Driehuis F, Wilkinson JM, Jiang Y, Ogunade I, Adesogan AT. Silage review: Animal and human health risks from silage. *J Dairy Sci.* 2018 May;101(5):4093-4110.

Félix B, Feurer C, Maillet A, Guillier L, Boscher E, Kerouanton A, Denis M, Roussel S. Population Genetic Structure of *Listeria monocytogenes* Strains Isolated From the Pig and Pork Production Chain in France. *Front Microbiol.* 2018 Apr 6;9:684. doi: 10.3389/fmicb.2018.00684.

Gnanou Besse N, Lombard B, Guillier L, François D, Romero K, Pierru S, Bouhier L, Rollier P. Validation of standard method EN ISO 11290 - Part 1 - Detection of *Listeria monocytogenes* in food. Int J Food Microbiol. 2018 Mar 26. pii: S0168-1605(18)30127-2. doi: 10.1016/j.ijfoodmicro.2018.03.024. [Epub ahead of print]

Halbedel S, Prager R, Fuchs S, Trost E, Werner G, Flieger A. Whole genome sequencing of recent *Listeria monocytogenes* isolates from Germany reveals population structure and disease clusters. J Clin Microbiol. 2018 Apr 11. pii: JCM.00119-18. doi: 10.1128/JCM.00119-18. [Epub ahead of print]

Heir E, Møretrø T, Simensen A, Langsrud S. *Listeria monocytogenes* strains show large variations in competitive growth in mixed culture biofilms and suspensions with bacteria from food processing environments. Int J Food Microbiol. 2018 Jun 20;275:46-55.

Highmore CJ, Warner JC, Rothwell SD, Wilks SA, Keevil CW. Viable-but-Nonculturable *Listeria monocytogenes* and *Salmonella enterica* Serovar Thompson Induced by Chlorine Stress Remain Infectious. MBio. 2018 Apr 17;9(2). pii: e00540-18.

Lipcsei LE, Brown LG, Hoover ER, Faw BV, Hedeem N, Matis B, Nicholas D, Ripley D. Retail Deli Slicer Inspection Practices: An EHS-Net Study. J Food Prot. 2018 May;81(5):799-805.

Minarovičová J, Véghová A, Mikulášová M, Chovanová R, Šoltýs K, Drahovská H, Kaclíková E. *Benzalkonium chloride* tolerance of *Listeria monocytogenes* strains isolated from a meat processing facility is related to presence of plasmid-borne bcrABC cassette. Antonie Van Leeuwenhoek. 2018 Apr 6. doi:10.1007/s10482-018-1082-0. [Epub ahead of print]

Pennone V, Lehardy A, Coffey A, Mcauliffe O, Jordan K. Diversity of *Listeria monocytogenes* strains isolated from *Agaricus bisporus* mushroom production. J Appl Microbiol. 2018 Apr 6. doi: 10.1111/jam.13773. [Epub ahead of print]

Salazar JK, Bathija VM, Carstens CK, Narula SS, Shazer A, Stewart D, Tortorello ML. *Listeria monocytogenes* Growth Kinetics in Milkshakes Made from Naturally and Artificially Contaminated Ice Cream. Front Microbiol. 2018 Jan 24;9:62.

Zilelidou EA, Skandamis PN. Growth, detection and virulence of *Listeria monocytogenes* in the presence of other microorganisms: microbial interactions from species to strain level. Int J Food Microbiol. 2018 Apr 12;277:10-25.

Norovirus

Esseili MA, Meulia T, Saif LJ, Wang Q. Tissue Distribution and Visualization of Internalized Human Norovirus in Leafy Greens. *Appl Environ Microbiol*. 2018 Apr 6. pii: AEM.00292-18. doi: 10.1128/AEM.00292-18. [Epub ahead of print]

Kim B, Chung KW, Lee JH. Non-stop aptasensor capable of rapidly monitoring norovirus in a sample. *J Pharm Biomed Anal*. 2018 Apr 15;152:315-321.

Langlet J, Kaas L, Croucher D, Hewitt J. Effect of the Shellfish Proteinase K Digestion Method on Norovirus Capsid Integrity. *Food Environ Virol*. 2018 Feb 7. doi: 10.1007/s12560-018-9336-6. [Epub ahead of print]

Leone CM, Dharmasena M, Tang C, DiCAPRIO E, Ma Y, Araud E, Bolinger H, Rupprom K, Yeargin T, Li J, Schaffner D, Jiang X, Sharp J, Vinjé J, Fraser A. Prevalence of Human Noroviruses in Commercial Food Establishment Bathrooms. *J Food Prot*. 2018 May;81(5):719-728.

McMenemy P, Kleczkowski A, Lees DN, Lowther J, Taylor N. A model for estimating pathogen variability in shellfish and predicting minimum depuration times. *PLoS One*. 2018 Mar 7;13(3):e0193865.

Monedero V, Buesa J, Rodríguez-Díaz J. The Interactions between Host Glycobiology, Bacterial Microbiota, and Viruses in the Gut. *Viruses*. 2018 Feb 24;10(2). pii: E96.

Oka T, Stoltzfus GT, Zhu C, Jung K, Wang Q, Saif LJ. Attempts to grow human noroviruses, a sapovirus, and a bovine norovirus *in vitro*. *PLoS One*. 2018 Feb 13;13(2):e0178157.

Sakon N, Sadamasu K, Shinkai T, Hamajima Y, Yoshitomi H, Matsushima Y, Takada R, Terasoma F, Nakamura A, Komano J, Nagasawa K, Shimizu H, Katayama K, Kimura H. Foodborne Outbreaks Caused by Human Norovirus GII.P17-GII.17-Contaminated Nori, Japan, 2017. *Emerg Infect Dis*. 2018 May;24(5):920-923.

Shukla S, Cho H, Kwon OJ, Chung SH, Kim M. Prevalence and evaluation strategies for viral contamination in food products: Risk to human health-a review. *Crit Rev Food Sci Nutr*. 2018 Feb 11;58(3):405-419.

Somura Y, Mizukoshi F, Nagasawa K, Kimoto K, Oda M, Shinkai T, Murakami K, Sadamasu K, Katayama K, Kimura H. A Food Poisoning Outbreak Due to Food Handler-Associated Contamination with the Human Norovirus GII.P16-GII.2 Variant Strain in Italian Cuisine in Tokyo during the 2016/17 Winter Season. *Jpn J Infect Dis*. 2018 Mar 22;71(2):172-173.

Summa M, Henttonen H, Maunula L. Human noroviruses in the faeces of wild birds and rodents-new potential transmission routes. *Zoonoses Public Health*. 2018 Mar 12. doi: 10.1111/zph.12461. [Epub ahead of print]

Summa M, Maunula L. Rapid Detection of Human Norovirus in Frozen Raspberries. *Food Environ Virol*. 2018 Mar;10(1):51-60.

Torok V, Hodgson K, McLeod C, Tan J, Malhi N, Turnbull A. National survey of foodborne viruses in Australian oysters at production. *Food Microbiol*. 2018 Feb;69:196-203.

Uhrbrand K, Koponen IK, Schultz AC, Madsen AM. Evaluation of air samplers and filter materials for collection and recovery of airborne norovirus. *J Appl Microbiol*. 2018 Apr;124(4):990-1000.

van Beek J, de Graaf M, Al-Hello H, Allen DJ, Ambert-Balay K, Botteldoorn N, Brytting M, Buesa J, Cabrerizo M, Chan M, Cloak F, Di Bartolo I, Guix S, Hewitt J, Iritani N, Jin M, Johne R, Lederer I, Mans J, Martella V, Maunula L, McAllister G, Niendorf S, Niesters HG, Podkolzin AT, Poljsak-Prijatelj M, Rasmussen LD, Reuter G, Tuite G, Kroneman A, Vennema H, Koopmans MPG; NoroNet. Molecular surveillance of norovirus, 2005-16: an epidemiological analysis of data collected from the NoroNet network. *Lancet Infect Dis*. 2018 May;18(5):545-553.

Wan V, McIntyre L, Kent D, Leong D, Henderson SB. Near-Real-Time Surveillance of Illnesses Related to Shellfish Consumption in British Columbia: Analysis of Poison Center Data. *JMIR Public Health Surveill*. 2018 Feb 23;4(1):e17.

Salmonella

Allard MW, Bell R, Ferreira CM, Gonzalez-Escalona N, Hoffmann M, Muruvanda T, Ottesen A, Ramachandran P, Reed E, Sharma S, Stevens E, Timme R, Zheng J, Brown EW. Genomics of foodborne pathogens for microbial food safety. *Curr Opin Biotechnol*. 2018 Feb;49:224-229.

Besser JM. *Salmonella* epidemiology: A whirlwind of change. *Food Microbiol*. 2018 May;71:55-59.

Biasino W, De Zutter L, Mattheus W, Bertrand S, Uyttendaele M, Van Damme I. Correlation between slaughter practices and the distribution of *Salmonella* and hygiene indicator bacteria on pig carcasses during slaughter. *Food Microbiol*. 2018 Apr;70:192-199.

Black EP, Hinrichs GJ, Barcay SJ, Gardner DB. Fruit Flies as Potential Vectors of Foodborne Illness. *J Food Prot*. 2018 Feb 23:509-514.

Borowiak M, Fischer J, Baumann B, Hammerl JA, Szabo I, Malorny B. Complete Genome Sequence of a VIM-1-Producing *Salmonella enterica* subsp. *enterica* Serovar *Infantis* Isolate Derived from Minced Pork Meat. *Genome Announc.* 2018 Apr 26;6(17). pii: e00327-18.

Bradley AJ, Leach KA, Green MJ, Gibbons J, Ohnstad IC, Black DH, Payne B, Prout VE, Breen JE. The impact of dairy cows' bedding material and its microbial content on the quality and safety of milk - A cross sectional study of UK farms. *Int J Food Microbiol.* 2018 Mar 23;269:36-45.

Brar PK, Danyluk MD. Nuts and Grains: Microbiology and Preharvest Contamination Risks. *Microbiol Spectr.* 2018 Apr;6(2). doi:10.1128/microbiolspec.PFS-0023-2018.

Bugarel M, Bakker HD, Grout J, Vignaud ML, Loneragan GH, Fach P, Brisabois A. CRISPR-based assay for the molecular identification of highly prevalent *Salmonella* serotypes. *Food Microbiol.* 2018 May;71:8-16.

Butot S, Cantergiani F, Moser M, Jean J, Lima A, Michot L, Putallaz T, Stroheker T, Zuber S. UV-C inactivation of foodborne bacterial and viral pathogens and surrogates on fresh and frozen berries. *Int J Food Microbiol.* 2018 Jun 20;275:8-16.

Chen Y, Pouillot R, Santillana Farakos SM, Duret S, Spungen J, Fu TJ, Shakir F, Homola PA, Dennis S, Van Doren JM. Risk Assessment of Salmonellosis from Consumption of Alfalfa Sprouts and Evaluation of the Public Health Impact of Sprout Seed Treatment and Spent Irrigation Water Testing. *Risk Anal.* 2018 Jan 16. doi: 10.1111/risa.12964. [Epub ahead of print]

Chitrakar B, Zhang M, Adhikari B. Dehydrated Foods: Are they Microbiologically Safe? *Crit Rev Food Sci Nutr.* 2018 Apr 19:1-43.

Crabb HK, Allen JL, Devlin JM, Firestone SM, Stevenson MA, Gilkerson JR. The use of social network analysis to examine the transmission of *Salmonella* spp. within a vertically integrated broiler enterprise. *Food Microbiol.* 2018 May;71:73-81.

Dasan BG, Yildirim T, Boyaci IH. Surface decontamination of eggshells by using non-thermal atmospheric plasma. *Int J Food Microbiol.* 2018 Feb 2;266:267-273.

De Cesare A, Doménech E, Comin D, Meluzzi A, Manfreda G. Impact of Cooking Procedures and Storage Practices at Home on Consumer Exposure to *Listeria Monocytogenes* and *Salmonella* Due to the Consumption of Pork Meat. *Risk Anal.* 2018 Apr;38(4):638-652.

Djordjević J, Bošković M, Starčević M, Ivanović J, Karabasil N, Dimitrijević M, Lazić IB, Baltić MŽ. Survival of *Salmonella* spp. in minced meat packaged under vacuum

and modified atmosphere. *Braz J Microbiol.* 2018 Feb 12. pii: S1517-8382(16)30998-4.

Ford L, Wang Q, Stafford R, Ressler KA, Norton S, Shadbolt C, Hope K, Franklin N, Krsteski R, Carswell A, Carter GP, Seemann T, Howard P, Valcanis M, Castillo CFS, Bates J, Glass K, Williamson DA, Sintchenko V, Howden BP, Kirk MD. Seven *Salmonella* Typhimurium Outbreaks in Australia Linked by Trace-Back and Whole Genome Sequencing. *Foodborne Pathog Dis.* 2018 Mar 20. doi: 10.1089/fpd.2017.2353. [Epub ahead of print]

Garcia-Graells C, De Keersmaecker SCJ, Vanneste K, Pochet B, Vermeersch K, Roosens N, Dierick K, Botteldoorn N. Detection of Plasmid-Mediated Colistin Resistance, *mcr-1* and *mcr-2* Genes, in *Salmonella* spp. Isolated from Food at Retail in Belgium from 2012 to 2015. *Foodborne Pathog Dis.* 2018 Feb;15(2):114-117.

Gast RK, Guard J, Guraya R, Locatelli A. Multiplication in Egg Yolk and Survival in Egg Albumen of Genetically and Phenotypically Characterized *Salmonella* Enteritidis Strains. *J Food Prot.* 2018 Apr 30:876-880.

Goberna M, Simón P, Hernández MT, García C. Prokaryotic communities and potential pathogens in sewage sludge: Response to wastewater origin, loading rate and treatment technology. *Sci Total Environ.* 2018 Feb 15;615:360-368.

Green A, Defibaugh-Chavez S, Douris A, Vetter D, Atkinson R, Kissler B, Khroustalev A, Robertson K, Sharma Y, Becker K, Dessai U, Antoine N, Allen L, Holt K, Gieraltowski L, Wise M, Schwensohn C. Intensified Sampling in Response to a *Salmonella* Heidelberg Outbreak Associated with Multiple Establishments Within a Single Poultry Corporation. *Foodborne Pathog Dis.* 2018 Mar;15(3):153-160.

Handley JA, Park SH, Kim SA, Ricke SC. Microbiome Profiles of Commercial Broilers Through Evisceration and Immersion Chilling During Poultry Slaughter and the Identification of Potential Indicator Microorganisms. *Front Microbiol.* 2018 Mar 2;9:345.

Holschbach CL, Peek SF. *Salmonella* in Dairy Cattle. *Vet Clin North Am Food Anim Pract.* 2018 Mar;34(1):133-154.

Islam MA, Roy S, Nabi A, Solaiman S, Rahman M, Huq M, Siddiquee NA, Ahmed N. Microbiological quality assessment of milk at different stages of the dairy value chain in a developing country setting. *Int J Food Microbiol.* 2018 Apr 17;278:11-19.

Jans C, Sarno E, Collineau L, Meile L, Stärk KDC, Stephan R. Consumer Exposure to Antimicrobial Resistant Bacteria From Food at Swiss Retail Level. *Front Microbiol.* 2018 Mar 6;9:362.

Kanagarajah S, Waldram A, Dolan G, Jenkins C, Ashton PM, Carrion Martin AI, Davies R, Frost A, Dallman TJ, De Pinna EM, Hawker JI, Grant KA, Elson R. Whole genome sequencing reveals an outbreak of *Salmonella* Enteritidis associated with reptile feeder mice in the United Kingdom, 2012-2015. *Food Microbiol.* 2018 May;71:32-38.

Kim D, Hong S, Kim YT, Ryu S, Kim HB, Lee JH. Metagenomic Approach to Identifying Foodborne Pathogens on Chinese Cabbage. *J Microbiol Biotechnol.* 2018 Feb 28;28(2):227-235.

Kumar S, Chen C, Indugu N, Werlang GO, Singh M, Kim WK, Thippareddi H. Effect of antibiotic withdrawal in feed on chicken gut microbial dynamics, immunity, growth performance and prevalence of foodborne pathogens. *PLoS One.* 2018 Feb 14;13(2):e0192450.

Lamas A, Regal P, Vázquez B, Miranda JM, Cepeda A, Franco CM. *Salmonella* and *Campylobacter* biofilm formation: a comparative assessment from farm to fork. *J Sci Food Agric.* 2018 Feb 9. doi: 10.1002/jsfa.8945. [Epub ahead of print] Review.

Le TS, Southgate PC, O'Connor W, Poole S, Kurtböke DI. Bacteriophages as Biological Control Agents of Enteric Bacteria Contaminating Edible Oysters. *Curr Microbiol.* 2018 May;75(5):611-619.

Liu J, Bai L, Li W, Han H, Fu P, Ma X, Bi Z, Yang X, Zhang X, Zhen S, Deng X, Liu X, Guo Y. Trends of foodborne diseases in China: lessons from laboratory-based surveillance since 2011. *Front Med.* 2018 Feb;12(1):48-57.

Liu S, Tang J, Tadapaneni RK, Yang R, Zhu MJ. Exponentially Increased Thermal Resistance of *Salmonella* spp. and *Enterococcus faecium* at Reduced Water Activity. *Appl Environ Microbiol.* 2018 Apr 2;84(8). pii: e02742-17.

Love WJ, Zawack KA, Booth JG, Gröhn YT, Lanzas C. Phenotypical resistance correlation networks for 10 non-typhoidal *Salmonella* subpopulations in an active antimicrobial surveillance programme. *Epidemiol Infect.* 2018 Apr 30:1-12.

Luk-In S, Chatsuwat T, Pulsrikarn C, Bangtrakulnonth A, Rirerm U, Kulwichit W. High prevalence of ceftriaxone resistance among invasive *Salmonella enterica* serotype Choleraesuis isolates in Thailand: The emergence and increase of CTX-M-55 in ciprofloxacin-resistant *S. Choleraesuis* isolates. *Int J Med Microbiol.* 2018 Mar 23. pii: S1438-4221(17)30574-X.

Lynch H, Walia K, Leonard FC, Lawlor PG, Manzanilla EG, Grant J, Duffy G, Gardiner GE, Cormican M, King J, Markey BK, Fanning S, Argüello H. *Salmonella* in breeding pigs: Shedding pattern, transmission of infection and the role of

environmental contamination in Irish commercial farrow-to-finish herds. *Zoonoses Public Health*. 2018 Feb;65(1):e196-e206.

Martelli F, Andres VM, Davies R, Smith RP. Observations on the introduction and dissemination of *Salmonella* in three previously low prevalence status pig farms in the United Kingdom. *Food Microbiol*. 2018 May;71:129-134.

Mooijman KA. The new ISO 6579-1: A real horizontal standard for detection of *Salmonella*, at last! *Food Microbiol*. 2018 May;71:2-7.

Mughini-Gras L, Franz E, van Pelt W. New paradigms for *Salmonella* source attribution based on microbial subtyping. *Food Microbiol*. 2018 May;71:60-67.

Mughini-Gras L, Schaapveld M, Kramers J, Mooij S, Neefjes-Borst EA, Pelt WV, Neefjes J. Increased colon cancer risk after severe *Salmonella* infection. *PLoS One*. 2018 Jan 17;13(1):e0189721.

Mąka Ł, Maćkiw E, Stasiak M, Wołkowicz T, Kowalska J, Postupolski J, Popowska M. Ciprofloxacin and nalidixic acid resistance of *Salmonella* spp. isolated from retail food in Poland. *Int J Food Microbiol*. 2018 Mar 17;276:1-4.

Papadakis G, Murasova P, Hamiot A, Tsougeni K, Kaprou G, Eck M, Rabus D, Bilkova Z, Dupuy B, Jobst G, Tserepi A, Gogolides E, Gizeli E. Micro-nano-bio acoustic system for the detection of foodborne pathogens in real samples. *Biosens Bioelectron*. 2018 Jul 15;111:52-58.

Parisi A, Crump JA, Glass K, Howden BP, Furuya-Kanamori L, Vilkins S, Gray DJ, Kirk MD. Health Outcomes from Multidrug-Resistant *Salmonella* Infections in High-Income Countries: A Systematic Review and Meta-Analysis. *Foodborne Pathog Dis*. 2018 Apr 6. doi: 10.1089/fpd.2017.2403. [Epub ahead of print]

Park SH, Kang DH. Effect of temperature on chlorine dioxide inactivation of *Escherichia coli* O157:H7, *Salmonella typhimurium*, and *Listeria monocytogenes* on spinach, tomatoes, stainless steel, and glass surfaces. *Int J Food Microbiol*. 2018 Jun 20;275:39-45.

Paudyal N, Pan H, Liao X, Zhang X, Li X, Fang W, Yue M. A Meta-Analysis of Major Foodborne Pathogens in Chinese Food Commodities Between 2006 and 2016. *Foodborne Pathog Dis*. 2018 Apr;15(4):187-197.

Poulsen MN, Pollak J, Sills DL, Casey JA, Rasmussen SG, Nachman KE, Cosgrove SE, Stewart D, Schwartz BS. Residential proximity to high-density poultry operations associated with campylobacteriosis and infectious diarrhea. *Int J Hyg Environ Health*. 2018 Mar;221(2):323-333.

Powell MR, Crim SM, Hoekstra RM, Williams MS, Gu W. Temporal patterns in principal *Salmonella* serotypes in the USA; 1996-2014. *Epidemiol Infect.* 2018 Mar;146(4):437-441.

Robertson J, Yoshida C, Kruczkiewicz P, Nadon C, Nichani A, Taboada EN, Nash JHE. Comprehensive assessment of the quality of *Salmonella* whole genome sequence data available in public sequence databases using the *Salmonella in silico* Typing Resource (SISTR). *Microb Genom.* 2018 Jan 17. doi: 10.1099/mgen.0.000151. [Epub ahead of print]

Rönnqvist M, Välttilä V, Ranta J, Tuominen P. *Salmonella* risk to consumers via pork is related to the *Salmonella* prevalence in pig feed. *Food Microbiol.* 2018 May;71:93-97.

Shigemura H, Matsui M, Sekizuka T, Onozuka D, Noda T, Yamashita A, Kuroda M, Suzuki S, Kimura H, Fujimoto S, Oishi K, Sera N, Inoshima Y, Murakami K. Decrease in the prevalence of extended-spectrum cephalosporin-resistant *Salmonella* following cessation of ceftiofur use by the Japanese poultry industry. *Int J Food Microbiol.* 2018 Jun 2;274:45-51.

Simon S, Trost E, Bender J, Fuchs S, Malorny B, Rabsch W, Prager R, Tietze E, Flieger A. Evaluation of WGS based approaches for investigating a food-borne outbreak caused by *Salmonella enterica* serovar Derby in Germany. *Food Microbiol.* 2018 May;71:46-54.

Sánchez-Maldonado AF, Lee A, Farber JM. Methods for the Control of Foodborne Pathogens in Low-Moisture Foods. *Annu Rev Food Sci Technol.* 2018 Mar 25;9:177-208.

Tamber S. Population-Wide Survey of *Salmonella enterica* Response to High-Pressure Processing Reveals a Diversity of Responses and Tolerance Mechanisms. *Appl Environ Microbiol.* 2018 Jan 2;84(2). pii: e01673-17.

Tozzo K, Neto AFG, Spercoski KM, Ronnau M, Soares VM, Bersot LS. Migration of *Salmonella* serotypes Heidelberg and Enteritidis in previously frozen chicken breast meat. *Food Microbiol.* 2018 Feb;69:204-211.

Vrbova L, Sivanantharajah S, Walton R, Whitfield Y, Lee C, Picard I, Chapinal N, Gaulin C, Tschetter L, Tataryn J. Outbreak of *Salmonella* Typhimurium associated with feeder rodents. *Zoonoses Public Health.* 2018 Jan 29. doi:10.1111/zph.12442.

Välttilä V, Ranta J, Rönnqvist M, Tuominen P. Bayesian model for tracing *Salmonella* contamination in the pig feed chain. *Food Microbiol.* 2018 May;71:82-92.

Waldram A, Dolan G, Ashton PM, Jenkins C, Dallman TJ. Epidemiological analysis of *Salmonella* clusters identified by whole genome sequencing, England and Wales 2014. *Food Microbiol.* 2018 May;71:39-45.

Wambui J, Lamuka P, Karuri E, Matofari J, Njage PMK. Microbial Contamination Level Profiles Attributed to Contamination of Beef Carcasses, Personnel, and Equipment: Case of Small and Medium Enterprise Slaughterhouses. *J Food Prot.* 2018 Apr;81(4):684-691.

Williamson DA, Lane CR, Easton M, Valcanis M, Strachan J, Veitch MG, Kirk MD, Howden BP. Increasing Antimicrobial Resistance in Nontyphoidal *Salmonella* Isolates in Australia from 1979 to 2015. *Antimicrob Agents Chemother.* 2018 Jan 25;62(2). pii: e02012-17.

Willis C, Jørgensen F, Aird H, Elviss N, Fox A, Jenkins C, Fenelon D, Sadler-Reeves L, McLauchlin J. An assessment of the microbiological quality and safety of raw drinking milk on retail sale in England. *J Appl Microbiol.* 2018 Feb;124(2):535-546.

Wilson HL, Kennedy KJ, Moffatt CRM. Epidemiology of non-typhoid *Salmonella* infection in the Australian Capital Territory over a 10-year period. *Intern Med J.* 2018 Mar;48(3):316-323.

You Y, Lim S, Hahn J, Choi YJ, Gunasekaran S. Bifunctional linker-based immunosensing for rapid and visible detection of bacteria in real matrices. *Biosens Bioelectron.* 2018 Feb 15;100:389-395.

Zhang G, Chen Y, Hu L, Melka D, Wang H, Laasri A, Brown EW, Strain E, Allard M, Bunning VK, Parish M, Musser SM, Hammack TS. Survey of Foodborne Pathogens, Aerobic Plate Counts, Total Coliform Counts, and *Escherichia coli* Counts in Leafy Greens, Sprouts, and Melons Marketed in the United States. *J Food Prot.* 2018 Mar;81(3):400-411.

STEC

Adator EH, Cheng M, Holley R, McAllister T, Narvaez-Bravo C. Ability of Shiga toxinogenic *Escherichia coli* to survive within dry-surface biofilms and transfer to fresh lettuce. *Int J Food Microbiol.* 2018 Mar 23;269:52-59.

Bruyand M, Mariani-Kurkdjian P, Gouali M, de Valk H, King LA, Le Hello S, Bonacorsi S, Loirat C. Hemolytic uremic syndrome due to Shiga toxin-producing *Escherichia coli* infection. *Med Mal Infect.* 2018 May;48(3):167-174.

Erickson MC, Liao JY, Webb CC, Habteselassie MY, Cannon JL. Inactivation of *Escherichia coli* O157:H7 and *Salmonella* deposited on gloves in a liquid state and subjected to drying conditions. *Int J Food Microbiol.* 2018 Feb 2;266:200-206.

Gigliucci F, von Meijenfeldt FAB, Knijn A, Michelacci V, Scavia G, Minelli F, Dutilh BE, Ahmad HM, Raangs GC, Friedrich AW, Rossen JWA, Morabito S. Metagenomic Characterization of the Human Intestinal Microbiota in Fecal Samples from STEC-Infected Patients. *Front Cell Infect Microbiol.* 2018 Feb 6;8:25.

Khan SB, Zou G, Xiao R, Cheng Y, Rehman ZU, Ali S, Memon AM, Fahad S, Ahmad I, Zhou R. Prevalence, quantification and isolation of pathogenic shiga toxin *Escherichia coli* O157:H7 along the production and supply chain of pork around Hubei Province of China. *Microb Pathog.* 2018 Feb;115:93-99.

Mughini-Gras L, van Pelt W, van der Voort M, Heck M, Friesema I, Franz E. Attribution of human infections with Shiga toxin-producing *Escherichia coli* (STEC) to livestock sources and identification of source-specific risk factors, The Netherlands (2010-2014). *Zoonoses Public Health.* 2018 Feb;65(1):e8-e22.

Newell DG, La Ragione RM. Enterohaemorrhagic and other Shiga toxin-producing *Escherichia coli* (STEC): Where are we now regarding diagnostics and control strategies? *Transbound Emerg Dis.* 2018 Jan 25. doi: 10.1111/tbed.12789. [Epub ahead of print]

Ntuli V, Njage PMK, Bonilauri P, Serraino A, Buys EM. Quantitative Risk Assessment of Hemolytic Uremic Syndrome Associated with Consumption of Bulk Milk Sold Directly from Producer to Consumer in South Africa. *J Food Prot.* 2018 Feb 23:472-481. doi: 10.4315/0362-028X.JFP-17-199. [Epub ahead of print]

Prakasan S, Prabhakar P, Lekshmi M, Kumar S, Nayak BB. Isolation of Shiga toxin-producing *Escherichia coli* harboring variant Shiga toxin genes from seafood. *Vet World.* 2018 Mar;11(3):379-385.

Ranjbar R, Safarpour Dehkordi F, Sakhaei Shahreza MH, Rahimi E. Prevalence, identification of virulence factors, O-serogroups and antibiotic resistance properties of Shiga-toxin producing *Escherichia coli* strains isolated from raw milk and traditional dairy products. *Antimicrob Resist Infect Control.* 2018 Apr 16;7:53.

Segura A, Auffret P, Bibbal D, Bertoni M, Durand A, Jubelin G, Kérourédan M, Brugère H, Bertin Y, Forano E. Factors Involved in the Persistence of a Shiga Toxin-Producing *Escherichia coli* O157:H7 Strain in Bovine Feces and Gastro-Intestinal Content. *Front Microbiol.* 2018 Mar 9;9:375.

Sethulekshmi C, Latha C, Anu CJ. Occurrence and quantification of Shiga toxin-producing *Escherichia coli* from food matrices. *Vet World*. 2018 Feb;11(2):104-111.

Shridhar PB, Patel IR, Gangiredla J, Noll LW, Shi X, Bai J, Elkins CA, Strockbine N, Nagaraja TG. DNA microarray-based assessment of virulence potential of Shiga toxin gene-carrying *Escherichia coli* O104:H7 isolated from feedlot cattle feces. *PLoS One*. 2018 Apr 30;13(4):e0196490.

Shridhar PB, Patel IR, Gangiredla J, Noll LW, Shi X, Bai J, Elkins CA, Strockbine NA, Nagaraja TG. Genetic Analysis of Virulence Potential of *Escherichia coli* O104 Serotypes Isolated From Cattle Feces Using Whole Genome Sequencing. *Front Microbiol*. 2018 Mar 1;9:341. doi: 10.3389/fmicb.2018.00341.

Soledad-Cadona J, Bustamante AV, González J, Mariel-Sanso A. Pathogenicity Islands Distribution in Non-O157 Shiga Toxin-Producing *Escherichia coli* (STEC). *Genes (Basel)*. 2018 Feb 10;9(2). pii: E81.

Sonnier JL, Karns JS, Lombard JE, Koprak CA, Haley BJ, Kim SW, Van Kessel JAS. Prevalence of *Salmonella enterica*, *Listeria monocytogenes*, and pathogenic *Escherichia coli* in bulk tank milk and milk filters from US dairy operations in the National Animal Health Monitoring System Dairy 2014 study. *J Dairy Sci*. 2018 Mar;101(3):1943-1956.

Stromberg ZR, Redweik GAJ, Mellata M. Detection, Prevalence, and Pathogenicity of Non-O157 Shiga Toxin-Producing *Escherichia coli* from Cattle Hides and Carcasses. *Foodborne Pathog Dis*. 2018 Mar;15(3):119-131.

Teng Z, Luo Y, Alborzi S, Zhou B, Chen L, Zhang J, Zhang B, Millner P, Wang Q. Investigation on chlorine-based sanitization under stabilized conditions in the presence of organic load. *Int J Food Microbiol*. 2018 Feb 2;266:150-157.

Thiry D, De Rauw K, Takaki S, Duprez JN, Iguchi A, Piérard D, Korsak N, Mainil JG. Low prevalence of the 'gang of seven' and absence of the O80:H2 serotypes among Shigatoxigenic and enteropathogenic *Escherichia coli* (STEC and EPEC) in intestinal contents of healthy cattle at two slaughterhouses in Belgium in 2014. *J Appl Microbiol*. 2018 Mar;124(3):867-873.

Tran SL, Jenkins C, Livrelli V, Schüller S. Shiga toxin 2 translocation across intestinal epithelium is linked to virulence of Shiga toxin-producing *Escherichia coli* in humans. *Microbiology*. 2018 Apr;164(4):509-516.

Wilson D, Dolan G, Aird H, Sorrell S, Dallman TJ, Jenkins C, Robertson L, Gorton R. Farm-to-fork investigation of an outbreak of Shiga toxin-producing *Escherichia coli* O157. *Microb Genom*. 2018 Feb 28. doi: 10.1099/mgen.0.000160.

Zeinhom MMA, Wang Y, Song Y, Zhu MJ, Lin Y, Du D. A portable smart-phone device for rapid and sensitive detection of *E. coli* O157:H7 in Yoghurt and Egg. Biosens Bioelectron. 2018 Jan 15;99:479-485.

Secretariat
May 2018