

**ACM/750**

**ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD**

**Items of possible interest from the literature**

A list of items from the literature which may be of interest to Members is attached.

**Secretariat  
June 2005**



## ***Bacillus cereus***

Leguerinel I, Spegagne I, Couvert O, Gaillard S, Mafart P. Validation of an overall model describing the effect of three environmental factors on the apparent D-value of *Bacillus cereus* spores. *Int J Food Microbiol.* 2005; **100(1-3)**: 223-9. Epub 2005 Jan 7.

Novak JS, Call J, Tomasula P, Luchansky JB. An assessment of pasteurization treatment of water, media, and milk with respect to *Bacillus* spores. *J Food Prot.* 2005; **68(4)**: 751-7.

## ***Campylobacter***

Schuppers ME, Stephan R, Ledergerber U, Danuser J, Bissig-Choisat B, Stark KD, Regula G. Clinical herd health, farm management and antimicrobial resistance in *Campylobacter coli* on finishing pig farms in Switzerland. *Prev Vet Med.* 2005; **69(3-4)**: 189-202. Epub 2005 Mar 17.

Boyd Y, Herbert EG, Marston KL, Jones MA, Barrow PA. Host genes affect intestinal colonisation of newly hatched chickens by *Campylobacter jejuni*. *Immunogenetics.* 2005; **57(3-4)**: 248-53. Epub 2005 Apr 15

Cools I, Uyttendaele M, Cerpentier J, D'Haese E, Nelis HJ, Debevere J. Persistence of *Campylobacter jejuni* on surfaces in a processing environment and on cutting boards. *Lett Appl Microbiol.* 2005; **40(6)**: 418-23.

Borck B, Pedersen K. Pulsed-field gel electrophoresis types of *Campylobacter* spp in Danish turkeys before and after slaughter. *Int J Food Microbiol.* 2005; **101(1)** 63-72. Epub 2005 Jan 5.

Martinez-Rodriguez A, Mackey BM. Physiological changes in *Campylobacter jejuni* on entry into stationary phase. *Int J Food Microbiol.* 2005; **101(1)**: 1-8. Epub 2004 Dec 28.

Price LB, Johnson E, Vailes R, Silbergeld E. Fluoroquinolone-resistant *campylobacter* isolates from conventional and antibiotic-free chicken products. *Environ Health Perspect.* 2005; **113(5)**: 557-60.

Garg AX, Macnab J, Clark W, Ray JG, Marshall JK, Suri RS, Devereaux PJ, Haynes B; Walkerton Health Study Investigators. Long-term health sequelae following *E. coli* and *campylobacter* contamination of municipal water. Population sampling and assessing non-participation biases. *Can J Public Health.* 2005; **96(2)**: 125-30.

Moore JE, Corcoran D, Dooley JS, Fanning S, Lucey B, Matsuda M, McDowell DA, Megraud F, Millar BC, O'mahoney R, O'riordan L, O'rourke M, Rao JR, Rooney PJ, Sails A, Whyte P. *Campylobacter*. *Vet Res.* 2005; **36(3)**: 351-82.

Boes J, Nersting L, Nielsen EM, Kranker S, Enoe C, Wachmann HC, Baggesen DL. Prevalence and diversity of *Campylobacter jejuni* in pig herds on farms with and without cattle or poultry. J Food Prot. 2005; **68(4)**: 722-7.

Centers for Disease Control and Prevention (CDC). Preliminary FoodNet data on the incidence of infection with pathogens transmitted commonly through food – 10 sites, United States, 2004. MMWR Morb Mortal Wkly Rep. 2005; **54(14)**: 352-6.

Moen B, Oust A, Langsrud O, Dorrell N, Marsden GL, Hinds J, Kohler A, Wren BW, Rudi K. Explorative multifactor approach for investigating global survival mechanisms of *Campylobacter jejuni* under environmental conditions. Appl Environ Microbiol. 2005; **71(4)**: 2086-94.

Kemp R, Leatherbarrow AJ, Williams NJ, Hart CA, Clough HE, Turner J, Wright EJ, French NP. Prevalence and genetic diversity of *Campylobacter* spp. in environmental water samples from a 100-square-kilometer predominantly dairy farming area. Appl Environ Microbiol. 2005; **71(4)**: 1876-82.

Laternus C, Jores J, Moser I, Schwerk P, Wieler LH. Long-term clonal lineages within *Campylobacter jejuni* O:2 strains from different geographical regions and hosts. Int J Med Microbiol. 2005; **294(8)**: 521-4.

Van der Fels-Klerx HJ, Cook RM, Nauta MN, Goossens LH, Havelaar AH. A structured expert judgment study for a model of *campylobacter* transmission during broiler-chicken processing. Risk Anal. 2005; **25(1)**: 109-24.

Bartholomew MJ, Vose DJ, Tollefson LR, Travis CC. A linear model for managing the risk of antimicrobial resistance originating in food animals. Risk Anal. 2005; **25(1)**: 99-108.

Nauta M, van der Fels-Klerx I, Havelaar A. A poultry-processing model for quantitative microbiological risk assessment. Risk Anal. 2005; **25(1)**: 85-98.

Christensen BB, Rosenquist H, Sommer HM, Nielsen NL, Fagt S, Andersen NL, Norrung B. A model of hygiene practices and consumption patterns in the consumer phase. Risk Anal. 2005; **25(1)**: 49-60.

Gillespie IA, O'Brien SJ, Neal KR, Frost JA, Cowden JM, Syed Q; The *Campylobacter* Sentinel Surveillance Scheme Collaborators. Is *Campylobacter jejuni* enteritis a weekend disease? J Infect. 2005; **50(3)**: 265-7.

Wilson IG. Airborne *Campylobacter* infection in a poultry worker: case report and review of the literature. Commun Dis Public Health. 2004; **7(4)**: 349-53. Review.

Korsgaard H, Wegener HC, Helms M. The societal cost of zoonotic *Salmonella* infections and other foodborne bacterial infections in Denmark. *Ugeskr Laeger*. 2005; **167(7)**: 760-3.

Tangvatcharin P, Chanthachum S, Kopaiboon P, Inttasungkha N, Griffiths MW. Comparison of methods for the isolation of thermotolerant *Campylobacter* from poultry. *J Food Prot*. 2005; **68(3)**: 616-20.

Burgess F, Little CL, Allen G, Williamson K, Mitchell RT. Prevalence of *Campylobacter*, *Salmonella* and *Escherichia coli* on the external packaging of raw meat. *J Food Prot*. 2005; **68(3)**: 469-75.

Carrique-Mas J, Andersson Y, Hjertqvist M, Svensson A, Torner A, Giesecke J. Risk factors for domestic sporadic campylobacteriosis among young children in Sweden. *Scand J Infect Dis*. 2005; **37(2)**: 101-10.

Adak GK, Meakins SM, Yip H, Lopman BA, O'Brien SJ. Disease risks from foods, England and Wales, 1996-2000. *Emerg Infect Dis*. 2005; **11(3)**: 365-72.

### ***Clostridium***

Kasai Y, Kimura B, Kawasaki S, Fukaya T, Sakuma K, Fujii T. Growth and toxin production by *Clostridium botulinum* in steamed rice aseptically packed under modified atmosphere. *J Food Prot*. 2005; **68(5)**: 1005-11.

Amezquita A, Weller CL, Wang L, Thippareddi H, Burson DE. Development of an integrated model for heat transfer and dynamic growth of *Clostridium perfringens* during the cooling of cooked boneless ham. *Int J Food Microbiol*. 2005; **101(2)**: 123-44. Epub 2005 Jan 7.

Barker GC, Malakar PK, Del Torre M, Stecchini ML, Peck MW. Probabilistic representation of the exposure of consumers to *Clostridium botulinum* neurotoxin in a minimally processed potato product. *Int J Food Microbiol*. 2005; **100(1-3)**: 345-57. Epub 2004 Dec 15.

Membre JM, Leporq B, Vialette M, Mettler E, Perrier L, Thuault D, Zwietering M. Temperature effect on bacterial growth rate: quantitative microbiology approach including cardinal values and variability estimates to perform growth simulations on/in food. *Int J Food Microbiol*. 2005; **100(1-3)**: 179-86. Epub 2004 Nov 24.

Barker GC, Malakar PK, Peck MW. Germination and growth from spores: variability and uncertainty in the assessment of food borne hazards. *Int J Food Microbiol*. 2005; **100(1-3)**: 67-76. Epub 2004 Nov 26.

Bhutani M, Ralph E, Sharpe MD. Acute paralysis following "a bad potato": a case of botulism. *Can J Anaesth*. 2005; **52(4)**: 433-6.

## ***E. coli***

Schouten JM, Graat EA, Frankena K, van de Giessen AW, van der Zwaluw WK, de Jong MC. A longitudinal study of *Escherichia coli* O157 in cattle of a Dutch dairy farm and in the farm environment. *Vet Microbiol.* 2005; **107(3-4)**: 193-204. Epub 2005 Mar 21.

Eriksson E, Aspan A, Gunnarsson A, Vagsholm I. Prevalence of verotoxin-producing *Escherichia coli* (VTEC) O157 in Swedish dairy herds. *Epidemiol Infect.* 2005; **133(2)**: 349-58.

Bischoff C, Luthy J, Altwegg M, Baggi F. Rapid detection of diarrheagenic *E. coli* by real-time PCR. *J Microbiol Methods.* 2005; **61(3)**: 335-41. Epub 2005 Jan 11.

Bettelheim KA, Kuzevski A, Gilbert RA, Krause DO, McSweeney CS. The diversity of *Escherichia coli* serotypes and biotypes in cattle faeces. *J Appl Microbiol.* 2005; **98(3)**: 699-709.

Shaw DJ, Jenkins C, Pearce MC, Cheasty T, Gunn GJ, Dougan G, Smith HR, Woolhouse ME, Frankel G. Shedding patterns of verocytotoxin-producing *Escherichia coli* strains in a cohort of calves and their dams on a Scottish beef farm. *Appl Environ Microbiol.* 2004; **70(12)**: 7456-65.

Roldgaard BB, Scheutz F, Boel J, Aabo S, Schultz AC, Cheasty T, Nielsen EM, Olsen KE, Christensen BB. VTEC O157 subtypes associated with the most severe clinical symptoms in humans constitute a minor part of VTEC O157 isolates from Danish cattle. *Int J Med Microbiol.* 2004; **294(4)**: 255-9.

Conedera G, Dalvit P, Martini M, Galiero G, Gramaglia M, Goffredo E, Loffredo G, Morabito S, Ottaviani D, Paterlini F, Pezzotti G, Pisanu M, Semprini P, Caprioli A. Verocytotoxin-producing *Escherichia coli* O157 in minced beef and dairy products in Italy. *Int J Food Microbiol.* 2004; **96(1)**: 67-73.

Baylis CL, MacPhee S, Robinson AJ, Griffiths R, Lilley K, Betts RP. Survival of *Escherichia coli* O157:H7, O111:H- and O26:H11 in artificially contaminated chocolate and confectionery products. *Int J Food Microbiol.* 2004; **96(1)**: 35-48.

Chart H, Perry NT. The serological response to Verocytotoxigenic *Escherichia coli* in patients with haemolytic uraemic syndrome. *Lett Appl Microbiol.* 2004; **38(5)**: 351-4.

Paiba GA, Wilesmith JW, Evans SJ, Pascoe SJ, Smith RP, Kidd SA, Ryan JB, McLaren IM, Chappell SA, Willshaw GA, Cheasty T, French NP, Jones TW, Buchanan HF, Challoner DJ, Colloff AD, Cranwell MP, Daniel RG, Davies IH, Duff JP, Hogg RA, Kirby FD, Millar MF, Monies RJ, Nicholls MJ, Payne JH. Prevalence of faecal excretion of verocytotoxigenic *Escherichia coli* O157 in cattle in England and Wales. *Vet Rec.* 2003; **153(12)**: 347-53.

Jenkins C, Willshaw GA, Evans J, Cheasty T, Chart H, Shaw DJ, Dougan G, Frankel G, Smith HR. Subtyping of virulence genes in verocytotoxin-producing *Escherichia coli* (VTEC) other than serogroup O157 associated with disease in the United Kingdom. *J Med Microbiol.* 2003; **52(Pt 11)**: 941-7.

McKee R, Madden RH, Gilmour A. Occurrence of verocytotoxin-producing *Escherichia coli* in dairy and meat processing environments. *J Food Prot.* 2003; **66(9)**: 1576-80.

Gillespie IA, Adak GK, O'Brien SJ, Bolton FJ. Milkborne general outbreaks of infectious intestinal disease, England and Wales, 1992-2000. *Epidemiol Infect.* 2003; **130(3)**: 461-8.

Payne CJ, Petrovic M, Roberts RJ, Paul A, Linnane E, Walker M, Kirby D, Burgess A, Smith RM, Cheasty T, Willshaw G, Salmon RL. Verocytotoxin-producing *Escherichia coli* O157 gastroenteritis in farm visitors, North Wales. *Emerg. Infect Dis.* 2003; **9(5)**: 526-30.

Pontello M, Bersani C, Colmegna S, Cantoni C. Verocytotoxin-producing *Escherichia coli* in foodstuffs of animal origin. *Eur J Epidemiol.* 2003; **18(2)**: 157-60.

Grif K, Orth D, Lederer I, Berghold C, Roedl S, Mache CJ, Dierich MP, Wurzner R. Importance of environmental transmission in cases of EHEC O157 causing hemolytic uremic syndrome. *Eur J Clin Microbiol Infect Dis.* 2005; **24(4)**: 268-71.

## ***Listeria***

Berrang ME, Meinersmann RJ, Frank JF, Smith DP, Genzlinger LL. Distribution of *Listeria monocytogenes* subtypes within a poultry further processing plant. *J Food Prot.* 2005; **68(5)**: 980-5.

Frye C, Donnelly CW. Comprehensive survey of pasteurized fluid milk produced in the United States reveals a low prevalence of *Listeria monocytogenes*. *J Food Prot.* 2005; **68(5)**: 973-9.

Lecuit M. Understanding how *Listeria monocytogenes* targets and crosses host barriers. *Clin Microbiol Infect.* 2005; **11(6)**: 430-436.

Gudmundsdottir S, Gudbjornsdottir B, Lauzon HL, Einarsson H, Kristinsson KG, Kristjansson M. Tracing *Listeria monocytogenes* isolates from cold-smoked salmon and its processing environment in Iceland using pulsed-field gel electrophoresis. *Int J Food Microbiol.* 2005; **101(1)**: 41-51.

Graves LM, Hunter SB, Ong AR, Schoonmaker-Bopp D, Hise K, Kornstein L, De Witt WE, Hayes PS, Dunne E, Mead P, Swaminathan B. Microbiological aspects of the investigation that traced the 1998 outbreak of listeriosis in the

United States to contaminated hot dogs and establishment of molecular subtyping-based surveillance for *Listeria monocytogenes* in the PulseNet network. J Clin Microbiol. 2005; **43(5)**: 2350-5.

Gibbs DS, Anderson GL, Beuchat LR, Carta LK, Willilams PL. Potential role of *Diploscapter* sp. strain LKC25, a bacterivorous nematode from soil, as a vector of food-borne pathogenic bacteria to preharvest fruits and vegetables. Appl Environ Microbiol. 2005; **71(5)**: 2433-7.

Koseki S, Isobe S. Growth of *Listeria monocytogenes* on iceberg lettuce and solid media. Int J Food Microbiol. 2005; **101(2)**: 217-25.

Hassani M, Alvarez I, Raso J, Condon S, Pagan R. Comparing predicting models for heat inactivation of *Listeria monocytogenes* and *Pseudomonas aeruginosa* at different pH. Int J Food Microbiol. 2005; **100(1-3)**: 213-22. Epub 2004 Nov 25.

Delignette-Muller ML, Baty F, Cornu M, Bergis H. Modelling the effect of a temperature shift on the lag phase duration of *Listeria monocytogenes*. Int J Food Microbiol. 2005; **100(1-3)**: 77-84. Epub 2004 Nov 23.

Francois K, Devlieghere F, Smet K, Standaert AR, Geeraerd AH, Van Impe JF, Debevere J. Modelling the individual cell lag phase: effect of temperature and pH on the individual cell lag distribution of *Listeria monocytogenes*. Int J Food Microbiol. 2005; **100(1-3)**: 41-53. Epub 2004 Nov 23.

Zhu MJ, Medonca A, Ismail HA, Du M, Lee EJ, Ahn DU. Impact of antimicrobial ingredients and irradiation on the survival of *Listeria monocytogenes* and the quality of ready-to-eat turkey ham. Poult Sci. 2005; **84(4)**: 613-20.

Del Rio E, Alonso-Calleja C, Capita R. Effectiveness of trisodium phosphate treatment against pathogenic and spoilage bacteria on poultry during refrigerated storage. J Food Prot. 2005; **68(4)**: 866-9.

Hassani M, Manas P, Raso J, Condon S, Pagan R. Predicting heat inactivation of *Listeria monocytogenes* under nonisothermal treatments. J Food Prot. 2005; **68(4)**: 736-43.

Ooi ST, Lorber B. Gastroenteritis due to *Listeria monocytogenes*. Clin Infect Dis. 2005; **40(9)**: 1327-32. Epub 2005 Mar 31.

Olsen SJ, Patrick M, Hunter SB, Reddy V, Kornstein L, MacKenzie WR, Lane K, Bidol S, Stoltman GA, Frye DM, Lee I, Hurd S, Jones TF, LaPorte TN, Dewitt W, Graves L, Wiedmann M, Schoonmaker-Bopp DJ, Huang AJ, Vincent C, Bugenhagen A, Corby J, Carloni ER, Holcomb ME, Woron RF, Zansky SM, Dowdle G, Smith F, Ahrabi-Fard S, Ong AR, Tucker N, Hynes NA, Mead P. Multistate outbreak of *Listeria monocytogenes* infection linked to delicatessen turkey meat. Clin Infect Dis. 2005; **40(7)**: 962-7. Epub 2005 Mar 3.



Lu Z, Sebranek JG, Dickson JS, Mendonca AF, Bailey TB. Inhibitory effects of organic acid salts for control of *Listeria monocytogenes* on frankfurters. J Food Prot. 2005; **68(3)**: 499-506.

### ***Mycobacterium***

Biet F, Boschioli ML, Thorel MF, Guilloteau LA. Zoonotic aspects of *Mycobacterium bovis* and *Mycobacterium avium-intracellulare* complex (MAC). Vet Res. 2005; **36(3)**: 411-36.

Haddad N, Masselot M, Durand B. Molecular differentiation of *Mycobacterium bovis* isolates. Review of main techniques and applications. Res Vet Sci. 2004; **76(1)**: 1-18. Review.

### **Noroviruses**

Fretz R, Svoboda P, Schorr D, Tanner M, Baumgartner A. Risk factors for infections with Norovirus gastrointestinal illness in Switzerland. Eur J Clin Microbiol Infect Dis. 2005; **24(4)**: 256-61.

Van den Berg H, Lodder W, van der Poel W, Vennema H, de Roda Husman AM. Genetic diversity of noroviruses in raw and treated sewage water. Res Microbiol. 2005; **156(4)**: 532-40. Epub 2005 Feb 24.

Fretz R, Herrmann L, Christen A, Svoboda P, Dubuis O, Viollier EH, Tanner M, Baumgartner A. Frequency of Norovirus in stool samples from patients with gastrointestinal symptoms in Switzerland. Eur J Clin Microbiol Infect Dis. 2005; **24(3)**: 214-6.

Skraber S, Italiaander R, Lodder W, de Roda Husman AM. Noroviruses in archival samples. Emerg Infect Dis. 2005; **11(3)**: 489-91.

Gallimore CI, Pipkin C, Shrimpton H, Green AD, Pickford Y, McCartney C, Sutherland G, Brown DW, Gray JJ. Detection of multiple enteric virus strains within a foodborne outbreak of gastroenteritis: an indication of the source of contamination. Epidemiol Infect. 2005; **133(1)**: 41-7.

### ***Salmonella***

Boes J, Alban L, Bagger J, Mogelmose V, Baggesen DL, Olsesn JE. Survival of *Escherichia coli* and *Salmonella Typhimurium* in slurry applied to clay soil on a Danish swine farm. Prev Vet Med. 2005; **69(3-4)**: 213-28. Epub 2005 Mar 17.

Moroni P, Pisoni G, Ruffo G, Boettcher PJ. Risk factors for intramammary infections and relationship with somatic-cell counts in Italian dairy goats. *Prev Vet Med.* 2005; **69(3-4)**: 163-73. Epub 2005 Mar 19.

Van Asten AJ, van Dijk JE. Distribution of "classic" virulence factors among *Salmonella* spp. *FEMS Immunol Med Microbiol.* 2005; **44(3)**: 251-9.

Vaeteewootacharn K, Sutra S, Vaeteewootacharn S, Sithigon D, Jamjane O, Chomvarin C, Hahnvajjanawong C, Thongsukulpanich N, Thaewnon-giew K. Salmonellosis and the food chain in Khon Kaen, northeastern Thailand. *Southeast Asian J Trop Med Public Health.* 2005; **36(1)**: 123-9.

Amar CF, East CL, Grant KA, Gray J, Iturriza-Gomara M, Maclure EA, McLauchlin J. Detection of viral, bacterial, and parasitological RNA or DNA of nine intestinal pathogens in fecal samples archived as part of the English infectious intestinal disease study: assessment of the stability of target nucleic Acid. *Diagn Mol Pathol.* 2005; **14(2)**: 90-6.

Perez-Moreno MO, Carulla-Pont M, Perez-Morena M, Jordi-Baiges AM, Llovet-Lombarte MI, Tejedor-Ganduxe X, Zaragoza-Lopez J. [Class 1 integrons among *Salmonella enterica* isolates producing different types of beta-lactamases from the health region of Tortosa (Spain).] *Enferm Infecc Microbiol Clin.* 2005; **23(5)**: 259-65. Spanish.

Greer GG. Bacteriophage control of foodborne bacteriat. *J Food Prot.* 2005; **68(5)**: 1102-11.

Park CM, Hung YC, Lin CS, Brackett RE. Efficacy of electrolyzed water in inactivating *Salmonella enteritidis* and *Listeria monocytogenes* on shell eggs. *J Food Prot.* 2005; **68(5)**: 986-90.

Kobayashi H, Miyamoto T, Hashimoto Y, Kiriki M, Motomatsu A, Honjoh K, Iio M. Identification of factors involved in recovery of heat-injured *Salmonella enteritidis*. *J Food Prot.* 2005; **68(5)**: 932-41.

Stine SW, Song I, Choi CY, Gerba CP. Application of microbial risk assessment to the development of standards for enteric pathogens in water used to irrigate fresh produce. *J Food Prot.* 2005; **68(5)**: 913-8.

Solomon EB, Niemira BA, Sapers GM, Annous BA. Biofilm formation, cellulose production, and curli biosynthesis by *Salmonella* originating from produce, animal, and clinical sources. *J Food Prot.* 2005; **68(5)**: 906-12.

Rodriguez-Avial I, Rodriguez-Avial C, Lopez O, Picazo JJ. Trends in nalidixic acid resistance in nontyphoidal *Salmonella* isolated from 1999 to 2002: decreased susceptibility to 6 fluoroquinolones. *Diagn Microbiol Infect Dis.* 2005 May 11; Epub ahead of print.

Valdezate S, Vidal A, Herrera-Leon S, Pozo J, Rubio P, Usera MA, Carvajal A, Echeita MA. *Salmonella* Derby clonal spread from pork. Emerg Infect Dis. 2005; **11(5)**: 694-8.

Anon. Geographic distribution of *Salmonella* Dublin in cattle in Scotland. Vet Rec. 2005; **156(19)**: 593-596.

Batchelor M, Hopkins KL, Threlfall EJ, Clifton-Hadley FA, Stallwood AD, Davies RH, Liebana E. Characterization of AmpC-mediated resistance in clinical *Salmonella* isolates recovered from humans during the period 1992 to 2003 in England and Wales. J Clin Microbiol. 2005; **43(5)**: 2261-5.

Fakhr MK, Nolan LK, Logue CM. Multilocus sequence typing lacks the discriminatory ability of pulsed-field gel electrophoresis for typing *Salmonella enterica* serovar *Typhimurium*. J Clin Microbiol. 2005; **43(5)**: 2215-9.

Su LH, Wu TL, Chia JH, Chu C, Kuo AJ, Chiu CH. Increasing ceftriaxone resistance in *Salmonella* isolates from a university hospital in Taiwan. J Antimicrob Chemother. 2005 May 4; Epub ahead of print.

Loynachan AT, Harris DL. Dose determination for acute *Salmonella* infection in pigs. Appl Environ Microbiol. 2005; **71(5)**: 2753-5.

Kilmartin D, Morris D, O'Hare C, Corbett-Feeney G, Cormican M. Clonal expansion may account for high levels of quinolone resistance in *Salmonella enterica* serovar. *enteritidis*. Appl Environ Microbiol. 2005; **71(5)**: 2587-91.

Ng PJ, Fleet GH, Heard GM. Pesticides as a source of microbial contamination of salad vegetables. Int J Food Microbiol. 2005; **101(2)**: 237-50.

Kenney SJ, Anderson GL, Williams PL, Millner PD, Beuchat LR. Persistence of *Escherichia coli* O157:H7, *Salmonella* Newport, and *Salmonella* Poona in the gut of a free-living nematode, *Caenorhabditis elegans*, and transmission to progeny and uninfected nematodes. Int J Food Microbiol. 2005; **101(2)**: 227-36.

Valverde Romero E, Parras Padilla T, Garcia Garcia MI, Delgado Ronda N, Herrero A, Munoz Bellido JL, Garcia Rodriguez JA. *Salmonella enterica* serovar *infantis* producing a CTX-M-9 beta-lactamase. Antimicrob Agents Chemother. 2005; **49(5)**: 2142-3.

Poirel L, Cabanne L, Vahaboglu H, Nordmann P. Genetic environment and expression of the extended-spectrum beta-lactamase blaPER-1 gene in gram-negative bacteria. Antimicrob Agents Chemother. 2005; **49(5)**: 1708-13.

Grijpspeerdts K, Kreft JU, Messens W. Individual-based modelling of growth and migration of *Salmonella enteritidis* in hens' eggs. Int J Food Microbiol. 2005; **100(1-3)**: 323-33. Epub 2004 Dec 8.

Membre JM, Leporq B, Vialette M, Mettler E, Perrier L, Thuault D, Zwietering M. Temperature effect on bacterial growth rate: quantitative microbiology approach including cardinal values and variability estimates to perform growth simulations on/in food. *Int J Food Microbiol.* 2005; **100(1-3)**: 179-86. Epub 2004 Nov 24.

Coroller L, Guerrot V, Huchet V, Le Marc Y, Mafart P, Sohier D, Thuault D. Modelling the influence of single acid and mixture on bacterial growth. *Int J Food Microbiol.* 2005; **100(1-3)**: 167-78.

Hopkins KL, Davies RH, Threlfall EJ. Mechanisms of quinolone resistance in *Escherichia coli* and *Salmonella*: Recent developments. *Int J Antimicrob Agents.* 2005; **25(5)**: 358-73.

Velge P, Cloeckaert A, Barrow P. Emergence of *Salmonella* epidemics: The problems related to *Salmonella enterica* serotyp *Enteritidis* and multiple antibiotic resistance in other major serotypes. *Vet Res.* 2005; **36(3)**: 267-88.

Ricke SC, Kunding MM, Miller DR, Keeton JT. Alternatives to antibiotics: chemical and physical antimicrobial interventions and foodborne pathogen response. *Poult Sci.* 2005; **84(4)**: 667-75.

Gast RK, Holt PS, Murase T. Penetration of *Salmonella enteritidis* and *Salmonella heidelberg* into egg yolks in an in vitro contamination model. *Poult Sci.* 2005; **84(4)**: 621-5.

### ***Staphylococcus aureus***

Ikeda T, Tamat N, Yamaguchi K, Makino S. Mass outbreak of food poisoning disease caused by small amounts of staphylococcal enterotoxins A and H. *Appl Environ Microbiol.* 2005; **71(5)**: 2793-5.