

ACM/774

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD

Items of possible interest from the literature

A list of items from the literature which may be of interest to Members is attached.

**Secretariat
December 2005**

Bacillus cereus

Valjevac S, Hilaire V, Lisanti O, Ramisse F, Hernandez E, Cavallo JD, Pourcel C, Vergnaud G. Comparison of Minisatellite Polymorphisms in the *Bacillus cereus* Complex: a Single Assay for Large-Scale Screening and Identification of Strains Most Closely Related to *Bacillus anthracis*. Appl Environ Microbiol. 2005; **71(11)**: 6613-23.

Yang IC, Shih DY, Huang TP, Huang YP, Wang JY, Pan TM. Establishment of a novel multiplex PCR assay and detection of toxigenic strains of the species in the *Bacillus cereus* group. J Food Prot 2005; **68(10)**: 2123-30.

Collado J, Fernandez A, Rodrigo M, Martinez A. Modelling the effect of a heat shock and germinant concentration on spore germination of a wild strain of *Bacillus cereus*. Int J Food Microbiol 2005; 6 Oct Epub ahead of print.

Apetroaie C, Andersson MA, Sproer C, Tsitko I, Shaheen R, Jaaskelainen EL, Wijnands LM, Heikkila R, Salkinoja-Salonen MS. Cereulide-producing strains of *Bacillus cereus* show diversity. Arch Microbiol 2005; **184(3)**: 141-51.

Gaillard S, Leguerinel I, Savy N, Pafart P. Quantifying the combined effects of the heating time, the temperature and the recovery medium pH on the regrowth lag time of *Bacillus cereus* spores after a heat treatment. Int J Food Microbiol 2005; **105(1)**: 53-8.

Campylobacter

Baffone W, Casaroli A, Citterio B, Pierfelici L, Campana R, Vittoria E, Guaglianone E, Donelli G. *Campylobacter jejuni* loss of culturability in aqueous microcosms and ability of resuscitate in a mouse model. Int J Food Microbiol 2005; Nov 11 Epub ahead of print.

Keller J, Perreten V. Genetic diversity in fluoroquinolone and macrolide-resistant *Campylobacter coli* from pigs. Vet Microbiol 2005; Nov 10 Epub ahead of print.

Bach JF. Infections and autoimmune diseases. J Autoimmun. 2005; Nov 4 Epub ahead of print.

Thakur S, Gebreyes WA. *Campylobacter coli* in Swine Production: Antimicrobial Resistance Mechanisms and Molecular Epidemiology. J Clin Microbiol 2005; **43(11)**: 5705-14.

Hughes RA, Cornblath DR. Guillain-Barre syndrome. Lancet 2005 **366(9497)**: 1653-66.

Loc Carillo C, Atterbury RJ, El-Shibiny A, Connerton PL, Dillon E, Scott A, Connerton IF. Bacteriophage Therapy to reduce *Campylobacter jejuni* colonization of Broiler Chickens. Appl Environ Microbiol 2005; **71(11)**: 6554-63.

Sandberg M, Ostensvik O, Aunsmo AL, Skjerve E, Hofshagen M. An evaluation of sampling and culturing methods in the Norwegian action plan against *Campylobacter* in broilers. *Int J Food Microbiol* 2005; Oct 29 Epub ahead of print.

Hofshagen M, Kruse H. Reduction in flock prevalence of *Campylobacter* spp in broilers in Norway after implementation of an action plan. *J Food Prot* 2005; **68(10)**: 2220-3.

Champion OL, Gaunt MW, Gundogdu O, Elmi A, Witney AA, Hinds J, Dorrell N, Wren BW. Comparative phylogenomics of the food-borne pathogen *Campylobacter jejuni* reveals genetic markers predictive of infection source. *Proc Natl Acad Sci USA* 2005; **102(44)**: 16043-8.

Ethelberg S, Simonsen J, Gerner-Smidt P, Olsen KE, Molbak K. Spatial Distribution and Registry-based Case-Control Analysis of *Campylobacter* Infections in Denmark, 1991-2001. *Am J Epidemiol* 2005; **162(10)**: 1008-15.

Meinersmann RJ, Phillips R W, Hiatt KL, Fedorka-Cray P. Differentiation of *campylobacter* populations as demonstrated by flagellin short variable region sequences. *Appl Environ Microbiol* 2005; **71(10)**: 6368-74.

Mandrell RE, Harden LA, Bates A, Miller WG, Haddon WF, Fagerquist CK. Speciation of *Campylobacter coli*, *C. jejuni*, *C. helveticus*, *C. lari*, *C. sputorum*, and *C. upsaliensis* by matrix-assisted laser desorption ionization-time of flight mass spectrometry. *Appl Environ Microbiol* 2005; **71(10)**: 6292-307.

Rivoal K, Ragimbeau C, Salvat G, Colin P, Ermel G. Genomic diversity of *Campylobacter coli* and *Campylobacter jejuni* isolates recovered from free-range broiler farms and comparison with isolates of various origins. *Appl Environ Microbiol* 2005; **71(10)**: 6216-27.

Van Gerwe TJ, Bouma A, Jacobs-Reitsma WF, van den Broek J, Klinkenberg D, Stegeman JA, Heesterbeek JA. Quantifying transmission of *Campylobacter* spp among broilers. *Appl Environ Microbiol* 2005; **71(10)**: 5765-70.

Besser TE, Lejeune JT, Rice DH, Berg J, Stilborn RP, Kaya K, Bae W, Hancock DD. Increasing prevalence of *Campylobacter jejuni* in feedlot cattle through the feeding period. *Appl Environ Microbiol* 2005; **71(10)**: 5752-8.

Koga M, Takahashi M, Masuda M, Hirata K, Yuki N. *Campylobacter* gene polymorphism as a determinant of clinical features of Guillain-Barre syndrome. *Neurology* 2005; **65(9)**: 1376-81.

Newell DG. *Campylobacter concisus*: an emerging pathogen? *Eur J Gastroenterol Hepatol* 2005; **17(10)**: 1013-4.

Clostridium

Thompson DR, Parrerira VR, Kulkarni RR, Prescott JF. Live attenuated vaccine-based control of necrotic enteritis of broiler chickens. *Vet Microbiol* 2005; Nov 10 Epub ahead of print.

Sanchez TH, Brooks JT, Sullivan PS, Juhasz M, Mintz E, Dworkin MS, Jones JL; Adult/Adolescent Spectrum of HIV Disease Study Group. Bacterial diarrhea in persons with HIV infection, United States, 1992-2002. *Clin Infect Dis* 2005; **41(11)**: 1621-7.

Penner R, Fedorak RN, Madsen KL. Probiotics and nutraceuticals: non-medicinal treatments of gastrointestinal diseases. *Curr Opin Pharmacol* 2005; **5(6)**: 596-603.

Horowitz BZ. Botulinum toxin. *Crit Care Clin.* 2005; **21(4)**: 825-39, viii. Review.

Sobel J. Botulism. *Clin Infect Dis* 2005; **41(8)**: 1167-73.

Bruggemann H. Genomics of clostridial pathogens: implication of extrachromosomal elements in pathogenicity. *Curr Opin Microbiol* 2005; **8(5)**: 601-5.

Tsukamoto K, Kohda T, Mukamoto M, Takeuchi K, Ihara H, Saito M, Kozaki S. Binding of *Clostridium botulinum* type C and D neurotoxins to ganglioside and phospholipid. Novel insights into the receptor for clostridial neurotoxins. *J Biol Chem* 2005; **280(42)**: 35164-71.

***E. coli* O157**

Jin HY, Tao KH, Li YX, Li FQ, Li SQ. Microarray analysis of *Escherichia coli* O157:H7. *World J Gastroenterol* 2005; **11(37)**: 5811-5.

Davis MA, Cloud-Hansen KA, Carpenter J, Hovde CJ. *Escherichia coli* O157:H7 in Environments of Culture-Positive Cattle. *Appl Environ Microbiol* 2005; **71(11)**: 6816-22.

Wilks SA, Michels H, Keevil CW. The survival of *Escherichia coli* O157 on a range of metal surfaces. *Int J Food Microbiol* 2005; Oct 24 Epub ahead of print.

Hussein HS, Bollinger LM. Prevalence of Shiga toxin-producing *Escherichia coli* in beef cattle. *J Food Prot* 2005; **68(10)**: 2224-41. Review.

Asakura H, Igimi S, Kawamoto K, Yamamoto S, Makino SI. Role of in vivo passage on the environmental adaptation of enterohemorrhagic *Escherichia coli* O157:H7: Cross-induction of the viable but nonculturable state by osmotic and oxidative stresses. *FEMS Microbiol Lett* 2005; Oct 10 Epub ahead of print.

Naylor SW, Gally DL, Low JC. Enterohaemorrhagic *E. coli* in veterinary medicine. *Int J Med Microbiol* 2005; **295(6-7)**: 419-41.

Schets FM, During M, Italiaander R, Heijnen L, Rutjes SA, van der Zwaluw WK, de Roda Husman AM. *Escherichia coli* O157:H7 in drinking water from private water supplies in the Netherlands. *Water Res* 2005; **39(18)**: 4485-93.

Gillespie IA, O'Brien SJ, Adak GK, Cheasty T, Willshaw G. Foodborne general outbreaks of Shiga toxin-producing *Escherichia coli* O157 in England and Wales 1992-2002: where are the risks? *Epidemiol Infect* 2005; **133(5)**: 803-8.

Sanderson MW, Sargeant JM, Nagaraja TG. Effect of pooling bovine fecal samples on the sensitivity of detection of *E. coli* O157:H7. *Vet Microbiol* 2005; **110(1-2)**: 125-30.

Vernozy-Rozand C, Mazuy-Cruchaudet C, Bavai C, Montet MP, Bonin V, Dernburg A, Richard Y. Growth and survival of *Escherichia coli* O157:H7 during the manufacture and ripening of raw goat milk lactic cheeses. *Int J Food Microbiol* 2005; **105(1)**: 83-8.

Toft N, Innocent GT, McKendrick IJ, Ternent HE, Mellor DJ, Gunn GJ, Syngde B, Reid SW. Spatial distribution of *Escherichia coli* O157-positive farms in Scotland. *Prev Vet Med* 2005; **71(1-2)**: 45-56.

Listeria monocytogenes

Ueda F, Ogasawara K, Hondo R. Analysis of the Molecular Evolution of *Listeria monocytogenes* Isolated from Japanese Meats and Environment. *Jpn J Infect Dis* 2005; **58(5)**: 320-322.

Ueda F, Yugami K, Mochizuki M, Yamada F, Ogasawara K, Fujima A, Shoji H, Hondo R. Comparison of Genomic Structures in the Serovar 1/2a *Listeria monocytogenes* Isolated from Meats and Listeriosis Patients in Japan. *Jpn J Infect Dis* 2005; **58(5)**: 289-93.

Gasnov U, Hughes D, Hansbro PM. Methods for the isolation and identification of *Listeria* spp and *Listeria monocytogenes*: a review. *FEMS Microbiol Rev* 2005; **29(5)**: 851-75.

Delignette-Muller ML, Cornu M, Pouillot R, Denis JB. Use of Bayesian modelling in risk assessment: Application to growth of *Listeria monocytogenes* and food flora in cold-smoked salmon. *Int J Food Microbiol* 2005 Oct 7 Epub ahead of print.

Cornu M, Beaufort A, Rudelle S, Laloux L, Bergis H, Miconnet N, Serot T, Delignette-Muller ML. Effect of temperature, water-phase salt and phenolic contents on *Listeria monocytogenes* growth rates on cold-smoked salmon and

evaluation of secondary models. Int J Food Microbiol 2005; Oct 7 Epub ahead of print.

Borucki MK, Gay CC, Reynolds J, McElwain KL, Kim SH, Call DR, Knowles DP. Genetic diversity of *Listeria monocytogenes* strains from a high-prevalence dairy farm. Appl Environ Microbiol 2005; **71(10)**: 5893-9.

Carlton RM, Noordman WH, Biswas B, de Meester ED, Loessner MJ. Bacteriophage P100 for control of *Listeria monocytogenes* in foods: Genome sequence, bioinformatic analyses, oral toxicity study, and application. Regul Toxicol Pharmacol 2005; **43(3)**: 301-12.

Eifert JD, Curtis PA, Bazaco MC, Meinersmann RJ, Berrang ME, Kernodle S, Stam C, Jaykus LA, Kathariou S. Molecular characterization of *Listeria monocytogenes* of the serotype 4b complex (4b, 4d, 4e) from two turkey processing plants. Foodborne Pathog Dis 2005; **2(3)**: 192-200.

Koutsoumanis KP, Sofos JN. Effect of inoculum size on the combined temperature, pH and aw limits for growth of *Listeria monocytogenes*. Int J Food Microbiol 2005; **104(1)**: 83-91.

Miettinen H, Wirtanen G. Prevalence and location of *Listeria monocytogenes* in farmed rainbow trout. Int J Food Microbiol 2005; **104(2)**: 135-43.

Makino SI, Kawamoto K, Takeshi K, Okada Y, Yamasaki M, Yamamoto S, Igimi S. An outbreak of food-borne listeriosis due to cheese in Japan, during 2001. Int J Food Microbiol 2005; **104(2)**: 189-96.

Gnanou Besse N, Audinet N, Kerouanton A, Colin P, Kalmokoff M. Evolution of *Listeria* populations in food samples undergoing enrichment culturing. Int J Food Microbiol 2005; **104(2)**: 123-34.

Salmonella

Van Asselt ED, Zwietering MH. A systematic approach to determine global thermal inactivation parameters for various food pathogens. Int J Food Microbiol 2005; Nov 4 Epub ahead of print.

De la Torre E, Tello M, Mateu EM, Torre E. Use of Biochemical Kinetic Data To Determine Strain Relatedness among *Salmonella enterica subsp enterica* Isolates.

Ohtsuka K, Yanagawa K, Takatori K, Hara-Kudo Y. Detection of *Salmonella enterica* in Naturally Contaminated Liquid Eggs by Loop-Mediated Isothermal Amplification, and Characterization of *Salmonella* Isolates. Appl Environ Microbiol 2005; **71(11)**: 6730-5.

Hiramatsu R, Matsumoto M, Sakae K, Miyazaki Y. Ability of Shiga Toxin-Producing *Escherichia coli* and *Salmonella* spp. To survive in a Desiccation

Model System and in Dry Foods. *Appl Environ Microbiol* 2005; **71(11)**: 6657-63.

Molbak K. Human health consequences of antimicrobial drug-resistant *Salmonella* and other foodborne pathogens. *Clin Infect Dis* 2005; **41(11)**: 1613-20.

Matsuzaki S, Rashel M, Uchiyama J, Sakurai S, Ujihara T, Kuroda M, Ikeuchi M, Tani T, Fujieda M, Wakiguchi H, Imai S. Bacteriophage therapy: a revitalized therapy against bacterial infectious diseases. *J Infect Chemother* 2005; **11(5)**: 211-9.

John DE, Rose JB. Review of factors affecting microbial survival in groundwater. *Environ Sci Technol* 2005; **39(19)**: 7345-56.

Giaouris E, Chorianopoulos N, Nychas GJ. Effect of temperature, pH, and water activity on biofilm formation by *Salmonella enterica* Enteritidis PT4 on stainless steel surfaces as indicated by the bead vortexing method and conductance measurements. *J Food Prot* 2005; **68(10)**: 2149-54.

Thongson C, Davidson PM, Mahakarnchanakul W, Vibulsresth P. Antimicrobial effect of Thai spices against *Listeria monocytogenes* and *Salmonella typhimurium* DT104. *J Food Prot* 2005; **68(10)**: 2054-8.

Hew CM, Hajmeer MN, Farver TB, Glover JM, Cliver DO. Survival of *Salmonella* and *Escherichia coli* O157: H7 in chorizos. *J Food Prot* 2005; **68(10)**: 2039-46.

Jones DR, Musgrove MT. Correlation of eggshell strength and *Salmonella* Enteritidis contamination of commercial shell eggs. *J Food Prot* 2005; **68(10)**: 2035-8.

Nollet N, Houf K, Dewulf J, Duchateau L, De Zutter L, De Kruif A, Maes D. Distribution of *salmonella* strains in farrow-to-finish pig herds: a longitudinal study. *J Food Prot* 2005; **68(10)**: 2012-21.

Beal RK, Powers C, Wigley P, Barrow PA, Kaiser P, Smith AL. A strong antigen-specific T-cell response is associated with age and genetically dependent resistance to avian enteric salmonellosis. *Infect Immun* 2005; **73(11)**: 7509-16.

Palmgren H, Aspan A, Broman T, Bengtsson K, Blomquist L, Bergstrom S, Sellin M, Wollin R, Olsen B. *Salmonella* in Black-headed gulls (*Larus ridibundus*); prevalence, genotypes and influence on *Salmonella* epidemiology. *Epidemiol Infect* 2005; Oct 20 1-10 Epub ahead of print.

Miko A, Pries K, Schroeter A, Helmuth R. Molecular mechanisms of resistance in multidrug-resistant serovars of *Salmonella enterica* isolated from foods in Germany. *J Antimicrob Chemother* 2005; Oct 14 Epub ahead of print.

- Cooksey K. Effectiveness of antimicrobial food packaging materials. *Food Addit Contam* 2005; **22(10)**: 980-7.
- Franz E, van Diepeningen AD, de Vos OJ, van Bruggen AH. Effects of cattle feeding regimen and soil management type on the fate of *Escherichia coli* O157:H7 and *Salmonella enterica* serovar *typhimurium* in manure-amended soil, and lettuce. *Appl Environ Microbiol* 2005; **71(10)**: 6165-74.
- Lemunier M, Francou C, Rousseaux S, Houot S, Dantigny P, Piveteau P, Guzzo J. Long-term survival of pathogenic and sanitation indicator bacteria in experimental biowaste composts. *Appl Environ Microbiol* 2005; **71(10)**: 5779-86.
- Barak JD, Gorski L, Naraghi-Arani P, Charkowski AO. *Salmonella enterica* virulence genes are required for bacterial attachment to plant tissue. *Appl Environ Microbiol* 2005; **71(10)**: 5685-91.
- Hu H, Lan R, Reeves PR. Adaptation of multilocus sequencing to study variation within a major clone: evolutionary relationships of *Salmonella enterica* serovar *typhimurium*. *Genetics* 2005 Oct 3 Epub ahead of print.
- Hsu RB, Lin FY. Risk factors for bacteraemia and endovascular infection due to non-typhoid *Salmonella*: a reappraisal. *QJM* 2005; **98(11)**: 821-7.
- Alcaine SD, Sukhanand SS, Warnick LD, Su WL, McGann P, McDonough P, Wiedmann M. Ceftiofur-resistant *Salmonella* strains isolated from dairy farms represent multiple widely distributed subtypes that evolved by independent horizontal gene transfer. *Antimicrob Agents Chemother* 2005; **49(10)**: 4061-7.
- Rabsch W, Prager R, Koch J, Stark K, Roggentin P, Bockemuhl J, Beckmann G, Stark R, Siegl W, Ammon A, Tschape H. Molecular epidemiology of *Salmonella enterica* serovar *Agona*: characterization of a diffuse outbreak caused by aniseed-fennel-caraway infusion. *Epidemiol Infect* 2005; **133(5)**: 837-44.
- Parry SM, Slader J, Humphrey T, Holmes B, Guildea Z, Palmer SR; SEWIDLG (South East Wales Infectious Disease Liaison Group). A case-control study of domestic kitchen microbiology and sporadic *Salmonella* infection. *Epidemiol Infect* 2005; **133(5)**: 829-35.
- Kimura AC, Palumbo MS, Meyers H, Abbott S, Rodriguez R, Werner SB. A multi-state outbreak of *Salmonella* serotype *Thompson* infection from commercially distributed bread contaminated by an ill food handler. *Epidemiol Infect* 2005; **133(5)**: 823-8.
- Camps N, Dominguez A, Company A, Perez M, Pardos J, Llobet T, Usera MA, Salleras L; Working Group for the Investigation of the Outbreak of Salmonellosis in Torroella de Montgri. A foodborne outbreak of *Salmonella* infection due to overproduction of egg-containing foods for a festival. *Epidemiol Infect* 2005; **133(5)**: 817-22.

Currie A, MacDougall L, Aramini J, Gaulin C, Ahmed R, Isaacs S. Frozen chicken nuggets and strips and eggs are leading risk factors for *Salmonella Heidelberg* infections in Canada. *Epidemiol Infect* 2005; **133(5)**: 809-16.

Gillespie IA, O'Brien SJ, Adak GK, Ward LR, Smith HR. Foodborne general outbreaks of *Salmonella* Enteritidis phage type 4 infection, England and Wales, 1992-2002: where are the risks? *Epidemiol Infect* 2005; **133(5)**: 795-801.

Vaillant V, de Valk H, Baron E, Ancelle T, Colin P, Delmas MC, Dufour B, Pouillot R, Le Strat Y, Weinbreck P, Jouglu E, Desenclos JC. Foodborne infections in France. *Foodborne Pathog Dis* 2005; **2(3)**: 221-32.

San Martin B, Lapierre L, Toro C, Bravo V, Cornejo J, Hormazabal JC, Borie C. Isolation and molecular characterization of quinolone resistant *Salmonella* spp from poultry farms. *Vet Microbiol* 2005; **110(3-4)**: 239-44.

Guan D, Chen H, Hoover DG. Inactivation of *Salmonella typhimurium* DT104 in UHT whole milk by high hydrostatic pressure. *Int J Food Microbiol* 2005; **104(2)**: 145-53.

Rychlik I, Barrow PA. *Salmonella* stress management and its relevance to behaviour during intestinal colonisation and infection. *FEMS Microbiol Rev* 2005; **29(5)**: 1021-40.

Koseki S, Isobe S. Prediction of pathogen growth on iceberg lettuce under real temperature history during distribution from farm to table. *Int J Food Microbiol* 2005; **104(3)**: 239-48.

Pseudomonas aeruginosa

Curran B, Morgan JAW, Honeybourne D, Dowson CG. Commercial Mushrooms and Bean Sprouts are a source of *Pseudomonas aeruginosa*. *Journal of Clinical Microbiology* 2005 **43(11)**: 5830-5831

Viruses

Wu HM, Fornek M, Schwab KJ, Chapin AR, Gibson K, Schwab E, Spencer C, Henning K. A norovirus outbreak at a long-term-care facility: the role of environmental surface contamination. *Infect Control Hosp Epidemiol* 2005; **26(10)**: 802-10.

Ueki Y, Sano D, Watanabe T, Akiyama K, Omura T. Norovirus pathway in water environment estimated by genetic analysis of strains from patients of gastroenteritis, sewage, treated wastewater, river water and oysters. *Water Res* 2005; **39(18)**: 4271-80.

Maunula L, Von Bonsdorff CH. Norovirus genotypes causing gastroenteritis outbreaks in Finland 1998-2002. *J Clin Virol* 2005; **34(3)**: 186-94.

Amon JJ, Devasia R, Xia G, Nainan OV, Hall S, Lawson B, Wolthuis JS, Macdonald PD, Shepard CW, Williams IT, Armstrong GL, Gabel JA, Erwin P,

Sheeler L, Kuhnert W, Patel P, Vaughan G, Weltman A, Craig AS, Bell BP, Fiore A. Molecular epidemiology of foodborne hepatitis A outbreaks in the United States, 2003. *J Infect Dis* 2005; **192(8)**: 1323-30.

Vega E, Smith J, Garland J, Matos A, Pillai SD. Variability of virus attachment patterns to butterhead lettuce. *J Food Prot* 2005; **68(10)**: 2112-7.