

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD

INFORMATION PAPER

Items of interest from the literature***Bacillus cereus***

Ceuppens S, Uyttendaele M, Hamelink S, Boon N, Van de Wiele T. Inactivation of *Bacillus cereus* vegetative cells by gastric acid and bile during in vitro gastrointestinal transit. *Gut Pathog.* 2012 Oct 3;4(1):11.

Daelman J, Vermeulen A, Willemyns T, Ongenaert R, Jacxsens L, Uyttendaele M, Devlieghere F. Growth/no growth models for heat-treated psychrotrophic *Bacillus cereus* spores under cold storage. *Int J Food Microbiol.* 2013 Jan 15;161(1):7-15.

Delbrassinne L, Andjelkovic M, Dierick K, Denayer S, Mahillon J, Van Loco J. Prevalence and levels of *Bacillus cereus* emetic toxin in rice dishes randomly collected from restaurants and comparison with the levels measured in a recent foodborne outbreak. *Foodborne Pathog Dis.* 2012 Sep;9(9):809-14.

Løvdaal IS, Granum PE, Rosnes JT, Løvdaal T. Activation of *Bacillus* spores at moderately elevated temperatures (30-33 C). *Antonie Van Leeuwenhoek.* 2012 Nov 7. [Epub ahead of print]

Rigaux C, Ancelet S, Carlin F, Nguyen-Thé C, Albert I. Inferring an Augmented Bayesian Network to Confront a Complex Quantitative Microbial Risk Assessment Model with Durability Studies: Application to *Bacillus Cereus* on a Courgette Purée Production Chain. *Risk Anal.* 2012 Sep 11. doi: 10.1111/j.1539-6924.2012.01888.x. [Epub ahead of print]

Takeo A, Okamoto A, Tori K, Oshima K, Hirakawa H, Toh H, Agata N, Yamada K, Ogasawara N, Hayashi T, Shimizu T, Kuhara S, Hattori M, Ohta M. Complete genome sequence of *Bacillus cereus* NC7401, which produces high levels of the emetic toxin cereulide. *J Bacteriol.* 2012 Sep;194(17):4767-8.

van der Voort M, Abee T. Sporulation environment of emetic toxin-producing *Bacillus cereus* strains determines spore size, heat resistance and germination capacity. *J Appl Microbiol.* 2012 Dec 26. doi: 10.1111/jam.12118. [Epub ahead of print]

Campylobacter

Abley MJ, Wittum TE, Funk JA, Gebreyes WA. Antimicrobial susceptibility, pulsed-field gel electrophoresis, and multi-locus sequence typing of *Campylobacter coli* in swine before, during, and after the slaughter process. *Foodborne Pathog Dis.* 2012 Jun;9(6):506-12.

Al Sakkaf A, Jones G. Thermal inactivation of *Campylobacter jejuni* in broth. *J Food Prot.* 2012 Jun;75(6):1029-35.

Arsenault J, Berke O, Michel P, Ravel A, Gosselin P. Environmental and demographic risk factors for campylobacteriosis: do various geographical scales tell the same story? *BMC Infect Dis.* 2012 Nov 22;12(1):318.

Bertolo L, Ewing CP, Maue A, Poly F, Guerry P, Monteiro MA. The design of a capsule polysaccharide conjugate vaccine against *Campylobacter jejuni* serotype HS15. *Carbohydr Res.* 2013 Jan 25;366:45-9.

Birk T, Wik MT, Lametsch R, Knøchel S. Acid stress response and protein induction in *Campylobacter jejuni* isolates with different acid tolerance. *BMC Microbiol.* 2012 Aug 13;12:174.

Brooks JC, Martinez B, Stratton J, Bianchini A, Krokstrom R, Hutkins R. Survey of raw milk cheeses for microbiological quality and prevalence of foodborne pathogens. *Food Microbiol.* 2012 Sep;31(2):154-8.

Cameron A, Firdich E, Huynh S, Parker CT, Gaynor EC. Hyperosmotic stress response of *Campylobacter jejuni*. *J Bacteriol.* 2012 Nov;194(22):6116-30.

Chon JW, Hyeon JY, Park JH, Song KY, Seo KH. Comparison of 2 types of broths and 3 selective agars for the detection of *Campylobacter* species in whole-chicken carcass-rinse samples. *Poult Sci.* 2012 Sep;91(9):2382-5.

Chowdhury S, Sandberg M, Themudo GE, Ersbøll AK. Risk factors for *Campylobacter* infection in Danish broiler chickens. *Poult Sci.* 2012 Oct;91(10):2701-9.

Chowdhury S, Themudo GE, Sandberg M, Ersbøll AK. Spatio-temporal patterns of *Campylobacter* colonization in Danish broilers. *Epidemiol Infect.* 2012 Jul 20:1-12.

Chowdhury S, Sandberg M, Themudo GE, Ersbøll AK. The effect of presence of infected neighbouring farms for the *Campylobacter* infection status in Danish broiler farms. *Spat Spatiotemporal Epidemiol.* 2012 Dec;3(4):311-22.

Cody AJ, McCarthy NM, Wimalarathna HL, Colles FM, Clark L, Bowler IC, Maiden MC, Dingle KE. A longitudinal 6-year study of the molecular epidemiology of clinical campylobacter isolates in Oxfordshire, United kingdom. *J Clin Microbiol.* 2012 Oct;50(10):3193-201.

Colles FM, Maiden MC. *Campylobacter* sequence typing databases: applications and future prospects. *Microbiology.* 2012 Nov;158(Pt 11):2695-709.

de Haan CP, Lampén K, Corander J, Hänninen ML. Multilocus Sequence Types of Environmental *Campylobacter jejuni* Isolates and their Similarities to those of Human, Poultry and Bovine *C. jejuni* Isolates. *Zoonoses Public Health.* 2012 Jul 25. doi: 10.1111/j.1863-2378.2012.01525.x. [Epub ahead of print]

de Haan CP, Llarena AK, Revez J, Hänninen ML. Association of *Campylobacter jejuni* metabolic traits with multilocus sequence types. *Appl Environ Microbiol.* 2012 Aug;78(16):5550-4.

Domingues AR, Pires SM, Halasa T, Hald T. Source attribution of human campylobacteriosis using a meta-analysis of case-control studies of sporadic infections. *Epidemiol Infect.* 2012 Jun;140(6):970-81.

Franz E, van der Fels-Klerx HJ, Thissen J, van Asselt ED. Farm and slaughterhouse characteristics affecting the occurrence of *Salmonella* and *Campylobacter* in the broiler supply chain. *Poult Sci.* 2012 Sep;91(9):2376-81.

Garin B, Gouali M, Wouafo M, Perchec AM, Pham MT, Ravaonindrina N, Urbès F, Gay M, Diawara A, Leclercq A, Rocourt J, Pouillot R. Prevalence, quantification and antimicrobial resistance of *Campylobacter* spp. on chicken neck-skins at points of slaughter in 5 major cities located on 4 continents. *Int J Food Microbiol.* 2012 Jun 15;157(1):102-7.

Gilpin BJ, Walsh G, On SL, Smith D, Marshall JC, French NP. Application of molecular epidemiology to understanding campylobacteriosis in the Canterbury region of New Zealand. *Epidemiol Infect.* 2012 Aug 21:1-14. [Epub ahead of print]

Haughton PN, Grau EG, Lyng J, Cronin D, Fanning S, Whyte P. Susceptibility of *Campylobacter* to high intensity near ultraviolet/visible 395±5nm light and its effectiveness for the decontamination of raw chicken and contact surfaces. *Int J Food Microbiol.* 2012 Oct 15;159(3):267-73.

Haughton PN, Lyng J, Cronin D, Fanning S, Whyte P. Effect of crust freezing applied alone and in combination with ultraviolet light on the survival of *Campylobacter* on raw chicken. *Food Microbiol.* 2012 Oct;32(1):147-51.

Hurd S, Patrick M, Hatch J, Clogher P, Wymore K, Cronquist AB, Segler S, Robinson T, Hanna S, Smith G, Fitzgerald C. Clinical laboratory practices for the isolation and identification of *Campylobacter* in Foodborne Diseases Active Surveillance Network (FoodNet) sites: baseline information for understanding changes in surveillance data. *Clin Infect Dis.* 2012 Jun;54 Suppl 5:S440-5.

Jonsson ME, Chriél M, Norström M, Hofshagen M. Effect of climate and farm environment on *Campylobacter* spp. colonisation in Norwegian broiler flocks. *Prev Vet Med.* 2012 Nov 1;107(1-2):95-104.

Koziel M, Lucey B, Bullman S, Corcoran GD, Sleator RD. Molecular-based detection of the gastrointestinal pathogen *Campylobacter ureolyticus* in unpasteurized milk samples from two cattle farms in Ireland. *Gut Pathog.* 2012 Nov 14;4(1):14.

Lawes JR, Vidal A, Clifton-Hadley FA, Sayers R, Rodgers J, Snow L, Evans SJ, Powell LF. Investigation of prevalence and risk factors for *Campylobacter* in broiler flocks at slaughter: results from a UK survey. *Epidemiol Infect.* 2012 Oct;140(10):1725-37.

Lucchese G, Delfino AP. Developing an anti-*Campylobacter jejuni* vaccine. *Immunopharmacol Immunotoxicol.* 2012 Jun;34(3):385-90.

Macritchie LA, Hunter CJ, Strachan NJ. A population-based exposure assessment of risk factors associated with gastrointestinal pathogens: a *Campylobacter* study. *Epidemiol Infect.* 2012 Aug 9:1-11. [Epub ahead of print]

Mavri A, Mozina SS. Involvement of efflux mechanisms in biocide resistance of *Campylobacter jejuni* and *Campylobacter coli*. *J Med Microbiol.* 2012 Jun;61(Pt 6):800-8.

Melero B, Juntunen P, Hänninen ML, Jaime I, Rovira J. Tracing *Campylobacter jejuni* strains along the poultry meat production chain from farm to retail by pulsed-field gel electrophoresis, and the antimicrobial resistance of isolates. *Food Microbiol.* 2012 Oct;32(1):124-8.

Moen B, Rudi K, Svihus B, Skånseng B. Reduced spread of *Campylobacter jejuni* in broiler chickens by stimulating the bird's natural barriers. *J Appl Microbiol*. 2012 Nov;113(5):1176-83.

Nauta MJ, Sanaa M, Havelaar AH. Risk based microbiological criteria for *Campylobacter* in broiler meat in the European Union. *Int J Food Microbiol*. 2012 Sep 3;158(3):209-17.

Nichols GL, Richardson JF, Sheppard SK, Lane C, Sarran C. *Campylobacter* epidemiology: a descriptive study reviewing 1 million cases in England and Wales between 1989 and 2011. *BMJ Open*. 2012 Jul 12;2(4).

Noormohamed A, Fakhr MK. Incidence and antimicrobial resistance profiling of *Campylobacter* in retail chicken livers and gizzards. *Foodborne Pathog Dis*. 2012 Jul;9(7):617-24.

Sasaki Y, Maruyama N, Zou B, Haruna M, Kusakawa M, Murakami M, Asai T, Tsujiyama Y, Yamada Y. *Campylobacter* Cross-Contamination of Chicken Products at an Abattoir. *Zoonoses Public Health*. 2012 Jun 20. doi:10.1111/j.1863-2378.2012.01509.x. [Epub ahead of print]

Sheppard SK, Didelot X, Jolley KA, Darling AE, Pascoe B, Meric G, Kelly DJ, Cody A, Colles FM, Strachan NJ, Ogden ID, Forbes K, French NP, Carter P, Miller WG, McCarthy ND, Owen R, Litrup E, Egholm M, Affourtit JP, Bentley SD, Parkhill J, Maiden MC, Falush D. Progressive genome-wide introgression in agricultural *Campylobacter coli*. *Mol Ecol*. 2012 Dec 20. doi: 10.1111/mec.12162. [Epub ahead of print]

Shimizu Y, Ishii A, Takahata A, Kajiyama T, Yamahatsu A, Io H, Kurusu A, Hamada C, Horikoshi S, Tomino Y. *Campylobacter* bacteremia in hemodialysis patients by eating raw meat - the importance of sanitary education. *Case Rep Nephrol Urol*. 2012 Jul;2(2):145-51.

Sippy R, Sandoval-Green CM, Sahin O, Plummer P, Fairbanks WS, Zhang Q, Blanchong JA. Occurrence and molecular analysis of *Campylobacter* in wildlife on livestock farms. *Vet Microbiol*. 2012 Jun 15;157(3-4):369-75.

Smith-Spangler C, Brandeau ML, Hunter GE, Bavinger JC, Pearson M, Eschbach PJ, Sundaram V, Liu H, Schirmer P, Stave C, Olkin I, Bravata DM. Are organic foods safer or healthier than conventional alternatives?: a systematic review. *Ann Intern Med*. 2012 Sep 4;157(5):348-66. Review. Erratum in: *Ann Intern Med*. 2012 Nov 6;157(9):680. *Ann Intern Med*. 2012 Oct 2;157(7):532.

Snipen L, Wassenaar TM, Altermann E, Olson J, Kathariou S, Lagesen K, Takamiya M, Knøchel S, Ussery DW, Meinersmann RJ. Analysis of evolutionary patterns of genes in *Campylobacter jejuni* and *C. coli*. *Microb Inform Exp*. 2012 Aug 28;2(1):8.

Spencer SE, Marshall J, Pirie R, Campbell D, Baker MG, French NP. The spatial and temporal determinants of campylobacteriosis notifications in New Zealand, 2001-2007. *Epidemiol Infect*. 2012 Sep;140(9):1663-77.

Taylor EV, Herman KM, Ailes EC, Fitzgerald C, Yoder JS, Mahon BE, Tauxe RV. Common source outbreaks of *Campylobacter* infection in the USA, 1997-2008. *Epidemiol Infect*. 2012 Aug 15:1-10. [Epub ahead of print]

Teunis PF, Falkenhorst G, Ang CW, Strid MA, DE Valk H, Sadkowska-Todys M, Zota L, Kuusi M, Rota MC, Simonsen JB, Mølbak K, VAN Duynhoven YT, VAN Pelt W.

Campylobacter seroconversion rates in selected countries in the European Union. *Epidemiol Infect.* 2012 Dec 11:1-7. [Epub ahead of print]

Vegge CS, Brøndsted L, Ligowska-Marzęta M, Ingmer H. Natural transformation of *Campylobacter jejuni* occurs beyond limits of growth. *PLoS One.* 2012;7(9):e45467.

von Altrock A, Hamedy A, Merle R, Waldmann KH. *Campylobacter* spp. - Prevalence on pig livers and antimicrobial susceptibility. *Prev Vet Med.* 2012 Oct 3. doi:pii: S0167-5877(12)00301-7. 10.1016/j.prevetmed.2012.09.010. [Epub ahead of print]

Clostridium

Armenteros M, Aristoy MC, Toldrá F. Evolution of nitrate and nitrite during the processing of dry-cured ham with partial replacement of NaCl by other chloride salts. *Meat Sci.* 2012 Jul;91(3):378-81.

Cevallos-Cevallos JM, Akins ED, Friedrich LM, Danyluk MD, Simonne AH. Growth of *Clostridium perfringens* during cooling of refried beans. *J Food Prot.* 2012 Oct;75(10):1783-90.

Forss N, Ramstad R, Bäcklund T, Lindström M, Kolho E. Difficulties in diagnosing food-borne botulism. *Case Rep Neurol.* 2012 May;4(2):113-5.

Holý O, Chmelař D. Oxygen tolerance in anaerobic pathogenic bacteria. *Folia Microbiol (Praha).* 2012 Sep;57(5):443-6.

Johnson AL, Sweeney RW, McAdams SC, Whitlock RH. Quantitative real-time PCR for detection of the neurotoxin gene of *Clostridium botulinum* type B in equine and bovine samples. *Vet J.* 2012 Oct;194(1):118-20.

Juliao PC, Maslanka S, Dykes J, Gaul L, Bagdure S, Granzow-Kibiger L, Salehi E, Zink D, Neligan RP, Barton-Behravesh C, Lúquez C, Biggerstaff M, Lynch M, Olson C, Williams I, Barzilay EJ. National outbreak of type a foodborne botulism associated with a widely distributed commercially canned hot dog chili sauce. *Clin Infect Dis.* 2013 Feb;56(3):376-82.

Juneja VK, Baker DA, Thippareddi H, Snyder OP Jr, Mohr TB. Growth Potential of *Clostridium perfringens* from Spores in Acidified Beef, Pork, and Poultry Products during Chilling. *J Food Prot.* 2013 Jan;76(1):65-71.

Keto-Timonen R, Lindström M, Puolanne E, Niemistö M, Korkeala H. Inhibition of toxigenesis of group II (nonproteolytic) *Clostridium botulinum* type B in meat products by using a reduced level of nitrite. *J Food Prot.* 2012 Jul;75(7):1346-9.

Lafuente S, Nolla J, Valdezate S, Tortajada C, Vargas-Leguas H, Parron I, Sáez-Nieto JA, Portaña S, Carrasco G, Moguel E, Sabate S, Argelich R, Caylà JA. Two simultaneous botulism outbreaks in Barcelona: *Clostridium baratii* and *Clostridium botulinum*. *Epidemiol Infect.* 2012 Nov 19:1-3. [Epub ahead of print]

Mawhinney I, Palmer D, Gessler F, Cranwell M, Foyle L, Otter A, Payne J, Strugnell B. Investigation of serology for diagnosis of outbreaks of botulism in cattle. *Vet J.* 2012 Jun;192(3):382-4.

Wang G, Paredes-Sabja D, Sarker MR, Green C, Setlow P, Li YQ. Effects of wet heat treatment on the germination of individual spores of *Clostridium perfringens*. J Appl Microbiol. 2012 Oct;113(4):824-36.

Webb MD, Stringer SC, Le Marc Y, Baranyi J, Peck MW. Does proximity to neighbours affect germination of spores of non-proteolytic *Clostridium botulinum*? Food Microbiol. 2012 Oct;32(1):104-9.

Cryptosporidium

Bouزيد M, Hunter PR, Chalmers RM, Tyler KM. *Cryptosporidium* pathogenicity and virulence. Clin Microbiol Rev. 2013 Jan;26(1):115-34.

Clark EL, Blake DP. Genetic mapping and coccidial parasites: past achievements and future prospects. J Biosci. 2012 Nov;37(5):879-86.

Fletcher SM, Stark D, Harkness J, Ellis J. Enteric protozoa in the developed world: a public health perspective. Clin Microbiol Rev. 2012 Jul;25(3):420-49.

Fournet N, Deege M, Urbanus A, Nichols G, Rosner B, Chalmers R, Gorton R, Pollock K, van der Giessen J, Wever P, Dorigo-Zetsma J, Mulder B, Mank T, Overdeest I, Kusters J, van Pelt W, Kortbeek L. Simultaneous increase of *Cryptosporidium* infections in the Netherlands, the United Kingdom and Germany in late summer season, 2012. Euro Surveill. 2013 Jan 10;18(2).

Haramoto E, Katayama H, Asami M, Akiba M. Development of a novel method for simultaneous concentration of viruses and protozoa from a single water sample. J Virol Methods. 2012 Jun;182(1-2):62-9.

Kothavade RJ. Potential molecular tools for assessing the public health risk associated with waterborne *Cryptosporidium* oocysts. J Med Microbiol. 2012 Aug;61(Pt 8):1039-51.

Shirley DA, Moonah SN, Kotloff KL. Burden of disease from cryptosporidiosis. Curr Opin Infect Dis. 2012 Oct;25(5):555-63.

E. coli

Al Safadi R, Abu-Ali GS, Sloup RE, Rudrik JT, Waters CM, Eaton KA, Manning SD. Correlation between in vivo biofilm formation and virulence gene expression in *Escherichia coli* O104:H4. PLoS One. 2012;7(7):e41628.

Alhelfi NA, Lahmer RA, Jones DL, Williams AP. Survival and metabolic activity of lux-marked *Escherichia coli* O157:H7 in different types of milk. J Dairy Res. 2012 Aug;79(3):257-61.

Bavaro MF. *E. coli* O157:H7 and other toxigenic strains: the curse of global food distribution. Curr Gastroenterol Rep. 2012 Aug;14(4):317-23.

Buchholz AL, Davidson GR, Marks BP, Todd EC, Ryser ET. Quantitative transfer of *Escherichia coli* O157:H7 to equipment during small-scale production of fresh-cut leafy greens. J Food Prot. 2012 Jul;75(7):1184-97.

Chekabab SM, Paquin-Veillette J, Dozois CM, Harel J. The ecological habitat and transmission of *Escherichia coli* O157:H7. FEMS Microbiol Lett. 2013 Jan 11. doi: 10.1111/1574-6968.12078. [Epub ahead of print]

Chen S, Sanderson M, Lanzas C. Investigating effects of between- and within-host variability on *Escherichia coli* O157 shedding pattern and transmission. Prev Vet Med. 2012 Oct 3. doi:pii: S0167-5877(12)00303-0.10.1016/j.prevetmed.2012.09.012. [Epub ahead of print].

Ferrier PM, Buzby JC. The Economic Efficiency of Sampling Size: The Case of Beef Trim. Risk Anal. 2012 Jul 25. doi: 10.1111/j.1539-6924.2012.01874.x. [Epub ahead of print]

Gurtler JB, Douds DD Jr, Dirks BA, Quinlan JJ, Nicholson AM, Phillips JG, Niemira BA. Survival of *Salmonella* and *E. coli* O157:H7 in Soil and Translocation into Leek (*Allium porrum*) as Influenced by Arbuscular Mycorrhizal Fungi (*G. intraradices*). Appl Environ Microbiol. 2013 Jan 11. [Epub ahead of print]

Hegde NV, Cote R, Jayarao BM, Muldoon M, Lindpaintner K, Kapur V, Debroy C. Detection of the top six non-O157 Shiga toxin-producing *Escherichia coli* O groups by ELISA. Foodborne Pathog Dis. 2012 Nov;9(11):1044-8.

Hurd HS, Malladi S. An outcomes model to evaluate risks and benefits of *Escherichia coli* vaccination in beef cattle. Foodborne Pathog Dis. 2012 Oct;9(10):952-61.

Lynch MJ, Fox EM, O'Connor L, Jordan K, Murphy M. Surveillance of verocytotoxigenic *Escherichia coli* in Irish bovine dairy herds. Zoonoses Public Health. 2012 Jun;59(4):264-71.

Nabae K, Takahashi M, Wakui T, Kamiya H, Nakashima K, Taniguchi K, Okabe N. A Shiga toxin-producing *Escherichia coli* O157 outbreak associated with consumption of rice cakes in 2011 in Japan. Epidemiol Infect. 2012 Nov 6:1-8. [Epub ahead of print]

Nguyen Y, Sperandio V. Enterohemorrhagic *E. coli* (EHEC) pathogenesis. Front Cell Infect Microbiol. 2012;2: 90.

Rotariu O, Ogden ID, MacRitchie L, Forbes KJ, Williams AP, Cross P, Hunter CJ, Teunis PF, Strachan NJ. Combining risk assessment and epidemiological risk factors to elucidate the sources of human *E. coli* O157 infection. Epidemiol Infect. 2012 Aug;140(8):1414-29.

Schmidt JW, Arthur TM, Bosilevac JM, Kalchayanand N, Wheeler TL. Detection of *Escherichia coli* O157:H7 and *Salmonella enterica* in Air and Droplets at Three U.S. Commercial Beef Processing Plants. J Food Prot. 2012 Dec;75(12):2213-8.

Yoshitomi KJ, Zapata R, Jinneman KC, Weagant SD, Fedio W. Recovery of *E. coli* O157 strains after exposure to acidification at pH 2. Lett Appl Microbiol. 2012 Jun;54(6):499-503.

Hepatitis E

Backer JA, Berto A, McCreary C, Martelli F, van der Poel WH. Transmission dynamics of hepatitis E virus in pigs: estimation from field data and effect of vaccination. Epidemics. 2012 Jun;4(2):86-92.

- Barnaud E, Rogée S, Garry P, Rose N, Pavio N. Thermal inactivation of infectious hepatitis E virus in experimentally contaminated food. *Appl Environ Microbiol*. 2012 Aug;78(15):5153-9.
- Bányai K, Tóth ÁG, Ivanics É, Glávits R, Szentpáli-Gavallér K, Dán Á. Putative novel genotype of avian hepatitis E virus, Hungary, 2010. *Emerg Infect Dis*. 2012 Aug;18(8):1365-8.
- Colson P, Swiader L, Motte A, Ferretti A, Borentain P, Gerolami R. Circulation of almost genetically identical hepatitis E virus of genotype 4 in France. *J Clin Virol*. 2012 Oct;55(2):181-3.
- Colson P, Romanet P, Moal V, Borentain P, Purgus R, Benezech A, Motte A, Gérolami R. Autochthonous infections with hepatitis E virus genotype 4, France. *Emerg Infect Dis*. 2012 Aug;18(8):1361-4.
- Crossan C, Baker PJ, Craft J, Takeuchi Y, Dalton HR, Scobie L. Hepatitis E virus genotype 3 in shellfish, United Kingdom. *Emerg Infect Dis*. 2012 Dec;18(12):2085-7.
- Di Bartolo I, Diez-Valcarce M, Vasickova P, Kralik P, Hernandez M, Angeloni G, Ostanello F, Bouwknecht M, Rodríguez-Lázaro D, Pavlik I, Ruggeri FM. Hepatitis E virus in pork production chain in Czech Republic, Italy, and Spain, 2010. *Emerg Infect Dis*. 2012 Aug;18(8):1282-9.
- Donia D, Dell'Amico MC, Petrinca AR, Martinucci I, Mazzei M, Tolari F, Divizia M. Presence of hepatitis E RNA in mussels used as bio-monitors of viral marine pollution. *J Virol Methods*. 2012 Dec;186(1-2):198-202.
- Faber MS, Wenzel JJ, Jilg W, Thamm M, Höhle M, Stark K. Hepatitis E virus seroprevalence among adults, Germany. *Emerg Infect Dis*. 2012 Oct;18(10):1654-7.
- Garbuglia AR, Scognamiglio P, Petrosillo N, Mastroianni CM, Sordillo P, Gentile D, La Scala P, Girardi E, Capobianchi MR. Hepatitis e virus genotype 4 outbreak, Italy, 2011. *Emerg Infect Dis*. 2013 Jan;19(1):110-4.
- Hadjivasiliou A. Researchers estimate hepatitis E global burden. *Expert Rev Gastroenterol Hepatol*. 2012 Jun;6(3):264.
- Harrison A, Scobie L, Crossan C, Parry R, Johnston P, Stratton J, Dickinson S, Ellis V, Hunter JG, Prescott OR, Madden R, Lin NX, Henley WE, Bendall RP, Dalton HR. Hepatitis E seroprevalence in recipients of renal transplants or haemodialysis in southwest England: A case-control study. *J Med Virol*. 2013 Feb;85(2):266-71.
- Ishida S, Yoshizumi S, Ikeda T, Miyoshi M, Goto A, Matsubayashi K, Ikeda H. Detection and molecular characterization of hepatitis E virus in clinical, environmental and putative animal sources. *Arch Virol*. 2012 Dec;157(12):2363-8.
- Izopet J, Dubois M, Bertagnoli S, Lhomme S, Marchandeu S, Boucher S, Kamar N, Abravanel F, Guérin JL. Hepatitis E virus strains in rabbits and evidence of a closely related strain in humans, France. *Emerg Infect Dis*. 2012 Aug;18(8):1274-81.
- Nannyonga B, Sumpter DJ, Mugisha JY, Luboobi LS. The dynamics, causes and possible prevention of Hepatitis E outbreaks. *PLoS One*. 2012;7(7):e41135.

Riveiro-Barciela M, Rodríguez-Frías F, Buti M. [Hepatitis E: scale of the problem in Spain]. *Gastroenterol Hepatol*. 2012 Dec;35(10):719-24. Spanish.

Rodríguez-Frías F, Jardi R, Buti M. [Hepatitis E: molecular virology, epidemiology and pathogenesis]. *Enferm Infecc Microbiol Clin*. 2012 Dec;30(10):624-34. Spanish.

Rodríguez-Lázaro D, Cook N, Ruggeri FM, Sellwood J, Nasser A, Nascimento MS, D'Agostino M, Santos R, Saiz JC, Rzeżutka A, Bosch A, Gironés R, Carducci A, Muscillo M, Kovač K, Diez-Valcarce M, Vantarakis A, von Bonsdorff CH, de Roda Husman AM, Hernández M, van der Poel WH. Virus hazards from food, water and other contaminated environments. *FEMS Microbiol Rev*. 2012 Jul;36(4):786-814.

Sanford BJ, Emerson SU, Purcell RH, Engle RE, Dryman BA, Cecere TE, Buechner-Maxwell V, Sponenberg DP, Meng XJ. Serological Evidence for a Hepatitis E Virus-Related Agent in Goats in the United States. *Transbound Emerg Dis*. 2012 Aug 22. doi: 10.1111/tbed.12001. [Epub ahead of print]

Scobie L, Dalton HR. Hepatitis E: source and route of infection, clinical manifestations and new developments. *J Viral Hepat*. 2013 Jan;20(1):1-11.

Verhoef L, Koopmans M, Duizer E, Bakker J, Reimerink J, Van Pelt W. Seroprevalence of hepatitis E antibodies and risk profile of HEV seropositivity in The Netherlands, 2006-2007. *Epidemiol Infect*. 2012 Oct;140(10):1838-47.

Wacheck S, Werres C, Mohn U, Dorn S, Soutschek E, Fredriksson-Ahomaa M, Märtlbauer E. Detection of IgM and IgG against hepatitis E virus in serum and meat juice samples from pigs at slaughter in Bavaria, Germany. *Foodborne Pathog Dis*. 2012 Jul;9(7):655-60.

Wu T, Li SW, Zhang J, Ng MH, Xia NS, Zhao Q. Hepatitis E vaccine development: a 14 year odyssey. *Hum Vaccin Immunother*. 2012 Jun;8(6):823-7.

Listeria

Berrang ME, Frank JF. Generation of airborne *Listeria innocua* from model floor drains. *J Food Prot*. 2012 Jul;75(7):1328-31.

Bubonja-Sonje M, Mustac E, Brunn A, Deckert M, Abram M. Listeriosis in pregnancy: case report and retrospective study. *J Matern Fetal Neonatal Med*. 2013 Feb;26(3):321-3.

Buffer JL, Medeiros LC, Kendall P, Schroeder M, Sofos J. Health professionals' knowledge and understanding about *Listeria monocytogenes* indicates a need for improved professional training. *J Food Prot*. 2012 Jul;75(7):1310-6.

Cartwright EJ, Jackson KA, Johnson SD, Graves LM, Silk BJ, Mahon BE. Listeriosis outbreaks and associated food vehicles, United States, 1998-2008. *Emerg Infect Dis*. 2013 Jan;19(1):1-9.

Daelman J, Jacxsens L, Lahou E, Devlieghere F, Uyttendaele M. Assessment of the microbial safety and quality of cooked chilled foods and their production process. *Int J Food Microbiol*. 2013 Jan 1;160(3):193-200.

Davies R, Dixon WG, Watson KD, Lunt M; BSRBR Control Centre Consortium, Symmons DP, Hyrich KL; on behalf of the BSRBR. Influence of anti-TNF patient warning regarding

avoidance of high risk foods on rates of *listeria* and *salmonella* infections in the UK. Ann Rheum Dis. 2012 Oct 17. [Epub ahead of print]

Goulet V, King LA, Vaillant V, de Valk H. What is the incubation period for listeriosis? BMC Infect Dis. 2013 Jan 10;13(1):11.

Hale CR, Scallan E, Cronquist AB, Dunn J, Smith K, Robinson T, Lathrop S, Tobin-D'Angelo M, Clogher P. Estimates of enteric illness attributable to contact with animals and their environments in the United States. Clin Infect Dis. 2012 Jun;54 Suppl 5:S472-9.

Harper NM, Getty KJ. Effect of Salt Reduction on Growth of *Listeria monocytogenes* in Meat and Poultry Systems. J Food Sci. 2012 Dec;77(12):M669-74.

Hoelzer K, Pouillot R, Dennis S. *Listeria monocytogenes* growth dynamics on produce: a review of the available data for predictive modeling. Foodborne Pathog Dis. 2012 Jul;9(7):661-73.

Jackson EE, Erten ES, Maddi N, Graham TE, Larkin JW, Blodgett RJ, Schlessner JE, Reddy RM. Detection and enumeration of four foodborne pathogens in raw commingled silo milk in the United States. J Food Prot. 2012 Aug;75(8):1382-93.

Kang J, Tang S, Liu RH, Wiedmann M, Boor KJ, Bergholz TM, Wang S. Effect of curing method and freeze-thawing on subsequent growth of *Listeria monocytogenes* on cold-smoked salmon. J Food Prot. 2012 Sep;75(9):1619-26.

Lambertz ST, Nilsson C, Brådenmark A, Sylvén S, Johansson A, Jansson LM, Lindblad M. Prevalence and level of *Listeria monocytogenes* in ready-to-eat foods in Sweden 2010. Int J Food Microbiol. 2012 Nov 1;160(1):24-31.

Little CL, Amar CF, Awofisayo A, Grant KA. Hospital-acquired listeriosis associated with sandwiches in the UK: a cause for concern. J Hosp Infect. 2012 Sep;82(1):13-8.

Meldrum RJ, Garside J, Mannion P, Charles D, Ellis P. Variation in the Annual Unsatisfactory Rates of Selected Pathogens and Indicators in Ready-to-Eat Food Sampled from the Point of Sale or Service in Wales, United Kingdom. J Food Prot. 2012 Dec;75(12):2238-40.

Nastou A, Rhoades J, Smirniotis P, Makri I, Kontominas M, Likotrafiti E. Efficacy of household washing treatments for the control of *Listeria monocytogenes* on salad vegetables. Int J Food Microbiol. 2012 Oct 15;159(3):247-53.

Ratani SS, Siletzky RM, Dutta V, Yildirim S, Osborne JA, Lin W, Hitchins AD, Ward TJ, Kathariou S. Heavy metal and disinfectant resistance of *Listeria monocytogenes* from foods and food processing plants. Appl Environ Microbiol. 2012 Oct;78(19):6938-45.

Rosshaug PS, Detmer A, Ingmer H, Larsen MH. Modeling the growth of *Listeria monocytogenes* in Soft Blue-White Cheese. Appl Environ Microbiol. 2012 Dec;78(24):8508-14.

Sauders BD, Overdeest J, Fortes E, Windham K, Schukken Y, Lembo A, Wiedmann M. Diversity of *Listeria* species in urban and natural environments. Appl Environ Microbiol. 2012 Jun;78(12):4420-33.

Norovirus

Ajami NJ, Barry MA, Carrillo B, Muhaxhiri Z, Neill FH, Prasad BV, Opekun AR, Gilger MA, Graham DY, Atmar RL, Estes MK. Antibody responses to norovirus genogroup GI.1 and GI.4 proteases in volunteers administered Norwalk virus. *Clin Vaccine Immunol.* 2012 Dec;19(12):1980-3.

Arias A, Ureña L, Thorne L, Yunus MA, Goodfellow I. Reverse genetics mediated recovery of infectious murine norovirus. *J Vis Exp.* 2012 Jun 24;(64).

Atmar RL, Estes MK. Norovirus vaccine development: next steps. *Expert Rev Vaccines.* 2012 Sep;11(9):1023-5.

Bok K, Green KY. Norovirus gastroenteritis in immunocompromised patients. *N Engl J Med.* 2012 Nov 29;367(22):2126-32.

Bolton SL, Kotwal G, Harrison MA, Law SE, Harrison JA, Cannon JL. Sanitizer Efficacy against Murine Norovirus, a Surrogate for Human Norovirus, on Stainless Steel Surfaces Using Three Application Methods. *Appl Environ Microbiol.* 2012 Dec 21. [Epub ahead of print]

Bozkurt H, D'Souza DH, Davidson PM. Determination of the thermal inactivation kinetics of the human norovirus surrogates, murine norovirus and feline calicivirus. *J Food Prot.* 2013 Jan;76(1):79-84.

Chen SY, Chiu CH. Worldwide molecular epidemiology of norovirus infection. *Paediatr Int Child Health.* 2012 Aug;32(3):128-31.

de Abreu Corrêa A, Souza DS, Moresco V, Kleemann CR, Garcia LA, Barardi CR. Stability of human enteric viruses in seawater samples from mollusc depuration tanks coupled with ultraviolet irradiation. *J Appl Microbiol.* 2012 Dec;113(6):1554-63.

De Keuckelaere A, Baert L, Duarte A, Stals A, Uyttendaele M. Evaluation of viral concentration methods from irrigation and processing water. *J Virol Methods.* 2012 Nov 29;187(2):294-303.

Deboosere N, Pinon A, Caudrelier Y, Delobel A, Merle G, Perelle S, Temmam S, Loutreul J, Morin T, Estienney M, Belliot G, Pothier P, Gantzer C, Vialette M. Adhesion of human pathogenic enteric viruses and surrogate viruses to inert and vegetal food surfaces. *Food Microbiol.* 2012 Oct;32(1):48-56.

Desai R, Hall AJ, Lopman BA, Shimshoni Y, Rennick M, Efron N, Matias Y, Patel MM, Parashar UD. Norovirus disease surveillance using Google Internet query share data. *Clin Infect Dis.* 2012 Oct;55(8):e75-8.

Desai R, Hembree CD, Handel A, Matthews JE, Dickey BW, McDonald S, Hall AJ, Parashar UD, Leon JS, Lopman B. Severe outcomes are associated with genogroup 2 genotype 4 norovirus outbreaks: a systematic literature review. *Clin Infect Dis.* 2012 Jul;55(2):189-93.

Esseili MA, Wang Q, Zhang Z, Saif LJ. Internalization of sapovirus, a surrogate for norovirus, in romaine lettuce and the effect of lettuce latex on virus infectivity. *Appl Environ Microbiol.* 2012 Sep;78(17):6271-9.

- Frenck R, Bernstein DI, Xia M, Huang P, Zhong W, Parker S, Dickey M, McNeal M, Jiang X. Predicting susceptibility to norovirus GII.4 by use of a challenge model involving humans. *J Infect Dis.* 2012 Nov;206(9):1386-93.
- Gastañaduy PA, Hall AJ, Curns AT, Parashar UD, Lopman BA. Burden of Norovirus Gastroenteritis in the Ambulatory Setting--United States, 2001-2009. *J Infect Dis.* 2013 Jan 8. [Epub ahead of print]
- Girard M, Morales-Rayas R, Jean J. Comparison of RNA Extraction Methods for the Detection of a Norovirus Surrogate in Ready-to-Eat Foods. *Foodborne Pathog Dis.* 2013 Jan;10(1):47-54.
- Greening GE, Hewitt J, Rivera-Aban M, Croucher D. Molecular epidemiology of norovirus gastroenteritis outbreaks in New Zealand from 2002-2009. *J Med Virol.* 2012 Sep;84(9):1449-58.
- Hall AJ, Eisenbart VG, Etingüe AL, Gould LH, Lopman BA, Parashar UD. Epidemiology of foodborne norovirus outbreaks, United States, 2001-2008. *Emerg Infect Dis.* 2012 Oct;18(10):1566-73.
- Hall AJ. Noroviruses: the perfect human pathogens? *J Infect Dis.* 2012 Jun;205(11):1622-4.
- Han L, Kitov PI, Kitova EN, Tan M, Wang L, Xia M, Jiang X, Klassen JS. Affinities of Recombinant Norovirus P Dimers for Human Blood Group Antigens. *Glycobiology.* 2012 Oct 30. [Epub ahead of print]
- Harada S, Oka T, Tokuoka E, Kiyota N, Nishimura K, Shimada Y, Ueno T, Ikezawa S, Wakita T, Wang Q, Saif LJ, Katayama K. A confirmation of sapovirus re-infection gastroenteritis cases with different genogroups and genetic shifts in the evolving sapovirus genotypes, 2002-2011. *Arch Virol.* 2012 Oct;157(10):1999-2003.
- Haramoto E, Katayama H, Asami M, Akiba M. Development of a novel method for simultaneous concentration of viruses and protozoa from a single water sample. *J Virol Methods.* 2012 Jun;182(1-2):62-9.
- Hirneisen KA, Kniel KE. Comparing human norovirus surrogates: murine norovirus and tulane virus. *J Food Prot.* 2013 Jan;76(1):139-43.
- Horm KM, Davidson PM, Harte FM, D'Souza DH. Survival and inactivation of human norovirus surrogates in blueberry juice by high-pressure homogenization. *Foodborne Pathog Dis.* 2012 Nov;9(11):974-9.
- Jeong AY, Jeong HS, Lee JS, Park YC, Lee SH, Hwang IG, Kim YJ, Kim YJ, Jo MY, Jung S, Kim K, Cheon DS. Occurrence of Norovirus Infections in Asymptomatic Food Handlers in South Korea. *J Clin Microbiol.* 2012 Nov 21. [Epub ahead of print].
- Kobayashi S, Fujiwara N, Yasui Y, Yamashita T, Hiramatsu R, Minagawa H. A foodborne outbreak of sapovirus linked to catered box lunches in Japan. *Arch Virol.* 2012 Oct;157(10):1995-7.
- Levine MM, Robins-Browne RM. Factors that explain excretion of enteric pathogens by persons without diarrhea. *Clin Infect Dis.* 2012 Dec;55 Suppl 4:S303-11.

Lowther JA, Gustar NE, Powell AL, Hartnell RE, Lees DN. Two-year systematic study to assess norovirus contamination in oysters from commercial harvesting areas in the United Kingdom. *Appl Environ Microbiol.* 2012 Aug;78(16):5812-7.

McIntyre L, Galanis E, Mattison K, Mykytczuk O, Buenaventura E, Wong J, Prystajec N, Ritson M, Stone J, Moreau D, Youssef A; Outbreak Investigation Team. Multiple clusters of norovirus among shellfish consumers linked to symptomatic oyster harvesters. *J Food Prot.* 2012 Sep;75(9):1715-20.

Nelson AM, Walk ST, Taube S, Taniuchi M, Houpt ER, Wobus CE, Young VB. Disruption of the human gut microbiota following Norovirus infection. *PLoS One.* 2012;7(10):e48224.

Richards GP, Watson MA, Meade GK, Hovan GL, Kingsley DH. Resilience of Norovirus GII.4 to Freezing and Thawing: Implications for Virus Infectivity. *Food Environ Virol.* 2012 Dec;4(4):192-197.

Smith AJ, McCarthy N, Saldana L, Ihekweazu C, McPhedran K, Adak GK, Iturriza-Gómara M, Bickler G, O'Moore É. A large foodborne outbreak of norovirus in diners at a restaurant in England between January and February 2009. *Epidemiol Infect.* 2012 Sep;140(9):1695-701.

Straub TM, Hutchison JR, Bartholomew RA, Valdez CO, Valentine NB, Dohnalkova A, Ozanich RM, Bruckner-Lea CJ. Defining cell culture conditions to improve human norovirus infectivity assays. *Water Sci Technol.* 2013 Jan;67(4):863-8.

Su X, D'Souza DH. Inactivation of human norovirus surrogates by benzalkonium chloride, potassium peroxymonosulfate, tannic acid, and gallic acid. *Foodborne Pathog Dis.* 2012 Sep;9(9):829-34.

Summa M, von Bonsdorff CH, Maunula L. Evaluation of four virus recovery methods for detecting noroviruses on fresh lettuce, sliced ham, and frozen raspberries. *J Virol Methods.* 2012 Aug;183(2):154-60.

Thorne L, Bailey D, Goodfellow I. High-resolution functional profiling of the norovirus genome. *J Virol.* 2012 Nov;86(21):11441-56.

Trivedi TK, Desai R, Hall AJ, Patel M, Parashar UD, Lopman BA. Clinical characteristics of norovirus-associated deaths: A systematic literature review. *Am J Infect Control.* 2012 Dec 21. doi:pii: S0196-6553(12)01155-8.10.1016/j.ajic.2012.08.002. [Epub ahead of print]

Tuladhar E, Hazeleger WC, Koopmans M, Zwietering MH, Beumer RR, Duizer E. Residual viral and bacterial contamination of surfaces after cleaning and disinfection. *Appl Environ Microbiol.* 2012 Nov;78(21):7769-75.

Verhaelen K, Bouwknecht M, Lodder-Verschoor F, Rutjes SA, de Roda Husman AM. Persistence of human norovirus GII.4 and GI.4, murine norovirus, and human adenovirus on soft berries as compared with PBS at commonly applied storage conditions. *Int J Food Microbiol.* 2012 Nov 15;160(2):137-44.

Wang Q, Erickson MC, Ortega Y, Cannon JL. Physical removal and transfer of murine norovirus and hepatitis A virus from contaminated produce by scrubbing and peeling. *J Food Prot.* 2013 Jan;76(1):85-92.

Salmonella

Achtman M, Wain J, Weill FX, Nair S, Zhou Z, Sangal V, Krauland MG, Hale JL, Harbottle H, Uesbeck A, Dougan G, Harrison LH, Brisse S; S. Enterica MLST Study Group. Multilocus sequence typing as a replacement for serotyping in *Salmonella enterica*. PLoS Pathog. 2012;8(6):e1002776.

Adzitey F, Huda N, Ali GR. Prevalence and antibiotic resistance of *Campylobacter*, *Salmonella*, and *L. monocytogenes* in ducks: a review. Foodborne Pathog Dis. 2012 Jun;9(6):498-505.

Alali WQ, Mann DA, Beuchat LR. Viability of *Salmonella* and *Listeria monocytogenes* in delicatessen salads and hummus as affected by sodium content and storage temperature. J Food Prot. 2012 Jun;75(6):1043-56.

Alali WQ, Gaydashov R, Petrova E, Panin A, Tugarinov O, Kulikovskii A, Mamleeva D, Walls I, Doyle MP. Prevalence of *Salmonella* on retail chicken meat in Russian Federation. J Food Prot. 2012 Aug;75(8):1469-73.

Ansong C, Deatherage BL, Hyduke D, Schmidt B, McDermott JE, Jones MB, Chauhan S, Charusanti P, Kim YM, Nakayasu ES, Li J, Kidwai A, Niemann G, Brown RN, Metz TO, McAteer K, Heffron F, Peterson SN, Motin V, Palsson BO, Smith RD, Adkins JN. Studying salmonellae and yersiniae host-pathogen interactions using integrated 'omics and modeling. Curr Top Microbiol Immunol. 2013;363:21-41.

Aygun A, Sert D. Effects of vacuum packing on eggshell microbial activity and egg quality in table eggs under different storage temperatures. J Sci Food Agric. 2012 Sep 25. doi: 10.1002/jsfa.5936. [Epub ahead of print]

Backhans A, Jacobson M, Hansson I, Lebbad M, Lambertz ST, Gammelgård E, Saager M, Akande O, Fellström C. Occurrence of pathogens in wild rodents caught on Swedish pig and chicken farms. Epidemiol Infect. 2012 Nov 23:1-7. [Epub ahead of print]

Bani-Yaghoub M, Gautam R, Shuai Z, van den Driessche P, Ivanek R. Reproduction numbers for infections with free-living pathogens growing in the environment. J Biol Dyn. 2012;6(2):923-40.

Barrow PA, Jones MA, Smith AL, Wigley P. The long view: *Salmonella*--the last forty years. Avian Pathol. 2012 Oct;41(5):413-20.

Batz MB, Hoffmann S, Morris JG Jr. Ranking the disease burden of 14 pathogens in food sources in the United States using attribution data from outbreak investigations and expert elicitation. J Food Prot. 2012 Jul;75(7):1278-91.

Behravesh CB, Blaney D, Medus C, Bidol SA, Phan Q, Soliva S, Daly ER, Smith K, Miller B, Taylor T Jr, Nguyen T, Perry C, Hill TA, Fogg N, Kleiza A, Moorhead D, Al-Khaldi S, Braden C, Lynch MF. Multistate outbreak of *Salmonella* serotype Typhimurium infections associated with consumption of restaurant tomatoes, USA, 2006: hypothesis generation through case exposures in multiple restaurant clusters. Epidemiol Infect. 2012 Nov;140(11):2053-61.

Beuchat LR, Mann DA, Alali WQ. Evaluation of sanitizers for inactivating *Salmonella* on in-shell pecans and pecan nutmeats. J Food Prot. 2012 Nov;75(11):1930-8.

- Boll EJ, McCormick BA. A new understanding of enteroaggregative *Escherichia coli* as an inflammatory pathogen. *Cell Adh Migr*. 2012 Sep-Oct;6(5):413-8.
- Bolton DJ, Ivory C, McDowell D. A study of *Salmonella* in pigs from birth to carcass: Serotypes, genotypes, antibiotic resistance and virulence profiles. *Int J Food Microbiol*. 2013 Jan 1;160(3):298-303.
- Bolton DJ, Ivory C, McDowell DA. The effect of urea and ammonia treatments on the survival of *Salmonella* spp. and *Yersinia enterocolitica* in pig slurry. *J Appl Microbiol*. 2013 Jan;114(1):134-40.
- Boore AL, Jungk J, Russo ET, Redd JT, Angulo FJ, Williams IT, Cheek JE, Gould LH. Added value of a household-level study during an outbreak investigation of *Salmonella* serotype Saintpaul infections, New Mexico 2008. *Epidemiol Infect*. 2012 Dec 11:1-6. [Epub ahead of print]
- Brooks JC, Martinez B, Stratton J, Bianchini A, Krokstrom R, Hutkins R. Survey of raw milk cheeses for microbiological quality and prevalence of foodborne pathogens. *Food Microbiol*. 2012 Sep;31(2):154-8.
- Cao G, Zhao S, Strain E, Luo Y, Timme R, Wang C, Brown E, Meng J, Allard M. Draft genome sequences of eight *Salmonella enterica* serotype newport strains from diverse hosts and locations. *J Bacteriol*. 2012 Sep;194(18):5146.
- Cardoso F, Shelton D, Sadeghi A, Shirmohammadi A, Pachepsky Y, Dulaney W. Effectiveness of vegetated filter strips in retention of *Escherichia coli* and *Salmonella* from swine manure slurry. *J Environ Manage*. 2012 Nov 15;110:1-7.
- Castelijn GA, Parabirsing JA, Zwietering MH, Moezelaar R, Abee T. Surface behaviour of *S. Typhimurium*, *S. Derby*, *S. Brandenburg* and *S. Infantis*. *Vet Microbiol*. 2013 Jan 25;161(3-4):305-14.
- Centers for Disease Control and Prevention (CDC). Multistate outbreak of *Salmonella* serotype Bovismorbificans infections associated with hummus and tahini--United States, 2011. *MMWR Morb Mortal Wkly Rep*. 2012 Nov 23;61(46):944-7.
- Centers for Disease Control and Prevention (CDC). Notes from the field: Human *Salmonella infantis* infections linked to dry dog food--United States and Canada, 2012. *MMWR Morb Mortal Wkly Rep*. 2012 Jun 15;61(23):436.
- Cevallos-Cevallos JM, Gu G, Danyluk MD, van Bruggen AH. Adhesion and splash dispersal of *Salmonella enterica* Typhimurium on tomato leaflets: effects of rdar morphotype and trichome density. *Int J Food Microbiol*. 2012 Nov 1;160(1):58-64.
- Cevallos-Cevallos JM, Gu G, Danyluk MD, Dufault NS, van Bruggen AH. *Salmonella* can reach tomato fruits on plants exposed to aerosols formed by rain. *Int J Food Microbiol*. 2012 Aug 17;158(2):140-6.
- Chai SJ, White PL, Lathrop SL, Solghan SM, Medus C, McGlinchey BM, Tobin-D'Angelo M, Marcus R, Mahon BE. *Salmonella enterica* serotype Enteritidis: increasing incidence of domestically acquired infections. *Clin Infect Dis*. 2012 Jun;54 Suppl 5:S488-97. doi: 10.1093/cid/cis231.

Collignon P. Antibiotic resistance in human *Salmonella* isolates are related to animal strains. *Proc Biol Sci*. 2012 Aug 7;279(1740):2922-3; author reply 2924-5.

Cottell JL, Webber MA, Piddock LJ. Persistence of transferable extended-spectrum- β -lactamase resistance in the absence of antibiotic pressure. *Antimicrob Agents Chemother*. 2012 Sep;56(9):4703-6.

Cox R, Su T, Clough H, Woodward MJ, Sherlock C. Spatial and temporal patterns in antimicrobial resistance of *Salmonella* Typhimurium in cattle in England and Wales. *Epidemiol Infect*. 2012 Nov;140(11):2062-73.

Desin TS, Köster W, Potter AA. *Salmonella* vaccines in poultry: past, present and future. *Expert Rev Vaccines*. 2013 Jan;12(1):87-96.

Dewaele I, Rasschaert G, Wildemauwe C, Van Meirhaeghe H, Vanrobaeys M, De Graef E, Herman L, Ducatelle R, Heyndrickx M, De Reu K. Polyphasic characterization of *Salmonella* Enteritidis isolates on persistently contaminated layer farms during the implementation of a national control program with obligatory vaccination: a longitudinal study. *Poult Sci*. 2012 Nov;91(11):2727-35.

31: Domingues AR, Pires SM, Halasa T, Hald T. Source attribution of human salmonellosis using a meta-analysis of case-control studies of sporadic infections. *Epidemiol Infect*. 2012 Jun;140(6):959-69. doi: 10.1017/S0950268811002172. Epub 2011 Dec 8. Review. PubMed PMID: 22152439.

Duggan S, Jordan E, Gutierrez M, Barrett G, O'Brien T, Hand D, Kenny K, Fanning J, Leonard N, Egan J. *Salmonella* in meats, water, fruit and vegetables as disclosed from testing undertaken by Food Business Operators in Ireland from 2005 to 2009. *Ir Vet J*. 2012 Sep 22;65(1):17.

Dungan RS, Klein M, Leytem AB. Quantification of bacterial indicators and zoonotic pathogens in dairy wastewater ponds. *Appl Environ Microbiol*. 2012 Nov;78(22):8089-95.

Elkins CA, Kotewicz ML, Jackson SA, Lacher DW, Abu-Ali GS, Patel IR. Genomic paradigms for food-borne enteric pathogen analysis at the USFDA: case studies highlighting method utility, integration and resolution. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess*. 2012 Dec 3. [Epub ahead of print]

Falkenhorst G, Simonsen J, Ceper TH, van Pelt W, de Valk H, Sadkowska-Todys M, Zota L, Kuusi M, Jernberg C, Rota MC, van Duynhoven YT, Teunis PF, Krogfelt KA, Mølbak K. Serological cross-sectional studies on *salmonella* incidence in eight European countries: no correlation with incidence of reported cases. *BMC Public Health*. 2012 Jul 16;12:523.

Flieger A, Mielke M, Tietze E. [Role of pathogen surveillance and subtyping in outbreak recognition of food-borne bacterial infections : Microbiological perspective - Aims, methods and prospects of pathogen subtyping]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 2013 Jan;56(1):42-6.

Franz E, van der Fels-Klerx HJ, Thissen J, van Asselt ED. Farm and slaughterhouse characteristics affecting the occurrence of *Salmonella* and *Campylobacter* in the broiler supply chain. *Poult Sci*. 2012 Sep;91(9):2376-81.

Friesema IH, de Jong AE, Fitz James IA, Heck ME, van den Kerkhof JH, Notermans DW, van Pelt W, Hofhuis A. Outbreak of *Salmonella* Thompson in the Netherlands since July 2012. *Euro Surveill.* 2012 Oct 25;17(43):20303.

Garai P, Gnanadhas DP, Chakravorty D. *Salmonella enterica* serovars Typhimurium and Typhi as model organisms: revealing paradigm of host-pathogen interactions. *Virulence.* 2012 Jul 1;3(4):377-88.

Giacometti F, Serraino A, Finazzi G, Daminelli P, Losio MN, Bonilauri P, Arrigoni N, Garigliani A, Mattioli R, Alonso S, Piva S, Florio D, Riu R, Zanoni RG. Foodborne pathogens in in-line milk filters and associated on-farm risk factors in dairy farms authorized to produce and sell raw milk in northern Italy. *J Food Prot.* 2012 Jul;75(7):1263-9.

Gieraltowski L, Julian E, Pringle J, Macdonald K, Quilliam D, Marsden-Haug N, Saathoff-Huber L, VON Stein D, Kissler B, Parish M, Elder D, Howard-King V, Besser J, Sodha S, Loharikar A, Dalton S, Williams I, Barton Behravesh C. Nationwide outbreak of *Salmonella* Montevideo infections associated with contaminated imported black and red pepper: warehouse membership cards provide critical clues to identify the source. *Epidemiol Infect.* 2012 Aug 30:1-9.

Gormley FJ, Rawal N, Little CL. Choose your menu wisely: cuisine-associated food-poisoning risks in restaurants in England and Wales. *Epidemiol Infect.* 2012 Jun;140(6):997-1007.

Gotter V, Klein G, Koesters S, Kreienbrock L, Blaha T, Campe A. Main risk factors for *Salmonella*-infections in pigs in north-western Germany. *Prev Vet Med.* 2012 Oct 1;106(3-4):301-7.

Goudeau DM, Parker CT, Zhou Y, Sela S, Kroupitski Y, Brandl MT. The *salmonella* transcriptome in lettuce and cilantro soft rot reveals a niche overlap with the animal host intestine. *Appl Environ Microbiol.* 2013 Jan;79(1):250-62.

Gunnarsdóttir R, Müller K, Jensen PE, Jenssen PD, Villumsen A. Effect of long-term freezing and freeze-thaw cycles on indigenous and inoculated microorganisms in dewatered blackwater. *Environ Sci Technol.* 2012 Nov 20;46(22):12408-16.

Ha JW, Ryu SR, Kang DH. Evaluation of near-infrared pasteurization in controlling *Escherichia coli* O157:H7, *Salmonella enterica* serovar typhimurium, and *Listeria monocytogenes* in ready-to-eat sliced ham. *Appl Environ Microbiol.* 2012 Sep;78(18):6458-65.

Haagsma JA, Geenen PL, Ethelberg S, Fetsch A, Hansdotter F, Jansen A, Korsgaard H, O'Brien SJ, Scavia G, Spitznagel H, Stefanoff P, Tam CC, Havelaar AH. Community incidence of pathogen-specific gastroenteritis: reconstructing the surveillance pyramid for seven pathogens in seven European Union member states. *Epidemiol Infect.* 2012 Sep 27:1-15. [Epub ahead of print]

Hara-Kudo Y, Konuma H, Kamata Y, Miyahara M, Takatori K, Onoue Y, Sugita-Konishi Y, Ohnishi T. Prevalence of the main food-borne pathogens in retail food under the national food surveillance system in Japan. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 2012 Dec 3. [Epub ahead of print].

Havelaar AH, Haagsma JA, Mangen MJ, Kemmeren JM, Verhoef LP, Vijgen SM, Wilson M, Friesema IH, Kortbeek LM, van Duynhoven YT, van Pelt W. Disease burden of foodborne pathogens in the Netherlands, 2009. *Int J Food Microbiol.* 2012 Jun 1;156(3):231-8.

Henley SC, Stein SE, Quinlan JJ. Identification of unique food handling practices that could represent food safety risks for minority consumers. *J Food Prot.* 2012 Nov;75(11):2050-4.

Herrick RL, Buchberger SG, Clark RM, Kupferle M, Murray R, Succop P. A Markov model to estimate *Salmonella* morbidity, mortality, illness duration, and cost. *Health Econ.* 2012 Oct;21(10):1169-82.

Hierro E, Ganan M, Barroso E, Fernández M. Pulsed light treatment for the inactivation of selected pathogens and the shelf-life extension of beef and tuna carpaccio. *Int J Food Microbiol.* 2012 Aug 1;158(1):42-8.

Hill B, Smythe B, Lindsay D, Shepherd J. Microbiology of raw milk in New Zealand. *Int J Food Microbiol.* 2012 Jul 2;157(2):305-8.

Hilmarsdóttir I, Baldvinsdóttir GE, Harðardóttir H, Briem H, Sigurðsson SI. Enteropathogens in acute diarrhea: a general practice-based study in a Nordic country. *Eur J Clin Microbiol Infect Dis.* 2012 Jul;31(7):1501-9.

Hiroi M, Kawamori F, Harada T, Sano Y, Miwa N, Sugiyama K, Hara-Kudo Y, Masuda T. Antibiotic resistance in bacterial pathogens from retail raw meats and food-producing animals in Japan. *J Food Prot.* 2012 Oct;75(10):1774-82.

Hoffmann M, Zhao S, Luo Y, Li C, Folster JP, Whichard J, Allard MW, Brown EW, McDermott PF. Genome sequences of five *Salmonella enterica* serovar Heidelberg isolates associated with a 2011 multistate outbreak in the United States. *J Bacteriol.* 2012 Jun;194(12):3274-5.

Hoffmann S, Batz MB, Morris JG Jr. Annual cost of illness and quality-adjusted life year losses in the United States due to 14 foodborne pathogens. *J Food Prot.* 2012 Jul;75(7):1292-302.

Hopkins KL, de Pinna E, Wain J. Prevalence of *Salmonella enterica* serovar 4,[5],12:i:- in England and Wales, 2010. *Euro Surveill.* 2012 Sep 13;17(37).

Huang Y, Ye M, Chen H. Inactivation of *Escherichia coli* O157:H7 and *Salmonella* spp. in strawberry puree by high hydrostatic pressure with/without subsequent frozen storage. *Int J Food Microbiol.* 2013 Jan 1;160(3):337-43.

Janiec J, Evans MR, Thomas DR, Davies GH, Lewis H. Laboratory-based surveillance of *Campylobacter* and *Salmonella* infection and the importance of denominator data. *Epidemiol Infect.* 2012 Nov;140(11):2045-52.

Jones TF, Rosenberg L, Kubota K, Ingram LA. Variability among States in investigating foodborne disease outbreaks. *Foodborne Pathog Dis.* 2013 Jan;10(1):69-73.

Kendall ME, Crim S, Fullerton K, Han PV, Cronquist AB, Shiferaw B, Ingram LA, Rounds J, Mintz ED, Mahon BE. Travel-associated enteric infections diagnosed after return to the United States, Foodborne Diseases Active Surveillance Network (FoodNet), 2004-2009. *Clin Infect Dis.* 2012 Jun;54 Suppl 5:S480-7.

- Kim SA, Kim OM, Rhee MS. Changes in microbial contamination levels and prevalence of foodborne pathogens in alfalfa (*Medicago sativa*) and rapeseed (*Brassica napus*) during sprout production in manufacturing plants. *Lett Appl Microbiol*. 2013 Jan;56(1):30-6.
- Kim SR, Yoon Y, Kim WI, Park KH, Yun HJ, Chung DH, Yun JC, Ryu KY. Comparison of sample preparation methods for the recovery of foodborne pathogens from fresh produce. *J Food Prot*. 2012 Jul;75(7):1213-8.
- Kim YH, Lee SY, Sagong HG, Heu S, Ryu S, Kang DH. Development and evaluation of a new device to effectively detach micro-organisms from food samples. *Lett Appl Microbiol*. 2012 Sep;55(3):256-62.
- King AM, Miller RK, Castillo A, Griffin DB, Hardin MD. Effects of lactic acid and commercial chilling processes on survival of *Salmonella*, *Yersinia enterocolitica*, and *Campylobacter coli* in pork variety meats. *J Food Prot*. 2012 Sep;75(9):1589-94.
- Kirchner M, McLaren I, Clifton-Hadley FA, Liebana E, Wales AD, Davies RH. A comparison between longitudinal shedding patterns of *Salmonella* Typhimurium and *Salmonella* Dublin on dairy farms. *Vet Rec*. 2012 Aug 25;171(8):194.
- Kirchner MJ, Liebana E, McLaren I, Clifton-Hadley FA, Wales AD, Davies RH. Comparison of the environmental survival characteristics of *Salmonella* Dublin and *Salmonella* Typhimurium. *Vet Microbiol*. 2012 Oct 12;159(3-4):509-14.
- Kjeldgaard J, Cohn MT, Casey PG, Hill C, Ingmer H. Residual antibiotics disrupt meat fermentation and increase risk of infection. *MBio*. 2012 Aug 28;3(5):e00190-12.
- Kolling G, Wu M, Guerrant RL. Enteric pathogens through life stages. *Front Cell Infect Microbiol*. 2012; 2:114.
- Kozak GK, Macdonald D, Landry L, Farber JM. Foodborne Outbreaks in Canada Linked to Produce: 2001 through 2009. *J Food Prot*. 2013 Jan;76(1):173-83.
- Kuehn BM. Database of food-borne pathogen genomes created. *JAMA*. 2012 Aug 8;308(6):557.
- Kuhns M, Zautner AE, Rabsch W, Zimmermann O, Weig M, Bader O, Groß U. Rapid discrimination of *Salmonella enterica* serovar Typhi from other serovars by MALDI-TOF mass spectrometry. *PLoS One*. 2012;7(6):e40004.
- Lee SY, Ryu S, Kang DH. Effect of Frequency and Waveform on Inactivation of *Escherichia coli* O157:H7 and *Salmonella enterica* Serovar Typhimurium in Salsa by Ohmic Heating. *Appl Environ Microbiol*. 2013 Jan;79(1):10-7.
- Li H, Bhaskara A, Megalis C, Tortorello ML. Transcriptomic analysis of *salmonella* desiccation resistance. *Foodborne Pathog Dis*. 2012 Dec;9(12):1143-51.
- Lopez-Velasco G, Sbodio A, Tomás-Callejas A, Wei P, Tan KH, Suslow TV. Assessment of root uptake and systemic vine-transport of *Salmonella enterica* sv. Typhimurium by melon (*Cucumis melo*) during field production. *Int J Food Microbiol*. 2012 Aug 1;158(1):65-72.
- Mahan MJ, Heithoff DM, House JK. *Salmonella* cross-protective vaccines: fast-forward to the next generation of food safety. *Future Microbiol*. 2012 Jul;7(7):805-8.

Mueller-Doblies D, Clouting C, Davies RH. Investigations of the Distribution and Persistence of *Salmonella* and Ciprofloxacin-Resistant *Escherichia coli* in Turkey Hatcheries in the UK. *Zoonoses Public Health*. 2012 Aug 1. doi: 10.1111/j.1863-2378.2012.01524.x. [Epub ahead of print]

Muriel-Galet V, Cerisuelo JP, López-Carballo G, Lara M, Gavara R, Hernández-Muñoz P. Development of antimicrobial films for microbiological control of packaged salad. *Int J Food Microbiol*. 2012 Jul 2;157(2):195-201.

Näsval J, Sun L, Roth JR, Andersson DI. Real-time evolution of new genes by innovation, amplification, and divergence. *Science*. 2012 Oct 19;338(6105):384-7.

Nógrády N, Király M, Davies R, Nagy B. Multidrug resistant clones of *Salmonella* Infantis of broiler origin in Europe. *Int J Food Microbiol*. 2012 Jun 15;157(1):108-12.

Olaimat AN, Holley RA. Factors influencing the microbial safety of fresh produce: a review. *Food Microbiol*. 2012 Oct;32(1):1-19.

Oscar TP. Initial Contamination of Chicken Parts with *Salmonella* at Retail and Cross-Contamination of Cooked Chicken with *Salmonella* from Raw Chicken during Meal Preparation. *J Food Prot*. 2013 Jan;76(1):33-9.

Paiba G, Wight A. National control programme for *Salmonella* in pigs. *Vet Rec*. 2012 Oct 20;171(16):407.

Park S, Szonyi B, Gautam R, Nightingale K, Anciso J, Ivanek R. Risk factors for microbial contamination in fruits and vegetables at the preharvest level: a systematic review. *J Food Prot*. 2012 Nov;75(11):2055-81.

Pettengill JB, McAvoy E, White JR, Allard M, Brown E, Ottesen A. Using metagenomic analyses to estimate the consequences of enrichment bias for pathogen detection. *BMC Res Notes*. 2012 Jul 27;5:378.

Pham MT, Jones AQ, Dewey CE, Sargeant JM, Marshall BJ. Food safety issues and information needs: an online survey of public health inspectors. *J Environ Health*. 2012 Jun;74(10):22-9.

Pires AF, Funk JA, Bolin CA. Longitudinal study of *Salmonella* shedding in naturally infected finishing pigs. *Epidemiol Infect*. 2012 Nov 13:1-9. [Epub ahead of print]

Pradhan AK, Li M, Li Y, Kelso LC, Costello TA, Johnson MG. A modified Weibull model for growth and survival of *Listeria innocua* and *Salmonella* Typhimurium in chicken breasts during refrigerated and frozen storage. *Poult Sci*. 2012 Jun;91(6):1482-8.

Pratt ZL, Chen B, Czuprynski CJ, Wong AC, Kaspar CW. Characterization of osmotically induced filaments of *Salmonella enterica*. *Appl Environ Microbiol*. 2012 Sep;78(18):6704-13.

Purayidathil FW, Ibrahim J. A summary of health outcomes: multistate foodborne disease outbreaks in the U.S., 1998-2007. *J Environ Health*. 2012 Nov;75(4):8-13.

Raguenaud ME, Le Hello S, Salah S, Weill FX, Brisabois A, Delmas G, Germonneau P. Epidemiological and microbiological investigation of a large outbreak of monophasic

Salmonella Typhimurium 4,5,12:i:- in schools associated with imported beef in Poitiers, France, October 2010. Euro Surveill. 2012 Oct 4;17(40):20289.

Scallan E, Mahon BE, Hoekstra RM, Griffin PM. Estimates of Illnesses, Hospitalizations, and Deaths Caused By Major Bacterial Enteric Pathogens in Young Children in the United States. Pediatr Infect Dis J. 2012 Dec 17. [Epub ahead of print]

Schlisselberg DB, Kler E, Kalily E, Kisluk G, Karniel O, Yaron S. Inactivation of foodborne pathogens in ground beef by cooking with highly controlled radio frequency energy. Int J Food Microbiol. 2013 Jan 1;160(3):219-26.

Severi E, Booth L, Johnson S, Cleary P, Rimington M, Saunders D, Cockcroft P, Ihekweazu C. Large outbreak of *Salmonella enteritidis* PT8 in Portsmouth, UK, associated with a restaurant. Epidemiol Infect. 2012 Oct;140(10):1748-56.

Shin D, Kakani G, Molina VA, Regenstein JM, Choe HS, Sánchez-Plata MX. Effect of kosher salt application on microbial profiles of poultry carcasses. Poult Sci. 2012 Dec;91(12):3247-52.

Shkalim V, Amir A, Samra Z, Amir J. Characteristics of non-typhi *Salmonella* gastroenteritis associated with bacteremia in infants and young children. Infection. 2012 Jun;40(3):285-9.

Singleton C, Wack R, Larsen RS. Bacteriologic and nutritional evaluation of a commercial raw meat diet as part of a raw meat safety program. Zoo Biol. 2012 Sep-Oct;31(5):574-85.

Sjölund-Karlsson M, Howie RL, Blickenstaff K, Boerlin P, Ball T, Chalmers G, Duval B, Haro J, Rickert R, Zhao S, Fedorka-Cray PJ, Whichard JM. Occurrence of β -Lactamase Genes Among Non-Typhi *Salmonella enterica* Isolated from Humans, Food Animals, and Retail Meats in the United States and Canada. Microb Drug Resist. 2013 Jan 5. [Epub ahead of print]

Smid J, de Jonge R, Havelaar AH, Pielaat A. Variability and Uncertainty Analysis of the Cross-Contamination Ratios of *Salmonella* During Pork Cutting. Risk Anal. 2012 Oct 18. doi: 10.1111/j.1539-6924.2012.01908.x. [Epub ahead of print]

Strawn LK, Fortes ED, Bihn EA, Nightingale KK, Gröhn YT, Worobo RW, Wiedmann M, Bergholz PW. Landscape and meteorological factors affecting prevalence of three foodborne pathogens in fruit and vegetable farms. Appl Environ Microbiol. 2013 Jan;79(2):588-600.

Thakur S, Brake J, Keelara S, Zou M, Susick E. Farm and environmental distribution of *Campylobacter* and *Salmonella* in broiler flocks. Res Vet Sci. 2013 Feb;94(1):33-42.

The OzFoodNet Working Group. Monitoring the incidence and causes of diseases potentially transmitted by food in Australia: Annual report of the OzFoodNet network, 2010. Commun Dis Intell. 2012 Sep 30;36(3):E213-E241.

Totton SC, Farrar AM, Wilkins W, Bucher O, Waddell LA, Wilhelm BJ, McEwen SA, Rajić A. The effectiveness of selected feed and water additives for reducing *Salmonella* spp. of public health importance in broiler chickens: a systematic review, meta-analysis, and meta-regression approach. Prev Vet Med. 2012 Oct 1;106(3-4):197-213.

Tuladhar E, Hazeleger WC, Koopmans M, Zwietering MH, Beumer RR, Duizer E. Residual viral and bacterial contamination of surfaces after cleaning and disinfection. Appl Environ Microbiol. 2012 Nov;78(21):7769-75.

Tuševljak N, Rajić A, Waddell L, Dutil L, Cernicchiaro N, Greig J, Wilhelm BJ, Wilkins W, Totton S, Uhland FC, Avery B, McEwen SA. Prevalence of zoonotic bacteria in wild and farmed aquatic species and seafood: a scoping study, systematic review, and meta-analysis of published research. *Foodborne Pathog Dis.* 2012 Jun;9(6):487-97.

Vadlamudi S, Taylor TM, Blankenburg C, Castillo A. Effect of chemical sanitizers on *Salmonella enterica* serovar Poona on the surface of cantaloupe and pathogen contamination of internal tissues as a function of cutting procedure. *J Food Prot.* 2012 Oct;75(10):1766-73.

Van Meervenne E, Van Coillie E, Kerckhof FM, Devlieghere F, Herman L, De Gelder LS, Top EM, Boon N. Strain-specific transfer of antibiotic resistance from an environmental plasmid to foodborne pathogens. *J Biomed Biotechnol.* 2012;2012:834598. doi: 10.1155/2012/834598.

Villa-Rojas R, Tang J, Wang S, Gao M, Kang DH, Mah JH, Gray P, Sosa-Morales ME, López-Malo A. Thermal Inactivation of *Salmonella* Enteritidis PT 30 in Almond Kernels as Influenced by Water Activity. *J Food Prot.* 2013 Jan;76(1):26-32.

Vipham JL, Brashears MM, Loneragan GH, Echeverry A, Brooks JC, Chaney WE, Miller MF. *Salmonella* and *Campylobacter* Baseline in Retail Ground Beef and Whole-Muscle Cuts Purchased during 2010 in the United States. *J Food Prot.* 2012 Dec;75(12):2110-5.

Werber D, Hille K, Frank C, Dehnert M, Altmann D, Müller-Nordhorn J, Koch J, Stark K. Years of potential life lost for six major enteric pathogens, Germany, 2004-2008. *Epidemiol Infect.* 2012 Jul 20:1-8.

Wilhelm B, Rajić A, Parker S, Waddell L, Sanchez J, Fazil A, Wilkins W, McEwen SA. Assessment of the efficacy and quality of evidence for five on-farm interventions for *Salmonella* reduction in grow-finish swine: a systematic review and meta-analysis. *Prev Vet Med.* 2012 Nov 1;107(1-2):1-20.

Wittum TE, Mollenkopf DF, Erdman MM. Detection of *Salmonella* enteric isolates producing CTX-M Cephalosporinase in U.S. livestock populations. *Appl Environ Microbiol.* 2012 Oct;78(20):7487-91.

Wolf MJ, Miller MF, Parks AR, Loneragan GH, Garmyn AJ, Thompson LD, Echeverry A, Brashears MM. Validation comparing the effectiveness of a lactic acid dip with a lactic acid spray for reducing *Escherichia coli* O157:H7, *Salmonella*, and non-O157 Shiga toxin-producing *Escherichia coli* on beef trim and ground beef. *J Food Prot.* 2012 Nov;75(11):1968-73.

Wong MH, Zeng L, Liu JH, Chen S. Characterization of *salmonella* food isolates with concurrent resistance to ceftriaxone and ciprofloxacin. *Foodborne Pathog Dis.* 2013 Jan;10(1):42-6.

Wong MH, Chen S. First Detection of *oqxAB* in *Salmonella* spp. Isolated from Food. *Antimicrob Agents Chemother.* 2013 Jan;57(1):658-60.

Yoon JY, Kim B. Lab-on-a-chip pathogen sensors for food safety. *Sensors (Basel).* 2012;12(8):10713-41.

Yuan W, Ágoston R, Lee D, Lee SC, Yuk HG. Influence of lactate and acetate salt adaptation on *Salmonella* Typhimurium acid and heat resistance. *Food Microbiol.* 2012 Jun;30(2):448-52.

Zhu H, Sikora U, Ozcan A. Quantum dot enabled detection of *Escherichia coli* using a cell-phone. *Analyst*. 2012 Jun 7;137(11):2541-4.

Ziehm D, Dreesman J, Rabsch W, Fruth A, Pulz M, Kreienbrock L, Campe A. Subtype specific risk factor analyses for sporadic human salmonellosis: A case-case comparison in Lower Saxony, Germany. *Int J Hyg Environ Health*. 2012 Sep 12. doi:pil: S1438-4639(12)00102-2. 10.1016/j.ijheh.2012.07.006. [Epub ahead of print]

Staphylococcus aureus

Crago B, Ferrato C, Drews SJ, Svenson LW, Tyrrell G, Louie M. Prevalence of *Staphylococcus aureus* and methicillin-resistant *S. aureus* (MRSA) in food samples associated with foodborne illness in Alberta, Canada from 2007 to 2010. *Food Microbiol*. 2012 Oct;32(1):202-5.

Doyle ME, Hartmann FA, Lee Wong AC. Methicillin-resistant staphylococci: implications for our food supply? *Anim Health Res Rev*. 2012 Dec;13(2):157-80.

Garcia-Alvarez L, Dawson S, Cookson B, Hawkey P. Working across the veterinary and human health sectors. *J Antimicrob Chemother*. 2012 Jul;67 Suppl 1:i37-49.

Gutiérrez D, Delgado S, Vázquez-Sánchez D, Martínez B, Cabo ML, Rodríguez A, Herrera JJ, García P. Incidence of *Staphylococcus aureus* and analysis of associated bacterial communities on food industry surfaces. *Appl Environ Microbiol*. 2012 Dec;78(24):8547-54.

Hammad AM, Watanabe W, Fujii T, Shimamoto T. Occurrence and characteristics of methicillin-resistant and -susceptible *Staphylococcus aureus* and methicillin-resistant coagulase-negative staphylococci from Japanese retail ready-to-eat raw fish. *Int J Food Microbiol*. 2012 Jun 1;156(3):286-9..

Hauschild T, Fessler AT, Billerbeck C, Wendlandt S, Kaspar H, Mankertz J, Schwarz S, Kadlec K. Target gene mutations among methicillin-resistant *Staphylococcus aureus* and methicillin-susceptible *S. aureus* with elevated MICs of enrofloxacin obtained from diseased food-producing animals or food of animal origin. *J Antimicrob Chemother*. 2012 Jul;67(7):1791-3.

Hennekinne JA, De Buyser ML, Dragacci S. *Staphylococcus aureus* and its food poisoning toxins: characterization and outbreak investigation. *FEMS Microbiol Rev*. 2012 Jul;36(4):815-36.

Hiroi M, Kawamori F, Harada T, Sano Y, Miwa N, Sugiyama K, Hara-Kudo Y, Masuda T. Antibiotic resistance in bacterial pathogens from retail raw meats and food-producing animals in Japan. *J Food Prot*. 2012 Oct;75(10):1774-82.

Ho PL, Chow KH, Lai EL, Law PY, Chan PY, Ho AY, Ng TK, Yam WC. Clonality and antimicrobial susceptibility of *Staphylococcus aureus* and methicillin-resistant *S. aureus* isolates from food animals and other animals. *J Clin Microbiol*. 2012 Nov;50(11):3735-7.

Hooper DC, DeMaria A, Limbago BM, O'Brien TF, McCaughey B. Antibiotic resistance: how serious is the problem, and what can be done? *Clin Chem*. 2012 Aug;58(8):1182-6.

Perillo J, Ceccarelli D, Spagnoletti M, Lollai S, Cappuccinelli P, Colombo MM. Molecular characterization of enterotoxigenic and borderline oxacillin resistant *Staphylococcus* strains from ovine milk. *Food Microbiol.* 2012 Dec;32(2):265-73.

Petinaki E, Spiliopoulou I. Methicillin-resistant *Staphylococcus aureus* among companion and food-chain animals: impact of human contacts. *Clin Microbiol Infect.* 2012 Jul;18(7):626-34.

Rosenstein R, Götz F. What Distinguishes Highly Pathogenic *Staphylococci* from Medium- and Non-pathogenic? *Curr Top Microbiol Immunol.* 2012 Dec 8. [Epub ahead of print]

Sospedra I, Mañes J, Soriano JM. Report of toxic shock syndrome toxin 1 (TSST-1) from *Staphylococcus aureus* isolated in food handlers and surfaces from foodservice establishments. *Ecotoxicol Environ Saf.* 2012 Jun;80:288-90.

Verheghe M, Pletinckx LJ, Crombé F, Vandersmissen T, Haesebrouck F, Butaye P, Heyndrickx M, Rasschaert G. Methicillin-Resistant *Staphylococcus aureus* (MRSA) ST398 in Pig Farms and Multispecies Farms. *Zoonoses Public Health.* 2012 Aug 28. doi: 10.1111/zph.12007. [Epub ahead of print]

Wendlandt S, Schwarz S, Silley P. Methicillin-Resistant *Staphylococcus aureus*: A Food-Borne Pathogen? *Annu Rev Food Sci Technol.* 2012 Nov 26. [Epub ahead of print]

Toxoplasma

Abdoli A. *Toxoplasma gondii* and neuropsychiatric diseases: strain hypothesis. *Neurol Sci.* 2012 Dec 7. [Epub ahead of print]

Ajzenberg D. High burden of congenital toxoplasmosis in the United States: the strain hypothesis? *Clin Infect Dis.* 2012 Jun;54(11):1606-7.

Andenmatten N, Egarter S, Jackson AJ, Jullien N, Herman JP, Meissner M. Conditional genome engineering in *Toxoplasma gondii* uncovers alternative invasion mechanisms. *Nat Methods.* 2012 Dec 23. doi: 10.1038/nmeth.2301. [Epub ahead of print]

Aptouramani M, Theodoridou M, Syrogiannopoulos G, Mentis A, Papaevangelou V, Gaitana K, Daponte A, Hadjichristodoulou C; the Toxoplasmosis Study Group of the Greece-Cyprus Pediatric Surveillance Unit. A dedicated surveillance network for congenital toxoplasmosis in Greece, 2006-2009: assessment of the results. *BMC Public Health.* 2012 Nov 22;12(1):1019.

Barbosa BF, Gomes AO, Ferro EA, Napolitano DR, Mineo JR, Silva NM. Enrofloxacin is able to control *Toxoplasma gondii* infection in both in vitro and in vivo experimental models. *Vet Parasitol.* 2012 Jun 8;187(1-2):44-52.

Clark EL, Blake DP. Genetic mapping and coccidial parasites: past achievements and future prospects. *J Biosci.* 2012 Nov;37(5):879-86.

Cong W, Huang SY, Zhou DH, Xu MJ, Wu SM, Yan C, Zhao Q, Song HQ, Zhu XQ. First report of *Toxoplasma gondii* infection in market-sold adult chickens, ducks and pigeons in northwest China. *Parasit Vectors.* 2012 Jun 7;5:110.

Dubremetz JF, Lebrun M. Virulence factors of *Toxoplasma gondii*. *Microbes Infect*. 2012 Dec;14(15):1403-10.

Frey C, Berger-Schoch A, Herrmann D, Schares G, Müller N, Bernet D, Doherr M, Gottstein B. [Incidence and genotypes of *Toxoplasma gondii* in the muscle of sheep, cattle, pigs as well as in cat feces in Switzerland]. *Schweiz Arch Tierheilkd*. 2012 Jun;154(6):251-5. doi: 10.1024/0036-7281/a000341. German.

Jones JL, Dubey JP. Foodborne toxoplasmosis. *Clin Infect Dis*. 2012 Sep;55(6):845-51.

Lélu M, Villena I, Dardé ML, Aubert D, Geers R, Dupuis E, Marnef F, Poulle ML, Gotteland C, Dumètre A, Gilot-Fromont E. Quantitative estimation of the viability of *Toxoplasma gondii* oocysts in soil. *Appl Environ Microbiol*. 2012 Aug;78(15):5127-32.

Saadatnia G, Golkar M. A review on human toxoplasmosis. *Scand J Infect Dis*. 2012 Nov;44(11):805-14.

Sullivan A, Agosto F, Bewick S, Su C, Lenhart S, Zhao X. A mathematical model for within-host *Toxoplasma gondii* invasion dynamics. *Math Biosci Eng*. 2012 Jul;9(3):647-62.

The Lancet Infectious Diseases. *Toxoplasma gondii*: an unknown quantity. *Lancet Infect Dis*. 2012 Oct;12(10):737.

Vanwormer E, Fritz H, Shapiro K, Mazet JA, Conrad PA. Molecules to modeling: *Toxoplasma gondii* oocysts at the human-animal-environment interface. *Comp Immunol Microbiol Infect Dis*. 2012 Dec 3. doi:pii: S0147-9571(12)00120-8. 10.1016/j.cimid.2012.10.006. [Epub ahead of print]

Verma R, Khanna P. Development of *Toxoplasma gondii* vaccine: A global challenge. *Hum Vaccin Immunother*. 2012 Oct 30;9(2). [Epub ahead of print]