

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD

Information Paper

Items of possible interest from the literature*Campylobacter*

Adam K, Brülisauer F. The application of food safety interventions in primary production of beef and lamb: a review. *Int J Food Microbiol.* 2010 Jul 31;141 Suppl 1:S43-52. Epub 2010 Jan 4.

Alter T, Weber RM, Hamedy A, Glünder G. Carry-over of thermophilic *Campylobacter* spp. between sequential and adjacent poultry flocks. *Vet Microbiol.* 2010 Jun 15. [Epub ahead of print]

Axelsson-Olsson D, Svensson L, Olofsson J, Salomon P, Waldenström J, Ellström P, Olsen B. Increase in acid tolerance of *Campylobacter jejuni* through coincubation with amoebae. *Appl Environ Microbiol.* 2010 Jul;76(13):4194-200.

Bessell PR, Matthews L, Smith-Palmer A, Rotariu O, Strachan NJ, Forbes KJ, Cowden JM, Reid SW, Innocent GT. Geographic determinants of reported human *Campylobacter* infections in Scotland. *BMC Public Health.* 2010 Jul 15;10:423.

Busschaert P, Geeraerd AH, Uyttendaele M, Van Impe JF. Estimating distributions out of qualitative and (semi)quantitative microbiological contamination data for use in risk assessment. *Int J Food Microbiol.* 2010 Apr 15;138(3):260-9.

Carvalho CM, Gannon BW, Halfhide DE, Santos SB, Hayes CM, Roe JM, Azeredo J. The *in vivo* efficacy of two administration routes of a phage cocktail to reduce numbers of *Campylobacter coli* and *Campylobacter jejuni* in chickens. *BMC Microbiol.* 2010 Sep 1;10(1):232.

Châtre P, Haenni M, Meunier D, Botrel MA, Calavas D, Madec JY. Prevalence and antimicrobial resistance of *Campylobacter jejuni* and *Campylobacter coli* isolated from cattle between 2002 and 2006 in France. *J Food Prot.* 2010 May;73(5):825-31.

Dasti JI, Tareen AM, Lugert R, Zautner AE, Gross U. *Campylobacter jejuni*: a brief overview on pathogenicity-associated factors and disease-mediating mechanisms. *Int J Med Microbiol.* 2010 Apr;300(4):205-11. Epub 2009 Aug 8. Review.

de Haan CP, Kivistö R, Hakkinen M, Rautelin H, Hänninen ML. Decreasing trend of overlapping multilocus sequence types between human and chicken *Campylobacter jejuni* isolates over a decade in Finland. *Appl Environ Microbiol*. 2010 Aug;76(15):5228-36.

de Haan CP, Kivistö RI, Hakkinen M, Corander J, Hänninen ML. Multilocus sequence types of Finnish bovine *Campylobacter jejuni* isolates and their attribution to human infections. *BMC Microbiol*. 2010 Jul 26;10:200.

Fajó-Pascual M, Godoy P, Ferrero-Cáncer M, Wymore K. Case-control study of risk factors for sporadic *Campylobacter* infections in northeastern Spain. *Eur J Public Health*. 2010 Aug;20(4):443-8.

Garcia AB, Steele WB, Reid SW, Taylor DJ. Risk of carcass contamination with *Campylobacter* in sheep sent for slaughter into an abattoir in Scotland. *Prev Vet Med*. 2010 Jun 1;95(1-2):99-107.

Griffiths SL, Salmon RL, Mason BW, Elliott C, Thomas DR, Davies C. Using the internet for rapid investigation of an outbreak of diarrhoeal illness in mountain bikers. *Epidemiol Infect*. 2010 Jun 29:1-8.

Grove-White DH, Leatherbarrow AJ, Cripps PJ, Diggle PJ, French NP. Temporal and farm-management-associated variation in the faecal-pat prevalence of *Campylobacter jejuni* in ruminants. *Epidemiol Infect*. 2010 Apr;138(4):549-58.

Guerin MT, Sir C, Sargeant JM, Waddell L, O'Connor AM, Wills RW, Bailey RH, Byrd JA. The change in prevalence of *Campylobacter* on chicken carcasses during processing: a systematic review. *Poult Sci*. 2010 May;89(5):1070-84. Review.

Gunther NW 4th. Effects of polyphosphate additives on *Campylobacter* survival in processed chicken exudates. *Appl Environ Microbiol*. 2010 Apr;76(8):2419-24.

Habib I, Uyttendaele M, De Zutter L. Survival of poultry-derived *Campylobacter jejuni* of multilocus sequence type clonal complexes 21 and 45 under freeze, chill, oxidative, acid and heat stresses. *Food Microbiol*. 2010 Sep;27(6):829-34.

Hilbert F, Scherwitzel M, Paulsen P, Szostak MP. Survival of *Campylobacter jejuni* under conditions of atmospheric oxygen tension with the support of *Pseudomonas* spp. *Appl Environ Microbiol*. 2010 Sep;76(17):5911-7.

Hughes RA, Cogan T, Humphrey T. Exposure of *Campylobacter jejuni* to 6 degrees C: effects on heat resistance and electron transport activity. *J Food Prot*. 2010 Apr;73(4):729-33.

Josefsen MH, Löfström C, Hansen TB, Christensen LS, Olsen JE, Hoorfar J. Rapid quantification of viable *Campylobacter* bacteria on chicken carcasses, using real-time PCR and propidium monoazide treatment, as a tool for quantitative risk assessment. *Appl Environ Microbiol*. 2010 Aug;76(15):5097-104.

Kassem II, Sanad Y, Gangaiah D, Lilburn M, Lejeune J, Rajashekara G. Use of bioluminescence imaging to monitor *Campylobacter* survival in chicken litter. *J Appl Microbiol*. 2010 Jul 18. [Epub ahead of print]

Kudirkienė E, Bunevičienė J, Brøndsted L, Ingmer H, Olsen JE, Malakauskas M. Evidence of broiler meat contamination with post-disinfection strains of *Campylobacter jejuni* from slaughterhouse. *Int J Food Microbiol*. 2010 Jul 7. [Epub ahead of print]

Little CL, Gormley FJ, Rawal N, Richardson JF. A recipe for disaster: outbreaks of campylobacteriosis associated with poultry liver pâté in England and Wales. *Epidemiol Infect*. 2010 Aug 23:1-4. [Epub ahead of print]

Müllner P, Collins-Emerson JM, Midwinter AC, Carter P, Spencer SE, van der Logt P, Hathaway S, French NP. Molecular epidemiology of *Campylobacter jejuni* in a geographically isolated country with a uniquely structured poultry industry. *Appl Environ Microbiol*. 2010 Apr;76(7):2145-54. Epub 2010 Feb 12.

Nguyen VT, Turner MS, Dykes GA. Effect of temperature and contact time on *Campylobacter jejuni* attachment to, and probability of detachment from, stainless steel. *J Food Prot*. 2010 May;73(5):832-8.

Patrick ME, Mahon BE, Zansky SM, Hurd S, Scallan E. Riding in shopping carts and exposure to raw meat and poultry products: prevalence of, and factors associated with, this risk factor for salmonella and campylobacter infection in children younger than 3 years. *J Food Prot*. 2010 Jun;73(6):1097-100.

Pires SM, Vigre H, Makela P, Hald T. Using Outbreak Data for Source Attribution of Human Salmonellosis and Campylobacteriosis in Europe. *Foodborne Pathog Dis*. 2010 Jun 29. [Epub ahead of print]

Rantsiou K, Lamberti C, Cocolin L. Survey of *Campylobacter jejuni* in retail chicken meat products by application of a quantitative PCR protocol. *Int J Food Microbiol*. 2010 Jul 31;141 Suppl 1:S75-9. Epub 2010 Feb 12.

Sampers I, Jacxsens L, Luning PA, Marcelis WJ, Dumoulin A, Uyttendaele M. Performance of Food Safety Management Systems in Poultry Meat Preparation

Processing Plants in Relation to *Campylobacter* spp. Contamination. J Food Prot. 2010 Aug;73(8):1447-57.

Santini C, Baffoni L, Gaggia F, Granata M, Gasbarri R, Di Gioia D, Biavati B. Characterization of probiotic strains: an application as feed additives in poultry against *Campylobacter jejuni*. Int J Food Microbiol. 2010 Jul 31;141 Suppl 1:S98-108.

Sheppard SK, Colles F, Richardson J, Cody AJ, Elson R, Lawson A, Brick G, Meldrum R, Little CL, Owen RJ, Maiden MC, McCarthy ND. Host association of *Campylobacter* genotypes transcends geographic variation. Appl Environ Microbiol. 2010 Aug;76(15):5269-77.

Skånseng B, Kaldhusdal M, Moen B, Gjevre AG, Johannessen GS, Sekelja M, Trosvik P, Rudi K. Prevention of intestinal *Campylobacter jejuni* colonization in broilers by combinations of in-feed organic acids. J Appl Microbiol. 2010 May 12. [Epub ahead of print]

Smigic N, Rajkovic A, Nielsen DS, Arneborg N, Siegumfeldt H, Devlieghere F. Survival of lactic acid and chlorine dioxide treated *Campylobacter jejuni* under suboptimal conditions of pH, temperature and modified atmosphere. Int J Food Microbiol. 2010 Jul 31;141 Suppl 1:S140-6.

Smith JL, Fratamico PM. Fluoroquinolone resistance in campylobacter. J Food Prot. 2010 Jun;73(6):1141-52. Review.

Clostridium

Bouttier S, Barc MC, Felix B, Lambert S, Collignon A, Barbut F. *Clostridium difficile* in ground meat, France. Emerg Infect Dis. 2010 Apr;16(4):733-5.

Brooks CE, Clarke HJ, Finlay DA, McConnell W, Graham DA, Ball HJ. Culture enrichment assists the diagnosis of cattle botulism by a monoclonal antibody based sandwich ELISA. Vet Microbiol. 2010 Jul 29;144(1-2):226-30.

Brunt J, Webb MD, Peck MW. Rapid affinity immunochromatography column-based tests for sensitive detection of *Clostridium botulinum* neurotoxins and *Escherichia coli* O157. Appl Environ Microbiol. 2010 Jul;76(13):4143-50.

Clemens RM, Adam KH, Brightwell G. Contamination levels of *Clostridium estertheticum* spores that result in gaseous spoilage of vacuum-packaged chilled beef and lamb meat. Lett Appl Microbiol. 2010 Jun 1;50(6):591-6.

Cooper KK, Theoret JR, Stewart BA, Trinh HT, Glock RD, Songer JG. Virulence for chickens of *Clostridium perfringens* isolated from poultry and other sources. *Anaerobe*. 2010 Jun;16(3):289-92.

Eriksen J, Zenner D, Anderson SR, Grant K, Kumar D. *Clostridium perfringens* in London, July 2009: two weddings and an outbreak. *Euro Surveill*. 2010 Jun 24;15(25). pii: 19598.

Freeman J, Bauer MP, Baines SD, Corver J, Fawley WN, Goorhuis B, Kuijper EJ, Wilcox MH. The changing epidemiology of *Clostridium difficile* infections. *Clin Microbiol Rev*. 2010 Jul;23(3):529-49.

Ghoddusi HB, Sherburn R. Preliminary study on the isolation of *Clostridium butyricum* strains from natural sources in the UK and screening the isolates for presence of the type E botulinal toxin gene. *Int J Food Microbiol*. 2010 Aug 15;142(1-2):202-6.

Gould LH, Limbago B. *Clostridium difficile* in food and domestic animals: a new foodborne pathogen? *Clin Infect Dis*. 2010 Sep 1;51(5):577-82.

Hoffer E, Haechler H, Frei R, Stephan R. Low occurrence of *Clostridium difficile* in fecal samples of healthy calves and pigs at slaughter and in minced meat in Switzerland. *J Food Prot*. 2010 May;73(5):973-5.

Jöbstl M, Heuberger S, Indra A, Nepf R, Köfer J, Wagner M. *Clostridium difficile* in raw products of animal origin. *Int J Food Microbiol*. 2010 Mar 31;138(1-2):172-5.

King LA, Popoff MR, Mazuet C, Espié E, Vaillant V, de Valk H. [Infant botulism in France, 1991-2009.]. *Arch Pediatr*. 2010 Aug 17. [Epub ahead of print] French.

Kirchner S, Krämer KM, Schulze M, Pauly D, Jacob D, Gessler F, Nitsche A, Dorner BG, Dorner MB. Pentaplexed quantitative real-time PCR assay for the simultaneous detection and quantification of botulinum neurotoxin-producing clostridia in food and clinical samples. *Appl Environ Microbiol*. 2010 Jul;76(13):4387-95.

Kozma-Sipos Z, Szigeti J, Asványi B, Varga L. Heat resistance of *Clostridium sordellii* spores. *Anaerobe*. 2010 Jun;16(3):226-8.

Lindström M, Myllykoski J, Sivelä S, Korkeala H. *Clostridium botulinum* in cattle and dairy products. *Crit Rev Food Sci Nutr*. 2010 Apr;50(4):281-304. Review.

Patterson MF, McKay AM, Connolly M, Linton M. Effect of high pressure on the microbiological quality of cooked chicken during storage at normal and abuse refrigeration temperatures. *Food Microbiol.* 2010 Apr;27(2):266-73.

Peck MW, Plowman J, Aldus CF, Wyatt GM, Izurieta WP, Stringer SC, Barker GC. Development and application of a new method for specific and sensitive enumeration of spores of nonproteolytic *Clostridium botulinum* types B, E and F in foods and food materials. *Appl Environ Microbiol.* 2010 Aug 13. [Epub ahead of print]

Pflug IJ. Science, practice, and human errors in controlling *Clostridium botulinum* in heat-preserved food in hermetic containers. *J Food Prot.* 2010 May;73(5):993-1002.

Rodriguez-Palacios A, Reid-Smith RJ, Staempfli HR, Weese JS. *Clostridium difficile* survives minimal temperature recommended for cooking ground meats. *Anaerobe.* 2010 May 19. [Epub ahead of print]

Singh A, Korasapati NR, Juneja VK, Thippareddi H. Effect of phosphate and meat (pork) types on the germination and outgrowth of *Clostridium perfringens* spores during abusive chilling. *J Food Prot.* 2010 May;73(5):879-87.

Weese JS, Reid-Smith RJ, Avery BP, Rousseau J. Detection and characterization of *Clostridium difficile* in retail chicken. *Lett Appl Microbiol.* 2010 Apr;50(4):362-5.

Weingart OG, Schreiber T, Mascher C, Pauly D, Dorner MB, Berger TF, Egger C, Gessler F, Loessner MJ, Avondet MA, Dorner BG. The case of botulinum toxin in milk: experimental data. *Appl Environ Microbiol.* 2010 May;76(10):3293-300.

E.coli O157

Abu-Ali GS, Ouellette LM, Henderson ST, Lacher DW, Riordan JT, Whittam TS, Manning SD. Increased adherence and expression of virulence genes in a lineage of *Escherichia coli* O157:H7 commonly associated with human infections. *PLoS One.* 2010 Apr 21;5(4):e10167.

Aruscavage D, Phelan PL, Lee K, Lejeune JT. Impact of changes in sugar exudate created by biological damage to tomato plants on the persistence of *Escherichia coli* O157:H7. *J Food Sci.* 2010 May;75(4):M187-92.

Black EP, Hirneisen KA, Hoover DG, Kniel KE. Fate of *Escherichia coli* O157:H7 in ground beef following high-pressure processing and freezing. *J Appl Microbiol.* 2010 Apr;108(4):1352-60.

Breum SØ, Boel J. Prevalence of *Escherichia coli* O157 and verocytotoxin producing *E. coli* (VTEC) on Danish beef carcasses. *Int J Food Microbiol.* 2010 Jun 30;141(1-2):90-6.

Bugarel M, Beutin L, Martin A, Gill A, Fach P. Micro-array for the identification of Shiga toxin-producing *Escherichia coli* (STEC) seropathotypes associated with Hemorrhagic Colitis and Hemolytic Uremic Syndrome in humans. *Int J Food Microbiol.* 2010 Sep 1;142(3):318-29.

Byelashov OA, Adler JM, Geornaras I, Ko KY, Belk KE, Smith GC, Sofos JN. Evaluation of brining ingredients and antimicrobials for effects on thermal destruction of *Escherichia coli* O157:H7 in a meat model system. *J Food Sci.* 2010 May;75(4):M209-17.

Centers for Disease Control and Prevention (CDC). Two multistate outbreaks of Shiga toxin-producing *Escherichia coli* infections linked to beef from a single slaughter facility - United States, 2008. *MMWR Morb Mortal Wkly Rep.* 2010 May 14;59(18):557-60.

Charimba G, Hugo CJ, Hugo A. The growth, survival and thermal inactivation of *Escherichia coli* O157:H7 in a traditional South African sausage. *Meat Sci.* 2010 May;85(1):89-95.

Elano RR, Kitagawa T, Bari ML, Kawasaki S, Kawamoto S, Inatsu Y. Comparison of the Effectiveness of Acidified Sodium Chlorite and Sodium Hypochlorite in Reducing *Escherichia coli*. *Foodborne Pathog Dis.* 2010 Aug 12. [Epub ahead of print]

Goulter RM, Gentle IR, Dykes GA. Characterisation of curli production, cell surface hydrophobicity, autoaggregation and attachment behaviour of *Escherichia coli* O157. *Curr Microbiol.* 2010 Sep;61(3):157-62.

Kannan P, Yong HY, Reiman L, Cleaver C, Patel P, Bhagwat AA. Bacteriophage-Based Rapid and Sensitive Detection of *Escherichia coli* O157:H7 Isolates from Ground Beef. *Foodborne Pathog Dis.* 2010 Aug 31. [Epub ahead of print]

Lim JY, Hong JB, Sheng H, Shringi S, Kaul R, Besser TE, Hovde CJ. Phenotypic diversity of *Escherichia coli* O157:H7 strains associated with the plasmid O157. *J Microbiol.* 2010 Jun;48(3):347-57.

Money P, Kelly AF, Gould SW, Denholm-Price J, Threlfall EJ, Fielder MD. Cattle, weather and water: mapping *Escherichia coli* O157:H7 infections in humans in England and Scotland. *Environ Microbiol*. 2010 Jul 19. [Epub ahead of print]

Nei D, Bari L, Inatsu Y, Kawasaki S, Todoriki S, Kawamoto S. Combined Effect of Low-Dose Irradiation and Acidified Sodium Chlorite Washing on *Escherichia coli* O157:H7 Inoculated on Mung Bean Seeds. *Foodborne Pathog Dis*. 2010 Jul 10. [Epub ahead of print]

Olesen I, Jespersen L. Relative gene transcription and pathogenicity of enterohemorrhagic *Escherichia coli* after long-term adaptation to acid and salt stress. *Int J Food Microbiol*. 2010 Jul 15;141(3):248-53.

Patel J, Millner P, Nou X, Sharma M. Persistence of enterohaemorrhagic and nonpathogenic *E. coli* on spinach leaves and in rhizosphere soil. *J Appl Microbiol*. 2010 May;108(5):1789-96.

Rasooly R, Do PM, Levin CE, Friedman M. Inhibition of Shiga toxin 2 (Stx2) in apple juices and its resistance to pasteurization. *J Food Sci*. 2010 Jun;75(5):M296-301.

Shepherd MW Jr, Liang P, Jiang X, Doyle MP, Erickson MC. Microbiological analysis of composts produced on South Carolina poultry farms. *J Appl Microbiol*. 2010 Jun;108(6):2067-76.

Sodha SV, Lynch M, Wannemuehler K, Leeper M, Malavet M, Schaffzin J, Chen T, Langer A, Glenshaw M, Hoefler D, Dumas N, Lind L, Iwamoto M, Ayers T, Nguyen T, Biggerstaff M, Olson C, Sheth A, Braden C. Multistate outbreak of *Escherichia coli* O157:H7 infections associated with a national fast-food chain, 2006: a study incorporating epidemiological and food source traceback results. *Epidemiol Infect*. 2010 Apr 30:1-8.

Sánchez S, Martínez R, Rey J, García A, Blanco J, Blanco M, Blanco JE, Mora A, Herrera-León S, Echeita A, Alonso JM. Pheno-genotypic characterisation of *Escherichia coli* O157:H7 isolates from domestic and wild ruminants. *Vet Microbiol*. 2010 May 19;142(3-4):445-9.

Valero A, Rodríguez M, Carrasco E, Pérez-Rodríguez F, García-Gimeno RM, Zurera G. Studying the growth boundary and subsequent time to growth of pathogenic *Escherichia coli* serotypes by turbidity measurements. *Food Microbiol*. 2010 Sep;27(6):819-28.

Williams MS, Withee JL, Ebel ED, Bauer NE, Schlosser WD, Disney WT, Smith DR, Moxley RA. Determining Relationships Between the Seasonal Occurrence of

Escherichia coli O157:H7 in Live Cattle, Ground Beef, and Humans. Foodborne Pathog Dis. 2010 Jun 26. [Epub ahead of print]

Listeria

Alessandria V, Rantsiou K, Dolci P, Coccolin L. Molecular methods to assess *Listeria monocytogenes* route of contamination in a dairy processing plant. Int J Food Microbiol. 2010 Jul 31;141 Suppl 1:S156-62.

Campbell G. Listeriosis in pregnancy. Pract Midwife. 2010 Jun;13(6):29-30.

Chaitiemwong N, Hazeleger WC, Beumer RR. Survival of *Listeria monocytogenes* on a conveyor belt material with or without antimicrobial additives. Int J Food Microbiol. 2010 Aug 15;142(1-2):260-3.

den Bakker HC, Bundrant BN, Fortes ED, Orsi RH, Wiedmann M. A population genetics-based and phylogenetic approach to understanding the evolution of virulence in the genus *Listeria*. Appl Environ Microbiol. 2010 Sep;76(18):6085-100.

Ellouze M, Gauchi JP, Augustin JC. Global sensitivity analysis applied to a contamination assessment model of *Listeria monocytogenes* in cold smoked salmon at consumption. Risk Anal. 2010 May;30(5):841-52.

Endrikat S, Gallagher D, Pouillot R, Hicks Quesenberry H, Labarre D, Schroeder CM, Kaese J. A comparative risk assessment for *Listeria monocytogenes* in prepackaged versus retail-sliced deli meat. J Food Prot. 2010 Apr;73(4):612-9.

Feliciano L, Lee J, Lopes JA, Pascall MA. Efficacy of sanitized ice in reducing bacterial load on fish fillet and in the water collected from the melted ice. J Food Sci. 2010 May;75(4):M231-8.

Gillespie IA, Mook P, Little CL, Grant K, Adak GK. *Listeria monocytogenes* Infection in the Over-60s in England Between 2005 and 2008: A Retrospective Case-Control Study Utilizing Market Research Panel Data. Foodborne Pathog Dis. 2010 Jun 29. [Epub ahead of print]

Gormley FJ, Little CL, Grant KA, de Pinna E, McLauchlin J. The microbiological safety of ready-to-eat specialty meats from markets and specialty food shops: a UK wide study with a focus on *Salmonella* and *Listeria monocytogenes*. Food Microbiol. 2010 Apr;27(2):243-9.

Hellström S, Laukkanen R, Siekkinen KM, Ranta J, Maijala R, Korkeala H. *Listeria monocytogenes* contamination in pork can originate from farms. J Food Prot. 2010 Apr;73(4):641-8.

Ingham SC, Borneman DL, Ané C, Ingham BH. Predicting growth-no growth of *Listeria monocytogenes* on vacuum-packaged ready-to-eat meats. J Food Prot. 2010 Apr;73(4):708-14.

Koch J, Dworak R, Prager R, Becker B, Brockmann S, Wicke A, Wichmann-Schauer H, Hof H, Werber D, Stark K. Large Listeriosis Outbreak Linked to Cheese Made from Pasteurized Milk, Germany, 2006-2007. Foodborne Pathog Dis. 2010 Aug 31. [Epub ahead of print]

Koutsoumanis K, Pavlis A, Nychas GJ, Xanthiakos K. Probabilistic model for *Listeria monocytogenes* growth during distribution, retail storage, and domestic storage of pasteurized milk. Appl Environ Microbiol. 2010 Apr;76(7):2181-91.

Little CL, Pires SM, Gillespie IA, Grant K, Nichols GL. Attribution of human *Listeria monocytogenes* infections in England and Wales to ready-to-eat food sources placed on the market: adaptation of the hald *Salmonella* source attribution model. Foodborne Pathog Dis. 2010 Jul;7(7):749-56.

Maklon K, Minami A, Kusumoto A, Takeshi K, Nguyen TB, Makino S, Kawamoto K. Isolation and characterization of *Listeria monocytogenes* from commercial asazuke (Japanese light pickles). Int J Food Microbiol. 2010 May 15;139(3):134-9.

Mataragas M, Zwietering MH, Skandamis PN, Drosinos EH. Quantitative microbiological risk assessment as a tool to obtain useful information for risk managers-specific application to *Listeria monocytogenes* and ready-to-eat meat products. Int J Food Microbiol. 2010 Jul 31;141 Suppl 1:S170-9.

Meldrum RJ, Ellis PW, Mannion PT, Halstead D, Garside J; The Welsh Food Microbiological Forum. Prevalence of *Listeria monocytogenes* in Ready-to-Eat Foods Sampled from the Point of Sale in Wales, United Kingdom. J Food Prot. 2010 Aug;73(8):1515-1518.

Miya S, Takahashi H, Ishikawa T, Fujii T, Kimura B. Risk of *Listeria monocytogenes* contamination of raw ready-to-eat seafood products available at retail outlets in Japan. Appl Environ Microbiol. 2010 May;76(10):3383-6.

Noriega E, Laca A, Díaz M. Decisive role of structure in food microbial colonization and implications for predictive microbiology. J Food Prot. 2010 May;73(5):938-51.

Nucera D, Lomonaco S, Bianchi DM, Decastelli L, Grassi MA, Bottero MT, Civera T. A five year surveillance report on PFGE types of *Listeria monocytogenes* isolated in Italy from food and food related environments. *Int J Food Microbiol.* 2010 Jun 15;140(2-3):271-6.

Olesen I, Thorsen L, Jespersen L. Relative transcription of *Listeria monocytogenes* virulence genes in liver pâtés with varying NaCl content. *Int J Food Microbiol.* 2010 Jul 31;141 Suppl 1:S60-8.

Orsi RH, Bakker HC, Wiedmann M. *Listeria monocytogenes* lineages: Genomics, evolution, ecology, and phenotypic characteristics. *Int J Med Microbiol.* 2010 Aug 12. [Epub ahead of print]

Pradhan AK, Ivanek R, Gröhn YT, Bukowski R, Geornaras I, Sofos JN, Wiedmann M. Quantitative risk assessment of listeriosis-associated deaths due to *Listeria monocytogenes* contamination of deli meats originating from manufacture and retail. *J Food Prot.* 2010 Apr;73(4):620-30.

Pérez-Rodríguez F, Castro R, Posada-Izquierdo GD, Valero A, Carrasco E, García-Gimeno RM, Zurera G. Evaluation of hygiene practices and microbiological quality of cooked meat products during slicing and handling at retail. *Meat Sci.* 2010 Oct;86(2):479-85.

Saldaña G, Puértolas E, Condón S, Alvarez I, Raso J. Inactivation kinetics of pulsed electric field-resistant strains of *Listeria monocytogenes* and *Staphylococcus aureus* in media of different pH. *Food Microbiol.* 2010 Jun;27(4):550-8.

Schvartzman MS, Belessi X, Butler F, Skandamis P, Jordan K. Comparison of growth limits of *Listeria monocytogenes* in milk, broth and cheese. *J Appl Microbiol.* 2010 Jul 1. [Epub ahead of print]

Sheen S, Costa S, Cooke P. Impact of mechanical shear on the survival of *Listeria monocytogenes* on surfaces. *J Food Sci.* 2010 Aug 1;75(6):E387-93.

Tam C, Erebara A, Einarson A. Food-borne illnesses during pregnancy: prevention and treatment. *Can Fam Physician.* 2010 Apr;56(4):341-3.

Taormina PJ, Dorsa WJ. Survival and death of *Listeria monocytogenes* on cooked bacon at three storage temperatures. *Food Microbiol.* 2010 Aug;27(5):667-71.

Timbo BB, Keys C, Klontz K. Characterization of *Listeria monocytogenes* Recovered from Imported Cheese Contributed to the National PulseNet Database by the U.S. Food and Drug Administration from 2001 to 2008. *J Food Prot.* 2010 Aug;73(8):1511-4.

Vogel BF, Hansen LT, Mordhorst H, Gram L. The survival of *Listeria monocytogenes* during long term desiccation is facilitated by sodium chloride and organic material. *Int J Food Microbiol.* 2010 Jun 15;140(2-3):192-200.

Ward TJ, Usgaard T, Evans P. A Targeted Multilocus Genotyping Assay for Lineage, Serogroup, and Epidemic Clone Typing of *Listeria monocytogenes*. *Appl Environ Microbiol.* 2010 Aug 13. [Epub ahead of print]

Ward TJ, Evans P, Wiedmann M, Usgaard T, Roof SE, Stroika SG, Hise K. Molecular and phenotypic characterization of *Listeria monocytogenes* from U.S. Department of Agriculture Food Safety and Inspection Service surveillance of ready-to-eat foods and processing facilities. *J Food Prot.* 2010 May;73(5):861-9.

Noroviruses

Apelt N, Hartberger C, Campe H, Löscher T. The Prevalence of Norovirus in returning international travelers with diarrhea. *BMC Infect Dis.* 2010 May 25;10:131.

Aziz AM. Managing outbreaks of norovirus in an NHS hospital. *Br J Nurs.* 2010 May 13;19(9):589-96.

Berger CN, Sodha SV, Shaw RK, Griffin PM, Pink D, Hand P, Frankel G. Fresh fruit and vegetables as vehicles for the transmission of human pathogens. *Environ Microbiol.* 2010 Jul 15. [Epub ahead of print]

Bruggink LD, Marshall JA. The incidence of norovirus-associated gastroenteritis outbreaks in Victoria, Australia (2002-2007) and their relationship with rainfall. *Int J Environ Res Public Health.* 2010 Jul;7(7):2822-7.

Bull RA, Eden JS, Rawlinson WD, White PA. Rapid evolution of pandemic noroviruses of the GII.4 lineage. *PLoS Pathog.* 2010 Mar 26;6(3):e1000831. Erratum in: *PLoS Pathog.* 2010;6(4) doi.org/10.1371/annotation/19042899-9f1b-4ccc-b13e-2a8faf19421b. White, Peter A [added].

Butot S, Le Guyader FS, Krol J, Putallaz T, Amoroso R, Sánchez G. Evaluation of various real-time RT-PCR assays for the detection and quantitation of human norovirus. *J Virol Methods.* 2010 Jul;167(1):90-4.

Cuellar JL, Meinhoefel F, Hoehne M, Donath E. Size and Mechanical Stability of Norovirus Capsids depend on pH - A Nanoindentation Study. *J Gen Virol.* 2010 Jun 30. [Epub ahead of print]

DePaola A, Jones JL, Woods J, Burkhardt W 3rd, Calci KR, Krantz JA, Bowers JC, Kasturi K, Byars RH, Jacobs E, Williams-Hill D, Nabe K. Bacterial and viral pathogens in live oysters: 2007 United States market survey. *Appl Environ Microbiol.* 2010 May;76(9):2754-68.

Dey SK, Phathamavong O, Okitsu S, Mizuguchi M, Ohta Y, Ushijima H. Seasonal pattern and genotype distribution of norovirus infection in Japan. *Pediatr Infect Dis J.* 2010 May;29(5):e32-4.

Doré B, Keaveney S, Flannery J, Rajko-Nenow P. Management of health risks associated with oysters harvested from a norovirus contaminated area, Ireland, February-March 2010. *Euro Surveill.* 2010 May 13;15(19):pii/19567.

Fernández J, de Oña M, Melón S, Alvarez-Argüelles ME, Boga JA. Noroviruses as cause of gastroenteritis in elderly patients. *Aging Clin Exp Res.* 2010 May 11. [Epub ahead of print]

Huhti L, Blazevic V, Nurminen K, Koho T, Hytönen VP, Vesikari T. A comparison of methods for purification and concentration of norovirus GII-4 capsid virus-like particles. *Arch Virol.* 2010 Aug 19. [Epub ahead of print].

Iizuka S, Oka T, Tabara K, Omura T, Katayama K, Takeda N, Noda M. Detection of sapoviruses and noroviruses in an outbreak of gastroenteritis linked genetically to shellfish. *J Med Virol.* 2010 Jul;82(7):1247-54.

Katpally U, Smith TJ. The Caliciviruses. *Curr Top Microbiol Immunol.* 2010 Apr 1. [Epub ahead of print]

Kirby A, Dove W, Ashton L, Hopkins M, Cunliffe NA. Detection of norovirus in mouthwash samples from patients with acute gastroenteritis. *J Clin Virol.* 2010 Aug;48(4):285-7.

Koo HL, Ajami N, Atmar RL, DuPont HL. Noroviruses: The leading cause of gastroenteritis worldwide. *Discov Med.* 2010 Jul;10(50):61-70.

Lake RJ, Cressey PJ, Campbell DM, Oakley E. Risk ranking for foodborne microbial hazards in New Zealand: burden of disease estimates. *Risk Anal.* 2010 May;30(5):743-52.

Lee BY, Wettstein ZS, McGlone SM, Bailey RR, Umscheid CA, Smith KJ, Muder RR. Economic Value of Norovirus Outbreak Control Measures in Healthcare Settings. *Clin Microbiol Infect.* 2010 Aug 20. [Epub ahead of print]

Lee H, Park Y, Kim M, Jee Y, Cheon DS, Jeong HS, Ko G. Development of a latex agglutination test for norovirus detection. *J Microbiol.* 2010 Aug;48(4):419-25.

Lim MY, Kim JM, Ko G. Disinfection kinetics of murine norovirus using chlorine and chlorine dioxide. *Water Res.* 2010 May;44(10):3243-51.

Liu LJ, Liu W, Liu YX, Xiao HJ, Jia N, Liu G, Tong YG, Cao WC. Identification of norovirus as the top enteric viruses detected in adult cases with acute gastroenteritis. *Am J Trop Med Hyg.* 2010 Apr;82(4):717-22.

Lodder WJ, van den Berg HH, Rutjes SA, de Roda Husman AM. Presence of enteric viruses in source waters for drinking water production in The Netherlands. *Appl Environ Microbiol.* 2010 Sep;76(17):5965-71.

Mathijs E, Muylkens B, Mauroy A, Ziant D, Delwiche T, Thiry E. Experimental Evidence of Recombination in Murine Noroviruses. *J Gen Virol.* 2010 Aug 11. [Epub ahead of print]

Mesquita JR, Barclay L, Nascimento MS, Vinjé J. Novel norovirus in dogs with diarrhea. *Emerg Infect Dis.* 2010 Jun;16(6):980-2

Mo X, Gao D. [SYBR green I real-time polymerase chain reaction for detection of Norovirus II in the shellfish]. *Sheng Wu Gong Cheng Xue Bao.* 2010 Jun;26(6):817-22. Chinese.

Morales-Rayas R, Wolffs PF, Griffiths MW. Simultaneous separation and detection of hepatitis A virus and norovirus in produce. *Int J Food Microbiol.* 2010 Apr 30;139(1-2):48-55.

Pham NT, Trinh QD, Chan-It W, Khamrin P, Shimizu H, Okitsu S, Mizuguchi M, Ushijima H. A novel RT-multiplex PCR for detection of Aichi virus, human parechovirus, enteroviruses, and human bocavirus among infants and children with acute gastroenteritis. *J Virol Methods.* 2010 Oct;169(1):193-7.

Phillips G, Tam CC, Conti S, Rodrigues LC, Brown D, Iturriza-Gomara M, Gray J, Lopman B. Community incidence of norovirus-associated infectious intestinal disease in England: improved estimates using viral load for norovirus diagnosis. *Am J Epidemiol.* 2010 May 1;171(9):1014-22.

Polo D, Vilariño ML, Manso CF, Romalde JL. Imported mollusks and dissemination of human enteric viruses. *Emerg Infect Dis.* 2010 Jun;16(6):1036-8.

Rohayem J, Bergmann M, Gebhardt J, Gould E, Tucker P, Mattevi A, Unge T, Hilgenfeld R, Neyts J. Antiviral strategies to control calicivirus infections. *Antiviral Res.* 2010 Aug;87(2):162-78.

Rondy M, Koopmans M, Rotsaert C, VAN Loon T, Beljaars B, VAN Dijk G, Siebenga J, Svraka S, Rossen JW, Teunis P, VAN Pelt W, Verhoef L. Norovirus disease associated with excess mortality and use of statins: a retrospective cohort study of an outbreak following a pilgrimage to Lourdes. *Epidemiol Infect.* 2010 May 24:1-11.

Ruzante JM, Majowicz SE, Fazil A, Davidson VJ. Hospitalization and deaths for select enteric illnesses and associated sequelae in Canada, 2001-2004. *Epidemiol Infect.* 2010 Aug 24:1-9. [Epub ahead of print]

Scherer K, Johne R, Schrader C, Ellerbroek L, Schulenburg J, Klein G. Comparison of two extraction methods for viruses in food and application in a norovirus gastroenteritis outbreak. *J Virol Methods.* 2010 Oct;169(1):22-7.

Schultz AC, Perelle S, Di Pasquale S, Kovac K, De Medici D, Fach P, Sommer HM, Hoorfar J. Collaborative validation of a rapid method for efficient virus concentration in bottled water. *Int J Food Microbiol.* 2010 Jul 30. [Epub ahead of print]

Soller JA, Bartrand T, Ashbolt NJ, Ravenscroft J, Wade TJ. Estimating the primary etiologic agents in recreational freshwaters impacted by human sources of faecal contamination. *Water Res.* 2010 Jul 29. [Epub ahead of print]

Su X, Zivanovic S, D'Souza DH. Inactivation of human enteric virus surrogates by high-intensity ultrasound. *Foodborne Pathog Dis.* 2010 Sep;7(9):1055-61.

Su X, Sangster MY, D'Souza DH. In Vitro Effects of Pomegranate Juice and Pomegranate Polyphenols on Foodborne Viral Surrogates. *Foodborne Pathog Dis.* 2010 Aug 31. [Epub ahead of print]

Sukhrie FH, Siebenga JJ, Beersma MF, Koopmans M. Chronic shedders as reservoir for nosocomial transmission of norovirus. *J Clin Microbiol.* 2010 Sep 1. [Epub ahead of print]

Tian P, Yang D, Jiang X, Zhong W, Cannon JL, Burkhardt lii W, Woods JW, Hartman G, Lindesmith L, Baric RS, Mandrell R. Specificity and kinetics of norovirus binding to magnetic bead-conjugated histo-blood group antigens. *J Appl Microbiol.* 2010 Jul 2. [Epub ahead of print]

Uhrbrand K, Myrmel M, Maunula L, Vainio K, Trebbien R, Nørrung B, Schultz AC. Evaluation of a rapid method for recovery of norovirus and hepatitis A virus from oysters and blue mussels. *J Virol Methods*. 2010 Oct;169(1):70-8. 13.

Verhoef L, Vennema H, van Pelt W, Lees D, Boshuizen H, Henshilwood K, Koopmans M; Food-Borne Viruses in Europe Network. Use of norovirus genotype profiles to differentiate origins of foodborne outbreaks. *Emerg Infect Dis*. 2010 Apr;16(4):617-24.

Wei J, Jin Y, Sims T, Kniel KE. Survival of murine norovirus and hepatitis A virus in different types of manure and biosolids. *Foodborne Pathog Dis*. 2010 Aug;7(8):901-6.

Westrell T, Dusch V, Ethelberg S, Harris J, Hjertqvist M, Jourdan-da Silva N, Koller A, Lenglet A, Lisby M, Vold L. Norovirus outbreaks linked to oyster consumption in the United Kingdom, Norway, France, Sweden and Denmark, 2010. *Euro Surveill*. 2010 Mar 25;15(12). pii: 19524.

Xerry J, Gallimore CI, Iturriza-Gómara M, Gray JJ. Genetic characterization of genogroup I norovirus in outbreaks of gastroenteritis. *J Clin Microbiol*. 2010 Jul;48(7):2560-2.

Zakhour M, Maalouf H, Di Bartolo I, Haugarreau L, Le Guyader FS, Ruvoën-Clouet N, Le Saux JC, Ruggeri FM, Pommepuy M, Le Pendu J. Bovine norovirus ligand, environmental contamination and potential cross-species transmission via oyster. *Appl Environ Microbiol*. 2010 Aug 13. [Epub ahead of print]

Zelner JL, King AA, Moe CL, Eisenberg JN. How infections propagate after point-source outbreaks: an analysis of secondary norovirus transmission. *Epidemiology*. 2010 Sep;21(5):711-8.

Zomer TP, De Jong B, Kühlmann-Berenzon S, Nyrén O, Svenungsson B, Hedlund KO, Ancker C, Wahl T, Andersson Y. A foodborne norovirus outbreak at a manufacturing company. *Epidemiol Infect*. 2010 Apr;138(4):501-6.

Salmonella

Arnold ME, Papadopoulou C, Davies RH, Carrique-Mas JJ, Evans SJ, Hoinville LJ. Estimation of *Salmonella* prevalence in UK egg-laying holdings. *Prev Vet Med*. 2010 May 1;94(3-4):306-9.

Baptista FM, Halasa T, Alban L, Nielsen LR. Modelling food safety and economic consequences of surveillance and control strategies for *Salmonella* in pigs and pork. *Epidemiol Infect*. 2010 Jul 26:1-11.

Berger CN, Sodha SV, Shaw RK, Griffin PM, Pink D, Hand P, Frankel G. Fresh fruit and vegetables as vehicles for the transmission of human pathogens. *Environ Microbiol.* 2010 Jul 15. [Epub ahead of print].

Betancor L, Pereira M, Martinez A, Giossa G, Fookes M, Flores K, Barrios P, Repiso V, Vignoli R, Cordeiro N, Algorta G, Thomson N, Maskell D, Schelotto F, Chabalgoity JA. Prevalence of *Salmonella enterica* in poultry and eggs in Uruguay during an epidemic due to *Salmonella enterica* serovar Enteritidis. *J Clin Microbiol.* 2010 Jul;48(7):2413-23.

Boxrud D, Monson T, Stiles T, Besser J. The role, challenges, and support of pulsenet laboratories in detecting foodborne disease outbreaks. *Public Health Rep.* 2010 May-Jun;125 Suppl 2:57-62.

Centers for Disease Control and Prevention (CDC). Use of a self-assessment questionnaire for food safety education in the home kitchen - los angeles county, california, 2006--2008. *MMWR Morb Mortal Wkly Rep.* 2010 Sep 3;59(34):1098-101.

Centers for Disease Control and Prevention (CDC). Multiple-serotype *salmonella* gastroenteritis outbreak after a reception - connecticut, 2009. *MMWR Morb Mortal Wkly Rep.* 2010 Sep 3;59(34):1093-7.

Centers for Disease Control and Prevention (CDC). Surveillance for foodborne disease outbreaks - United States, 2007. *MMWR Morb Mortal Wkly Rep.* 2010 Aug 13;59(31):973-9.

Centers for Disease Control and Prevention (CDC). Preliminary FoodNet data on the incidence of infection with pathogens transmitted commonly through food - 10 states, 2009. *MMWR Morb Mortal Wkly Rep.* 2010 Apr 16;59(14):418-22.

Chapman B, Scurrah KJ, Ross T. Contemporary formulation and distribution practices for cold-filled acid products: Australian industry survey and modeling of published pathogen inactivation data. *J Food Prot.* 2010 May;73(5):895-906.

Chinivasagam HN, Redding M, Runge G, Blackall PJ. Presence and incidence of food-borne pathogens in Australian chicken litter. *Br Poult Sci.* 2010 Jun;51(3):311-8.

Cox NA, Richardson LJ, Cason JA, Buhr RJ, Vizzier-Thaxton Y, Smith DP, Fedorka-Cray PJ, Romanenghi CP, Pereira LV, Doyle MP. Comparison of neck skin excision and whole carcass rinse sampling methods for microbiological evaluation of broiler carcasses before and after immersion chilling. *J Food Prot.* 2010 May;73(5):976-80.

Danguy des Déserts J, Davies RH, Vaughan K, McLaren I, Canning P, Wintrip A, Mueller-Doblies D, Carrique-Mas JJ. A Longitudinal Study of *Salmonella* Infection in Different Types of Turkey Flocks in Great Britain. *Zoonoses Public Health*. 2010 Jul 14. [Epub ahead of print]

Davies RH, Wales AD. Investigations into *Salmonella* contamination in poultry feedmills in the United Kingdom. *J Appl Microbiol*. 2010 May 13. [Epub ahead of print]

Davis R, Burgula Y, Deering A, Irudayaraj J, Reuhs BL, Mauer LJ. Detection and differentiation of live and heat-treated *Salmonella enterica* serovars inoculated onto chicken breast using Fourier transform infrared (FT-IR) spectroscopy. *J Appl Microbiol*. 2010 Jul 30. [Epub ahead of print]

DePaola A, Jones JL, Woods J, Burkhardt W 3rd, Calci KR, Krantz JA, Bowers JC, Kasturi K, Byars RH, Jacobs E, Williams-Hill D, Nabe K. Bacterial and viral pathogens in live oysters: 2007 United States market survey. *Appl Environ Microbiol*. 2010 May;76(9):2754-68.

Fosse J, Laroche M, Oudot N, Seegers H, Magras C. On-farm multi-contamination of pigs by food-borne bacterial zoonotic hazards: An exploratory study. *Vet Microbiol*. 2010 Jun 22. [Epub ahead of print]

Gonzales-Barron U, Redmond G, Butler F. Modeling prevalence and counts from most probable number in a bayesian framework: an application to *salmonella typhimurium* in fresh pork sausages. *J Food Prot*. 2010 Aug;73(8):1416-22.

Gormley FJ, Little CL, Rawal N, Gillespie IA, Lebaigue S, Adak GK. A 17-year review of foodborne outbreaks: describing the continuing decline in England and Wales (1992-2008). *Epidemiol Infect*. 2010 Aug 9:1-12. [Epub ahead of print]

Henao OL, Scallan E, Mahon B, Hoekstra RM. Methods for Monitoring Trends in the Incidence of Foodborne Diseases: Foodborne Diseases Active Surveillance Network 1996-2008. *Foodborne Pathog Dis*. 2010 Jul 9. [Epub ahead of print]

Hoelzer K, Soyer Y, Rodriguez-Rivera LD, Cummings KJ, McDonough PL, Schoonmaker-Bopp DJ, Root TP, Dumas NB, Warnick LD, Gröhn YT, Wiedmann M, Baker KN, Besser TE, Hancock DD, Davis MA. The prevalence of multidrug resistance is higher among bovine than human *Salmonella enterica* serotype Newport, Typhimurium, and 4,5,12:i:- isolates in the United States but differs by serotype and geographic region. *Appl Environ Microbiol*. 2010 Sep;76(17):5947-59.

Hopkins KL, Kirchner M, Guerra B, Granier SA, Lucarelli C, Porrero MC, Jakubczak A, Threlfall EJ, Mevius DJ. Multiresistant *Salmonella enterica* serovar 4,[5],12:i:- in Europe: a new pandemic strain? Euro Surveill. 2010 Jun 3;15(22):19580.

Jasson V, Jacxsens L, Luning P, Rajkovic A, Uyttendaele M. Alternative microbial methods: An overview and selection criteria. Food Microbiol. 2010 Sep;27(6):710-30.

Kaptan G, Fischhoff B. Sticky decisions: peanut butter in a time of *Salmonella*. Emerg Infect Dis. 2010 May;16(5):900-4.

Koro ME, Anandan S, Quinlan JJ. Microbial quality of food available to populations of differing socioeconomic status. Am J Prev Med. 2010 May;38(5):478-81.

Krtinić G, Durić P, Ilić S. Salmonellae in food stuffs of plant origin and their implications on human health. Eur J Clin Microbiol Infect Dis. 2010 Jun 27.[Epub ahead of print]

Majowicz SE, Musto J, Scallan E, Angulo FJ, Kirk M, O'Brien SJ, Jones TF, Fazil A, Hoekstra RM; International Collaboration on Enteric Disease 'Burden of Illness' Studies. The global burden of nontyphoidal *Salmonella* gastroenteritis. Clin Infect Dis. 2010 Mar 15;50(6):882-9.

Malpass MC, Williams AP, Jones DL, Omed HM. Microbiological quality of chicken wings damaged on the farm or in the processing plant. Food Microbiol. 2010 Jun;27(4):521-5.

Massé D, Gilbert Y, Topp E. Pathogen removal in farm-scale psychrophilic anaerobic digesters processing swine manure. Bioresour Technol. 2010 Aug 10. [Epub ahead of print]

McQuestin OJ, Musgrove MT, Tamplin ML. Kinetics of growth and inactivation of *Salmonella enterica* serotype Typhimurium DT104 in pasteurised liquid egg products. Food Microbiol. 2010 May;27(3):396-402.

Mead G, Lammerding AM, Cox N, Doyle MP, Humbert F, Kulikovskiy A, Panin A, do Nascimento VP, Wierup M; The Salmonella On Raw Poultry Writing Committee. Scientific and Technical Factors Affecting the Setting of Salmonella Criteria for Raw Poultry: A Global Perspective. J Food Prot. 2010 Aug;73(8):1566-1590.

Miyahara M, Taguchi M, Kanki M, Kai A, Ishihara T, Kimata H, Gunji A, Tsukamoto T. A collaborative study on a method to detect *Salmonella* in food. Biocontrol Sci. 2010 Jun;15(2):69-73.

Mueller-Doblies D, Carrique-Mas JJ, Sayers AR, Davies RH. A comparison of the efficacy of different disinfection methods in eliminating *Salmonella* contamination from turkey houses. J Appl Microbiol. 2010 Aug;109(2):471-9.

Newell DG, Koopmans M, Verhoef L, Duizer E, Aidara-Kane A, Sprong H, Opsteegh M, Langelaar M, Threfall J, Scheutz F, van der Giessen J, Kruse H. Food-borne diseases - the challenges of 20 years ago still persist while new ones continue to emerge. Int J Food Microbiol. 2010 May 30;139 Suppl 1:S3-15.

Oliveira M, Usall J, Viñas I, Anguera M, Gatiús F, Abadías M. Microbiological quality of fresh lettuce from organic and conventional production. Food Microbiol. 2010 Aug;27(5):679-84.

Pan W, Schaffner DW. Modeling the growth of *salmonella* in cut red round tomatoes as a function of temperature. J Food Prot. 2010 Aug;73(8):1502-5.

Patrick ME, Mahon BE, Zansky SM, Hurd S, Scallan E. Riding in shopping carts and exposure to raw meat and poultry products: prevalence of, and factors associated with, this risk factor for salmonella and campylobacter infection in children younger than 3 years. J Food Prot. 2010 Jun;73(6):1097-100.

Pires SM, Vigre H, Makela P, Hald T. Using Outbreak Data for Source Attribution of Human Salmonellosis and Campylobacteriosis in Europe. Foodborne Pathog Dis. 2010 Jun 29. [Epub ahead of print]

Ravel A, Davidson VJ, Ruzante JM, Fazil A. Foodborne Proportion of Gastrointestinal Illness: Estimates from a Canadian Expert Elicitation Survey. Foodborne Pathog Dis. 2010 Aug 12. [Epub ahead of print]

Ravishankar S, Zhu L, Jaroni D. Assessing the cross contamination and transfer rates of *Salmonella enterica* from chicken to lettuce under different food-handling scenarios. Food Microbiol. 2010 Sep;27(6):791-4.

Ruzante JM, Majowicz SE, Fazil A, Davidson VJ. Hospitalization and deaths for select enteric illnesses and associated sequelae in Canada, 2001-2004. Epidemiol Infect. 2010 Aug 24:1-9.

Ruzante JM, Lombard JE, Wagner B, Fossler CP, Karns JS, Van Kessel JA, Gardner IA. Factors Associated with *Salmonella* Presence in Environmental Samples and Bulk Tank Milk from US Dairies. Zoonoses Public Health. 2010 May 31. [Epub ahead of print]

Ruzante JM, Davidson VJ, Caswell J, Fazil A, Cranfield JA, Henson SJ, Anders SM, Schmidt C, Farber JM. A multifactorial risk prioritization framework for foodborne pathogens. *Risk Anal.* 2010 May;30(5):724-42.

Smith DR, Novotnaj K, Smith G. Preharvest food safety: what do the past and the present tell us about the future? *J Agromedicine.* 2010 Jul;15(3):275-80.

Snow LC, Davies RH, Christiansen KH, Carrique-Mas JJ, Cook AJ, Evans SJ. Investigation of risk factors for *Salmonella* on commercial egg-laying farms in Great Britain, 2004-2005. *Vet Rec.* 2010 May 8;166(19):579-86.

Tam C, Erebara A, Einarson A. Food-borne illnesses during pregnancy: prevention and treatment. *Can Fam Physician.* 2010 Apr;56(4):341-3.

Taylor E, Kastner J, Renter D. Challenges involved in the *Salmonella* Saintpaul outbreak and lessons learned. *J Public Health Manag Pract.* 2010 May-Jun;16(3):221-31.

Tromp SO, Franz E, Rijgersberg H, van Asselt E, van der Fels-Klerx I. A model for setting performance objectives for *Salmonella* in the broiler supply chain. *Risk Anal.* 2010 Jun;30(6):945-51.

Van Hoorebeke S, Van Immerseel F, Schulz J, Hartung J, Harisberger M, Barco L, Ricci A, Theodoropoulos G, Xylouri E, De Vylder J, Ducatelle R, Haesebrouck F, Pasmans F, de Kruif A, Dewulf J. Determination of the within and between flock prevalence and identification of risk factors for *Salmonella* infections in laying hen flocks housed in conventional and alternative systems. *Prev Vet Med.* 2010 Apr 1;94(1-2):94-100.

Wales AD, Carrique-Mas JJ, Rankin M, Bell B, Thind BB, Davies RH. Review of the carriage of zoonotic bacteria by arthropods, with special reference to *Salmonella* in mites, flies and litter beetles. *Zoonoses Public Health.* 2010 Aug;57(5):299-314. Review.

Young I, Rajić A, Letellier A, Cox B, Leslie M, Sanei B, McEwen SA. Knowledge and attitudes toward food safety and use of good production practices among Canadian broiler chicken producers. *J Food Prot.* 2010 Jul;73(7):1278-87.