

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD
INFORMATION PAPER

Items of possible interest from the literature

Bacillus cereus

Ceuppens S, Boon N, Rajkovic A, Heyndrickx M, Van de Wiele T, Uyttendaele M. Quantification methods for *Bacillus cereus* vegetative cells and spores in the gastrointestinal environment. J Microbiol Methods. 2010 Nov;83(2):202-10.

Martínez-Blanch JF, Sánchez G, Garay E, Aznar R. Evaluation of phenotypic and PCR-based approaches for routine analysis of *Bacillus cereus* group foodborne isolates. Antonie Van Leeuwenhoek. 2010 Dec 30. [Epub ahead of print]

Campylobacter

Ang CW, Teunis PF, Herbrink P, Keijser J, VAN Duynhoven YH, Visser CE, VAN Pelt W. Seroepidemiological studies indicate frequent and repeated exposure to *Campylobacter* spp. during childhood. Epidemiol Infect. 2010 Oct 26:1-8.

Behringer M, Miller WG, Oyarzabal OA. Typing of *Campylobacter jejuni* and *Campylobacter coli* isolated from live broilers and retail broiler meat by flaA-RFLP, MLST, PFGE and REP-PCR. J Microbiol Methods. 2010 Dec 2. [Epub ahead of print]

Bessède E, Delcamp A, Sifré E, Buissonnière A, Mégraud F. New detection methods for Campylobacters in stools in comparison to culture. J Clin Microbiol. 2011 Jan 5. [Epub ahead of print]

Buettner S, Wieland B, Staerk KD, Regula G. Risk attribution of *Campylobacter* infection by age group using exposure modelling. Epidemiol Infect. 2010 Dec;138(12):1748-61.

Cody AJ, Clarke L, Bowler IC, Dingle KE. Ciprofloxacin-resistant campylobacteriosis in the UK. Lancet. 2010 Dec 11;376(9757):1987. de Boer RF, Ott A, Kesztyüs B, Kooistra-Smid AM. Improved detection of five major gastrointestinal pathogens by use of a molecular screening approach. J Clin Microbiol. 2010 Nov;48(11):4140-6.

Ellerbroek LI, Lienau JA, Klein G. *Campylobacter* spp. in broiler flocks at farm level and the potential for cross-contamination during slaughter. Zoonoses Public Health. 2010 Dec;57(7-8):e81-8.

Feodoroff B, Ellstrom P, Hyytiainen H, Sarna S, Hanninen ML, Rautelin H. *Campylobacter jejuni* isolates in Finnish patients differ according to the origin of infection. *Gut Pathog.* 2010 Dec 20;2(1):22. [Epub ahead of print]

Findik A, Ica T, Onuk EE, Percin D, Kevenk TO, Ciftci A. Molecular typing and *cdt* genes prevalence of *Campylobacter jejuni* isolates from various sources. *Trop Anim Health Prod.* 2010 Nov 23. [Epub ahead of print]

Fitzenberger J, Uphoff H, Gawrich S, Hauri AM. Urban-rural differences of age- and species-specific campylobacteriosis incidence, Hesse, Germany, July 2005 - June 2006. *Euro Surveill.* 2010 Oct 21;15(42).

Fraser RW, Williams NT, Powell LF, Cook AJ. Reducing *Campylobacter* and *Salmonella* infection: two studies of the economic cost and attitude to adoption of on-farm biosecurity measures. *Zoonoses Public Health.* 2010 Dec;57(7-8):e109-15.
Hastings R, Colles FM, McCarthy ND, Maiden MC, Sheppard SK. *Campylobacter* genotypes from poultry transportation crates indicate a source of contamination and transmission. *J Appl Microbiol.* 2011 Jan;110(1):266-76.

Havelaar AH, van Rosse F, Bucura C, Toeteneel MA, Haagsma JA, Kurowicka D, Heesterbeek JH, Speybroeck N, Langelaar MF, van der Giessen JW, Cooke RM, Braks MA. Prioritizing emerging zoonoses in the Netherlands. *PLoS One.* 2010 Nov 15;5(11):e13965.

Hue O, Le Bouquin S, Laisney MJ, Allain V, Lalande F, Petetin I, Rouxel S, Quesne S, Gloaguen PY, Picherot M, Santolini J, Salvat G, Bougeard S, Chemaly M. Prevalence of and risk factors for *Campylobacter* spp. contamination of broiler chicken carcasses at the slaughterhouse. *Food Microbiol.* 2010 Dec;27(8):992-9.

Inns T, Foster K, Gorton R. Cohort study of a campylobacteriosis outbreak associated with chicken liver parfait, United Kingdom, June 2010. *Euro Surveill.* 2010 Nov 4;15(44).

Jennings JL, Sait LC, Perrett CA, Foster C, Williams LK, Humphrey TJ, Cogan TA. *Campylobacter jejuni* is associated with, but not sufficient to cause vibriotic hepatitis in chickens. *Vet Microbiol.* 2010 Nov 9. [Epub ahead of print]

Little CL, Gormley FJ, Rawal N, Richardson JF. A recipe for disaster outbreaks of campylobacteriosis associated with poultry liver pâté in England and Wales. *Epidemiol Infect.* 2010 Dec;138(12):1691-4.

Nakari UM, Huovinen E, Kuusi M, Siitonen A. Population-based surveillance study of *Campylobacter* infections in Finland. *Epidemiol Infect.* 2010 Dec;138(12):1712-8.

Patriarchi A, Fox A, Maunsell B, Fanning S, Bolton D. Molecular Characterization and Environmental Mapping of *Campylobacter* Isolates in a Subset of Intensive Poultry Flocks in Ireland. *Foodborne Pathog Dis.* 2010 Nov 1. [Epub ahead of print]

Ridley AM, Morris VK, Cawthraw SA, Ellis-Iversen J, Harris JA, Kennedy EM, Newell DG, Allen VM. Longitudinal molecular epidemiological study of thermophilic campylobacters on one conventional broiler chicken farm. *Appl Environ Microbiol*. 2011 Jan;77(1):98-107.

Rotariu O, Smith-Palmer A, Cowden J, Bessell PR, Innocent GT, Reid SW, Matthews L, Dallas J, Ogden ID, Forbes KJ, Strachan NJ. Putative household outbreaks of campylobacteriosis typically comprise single MLST genotypes. *Epidemiol Infect*. 2010 Dec;138(12):1744-7.

Williams MS, Ebel ED, Vose D. Framework for Microbial Food-Safety Risk Assessments Amenable to Bayesian Modeling. *Risk Anal*. 2010 Nov 24. [Epub ahead of print]

Zhao S, Young SR, Tong E, Abbott JW, Womack N, Friedman SL, McDermott PF. Antimicrobial resistance of *Campylobacter* isolates from retail meat in the United States between 2002 and 2007. *Appl Environ Microbiol*. 2010 Dec;76(24):7949-56.

Zinszer K, Michel P, Harðardóttir H, Kristinsson KG, Sigmundsdóttir G, St-Onge L, Reiersen J, Charland K, Lowman R; Campy on Ice Consortium. The impact of domestic travel on estimating regional rates of human campylobacteriosis. *Epidemiol Infect*. 2010 Dec;138(12):1735-43.

Clostridium

Bagge E, Persson M, Johansson KE. Diversity of spore-forming bacteria in cattle manure, slaughterhouse waste and samples from biogas plants. *J Appl Microbiol*. 2010 Nov;109(5):1549-65.

Gharaibeh S, Al Rifai R, Al-Majali A. Molecular typing and antimicrobial susceptibility of *Clostridium perfringens* from broiler chickens. *Anaerobe*. 2010 Dec;16(6):586-9.

Rasooly R, Do PM. *Clostridium botulinum* Neurotoxin Type B Is Heat-Stable in Milk and Not Inactivated by Pasteurization. *J Agric Food Chem*. 2010 Nov 5. [Epub ahead of print]

Sachdeva A, Defibaugh-Chávez SL, Day JB, Zink D, Sharma SK. Detection and confirmation of *Clostridium botulinum* in water used for cooling at a plant producing low-acid canned foods. *Appl Environ Microbiol*. 2010 Nov;76(22):7653-7.

Shen Q, Chen YA, Tuohy KM. A comparative in vitro investigation into the effects of cooked meats on the human faecal microbiota. *Anaerobe*. 2010 Dec;16(6):572-7.

E.coli O157

Bolton DJ. Verocytotoxigenic (Shiga Toxin-Producing) *Escherichia coli*: Virulence Factors and Pathogenicity in the Farm to Fork Paradigm. *Foodborne Pathog Dis*. 2010 Nov 29. [Epub ahead of print]

Buvens G, Bogaerts P, Glupczynski Y, Lauwers S, Piérard D. Antimicrobial resistance testing of verocytotoxin-producing *Escherichia coli* and first description of TEM-52 extended-spectrum β -lactamase in serogroup O26. *Antimicrob Agents Chemother*. 2010 Nov;54(11):4907-9.

Buvens G, Lauwers S, Piérard D. Prevalence of subtilase cytotoxin in verocytotoxin-producing *Escherichia coli* isolated from humans and raw meats in Belgium. *Eur J Clin Microbiol Infect Dis*. 2010 Nov;29(11):1395-9.

Buvens G, Possé B, De Schrijver K, De Zutter L, Lauwers S, Piérard D. Virulence Profiling and Quantification of Verocytotoxin-Producing *Escherichia coli* O145:H28 and O26:H11 Isolated During an Ice Cream-Related Hemolytic Uremic Syndrome Outbreak. *Foodborne Pathog Dis*. 2010 Dec 18. [Epub ahead of print]

Cernicchiaro N, Pearl DL, McEwen SA, Lejeune JT. Assessment of Diagnostic Tools for Identifying Cattle Shedding and Super-Shedding *Escherichia coli* O157:H7 in a Longitudinal Study of Naturally Infected Feedlot Steers in Ohio. *Foodborne Pathog Dis*. 2010 Oct 30. [Epub ahead of print]

Hara-Kudo Y, Takatori K. Contamination level and ingestion dose of foodborne pathogens associated with infections. *Epidemiol Infect*. 2010 Dec 23:1-6.

Hermos CR, Janineh M, Han LL, McAdam AJ. Shiga Toxin-producing *Escherichia coli* in Children: Detection and Clinical Manifestations of O157:H7 and non-O157:H7 Infection. *J Clin Microbiol*. 2010 Dec 22. [Epub ahead of print]

Hoefler D, Hurd S, Medus C, Cronquist A, Hanna S, Hatch J, Hayes T, Larson K, Nicholson C, Wymore K, Tobin-D'Angelo M, Strockbine N, Snippes P, Atkinson R, Griffin PM, Gould LH; for the Emerging Infections Program FoodNet Working Group. Laboratory Practices for the Identification of Shiga Toxin-Producing *Escherichia coli* in the United States, FoodNet Sites, 2007. *Foodborne Pathog Dis*. 2010 Dec 27. [Epub ahead of print]

Hosein AM, Breidt F Jr, Smith CE. Modeling the effects of sodium chloride, acetic acid and intracellular pH on the survival of *Escherichia coli* O157:H7. *Appl Environ Microbiol*. 2010 Nov 29. [Epub ahead of print]

Ibekwe AM, Papiernik SK, Grieve CM, Yang CH. Quantification of Persistence of *Escherichia coli* O157:H7 in Contrasting Soils. *Int J Microbiol*. 2011; (2011), Article ID 421379, 11 pages doi:10.1155/2011/421379

Leopold SR, Shaikh N, Tarr PI. Further evidence of constrained radiation in the evolution of pathogenic *Escherichia coli* O157:H7. *Infect Genet Evol*. 2010 Dec;10(8):1282-5.

Li R, Harada T, Honjoh K, Miyamoto T. Phylogenetic analysis and Shiga toxin production profiling of Shiga toxin-producing/enterohemorrhagic *Escherichia coli* clinical isolates. *Microb Pathog*. 2010 Nov;49(5):246-51.

Nakanishi Y, Fukuda S, Chikayama E, Kimura Y, Ohno H, Kikuchi J. Dynamic Omics Approach Identifies Nutrition-Mediated Microbial Interactions. *J Proteome Res.* 2010 Dec 20. [Epub ahead of print]

Ohtsuka K, Tanaka M, Ohtsuka T, Takatori K, Hara-Kudo Y. Comparison of detection methods for *Escherichia coli* O157 in beef livers and carcasses. *Foodborne Pathog Dis.* 2010 Dec;7(12):1563-7.

Pennington H. *Escherichia coli* O157. *Lancet.* 2010 Oct 23;376(9750):1428-35. Review.

Piercefield EW, Bradley KK, Coffman RL, Mallonee SM. Hemolytic Uremic Syndrome After an *Escherichia coli* O111 Outbreak. *Arch Intern Med.* 2010 Oct 11;170(18):1656-63.

Rajkhowa S, Scaria J, Garcia DL, Musser KA, Akey BL, Chang YF. Analysis of *Escherichia coli* O157 clinical isolates by multilocus sequence typing. *BMC Res Notes.* 2010 Dec 21;3:343.

Rekow CL, Brashears MM, Brooks JC, Loneragan GH, Gragg SE, Miller MF. Implementation of targeted interventions to control *Escherichia coli* O157:H7 in a commercial abattoir. *Meat Sci.* 2010 Nov 21. [Epub ahead of print]

Zhang XS, Woolhouse ME. *Escherichia coli* O157 infection on Scottish cattle farms: dynamics and control. *J R Soc Interface.* 2010 Nov 17. [Epub ahead of print]

Listeria

Al-Zeyara SA, Jarvis B, Mackey BM. The inhibitory effect of natural microflora of food on growth of *Listeria monocytogenes* in enrichment broths. *Int J Food Microbiol.* 2010 Dec 2. [Epub ahead of print]

Amaya-Villar R, García-Cabrera E, Sulleiro-Igual E, Fernández-Viladrich P, Fontanals-Aymerich D, Catalán-Alonso P, Rodrigo-Gonzalo de Liria C, Coloma-Conde A, Grill-Díaz F, Guerrero-Espejo A, Pachón J, Prats-Pastor G. Three-year multicenter surveillance of community-acquired *listeria monocytogenes* meningitis in adults. *BMC Infect Dis.* 2010 Nov 11;10:324.

Belessi CE, Gounadaki AS, Psomas AN, Skandamis PN. Efficiency of different sanitation methods on *Listeria monocytogenes* biofilms formed under various environmental conditions. *Int J Food Microbiol.* 2010 Oct 25. [Epub ahead of print]

Couvert O, Pinon A, Bergis H, Bourdichon F, Carlin F, Cornu M, Denis C, Gnanou Besse N, Guillier L, Jamet E, Mettler E, Stahl V, Thuault D, Zuliani V, Augustin JC. Validation of a stochastic modelling approach for *Listeria monocytogenes* growth in refrigerated foods. *Int J Food Microbiol.* 2010 Dec 15;144(2):236-42.

den Bakker HC, Cummings CA, Ferreira V, Vatta P, Orsi RH, Degoricija L, Barker M, Petrauskene O, Furtado MR, Wiedmann M. Comparative genomics of the bacterial

genus *Listeria*: Genome evolution is characterized by limited gene acquisition and limited gene loss. BMC Genomics. 2010 Dec 2;11(1):688.

Elhanafi D, Dutta V, Kathariou S. Genetic characterization of plasmid-associated benzalkonium chloride resistance determinants in a *Listeria monocytogenes* strain from the 1998-1999 outbreak. Appl Environ Microbiol. 2010 Dec;76(24):8231-8.

Fox E, Hunt K, O'Brien M, Jordan K. *Listeria monocytogenes* in Irish Farmhouse cheese processing environments. Int J Food Microbiol. 2010 Oct 21. [Epub ahead of print]

Gillespie IA, Mook P, Little CL, Grant K, Adak GK. *Listeria monocytogenes* infection in the over-60s in England between 2005 and 2008: a retrospective case-control study utilizing market research panel data. Foodborne Pathog Dis. 2010 Nov;7(11):1373-9.

Koch J, Dworak R, Prager R, Becker B, Brockmann S, Wicke A, Wichmann-Schauer H, Hof H, Werber D, Stark K. Large listeriosis outbreak linked to cheese made from pasteurized milk, Germany, 2006-2007. Foodborne Pathog Dis. 2010 Dec;7(12):1581-4.

Lungu B, O'Bryan CA, Muthaiyan A, Milillo SR, Johnson MG, Crandall PG, Ricke SC. *Listeria monocytogenes*: Antibiotic Resistance in Food Production. Foodborne Pathog Dis. 2010 Dec 18. [Epub ahead of print]

Martins IS, Faria FC, Miguel MA, Dias MP, Cardoso FL, Magalhães AC, Mascarenhas LA, Nouér SA, Barbosa AV, Vallim DC, Hofer E, Rabello RF, Riley LW, Moreira BM. A cluster of *Listeria monocytogenes* infections in hospitalized adults. Am J Infect Control. 2010 Nov;38(9):e31-6. Erratum in: Am J Infect Control. 2010 Dec;38(10):849. Rebello, Renata Fernandes [corrected to Rabello, Renata Fernandes].

McLaughlin HP, Hill C, Gahan CG. The impact of iron on *Listeria monocytogenes*; inside and outside the host. Curr Opin Biotechnol. 2010 Nov 17. [Epub ahead of print]

O'Connor L, O'Leary M, Leonard N, Godinho M, O'Reilly C, Coffey L, Egan J, O'Mahony R. The characterization of *Listeria* spp. isolated from food products and the food-processing environment. Lett Appl Microbiol. 2010 Nov;51(5):490-8.

Rossmannith P, Wagner M. The challenge to quantify *Listeria monocytogenes*- a model leading to new aspects in molecular biological food pathogen detection. J Appl Microbiol. 2010 Dec 7. doi: 10.1111/j.1365-2672.2010.04915.x. [Epub ahead of print]

Schvartzman MS, Belessi X, Butler F, Skandamis P, Jordan K. Comparison of growth limits of *Listeria monocytogenes* in milk, broth and cheese. J Appl Microbiol. 2010 Nov;109(5):1790-9.

Skalina L, Nikolajeva V. Growth potential of *Listeria monocytogenes* strains in mixed ready-to-eat salads. *Int J Food Microbiol*. 2010 Dec 15;144(2):317-21.

Sleator RD, Hill C. Compatible solutes: the key to *Listeria's* success as a versatile gastrointestinal pathogen? *Gut Pathog*. 2010 Dec 10;2(1):20.

Smith B, Larsson JT, Lisby M, Müller L, Madsen SB, Engberg J, Bangsbo J, Ethelberg S, Kemp M. Outbreak of listeriosis caused by infected beef meat from a meals-on-wheels delivery in Denmark 2009. *Clin Microbiol Infect*. 2011 Jan;17(1):50-2.

Wałęcka E, Molenda J, Karpíšková R, Bania J. Effect of osmotic stress and culture density on invasiveness of *Listeria monocytogenes* strains. *Int J Food Microbiol*. 2011 Jan 5;144(3):440-5.

Norovirus

Baker K, Morris J, McCarthy N, Saldana L, Lowther J, Collinson A, Young M. An outbreak of norovirus infection linked to oyster consumption at a UK restaurant, February 2010. *J Public Health (Oxf)*. 2010 Oct 27. [Epub ahead of print]

Gregory JB, Webster LF, Griffith JF, Stewart JR. Improved detection and quantitation of norovirus from water. *J Virol Methods*. 2010 Dec 24. [Epub ahead of print]

Guarino A, Giannattasio A. New molecular approaches in the diagnosis of acute diarrhea? advantages for clinicians and researchers. *Curr Opin Gastroenterol*. 2010 Nov 18. [Epub ahead of print]

Huhti L, Blazevic V, Nurminen K, Koho T, Hytönen VP, Vesikari T. A comparison of methods for purification and concentration of norovirus GII-4 capsid virus-like particles. *Arch Virol*. 2010 Nov;155(11):1855-8.

Kremer JR, Langlet J, Skrabber S, Weicherding P, Weber B, Cauchie HM, De Landsheer S, Even J, Muller CP, Hoffmann L, Mossong J. Genetic diversity of noroviruses from outbreaks, sporadic cases and wastewater in Luxembourg 2008-2009. *Clin Microbiol Infect*. 2010 Oct 22. doi:10.1111/j.1469-691.2010.03407.x. [Epub ahead of print]

Lee SG, Jheong WH, Suh CI, Kim SH, Lee JB, Jeong YS, Ko GP, Jang KL, Lee GC, Paik SY. Nationwide Groundwater Surveillance of Norovirus in South Korea, 2008. *Appl Environ Microbiol*. 2010 Dec 23. [Epub ahead of print]

Lou F, Needoo H, Chen H, Li J. Inactivation of Human Norovirus Surrogate by High Pressure Processing: Effectiveness, Mechanism and Potential Application in Fresh Produce Industry. *Appl Environ Microbiol*. 2010 Dec 30. [Epub ahead of print]

Mattison K, Grudeski E, Auk B, Brassard J, Charest H, Dust K, Gubbay J, Hachette TF, Houde A, Jean J, Jones T, Lee BE, Mamiya H, McDonald R, Mykytczuk O, Pang X, Petrich A, Plante D, Ritchie G, Wong J, Booth TF. Analytical performance of

norovirus real-time RT-PCR detection protocols in Canadian laboratories. *J Clin Virol*. 2010 Nov 9. [Epub ahead of print]

Morter S, Bennet G, Fish J, Richards J, Allen DJ, Nawaz S, Iturriza-Gómara M, Brolly S, Gray J. Norovirus in the hospital setting: virus introduction and spread within the hospital environment. *J Hosp Infect*. 2010 Dec 15. [Epub ahead of print]

Phillips G, Tam CC, Rodrigues LC, Lopman B. Risk factors for symptomatic and asymptomatic norovirus infection in the community. *Epidemiol Infect*. 2010 Dec 17:1-11.

Su X, Howell AB, D'Souza DH. Antiviral effects of cranberry juice and cranberry proanthocyanidins on foodborne viral surrogates--a time dependence study in vitro. *Food Microbiol*. 2010 Dec;27(8):985-91.

Sánchez G, Aznar R, Martínez A, Rodrigo D. Inactivation of Human and Murine Norovirus by High-Pressure Processing. *Foodborne Pathog Dis*. 2010 Oct 29. [Epub ahead of print]

Wyn-Jones AP, Carducci A, Cook N, D'Agostino M, Divizia M, Fleischer J, Gantzer C, Gawler A, Girones R, Höller C, de Roda Husman AM, Kay D, Kozyra I, López-Pila J, Muscillo M, José Nascimento MS, Papageorgiou G, Rutjes S, Sellwood J, Szewzyk R, Wyer M. Surveillance of adenoviruses and noroviruses in European recreational waters. *Water Res*. 2011 Jan;45(3):1025-38.

Salmonella

Al-Mashhadani M, Hewson R, Vivancos R, Keenan A, Beeching NJ, Wain J, Parry CM. Foreign Travel and Decreased Ciprofloxacin Susceptibility in *Salmonella enterica* Infections. *Emerg Infect Dis*. 2011 Jan;17(1):123-5.

Alali WQ, Thakur S, Berghaus RD, Martin MP, Gebreyes WA. Prevalence and distribution of *Salmonella* in organic and conventional broiler poultry farms. *Foodborne Pathog Dis*. 2010 Nov;7(11):1363-71.

Alban L, Barfod K, Petersen JV, Dahl J, Ajufo JC, Sandø G, Krog HH, Aabo S. Description of extended pre-harvest pig *Salmonella* surveillance-and-control programme and its estimated effect on food safety related to pork. *Zoonoses Public Health*. 2010 Nov;57 Suppl 1:6-15.

Bell RL, González-Escalona N, Stones R, Brown EW. Phylogenetic evaluation of the 'Typhimurium' complex of *Salmonella* strains using a seven-gene multi-locus sequence analysis. *Infect Genet Evol*. 2011 Jan;11(1):83-91.

Benschop J, Spencer S, Alban L, Stevenson M, French N. Bayesian zero-inflated predictive modelling of herd-level *Salmonella* prevalence for risk-based surveillance. *Zoonoses Public Health*. 2010 Nov;57 Suppl 1:60-70.

- Bumann D. Pathogen proteomes during infection: a basis for infection research and novel control strategies. *J Proteomics*. 2010 Oct 10;73(11):2267-76.
- Callaway TR, Edrington TS, Brabban A, Kutter B, Karriker L, Stahl C, Wagstrom E, Anderson R, Poole TL, Genovese K, Krueger N, Harvey R, Nisbet DJ. Evaluation of Phage Treatment as a Strategy to Reduce *Salmonella* Populations in Growing Swine. *Foodborne Pathog Dis*. 2010 Oct 29. [Epub ahead of print]
- Cleary P, Browning L, Coia J, Cowden J, Fox A, Kearney J, Lane C, Mather H, Quigley C, Syed Q, Tubin-Delic D; outbreak control team. A foodborne outbreak of *Salmonella* Bareilly in the United Kingdom, 2010. *Euro Surveill*. 2010 Dec 2;15(48).
- Cummings PL, Sorvillo F, Kuo T. Salmonellosis-related mortality in the United States, 1990-2006. *Foodborne Pathog Dis*. 2010 Nov;7(11):1393-9.
- Davies PR. Intensive Swine Production and Pork Safety. *Foodborne Pathog Dis*. 2010 Nov 30. [Epub ahead of print]
- Denwood MJ, Mather AE, Haydon DT, Matthews L, Mellor DJ, Reid SW. From phenotype to genotype: a Bayesian solution. *Proc Biol Sci*. 2010 Oct 27. [Epub ahead of print]
- Gousia P, Economou V, Sakkas H, Leveidiotou S, Papadopoulou C. Antimicrobial Resistance of Major Foodborne Pathogens from Major Meat Products. *Foodborne Pathog Dis*. 2010 Nov 1. [Epub ahead of print]
- Haagsma JA, Siersema PD, De Wit NJ, Havelaar AH. Disease burden of post-infectious irritable bowel syndrome in The Netherlands. *Epidemiol Infect*. 2010 Nov;138(11):1650-6.
- Hansen TB, Christensen BB, Aabo S. *Salmonella* in pork cuttings in supermarkets and butchers' shops in Denmark in 2002 and 2006. *Zoonoses Public Health*. 2010 Nov;57 Suppl 1:23-9.
- Henao OL, Scallan E, Mahon B, Hoekstra RM. Methods for monitoring trends in the incidence of foodborne diseases: Foodborne Diseases Active Surveillance Network 1996-2008. *Foodborne Pathog Dis*. 2010 Nov;7(11):1421-6.
- Holt PS, Davies RH, Dewulf J, Gast RK, Huwe JK, Jones DR, Waltman D, Willian KR. The impact of different housing systems on egg safety and quality. *Poult Sci*. 2011 Jan;90(1):251-62.
- Kim DH, Lee BK, Kim YD, Rhee SK, Kim YC. Detection of representative enteropathogenic bacteria, *Vibrio* spp., pathogenic *Escherichia coli*, *Salmonella* spp., *Shigella* spp., and *Yersinia enterocolitica*, using a virulence factor gene-based oligonucleotide microarray. *J Microbiol*. 2010 Oct;48(5):682-8.
- Koseki S, Mizuno Y, Sotome I. Modeling Pathogen Survival During Simulated Gastric Digestion. *Appl Environ Microbiol*. 2010 Dec 3. [Epub ahead of print]

Kosmider RD, Kelly L, Simons RL, Brouwer A, David G. Detecting new and emerging diseases on livestock farms using an early detection system. *Epidemiol Infect.* 2010 Nov 19:1-10.

Krtinić G, Durić P, Ilić S. *Salmonellae* in food stuffs of plant origin and their implications on human health. *Eur J Clin Microbiol Infect Dis.* 2010 Nov;29(11):1321-5.

Laorden L, Herrera-León S, Martínez I, Sanchez A, Kromidas L, Bikandi J, Rementeria A, Echeita A, Garaizar J. Genetic evolution of the Spanish multidrug-resistant *Salmonella enterica* 4,5,12:i:- monophasic variant. *J Clin Microbiol.* 2010 Dec;48(12):4563-6.

Lu Y, Wu CM, Wu GJ, Zhao HY, He T, Cao XY, Dai L, Xia LN, Qin SS, Shen JZ. Prevalence of Antimicrobial Resistance Among *Salmonella* Isolates from Chicken in China. *Foodborne Pathog Dis.* 2010 Nov 17. [Epub ahead of print]

Newkirk R, Hedberg C, Bender J. Establishing a Milkborne Disease Outbreak Profile: Potential Food Defense Implications. *Foodborne Pathog Dis.* 2010 Nov 29. [Epub ahead of print]

Nicolay N, Thornton L, Cotter S, Garvey P, Bannon O, McKeown P, Cormican M, Fisher I, Little C, Boxall N, DE Pinna E, Peters TM, Cowden J, Salmon R, Mason B, Irvine N, Rooney P, O'Flanagan D. *Salmonella enterica* serovar Agona European outbreak associated with a food company. *Epidemiol Infect.* 2010 Oct 18:1-9.

Paschke C, Apelt N, Fleischmann E, Perona P, Walentiny C, Löscher T, Herbig KH. Controlled study on enteropathogens in travellers returning from the tropics with and without diarrhoea. *Clin Microbiol Infect.* 2010 Nov 4. [Epub ahead of print]

Pires SM, Vigre H, Makela P, Hald T. Using outbreak data for source attribution of human salmonellosis and campylobacteriosis in Europe. *Foodborne Pathog Dis.* 2010 Nov;7(11):1351-61.

Staphylococcus aureus

Horgan M, Abbott Y, Lawlor PG, Rossney A, Coffey A, Fitzgerald GF, McAuliffe O, Paul Ross R. A study of the prevalence of methicillin-resistant *Staphylococcus aureus* in pigs and in personnel involved in the pig industry in Ireland. *Vet J.* 2010 Dec 29. [Epub ahead of print]

Marino M, Frigo F, Bartolomeoli I, Maifreni M. Safety-related properties of staphylococci isolated from food and food environments. *J Appl Microbiol.* 2010 Nov 20. [Epub ahead of print]

Meemken D, Blaha T, Tegeler R, Tenhagen BA, Guerra B, Hammerl JA, Hertwig S, Käsbohrer A, Appel B, Fetsch A. Livestock associated methicillin-resistant *Staphylococcus aureus* (LaMRSA) isolated from lesions of pigs at necropsy in

northwest Germany between 2004 and 2007. Zoonoses Public Health. 2010 Dec;57(7-8):e143-8.

**Secretariat
January 2011**