

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD
INFORMATION PAPER

Items of possible interest from the literature

Bacillus cereus

Biesta-Peters EG, Mols M, Reij MW, Abee T. Physiological parameters of *Bacillus cereus* marking the end of acid-induced lag phases. *Int J Food Microbiol.* 2011 Jul 15;148(1):42-7.

Ceuppens S, Rajkovic A, Heyndrickx M, Tsilia V, Van De Wiele T, Boon N, Uyttendaele M. Regulation of toxin production by *Bacillus cereus* and its food safety implications. *Crit Rev Microbiol.* 2011 Aug;37(3):188-213.

Maughan H, Van der Auwera G. *Bacillus* taxonomy in the genomic era finds phenotypes to be essential though often misleading. *Infect Genet Evol.* 2011 Jul;11(5):789-97.

Papazisi L, Rasko DA, Ratnayake S, Bock GR, Remortel BG, Appalla L, Liu J, Dracheva T, Braisted JC, Shallom S, Jarrahi B, Snesrud E, Ahn S, Sun Q, Rilstone J, Okstad OA, Kolstø AB, Fleischmann RD, Peterson SN. Investigating the genome diversity of *B. cereus* and evolutionary aspects of *B. anthracis* emergence. *Genomics.* 2011 Jul;98(1):26-39.

Sung K, Khan SA, Nawaz MS, Cerniglia CE, Tamplin ML, Phillips RW, Kelley LC. Lysozyme as a barrier to growth of *Bacillus anthracis* strain Sterne in liquid eggwhite, milk and beef. *Food Microbiol.* 2011 Sep;28(6):1231-4.

Campylobacter

Almofti YA, Dai M, Sun Y, Hao H, Liu Z, Cheng G, Yuan Z. The physiologic and phenotypic alterations due to macrolide exposure in *Campylobacter jejuni*. *Int J Food Microbiol.* 2011 Aug 11. [Epub ahead of print].

Ang CW, Teunis PF, Herbrink P, Keijser J, VAN Duynhoven YH, Visser CE, Van Pelt W. Seroepidemiological studies indicate frequent and repeated exposure to *Campylobacter* spp. during childhood. *Epidemiol Infect.* 2011 Sep;139(9):1361-8.

Balamurugan S, Nattress FM, Baker LP, Dilts BD. Survival of *Campylobacter jejuni* on beef and pork under vacuum packaged and retail storage conditions: examination of the role of natural meat microflora on *C. jejuni* survival. *Food Microbiol.* 2011 Aug;28(5):1003-10.

Boysen L, Vigre H, Rosenquist H. Seasonal influence on the prevalence of thermotolerant *Campylobacter* in retail broiler meat in Denmark. *Food Microbiol.* 2011 Aug;28(5):1028-32.

Chaisowwong W, Kusumoto A, Hashimoto M, Harada T, Maklon K, Kawamoto K. Physiological Characterization of *Campylobacter jejuni* under Cold Stresses Conditions: Its Potential for Public Threat. J Vet Med Sci. 2011 Sep 2. [Epub ahead of print].

Connerton PL, Timms AR, Connerton IF. *Campylobacter* bacteriophages and bacteriophage therapy. J Appl Microbiol. 2011 Aug;111(2):255-65.

Denis M, Henrique E, Chidaine B, Tircot A, Bougeard S, Fravallo P. *Campylobacter* from sows in farrow-to-finish pig farms: Risk indicators and genetic diversity. Vet Microbiol. 2011 Jul 7. [Epub ahead of print].

Egger R, Korczak BM, Niederer L, Overesch G, Kuhnert P. Genotypes and antibiotic resistance of *Campylobacter coli* in fattening pigs. Vet Microbiol. 2011 Aug 19. [Epub ahead of print].

Ellis-Iversen J, Ridley A, Morris V, Sowa A, Harris J, Atterbury R, Sparks N, Allen V. Persistent environmental reservoirs on farms as risk factors for *Campylobacter* in commercial poultry. Epidemiol Infect. 2011 Jul 25:1-9. [Epub ahead of print].

Elvers KT, Morris VK, Newell DG, Allen VM. Molecular Tracking, through Processing, of *Campylobacter* Strains Colonizing Broiler Flocks. Appl Environ Microbiol. 2011 Aug;77(16):5722-9.

Gardner TJ, Fitzgerald C, Xavier C, Klein R, Pruckler J, Stroika S, McLaughlin JB. Outbreak of campylobacteriosis associated with consumption of raw peas. Clin Infect Dis. 2011 Jul 1;53(1):26-32.

Hermans D, Van Deun K, Martel A, Van Immerseel F, Messens W, Heyndrickx M, Haesebrouck F, Pasmans F. Colonization factors of *Campylobacter jejuni* in the chicken gut. Vet Res. 2011 Jun 29;42(1):82.

Hue O, Allain V, Laisney MJ, Le Bouquin S, Lalande F, Petetin I, Rouxel S, Quesne S, Gloaguen PY, Picherot M, Santolini J, Bougeard S, Salvat G, Chemaly M. *Campylobacter* contamination of broiler caeca and carcasses at the slaughterhouse and correlation with *Salmonella* contamination. Food Microbiol. 2011 Aug;28(5):862-8.

Ishihara K, Takahashi R, Andoh M, Ueno H, Muramatsu Y, Tamura Y. Seasonal Variation in *Campylobacter*-Contaminated Retail Chicken Products: A Year-Round Investigation in Japan. J Vet Med Sci. 2011 Aug 31. [Epub ahead of print]

Kameyama M, Chuma T, Nishimoto T, Oniki H, Yanagitani Y, Kanetou R, Gotou K, Shahada F, Iwata H, Okamoto K. Effect of Cooled and Chlorinated Chiller Water on *Campylobacter* and Coliform Counts on Broiler Carcasses during Chilling at a Middle-Size Poultry Processing Plant. J Vet Med Sci. 2011 Sep 6. [Epub ahead of print]

Marteau P, Chaput U. Bacteria as trigger for chronic gastrointestinal disorders. *Dig Dis*. 2011;29(2):166-71. Epub 2011 Jul 5. PubMed PMID: 21734380.

Muellner P, Marshall JC, Spencer SE, Noble AD, Shadbolt T, Collins-Emerson JM, Midwinter AC, Carter PE, Pirie R, Wilson DJ, Campbell DM, Stevenson MA, French NP. Utilizing a combination of molecular and spatial tools to assess the effect of a public health intervention. *Prev Vet Med*. 2011 Aug 26. [Epub ahead of print]

Nguyen VT, Turner MS, Dykes GA. Influence of cell surface hydrophobicity on attachment of *Campylobacter* to abiotic surfaces. *Food Microbiol*. 2011 Aug;28(5):942-50.

Oporto B, Hurtado A. Emerging thermotolerant *Campylobacter* species in healthy ruminants and swine. *Foodborne Pathog Dis*. 2011 Jul;8(7):807-13.

Oporto B, Juste RA, López-Portolés JA, Hurtado A. Genetic diversity among *Campylobacter jejuni* isolates from healthy livestock and their links to human isolates in Spain. *Zoonoses Public Health*. 2011 Aug;58(5):365-75.

Osiriphun S, Iamtaweelaoen P, Kooprasertying P, Koetsinchai W, Tuitemwong K, Erickson LE, Tuitemwong P. Exposure assessment and process sensitivity analysis of the contamination of *Campylobacter* in poultry products. *Poult Sci*. 2011 Jul;90(7):1562-73.

Paschke C, Apelt N, Fleischmann E, Perona P, Walentiny C, Löscher T, Herbing KH. Controlled study on enteropathogens in travellers returning from the tropics with and without diarrhoea. *Clin Microbiol Infect*. 2011 Aug;17(8):1194-200.

Ranta J, Matjushin D, Virtanen T, Kuusi M, Viljugrein H, Hofshagen M, Hakkinen M. Bayesian temporal source attribution of foodborne zoonoses: *Campylobacter* in Finland and Norway. *Risk Anal*. 2011 Jul;31(7):1156-71.

Ridley A, Morris V, Gittins J, Cawthraw S, Harris J, Edge S, Allen V. Potential sources of *Campylobacter* infection on chicken farms: contamination and control of broiler-harvesting equipment, vehicles and personnel. *J Appl Microbiol*. 2011 Jul;111(1):233-44.

Sasaki Y, Tsujiyama Y, Tanaka H, Yoshida S, Goshima T, Oshima K, Katayama S, Yamada Y. Risk factors for *Campylobacter* colonization in broiler flocks in Japan. *Zoonoses Public Health*. 2011 Aug;58(5):350-6.

Schijven JF, Teunis PF, Rutjes SA, Bouwknecht M, de Roda Husman AM. QMRAspot: A tool for Quantitative Microbial Risk Assessment from surface water to potable water. *Water Res*. 2011 Aug 23. [Epub ahead of print]

Shaughnessy RG, Meade KG, McGivney BA, Allan B, O'Farrelly C. Global gene expression analysis of chicken caecal response to *Campylobacter jejuni*. *Vet Immunol Immunopathol*. 2011 Jul 15;142(1-2):64-71.

Sheppard SK, Colles FM, McCarthy ND, Strachan NJ, Ogden ID, Forbes KJ, Dallas JF, Maiden MC. Niche segregation and genetic structure of *Campylobacter jejuni* populations from wild and agricultural host species. *Mol Ecol*. 2011 Aug;20(16):3484-90.

Tam CC, Rodrigues LC, Viviani L, Dodds JP, Evans MR, Hunter PR, Gray JJ, Letley LH, Rait G, Tompkins DS, O'Brien SJ; On behalf of the IID2 Study Executive Committee. Longitudinal study of infectious intestinal disease in the UK (IID2 study): incidence in the community and presenting to general practice. *Gut*. 2011 Jul 5. [Epub ahead of print]

Wassenaar TM. Following an imaginary *Campylobacter* population from farm to fork and beyond: a bacterial perspective. *Lett Appl Microbiol*. 2011 Sep;53(3):253-63.

Zhou P, Hussain SK, Liles MR, Arias CR, Backert S, Kieninger J, Oyarzabal OA. A simplified and cost-effective enrichment protocol for the isolation of *Campylobacter* spp. from retail broiler meat without microaerobic incubation. *BMC Microbiol*. 2011 Aug 3;11:175.

Clostridium

Brooks CE, Clarke HJ, Ardis TC, Ball HJ. Temperature dependency of *Clostridium botulinum* C and D toxin production from anaerobically enriched bovine gastrointestinal samples. *Lett Appl Microbiol*. 2011 Aug;53(2):174-7.

Centers for Disease Control and Prevention (CDC). Notes from the field: Botulism caused by consumption of commercially produced potato soups stored improperly-- Ohio and Georgia, 2011. *MMWR Morb Mortal Wkly Rep*. 2011 Jul 8;60(26):890.

Daminelli P, De Nadai V, Bozzo G, Finazzi G, Oliverio E, Losio MN, Bertasi B, Boni P. Two unlinked cases of foodborne botulism in Italy at the beginning of 2010. *New Microbiol*. 2011 Jul;34(3):287-90.

Harvey RB, Norman KN, Andrews K, Hume ME, Scanlan CM, Callaway TR, Anderson RC, Nisbet DJ. *Clostridium difficile* in Poultry and Poultry Meat. *Foodborne Pathog Dis*. 2011 Aug 30. [Epub ahead of print]

Kennedy S, Ball H. Botulism in cattle associated with poultry litter. *Vet Rec*. 2011 Jun 18;168(24):638-9.

Marsh JW, Tulenko MM, Shutt KA, Thompson AD, Weese JS, Songer JG, Limbago BM, Harrison LH. Multi-locus variable number tandem repeat analysis for investigation of the genetic association of *Clostridium difficile* isolates from food, food animals and humans. *Anaerobe*. 2011 Aug;17(4):156-60.

Payne JH, Hogg RA, Otter A, Roest HI, Livesey CT. Emergence of suspected type D botulism in ruminants in England and Wales (2001 to 2009), associated with exposure to broiler litter. *Vet Rec.* 2011 Jun 18;168(24):640.

Salgado D, Torres JA, Welte-Chanes J, Velazquez G. Effect of Input Data Variability on Estimations of the Equivalent Constant Temperature Time for Microbial Inactivation by HTST and Retort Thermal Processing. *J Food Sci.* 2011 Jul 5. doi: 10.1111/j.1750-3841.2011.02265.x. [Epub ahead of print]

Listeria monocytogenes

Bae D, Crowley MR, Wang C. Transcriptome analysis of *Listeria monocytogenes* grown on a ready-to-eat meat matrix. *J Food Prot.* 2011 Jul;74(7):1104-11.

Baud D, Greub G. Intracellular bacteria and adverse pregnancy outcomes. *Clin Microbiol Infect.* 2011 Sep;17(9):1312-22.

Briers Y, Klumpp J, Schuppler M, Loessner MJ. Genome Sequence of *Listeria monocytogenes* Scott A, a Clinical Isolate from a Food-Borne Listeriosis Outbreak. *J Bacteriol.* 2011 Aug;193(16):4284-5.

Chen S, Li J, Saleh-Lakha S, Allen V, Odumeru J. Multiple-locus variable number of tandem repeat analysis (MLVA) of *Listeria monocytogenes* directly in food samples. *Int J Food Microbiol.* 2011 Jul 15;148(1):8-14.

Chen Y, Strain EA, Allard M, Brown EW. Genome sequences of *Listeria monocytogenes* strains J1816 and J1-220, associated with human outbreaks. *J Bacteriol.* 2011 Jul;193(13):3424-5.

Cruz CD, Fletcher GC. Prevalence and biofilm-forming ability of *Listeria monocytogenes* in New Zealand mussel (*Perna canaliculus*) processing plants. *Food Microbiol.* 2011 Oct;28(7):1387-93.

Doménech E, Amorós JA, Escriche I. Food Safety Objectives for *Listeria monocytogenes* in Spanish Food Sampled in Cafeterias and Restaurants. *J Food Prot.* 2011 Sep;74(9):1569-73.

Finazzi G, Daminelli P, Serraino A, Pizzamiglio V, Riu R, Giacometti F, Bertasi B, Losio MN, Boni P. Behaviour of *Listeria monocytogenes* in packaged water buffalo mozzarella cheese. *Lett Appl Microbiol.* 2011 Sep;53(3):364-70.

Fox EM, Leonard N, Jordan K. Physiological and Transcriptional Characterization of Persistent and Nonpersistent *Listeria monocytogenes* Isolates. *Appl Environ Microbiol.* 2011 Sep;77(18):6559-69.

Hoelzer K, Sauders BD, Sanchez MD, Olsen PT, Pickett MM, Mangione KJ, Rice DH, Corby J, Stich S, Fortes ED, Roof SE, Grohn YT, Wiedmann M, Oliver HF. Prevalence, distribution, and diversity of *Listeria monocytogenes* in retail

environments, focusing on small establishments and establishments with a history of failed inspections. *J Food Prot.* 2011 Jul;74(7):1083-95.

Latorre AA, Pradhan AK, Van Kessel JA, Karns JS, Boor KJ, Rice DH, Mangione KJ, Gröhn YT, Schukken YH. Quantitative risk assessment of listeriosis due to consumption of raw milk. *J Food Prot.* 2011 Aug;74(8):1268-81.

Li M, Pradhan A, Cooney L, Mauromoustakos A, Crandall P, Slavik M, Li Y. A Predictive Model for the Inactivation of *Listeria innocua* in Cooked Poultry Products during Postpackage Pasteurization. *J Food Prot.* 2011 Aug;74(8):1261-7.

Membré JM, Laroche M, Magras C. Assessment of levels of bacterial contamination of large wild game meat in Europe. *Food Microbiol.* 2011 Aug;28(5):1072-9.

Nilsson RE, Ross T, Bowman JP. Variability in biofilm production by *Listeria monocytogenes* correlated to strain origin and growth conditions. *Int J Food Microbiol.* 2011 Oct 17;150(1):14-24.

Nocker A, Caspers M, Esveld-Amanatidou A, van der Vossen J, Schuren F, Montijn R, Kort R. Multiparameter Viability Assay for Stress Profiling Applied to the Food Pathogen *Listeria monocytogenes* F2365. *Appl Environ Microbiol.* 2011 Sep;77(18):6433-40.

Sheen S, Hwang CA, Juneja VK. Modeling the impact of chlorine on the behaviour of *Listeria monocytogenes* on ready-to-eat meats. *Food Microbiol.* 2011 Aug;28(5):1095-100.

Shrestha S, Grieder JA, McMahon DJ, Nummer BA. Survival of *Listeria monocytogenes* introduced as a post-aging contaminant during storage of low-salt Cheddar cheese at 4, 10, and 21°C. *J Dairy Sci.* 2011 Sep;94(9):4329-35.

Singh AK, Ulanov AV, Li Z, Jayaswal RK, Wilkinson BJ. Metabolomes of the psychrotolerant bacterium *Listeria monocytogenes* 10403S grown at 37 °C and 8 °C. *Int J Food Microbiol.* 2011 Aug 2;148(2):107-14.

Walecka E, Molenda J, Karpíšková R, Bania J. Effect of heat exposure on invasiveness of *Listeria monocytogenes* strains. *Foodborne Pathog Dis.* 2011 Jul;8(7):839-41.

Zitz U, Zunabovic M, Domig KJ, Wilrich PT, Kneifel W. Reduced Detectability of *Listeria monocytogenes* in the Presence of *Listeria innocua*. *J Food Prot.* 2011 Aug;74(8):1282-7.

Norovirus

Di Bartolo I, Ponterio E, Monini M, Ruggeri FM. A pilot survey of bovine norovirus in northern Italy. *Vet Rec.* 2011 Jul 16;169(3):73.

Gustavsson L, Andersson LM, Lindh M, Westin J. Excess mortality following community-onset norovirus enteritis in the elderly. *J Hosp Infect.* 2011 Sep;79(1):27-31.

Horm KM, D'Souza DH. Survival of human norovirus surrogates in milk, orange, and pomegranate juice, and juice blends at refrigeration (4 °C). *Food Microbiol.* 2011 Aug;28(5):1054-61.

Kremer JR, Langlet J, Skraber S, Weicherding P, Weber B, Cauchie HM, De Landtsheer S, Even J, Muller CP, Hoffmann L, Mossong J. Genetic diversity of noroviruses from outbreaks, sporadic cases and wastewater in Luxembourg 2008-2009. *Clin Microbiol Infect.* 2011 Aug;17(8):1173-6.

Leon JS, Kingsley DH, Montes JS, Richards GP, Lyon GM, Abdulhafid GM, Seitz SR, Fernandez ML, Teunis PF, Flick GJ, Moe CL. Randomized, double-blinded clinical trial for human norovirus inactivation in oysters by high hydrostatic pressure processing. *Appl Environ Microbiol.* 2011 Aug;77(15):5476-82.

Mesquita JR, Vaz L, Cerqueira S, Castilho F, Santos R, Monteiro S, Manso CF, Romalde JL, Nascimento MS. Norovirus, hepatitis A virus and enterovirus presence in shellfish from high quality harvesting areas in Portugal. *Food Microbiol.* 2011 Aug;28(5):936-41.

Monroe SS. Control and prevention of viral gastroenteritis. *Emerg Infect Dis.* 2011 Aug;17(8):1347-8.

Morillo SG, Timenetsky MD. Norovirus: an overview. *Rev Assoc Med Bras.* 2011 Aug;57(4):462-467. English, Portuguese.

Nicolay N, McDermott R, Kelly M, Gorby M, Prendergast T, Tuite G, Coughlan S, McKeown P, Sayers G. Potential role of asymptomatic kitchen food handlers during a food-borne outbreak of norovirus infection, Dublin, Ireland, March 2009. *Euro Surveill.* 2011 Jul 28;16(30).

Otter JA, Yezli S, French GL. The role played by contaminated surfaces in the transmission of nosocomial pathogens. *Infect Control Hosp Epidemiol.* 2011 Jul;32(7):687-99.

Park GW, Sobsey MD. Simultaneous Comparison of Murine Norovirus, Feline Calicivirus, Coliphage MS2, and GII.4 Norovirus to Evaluate the Efficacy of Sodium Hypochlorite Against Human Norovirus on a Fecally Soiled Stainless Steel Surface. *Foodborne Pathog Dis.* 2011 Sep;8(9):1005-10.

Paulmann D, Steinmann J, Becker B, Bischoff B, Steinmann E, Steinmann J. Virucidal activity of different alcohols against murine norovirus, a surrogate of human norovirus. *J Hosp Infect.* 2011 Aug 19. [Epub ahead of print]

Predmore A, Li J. Enhanced removal of a human norovirus surrogate from fresh vegetables and fruits by a combination of surfactants and sanitizers. *Appl Environ Microbiol.* 2011 Jul;77(14):4829-38.

Rimoldi SG, Stefani F, Pagani C, Chenal LL, Zanchetta N, Di Bartolo I, Lombardi A, Ruggeri FM, Di Lillo D, Zuccotti GV, Gismondo MR. Epidemiological and clinical characteristics of pediatric gastroenteritis associated with new viral agents. *Arch Virol.* 2011 Sep;156(9):1583-9.

Sanglay GC, Li J, Uribe RM, Lee K. Electron-beam inactivation of a norovirus surrogate in fresh produce and model systems. *J Food Prot.* 2011 Jul;74(7):1155-60.

Seitz SR, Leon JS, Schwab KJ, Lyon GM, Dowd M, McDaniels M, Abdulhafid G, Fernandez ML, Lindesmith LC, Baric R, Moe CL. Norovirus human infectivity and persistence in water. *Appl Environ Microbiol.* 2011 Aug 19. [Epub ahead of print]

Su X, Sangster MY, D'Souza DH. Time-Dependent Effects of Pomegranate Juice and Pomegranate Polyphenols on Foodborne Viral Reduction. *Foodborne Pathog Dis.* 2011 Jul 21. [Epub ahead of print]

Takahashi H, Ohuchi A, Miya S, Izawa Y, Kimura B. Effect of food residues on norovirus survival on stainless steel surfaces. *PLoS One.* 2011;6(8):e21951. Epub 2011 Aug 22. PubMed PMID: 21887215.

Tan M, Jiang X. Norovirus-host interaction: Multi-selections by human histo-blood group antigens. *Trends Microbiol.* 2011 Aug;19(8):382-8.

Tian P, Yang D, Mandrell R. Differences in the binding of human norovirus to and from romaine lettuce and raspberries by water and electrolyzed waters. *J Food Prot.* 2011 Aug;74(8):1364-9.

Vega E, Barclay L, Gregoricus N, Williams K, Lee D, Vinjé J. Novel surveillance network for norovirus gastroenteritis outbreaks, United States. *Emerg Infect Dis.* 2011 Aug;17(8):1389-95.

Vogel L. Hand sanitizers may increase norovirus risk. *CMAJ.* 2011 Sep 6;183(12):E799-800. Epub 2011 Aug 15.

Yen C, Wikswo ME, Lopman BA, Vinje J, Parashar UD, Hall AJ. Impact of an emergent norovirus variant in 2009 on norovirus outbreak activity in the United States. *Clin Infect Dis.* 2011 Sep;53(6):568-71.

Zhou F, Harmon KM, Yoon KJ, Olson DG, Dickson JS. Inactivation of feline calicivirus as a surrogate for norovirus on lettuce by electron beam irradiation. *J Food Prot.* 2011 Sep;74(9):1500-3.

Salmonella

Akiyama T, Khan AA, Cheng CM, Stefanova R. Molecular characterization of *Salmonella enterica* serovar Saintpaul isolated from imported seafood, pepper, environmental and clinical samples. *Food Microbiol.* 2011 Sep;28(6):1124-8.

Barton Behravesh C, Jones TF, Vugia DJ, Long C, Marcus R, Smith K, Thomas S, Zansky S, Fullerton KE, Henao OL, Scallan E; FoodNet Working Group. Deaths associated with bacterial pathogens transmitted commonly through food: foodborne diseases active surveillance network (FoodNet), 1996-2005. *J Infect Dis.* 2011 Jul;204(2):263-7.

Belsué JB, Alujas AM, Porter R. Detection of high serological prevalence and comparison of different tests for *Salmonella* in pigs in Northern Ireland. *Vet Rec.* 2011 Aug 3;169(6):153.

Beuchat LR, Mann DA. Inactivation of *salmonella* on pecan nutmeats by hot air treatment and oil roasting. *J Food Prot.* 2011 Sep;74(9):1441-50.

Bucher O, Fazil A, Rajić A, Farrar A, Wills R, McEwen SA. Evaluating interventions against *Salmonella* in broiler chickens: applying synthesis research in support of quantitative exposure assessment. *Epidemiol Infect.* 2011 Jul 25:1-21.

Cavallaro E, Date K, Medus C, Meyer S, Miller B, Kim C, Nowicki S, Cosgrove S, Sweat D, Phan Q, Flint J, Daly ER, Adams J, Hyytia-Trees E, Gerner-Smidt P, Hoekstra RM, Schwensohn C, Langer A, Sodha SV, Rogers MC, Angulo FJ, Tauxe RV, Williams IT, Behravesh CB; *Salmonella* Typhimurium Outbreak Investigation Team. *Salmonella* typhimurium infections associated with peanut products. *N Engl J Med.* 2011 Aug 18;365(7):601-10.

Cossi MV, de Almeida MV, Dias MR, de Arruda Pinto PS, Nero LA. Destructive and Nondestructive Procedures to Obtain Chicken Carcass Samples for *Escherichia coli* and *Salmonella* spp. Detection. *Foodborne Pathog Dis.* 2011 Aug 21. [Epub ahead of print]

Davidson VJ, Ravel A, Nguyen TN, Fazil A, Ruzante JM. Food-specific attribution of selected gastrointestinal illnesses: estimates from a Canadian expert elicitation survey. *Foodborne Pathog Dis.* 2011 Sep;8(9):983-95.

den Bakker HC, Moreno Switt AI, Govoni G, Cummings CA, Ranieri ML, Degoricija L, Hoelzer K, Rodriguez-Rivera LD, Brown S, Bolchacova E, Furtado MR, Wiedmann M. Genome sequencing reveals diversification of virulence factor content and possible host adaptation in distinct subpopulations of *Salmonella enterica*. *BMC Genomics.* 2011 Aug 22;12(1):425.

Dhawi AA, Elazomi A, Jones MA, Lovell MA, Li H, Emes RD, Barrow PA. Adaptation to the chicken intestine in *Salmonella Enteritidis* PT4 studied by transcriptional analysis. *Vet Microbiol.* 2011 Aug 8. [Epub ahead of print]

Didelot X, Bowden R, Street T, Golubchik T, Spencer C, McVean G, Sangal V, Anjum MF, Achtman M, Falush D, Donnelly P. Recombination and Population Structure in *Salmonella enterica*. PLoS Genet. 2011 Jul;7(7):e1002191. Epub 2011 Jul 28.

Fang FC. Antimicrobial actions of reactive oxygen species. MBio. 2011 Sep 6;2(5). pii: e00141-11. doi: 10.1128/mBio.00141-11. Print 2011. PubMed PMID: 21896680.

Foley SL, Nayak R, Hanning IB, Johnson TJ, Han J, Ricke SC. Population dynamics of *Salmonella enterica* serotypes in commercial egg and poultry production. Appl Environ Microbiol. 2011 Jul;77(13):4273-9.

Fookes M, Schroeder GN, Langridge GC, Blondel CJ, Mammina C, Connor TR, Seth-Smith H, Vernikos GS, Robinson KS, Sanders M, Petty NK, Kingsley RA, Bäumlér AJ, Nuccio SP, Contreras I, Santiviago CA, Maskell D, Barrow P, Humphrey T, Nastasi A, Roberts M, Frankel G, Parkhill J, Dougan G, Thomson NR. *Salmonella bongori* Provides Insights into the Evolution of the *Salmonellae*. PLoS Pathog. 2011 Aug;7(8):e1002191. Epub 2011 Aug 18.

Forslund A, Plauborg F, Andersen MN, Markussen B, Dalsgaard A. Leaching of human pathogens in repacked soil lysimeters and contamination of potato tubers under subsurface drip irrigation in Denmark. Water Res. 2011 Oct 1;45(15):4367-80.

Gerokomou V, Voidarou C, Vatopoulos A, Velonakis E, Rozos G, Alexopoulos A, Plessas S, Stavropoulou E, Bezirtzoglou E, Demertzis PG, Akrida-Demertzi K. Physical, chemical and microbiological quality of ice used to cool drinks and foods in Greece and its public health implications. Anaerobe. 2011 Jul 23. [Epub ahead of print]

Gormley FJ, Rawal N, Little CL. Choose your menu wisely: cuisine-associated food-poisoning risks in restaurants in England and Wales. Epidemiol Infect. 2011 Aug 19:1-11.

Granier SA, Hidalgo L, San Millan A, Escudero JA, Gutierrez B, Brisabois A, Gonzalez-Zorn B. ArmA Methyltransferase In Monophasic *Salmonella enteric* Isolated From Food. Antimicrob Agents Chemother. 2011 Aug 22. [Epub ahead of print]

Hedberg CW. Challenges and opportunities to identifying and controlling the international spread of *salmonella*. J Infect Dis. 2011 Sep;204(5):665-6.

Hendriksen RS, Vieira AR, Karlsmose S, Lo Fo Wong DM, Jensen AB, Wegener HC, Aarestrup FM. Global monitoring of *Salmonella* serovar distribution from the World Health Organization Global Foodborne Infections Network Country Data Bank: results of quality assured laboratories from 2001 to 2007. Foodborne Pathog Dis. 2011 Aug;8(8):887-900.

Herrick RL, Buchberger SG, Clark RM, Kupferle M, Murray R, Succop P. A Markov model to estimate *Salmonella* morbidity, mortality, illness duration, and cost. Health Econ. 2011 Sep 2. doi: 10.1002/hec.1779. [Epub ahead of print]

Johnson LR, Gould LH, Dunn JR, Berkelman R, Mahon For The Foodnet Travel Working Group BE. *Salmonella* Infections Associated with International Travel: A Foodborne Diseases Active Surveillance Network (FoodNet) Study. Foodborne Pathog Dis. 2011 Sep;8(9):1031-7.

Koseki S, Mizuno Y, Yamamoto K. Comparison of two possible routes of pathogen contamination of spinach leaves in a hydroponic cultivation system. J Food Prot. 2011 Sep;74(9):1536-42.

Kroupitski Y, Pinto R, Belausov E, Sela S. Distribution of *Salmonella typhimurium* in romaine lettuce leaves. Food Microbiol. 2011 Aug;28(5):990-7.

Le Hello S, Hendriksen RS, Doublet B, Fisher I, Nielsen EM, Whichard JM, Bouchrif B, Fashae K, Granier SA, Jourdan-Da Silva N, Cloeckert A, Threlfall EJ, Angulo FJ, Aarestrup FM, Wain J, Weill FX. International Spread of an Epidemic Population of *Salmonella enterica* Serotype Kentucky ST198 Resistant to Ciprofloxacin. J Infect Dis. 2011 Sep;204(5):675-84.

Lianou A, Koutsoumanis KP. A stochastic approach for integrating strain variability in modeling *Salmonella enterica* growth as a function of pH and water activity. Int J Food Microbiol. 2011 Oct 3;149(3):254-61.

Liu WB, Liu B, Zhu XN, Yu SJ, Shi XM. Diversity of *Salmonella* isolates using serotyping and multilocus sequence typing. Food Microbiol. 2011 Sep;28(6):1182-9.

Madureira AR, Pintado ME, Gomes AM, Malcata FX. Incorporation of probiotic bacteria in whey cheese: decreasing the risk of microbial contamination. J Food Prot. 2011 Jul;74(7):1194-9.

Migeemanathan S, Bhat R, Min-Tze L, Wan-Abdullah WN. Effects of Temperature Abuse on the Survival, Growth, and Inactivation of *Salmonella typhimurium* in Goat Milk. Foodborne Pathog Dis. 2011 Aug 5. [Epub ahead of print]

Morrison CM, Armstrong AE, Evans S, Mild RM, Langdon CJ, Joens LA. Survival of *Salmonella* Newport in oysters. Int J Food Microbiol. 2011 Aug 2;148(2):93-8.

Nicolay N, Thornton L, Cotter S, Garvey P, Bannon O, McKeown P, Cormican M, Fisher I, Little C, Boxall N, De Pinna E, Peters TM, Cowden J, Salmon R, Mason B, Irvine N, Rooney P, O'Flanagan D. *Salmonella enterica* serovar Agona European outbreak associated with a food company. Epidemiol Infect. 2011 Aug;139(8):1272-80.

Rajtak U, Leonard N, Bolton D, Fanning S. A Real-Time Multiplex SYBR Green I Polymerase Chain Reaction Assay for Rapid Screening of *Salmonella* Serotypes Prevalent in the European Union. Foodborne Pathog Dis. 2011 Jul;8(7):769-80.

Rodríguez M, Valero A, Posada-Izquierdo GD, Carrasco E, Zurera G. Evaluation of Food Handler Practices and Microbiological Status of Ready-to-Eat Foods in Long-Term Care Facilities in the Andalusia Region of Spain. *J Food Prot.* 2011 Sep;74(9):1504-12.

Schneider JL, White PL, Weiss J, Norton D, Lidgard J, Gould LH, Yee B, Vugia DJ, Mohle-Boetani J. Multistate outbreak of multidrug-resistant *salmonella* newport infections associated with ground beef, October to December 2007. *J Food Prot.* 2011 Aug;74(8):1315-9.

Shivaramaiah S, Pumford NR, Morgan MJ, Wolfenden RE, Wolfenden AD, Torres-Rodríguez A, Hargis BM, Téllez G. Evaluation of *Bacillus* species as potential candidates for direct-fed microbials in commercial poultry. *Poult Sci.* 2011 Jul;90(7):1574-80.

Snow LC, Davies RH, Christiansen KH, Carrique-Mas JJ, Cook AJ, Evans SJ. Survey of *Salmonella* prevalence on commercial turkey breeding and fattening farms in the UK in 2006 to 2007. *Vet Rec.* 2011 Sep 2. [Epub ahead of print]

Viau E, Bibby K, Paez-Rubio T, Peccia J. Toward a consensus view on the infectious risks associated with land application of sewage sludge. *Environ Sci Technol.* 2011 Jul 1;45(13):5459-69.

38: Vico JP, Rol I, Garrido V, San Román B, Grilló MJ, Mainar-Jaime RC. Salmonellosis in finishing pigs in Spain: prevalence, antimicrobial agent susceptibilities, and risk factor analysis. *J Food Prot.* 2011 Jul;74(7):1070-8.

Voidarou C, Vassos D, Rozos G, Alexopoulos A, Plessas S, Tsinas A, Skoufou M, Stavropoulou E, Bezirtzoglou E. Microbial challenges of poultry meat production. *Anaerobe.* 2011 Jun 22. [Epub ahead of print]

Wahlström H, Andersson Y, Plym-Forshell L, Pires SM. Source attribution of human *Salmonella* cases in Sweden. *Epidemiol Infect.* 2011 Aug;139(8):1246-53.

Wales AD, Davies RH. A critical review of *Salmonella* Typhimurium infection in laying hens. *Avian Pathol.* 2011 Jul 25. [Epub ahead of print]

Wang F, Jiang L, Yang Q, Han F, Chen S, Pu S, Vance A, Ge B. Prevalence and antimicrobial susceptibility of major foodborne pathogens in imported seafood. *J Food Prot.* 2011 Sep;74(9):1451-61.

Weber MJ, Boyle EA, Getty KJ, Harper NM, Weber CG, Roenbaugh TL. Efficacy of home-style dehydrators for reducing *Salmonella* on whole-muscle chicken. *J Food Prot.* 2011 Jul;74(7):1079-82.

Wilhelm B, Rajić A, Greig JD, Waddell L, Harris J. The effect of hazard analysis critical control point programs on microbial contamination of carcasses in abattoirs: a systematic review of published data. *Foodborne Pathog Dis.* 2011 Sep;8(9):949-60.

Zhang L, Jeong JY, Janardhanan KK, Ryser ET, Kang I. Microbiological quality of water immersion-chilled and air-chilled broilers. *J Food Prot.* 2011 Sep;74(9):1531-5.

Staphylococcus aureus

Feßler AT, Kadlec K, Hassel M, Hauschild T, Eidam C, Ehricht R, Monecke S, Schwarz S. Characterization of Methicillin-resistant *Staphylococcus aureus* Isolates from Food and Food Products of Poultry Origin in Germany. *Appl Environ Microbiol.* 2011 Jul 1. [Epub ahead of print]

Huber H, Giezendanner N, Stephan R, Zweifel C. Genotypes, antibiotic resistance profiles and microarray-based characterization of methicillin-resistant *Staphylococcus aureus* strains isolated from livestock and veterinarians in Switzerland. *Zoonoses Public Health.* 2011 Aug;58(5):343-9.

Kassem II. Chinks in the armor: The role of the nonclinical environment in the transmission of *Staphylococcus* bacteria. *Am J Infect Control.* 2011 Sep;39(7):539-41. Epub 2011 Apr 21.

Kuda T, Iwase T, Yuphakhun C, Takahashi H, Koyanagi T, Kimura B. Surfactant-disinfectant resistance of *Salmonella* and *Staphylococcus* adhered and dried on surfaces with egg compounds. *Food Microbiol.* 2011 Aug;28(5):920-5.

Li M, Muthaiyan A, O'Bryan CA, Gustafson JE, Li Y, Crandall PG, Ricke SC. Use of natural antimicrobials from a food safety perspective for control of *Staphylococcus aureus*. *Curr Pharm Biotechnol.* 2011 Aug;12(8):1240-54.

Madureira AR, Pintado ME, Gomes AM, Malcata FX. Incorporation of probiotic bacteria in whey cheese: decreasing the risk of microbial contamination. *J Food Prot.* 2011 Jul;74(7):1194-9.

Wattinger L, Stephan R, Layer F, Johler S. Comparison of *Staphylococcus aureus* isolates associated with food intoxication with isolates from human nasal carriers and human infections. *Eur J Clin Microbiol Infect Dis.* 2011 Jul 15.[Epub ahead of print]

Weese JS, Rousseau J, Deckert A, Gow S, Reid-Smith RJ. *Clostridium difficile* and methicillin-resistant *Staphylococcus aureus* shedding by slaughter-age pigs. *BMC Vet Res.* 2011 Jul 26;7:41.

Toxoplasma gondii

Adomako-Ankomah Y, Wier GM, Boyle JP. Beyond the genome: Recent advances in *Toxoplasma gondii* functional genomics. *Parasite Immunol.* 2011 Jul 1. doi: 10.1111/j.1365-3024.2011.01312.x. [Epub ahead of print]

Bennett AD, Gunn-Moore DA, Brewer M, Lappin MR. Prevalence of *Bartonella* species, haemoplasmas and *Toxoplasma gondii* in cats in Scotland. *J Feline Med Surg.* 2011 Aug;13(8):553-7.

Cenci-Goga BT, Rossitto PV, Sechi P, McCrindle CM, Cullor JS. *Toxoplasma* in animals, food, and humans: an old parasite of new concern. *Foodborne Pathog Dis.* 2011 Jul;8(7):751-62.

di Carlo P, Romano A, Casuccio A, Cillino S, Schimmenti MG, Mancuso G, la Chiusa S, Novara V, Ingrassia D, Li Vecchi V, Trizzino M, Titone L. Investigation and management of *Toxoplasma gondii* infection in pregnancy and infancy: a prospective study. *Acta Pharmacol Sin.* 2011 Aug;32(8):1063-70.

Dubey JP, Rajendran C, Ferreira LR, Martins J, Kwok OC, Hill DE, Villena I, Zhou H, Su C, Jones JL. High prevalence and genotypes of *Toxoplasma gondii* isolated from goats, from a retail meat store, destined for human consumption in the USA. *Int J Parasitol.* 2011 Jul;41(8):827-33.

Furtado JM, Smith JR, Belfort R Jr, Gattey D, Winthrop KL. Toxoplasmosis: a global threat. *J Glob Infect Dis.* 2011 Jul;3(3):281-4.

Mecca JN, Meireles LR, de Andrade HF Jr. Quality control of *Toxoplasma gondii* in meat packages: standardization of an ELISA test and its use for detection in rabbit meat cuts. *Meat Sci.* 2011 Jul;88(3):584-9.

Opsteegh M, Prickaerts S, Frankena K, Evers EG. A quantitative microbial risk assessment for meatborne *Toxoplasma gondii* infection in The Netherlands. *Int J Food Microbiol.* 2011 Nov 1;150(2-3):103-14.

Peng HJ, Chen XG, Lindsay DS. A Review: Competence, Compromise, and Concomitance-Reaction of the Host Cell To *Toxoplasma gondii* Infection and Development. *J Parasitol.* 2011 Aug;97(4):620-8.

Villena I, Durand B, Aubert D, Blaga R, Geers R, Thomas M, Perret C, Alliot A, Escotte-Binet S, Thébault A, Boireau P, Halos L. New strategy for the survey of *Toxoplasma gondii* in meat for human consumption. *Vet Parasitol.* 2011 Aug 7. [Epub ahead of print]

Yoshida N, Tyler KM, Llewellyn MS. Invasion mechanisms among emerging food-borne protozoan parasites. *Trends Parasitol.* 2011 Aug 11. [Epub ahead of print]

VTEC, STEC

Asakura H, Saito E, Momose Y, Ekawa T, Sawada M, Yamamoto A, Hasegawa A, Iwahori J, Tsutsui T, Osaka K, Matsushita T, Kakinuma M, Motoyama K, Hayama Y, Kitamoto H, Igimi S, Kasuga F. Prevalence and growth kinetics of Shiga toxin-producing *Escherichia coli* (STEC) in bovine offal products in Japan. *Epidemiol Infect.* 2011 Jun 21:1-10.

Bolton DJ, Monaghan A, Byrne B, Fanning S, Sweeney T, McDowell DA. Incidence and survival of non-O157 verocytotoxigenic *Escherichia coli* in soil. *J Appl Microbiol.* 2011 Aug;111(2):484-90.

Bugarel M, Martin A, Fach P, Beutin L. Virulence gene profiling of enterohemorrhagic (EHEC) and enteropathogenic (EPEC) *Escherichia coli* strains: a basis for molecular risk assessment of typical and atypical EPEC strains. *BMC Microbiol.* 2011 Jun 21;11:142.

Derzelle S, Grine A, Madic J, de Garam CP, Vingadassalon N, Dilasser F, Jamet E, Auvray F. A quantitative PCR assay for the detection and quantification of Shiga toxin-producing *Escherichia coli* (STEC) in minced beef and dairy products. *Int J Food Microbiol.* 2011 Aug 4. [Epub ahead of print]

Enache E, Mathusa EC, Elliott PH, Black DG, Chen Y, Scott VN, Schaffner DW. Thermal Resistance Parameters for Shiga Toxin-Producing *Escherichia coli* in Apple Juice. *J Food Prot.* 2011 Aug;74(8):1231-7.

Franci T, Sanso AM, Bustamante AV, Lucchesi PM, Parma AE. Genetic Characterization of Non-O157 Verocytotoxigenic *Escherichia coli* Isolated from Raw Beef Products Using Multiple-Locus Variable-Number Tandem Repeat Analysis. *Foodborne Pathog Dis.* 2011 Sep;8(9):1019-23.

Gordillo R, Córdoba JJ, Andrade MJ, Luque MI, Rodríguez M. Development of PCR assays for detection of *Escherichia coli* O157:H7 in meat products. *Meat Sci.* 2011 Aug;88(4):767-73.

Hadler JL, Clogher P, Hurd S, Phan Q, Mandour M, Bemis K, Marcus R. Ten-year trends and risk factors for non-O157 Shiga toxin-producing *Escherichia coli* found through Shiga toxin testing, Connecticut, 2000-2009. *Clin Infect Dis.* 2011 Aug 1;53(3):269-76.

Kanki M, Seto K, Harada T, Yonogi S, Kumeda Y. Comparison of four enrichment broths for the detection of non-O157 Shiga-toxin-producing *Escherichia coli* O91, O103, O111, O119, O121, O145 and O165 from pure culture and food samples. *Lett Appl Microbiol.* 2011 Aug;53(2):167-73.

Krogvold L, Henrichsen T, Bjerre A, Brackman D, Dollner H, Gudmundsdottir H, Syversen G, Næss PA, Bangstad HJ. Clinical aspects of a nationwide epidemic of severe haemolytic uremic syndrome (HUS) in children. *Scand J Trauma Resusc Emerg Med.* 2011 Jul 28;19:44.

Luchansky JB, Porto-Fett AC, Shoyer BA, Call JE, Schlosser W, Shaw W, Bauer N, Latimer H. Inactivation of Shiga toxin-producing O157:H7 and non-O157:H7 Shiga toxin-producing *Escherichia coli* in brine-injected, gas-grilled steaks. *J Food Prot.* 2011 Jul;74(7):1054-64.

Pollock KG, Bhojani S, Beattie TJ, Allison L, Hanson M, Locking ME, Cowden JM. Highly Virulent *Escherichia coli* O26, Scotland. *Emerg Infect Dis.* 2011 Sep;17(9):1777-9.

Rasko DA, Webster DR, Sahl JW, Bashir A, Boisen N, Scheutz F, Paxinos EE, Sebra R, Chin CS, Iliopoulos D, Klammer A, Peluso P, Lee L, Kislyuk AO, Bullard J, Kasarskis A, Wang S, Eid J, Rank D, Redman JC, Steyert SR, Frimodt-Møller J, Struve C, Petersen AM, Krogfelt KA, Nataro JP, Schadt EE, Waldor MK. Origins of the *E. coli* strain causing an outbreak of hemolytic-uremic syndrome in Germany. *N Engl J Med*. 2011 Aug 25;365(8):709-17.

Rohde H, Qin J, Cui Y, Li D, Loman NJ, Hentschke M, Chen W, Pu F, Peng Y, Li J, Xi F, Li S, Li Y, Zhang Z, Yang X, Zhao M, Wang P, Guan Y, Cen Z, Zhao X, Christner M, Kobbe R, Loos S, Oh J, Yang L, Danchin A, Gao GF, Song Y, Li Y, Yang H, Wang J, Xu J, Pallen MJ, Wang J, Aepfelbacher M, Yang R; Genome Analysis Crowd-Sourcing Consortium. Open-source genomic analysis of Shiga-toxin-producing *E. coli* O104:H4. *N Engl J Med*. 2011 Aug 25;365(8):718-24.

Rubino S, Cappuccinelli P, Kelvin DJ. *Escherichia coli* (STEC) serotype O104 outbreak causing haemolytic syndrome (HUS) in Germany and France. *J Infect Dev Ctries*. 2011 Jul 4;5(6):437-40.

Wu CJ, Hsueh PR, Ko WC. A new health threat in Europe: Shiga toxin-producing *Escherichia coli* O104:H4 infections. *J Microbiol Immunol Infect*. 2011 Aug 19. [Epub ahead of print]