

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD
INFORMATION PAPER

Items of possible interest from the literature

Bacillus cereus

Logan NA. *Bacillus* and relatives in foodborne illness. J Appl Microbiol. 2011 Nov 28. doi: 10.1111/j.1365-2672.2011.05204.x. [Epub ahead of print]

Løvdaal IS, Hovda MB, Granum PE, Rosnes JT. Promoting *Bacillus cereus* Spore Germination for Subsequent Inactivation by Mild Heat Treatment. J Food Prot. 2011 Dec;74(12):2079-89.

Mols M, Abee T. *Bacillus cereus* responses to acid stress. Environ Microbiol. 2011 Nov;13(11):2835-43.

Samapundo S, Heyndrickx M, Xhaferi R, Devlieghere F. Incidence, diversity and toxin gene characteristics of *Bacillus cereus* group strains isolated from food products marketed in Belgium. Int J Food Microbiol. 2011 Oct 17;150(1):34-41.

Trapezar M, Leouffre T, Faure M, Jensen HE, Granum PE, Cencic A, Hardy SP. The use of a porcine intestinal cell model system for evaluating the food safety risk of *Bacillus cereus* probiotics and the implications for assessing enterotoxigenicity. APMIS. 2011 Dec;119(12):877-84.

Campylobacter

Balabanova Y, Gilsdorf A, Buda S, Burger R, Eckmanns T, Gärtner B, Gross U, Haas W, Hamouda O, Hübner J, Jänisch T, Kist M, Kramer MH, Ledig T, Mielke M, Pulz M, Stark K, Suttorp N, Ulbrich U, Wichmann O, Krause G. Communicable diseases prioritized for surveillance and epidemiological research: results of a standardized prioritization procedure in Germany, 2011. PLoS One. 2011;6(10):e25691. Epub 2011 Oct 4.

Baumgartner A, Felleisen R. Market surveillance for contamination with thermotolerant campylobacters on various categories of chicken meat in Switzerland. J Food Prot. 2011 Dec;74(12):2048-54.

Bullman S, Corcoran D, O'Leary J, O'Hare D, Lucey B, Sleator RD. Emerging dynamics of human campylobacteriosis in Southern Ireland. FEMS Immunol Med Microbiol. 2011 Nov;63(2):248-53.

Colles FM, McCarthy ND, Layton R, Maiden MC. The Prevalence of *Campylobacter* amongst a Free-Range Broiler Breeder Flock Was Primarily Affected by Flock Age. PLoS One. 2011;6(12):e22825. Epub 2011 Dec 12.

Conlan AJ, Line JE, Hiatt K, Coward C, Van Diemen PM, Stevens MP, Jones MA, Gog JR, Maskell DJ. Transmission and dose-response experiments for social animals: a reappraisal of the colonization biology of *Campylobacter jejuni* in chickens. *J R Soc Interface*. 2011 Dec 7;8(65):1720-35.

Gilpin B, Robson B, Lin S, Scholes P, On S. Pulsed-field gel electrophoresis (PFGE) analysis of more than one clinical isolate of *Campylobacter* from each of 49 patients in New Zealand. *J Clin Microbiol*. 2011 Nov 23. [Epub ahead of print]

Gripp E, Hlahla D, Didelot X, Kops F, Maurischat S, Tedin K, Alter T, Ellerbroek L, Schreiber K, Schomburg D, Janssen T, Bartholomaeus P, Hofreuter D, Woltemate S, Uhr M, Brenneke B, Gruening P, Gerlach G, Wieler L, Suerbaum S, Josenhans C. Closely related *Campylobacter jejuni* strains from different sources reveal a generalist rather than a specialist lifestyle. *BMC Genomics*. 2011 Nov 28;12(1):584. [Epub ahead of print]

Gunther NW 4th, He Y, Fratamico P. Effects of polyphosphate additives on the pH of processed chicken exudates and the survival of *Campylobacter*. *J Food Prot*. 2011 Oct;74(10):1735-40.

Ica T, Caner V, Istanbulu O, Nguyen HD, Ahmed B, Call DR, Beyenal H. Characterization of mono- and mixed-culture *Campylobacter jejuni* biofilms. *Appl Environ Microbiol*. 2011 Dec 16. [Epub ahead of print]

Kaakoush NO, Deshpande NP, Wilkins MR, Raftery MJ, Janitz K, Mitchell H. Comparative analyses of *Campylobacter concisus* strains reveal the genome of the reference strain BAA-1457 is not representative of the species. *Gut Pathog*. 2011 Oct 13;3:15.

Koningstein M, Simonsen J, Helms M, Hald T, Mølbak K. Antimicrobial use: a risk factor or a protective factor for acquiring campylobacteriosis? *Clin Infect Dis*. 2011 Oct;53(7):644-50.

Luangtongkum T, Shen Z, Seng VW, Sahin O, Jeon B, Liu P, Zhang Q. Impaired fitness and transmission of macrolide-resistant *Campylobacter jejuni* in its natural host. *Antimicrob Agents Chemother*. 2011 Dec 19. [Epub ahead of print]

Lynch OA, Cagney C, McDowell DA, Duffy G. Occurrence of fastidious *Campylobacter* spp. in fresh meat and poultry using an adapted cultural protocol. *Int J Food Microbiol*. 2011 Nov 1;150(2-3):171-7.

Magnússon SH, Guðmundsdóttir S, Reynisson E, Rúnarsson AR, Harðardóttir H, Gunnarson E, Georgsson F, Reiersen J, Marteinson VT. Comparison of *Campylobacter jejuni* isolates from human, food, veterinary and environmental sources in Iceland using PFGE, MLST and fla-SVR sequencing. *J Appl Microbiol*. 2011 Oct;111(4):971-81.

Man SM. The clinical importance of emerging *Campylobacter* species. *Nat Rev Gastroenterol Hepatol*. 2011 Oct 25;8(12):669-85.

Martínez-Balzano C, Kohlitz PJ, Chaudhary P, Hegazy H. *Campylobacter fetus* bacteremia in a young healthy adult transmitted by khat chewing. J Infect. 2011 Nov 23. [Epub ahead of print]

Newell DG, Elvers KT, Dopfer D, Hansson I, Jones P, James S, Gittins J, Stern NJ, Davies R, Connerton I, Pearson D, Salvat G, Allen VM. Biosecurity-Based Interventions and Strategies To Reduce *Campylobacter* spp. on Poultry Farms. Appl Environ Microbiol. 2011 Dec;77(24):8605-14.

O'Mahony E, Buckley JF, Bolton D, Whyte P, Fanning S. Molecular epidemiology of *campylobacter* isolates from poultry production units in southern ireland. PLoS One. 2011;6(12):e28490. Epub 2011 Dec 6.

Oakley BB, Morales CA, Line JE, Seal BS, Hiatt KL. Application of high-throughput sequencing to measure the performance of commonly used selective cultivation methods for the foodborne pathogen *Campylobacter*. FEMS Microbiol Ecol. 2011 Oct 11. doi: 10.1111/j.1574-6941.2011.01219.x. [Epub ahead of print]

Riedel CT, Thorup Cohn M, Stabler RA, Wren B, Brøndsted L. Cellular response of *Campylobacter jejuni* to trisodium phosphate. Appl Environ Microbiol. 2011 Dec 22. [Epub ahead of print]

Sahin O, Fitzgerald C, Stroika S, Zhao S, Sippy RJ, Kwan P, Plummer PJ, Han J, Yaeger MJ, Zhang Q. Molecular Evidence for Zoonotic Transmission of an Emergent Highly Pathogenic *Campylobacter jejuni* Clone in the United States. J Clin Microbiol. 2011 Dec 21. [Epub ahead of print]

Sanad YM, Kassem II, Abley M, Gebreyes W, LeJeune JT, Rajashekara G. Genotypic and phenotypic properties of cattle-associated *Campylobacter* and their implications to public health in the USA. PLoS One. 2011;6(10):e25778. Epub 2011 Oct 19.

Spencer SE, Marshall J, Pirie R, Campbell D, Baker MG, French NP. The spatial and temporal determinants of campylobacteriosis notifications in New Zealand,2001-2007. Epidemiol Infect. 2011 Nov 4:1-15. [Epub ahead of print]

Strachan NJ, Macrae M, Thomson A, Rotariu O, Ogden ID, Forbes KJ. Source attribution, prevalence and enumeration of *Campylobacter* spp. from retail liver. Int J Food Microbiol. 2011 Nov 11. [Epub ahead of print]

Cryptosporidium

Budu-Amoako E, Greenwood SJ, Dixon BR, Barkema HW, McClure JT. Foodborne illness associated with *Cryptosporidium* and *Giardia* from livestock. J Food Prot. 2011 Nov;74(11):1944-55.

Yoshida N, Tyler KM, Llewellyn MS. Invasion mechanisms among emerging food-borne protozoan parasites. Trends Parasitol. 2011 Oct;27(10):459-66.

Zintl A, Ezzaty-Mirashemi M, Chalmers RM, Elwin K, Mulcahy G, Lucy FE, DE Waal T. Longitudinal and spatial distribution of GP60 subtypes in human cryptosporidiosis cases in Ireland. *Epidemiol Infect.* 2011 Dec;139(12):1945-55.

***E. coli* O157, other VTEC/STEC**

Altmann M, Spode A, Altmann D, Wadl M, Benzler J, Eckmanns T, Krause G, An der Heiden M. Timeliness of surveillance during outbreak of Shiga Toxin-producing *Escherichia coli* infection, Germany, 2011. *Emerg Infect Dis.* 2011 Oct;17(10):1906-9.

Aurass P, Prager R, Flieger A. EHEC/EAEC O104:H4 strain linked with the 2011 German outbreak of haemolytic uremic syndrome enters into the viable but non-culturable state in response to various stresses and resuscitates upon stress relief. *Environ Microbiol.* 2011 Dec;13(12):3139-48.

Baumler DJ, Peplinski RG, Reed JL, Glasner JD, Perna NT. The evolution of metabolic networks of *E. coli*. *BMC Syst Biol.* 2011 Nov 1;5:182.

Békássy ZD, Calderon Toledo C, Leoj G, Kristoffersson A, Leopold SR, Perez MT, Karpman D. Intestinal damage in enterohemorrhagic *Escherichia coli* infection. *Pediatr Nephrol.* 2011 Nov;26(11):2059-71.

Bezuidt O, Pierneef R, Mncube K, Lima-Mendez G, Reva ON. Mainstreams of horizontal gene exchange in enterobacteria: consideration of the outbreak of enterohemorrhagic *E. coli* O104:H4 in Germany in 2011. *PLoS One.* 2011;6(10):e25702.

Buchholz U, Bernard H, Werber D, Böhmer MM, Remschmidt C, Wilking H, Deleré Y, an der Heiden M, Adlhoch C, Dreesman J, Ehlers J, Ethelberg S, Faber M, Frank C, Fricke G, Greiner M, Höhle M, Ivarsson S, Jark U, Kirchner M, Koch J, Krause G, Lubert P, Rosner B, Stark K, Kühne M. German outbreak of *Escherichia coli* O104:H4 associated with sprouts. *N Engl J Med.* 2011 Nov 10;365(19):1763-70.

Callaway TR, Carroll JA, Arthington JD, Edrington TS, Rossman ML, Carr MA, Krueger NA, Ricke SC, Crandall P, Nisbet DJ. *Escherichia coli* O157:H7 populations in ruminants can be reduced by orange peel product feeding. *J Food Prot.* 2011 Nov;74(11):1917-21.

Cerna-Cortes JF, Vega-Negrete W, Ortega-Villegas MA, Zaidi MB, Estrada-Garcia T. Consumption of Street-Vended Beverage a Potential Exposure Risk for Non-O157 Enterohemorrhagic *Escherichia coli* Infection: The Importance of Testing for Virulence Loci. *Clin Infect Dis.* 2012 Jan;54(1):154-5. Epub 2011 Nov 3.

Chauret C. Survival and control of *Escherichia coli* O157:H7 in foods, beverages, soil and water. *Virulence.* 2011 Nov 1;2(6):593-601.

Cheung MK, Li L, Nong W, Kwan HS. 2011 German *Escherichia coli* O104:H4 outbreak: whole-genome phylogeny without alignment. *BMC Res Notes.* 2011 Dec 13;4(1):533.

Choi S, Bang J, Kim H, Beuchat LR, Ryu JH. Survival and colonization of *Escherichia coli* O157:H7 on spinach leaves as affected by inoculum level and carrier, temperature and relative humidity. *J Appl Microbiol.* 2011 Dec;111(6):1465-72.

Dinu LD, Bach S. Induction of viable but nonculturable *Escherichia coli* O157:H7 in the phyllosphere of lettuce: a food safety risk factor. *Appl Environ Microbiol.* 2011 Dec;77(23):8295-302.

Dourou D, Beauchamp CS, Yoon Y, Geornaras I, Belk KE, Smith GC, Nychas GJ, Sofos JN. Attachment and biofilm formation by *Escherichia coli* O157:H7 at different temperatures, on various food-contact surfaces encountered in beef processing. *Int J Food Microbiol.* 2011 Oct 3;149(3):262-8.

Eppinger M, Mammel MK, Leclerc JE, Ravel J, Cebula TA. Genomic anatomy of *Escherichia coli* O157:H7 outbreaks. *Proc Natl Acad Sci U S A.* 2011 Dec 13;108(50):20142-7.

Franz E, van Hoek AH, van der Wal FJ, de Boer A, Zwartkruis-Nahuis A, van der Zwaluw K, Aarts HJ, Heuvelink AE. Genetic features differentiating bovine, food and human isolates of Shiga toxin-producing *Escherichia coli* O157 in The Netherlands. *J Clin Microbiol.* 2011 Dec 21. [Epub ahead of print]

Gautam R, Bani-Yaghoub M, Neill WH, Döpfer D, Kaspar C, Ivanek R. Modeling the effect of seasonal variation in ambient temperature on the transmission dynamics of a pathogen with a free-living stage: example of *Escherichia coli* O157:H7 in a dairy herd. *Prev Vet Med.* 2011 Oct 1;102(1):10-21.

Ho CC, Yuen KY, Lau SK, Woo PC. Rapid identification and validation of specific molecular targets for detection of *Escherichia coli* O104:H4 outbreak strain by use of high-throughput sequencing data from nine genomes. *J Clin Microbiol.* 2011 Oct;49(10):3714-6.

Januszkiewicz A, Szych J, Rastawicki W, Wolkowicz T, Chróst A, Leszczynska B, Kuzma E, Roszkowska-Blaim M, Gierczynski R. Molecular epidemiology of shiga-toxin producing *Escherichia coli* household outbreak in Poland due to secondary transmission of STEC O104:H4 from Germany. *J Med Microbiol.* 2011 Dec 1. [Epub ahead of print]

Kataoka A, Enache E, Sohail M, Elliott PH, Black DG. Inactivation of Shiga toxin-producing *Escherichia coli* in single-strength lemon and lime juices containing preservatives. *J Food Prot.* 2011 Oct;74(10):1746-50.

Kemper MJ. Outbreak of hemolytic uremic syndrome caused by *E. coli* O104:H4 in Germany: a pediatric perspective. *Pediatr Nephrol.* 2011 Dec 13. [Epub ahead of print]

Kim J, Miller CM, Shepherd MW Jr, Liu X, Jiang X. Impact of indigenous microorganisms on *Escherichia coli* O157:H7 growth in cured compost. *Bioresour Technol.* 2011 Oct;102(20):9619-25.

Kocharunchitt C, King T, Gobius K, Bowman JP, Ross T. Integrated transcriptomic and proteomic analysis of the physiological response of *Escherichia coli* O157:H7 Sakai to steady-state conditions of cold and water activity stress. *Mol Cell Proteomics*. 2011 Oct 18. [Epub ahead of print]

Lynch MJ, Fox EM, O'Connor L, Jordan K, Murphy M. Surveillance of Verocytotoxigenic *Escherichia coli* in Irish Bovine Dairy Herds. *Zoonoses Public Health*. 2011 Nov 30. doi: 10.1111/j.1863-2378.2011.01443.x. [Epub ahead of print]

Løbersli I, Haugum K, Lindstedt BA. Rapid and high resolution genotyping of all *Escherichia coli* serotypes using 10 genomic repeat-containing loci. *J Microbiol Methods*. 2012 Jan;88(1):134-9.

Malecki M, Schildgen V, Kamm M, Mattner F, Schildgen O. Rapid screening method for multiple gastroenteric pathogens also detects novel enterohemorrhagic *Escherichia coli* O104:H4. *Am J Infect Control*. 2011 Nov 17. [Epub ahead of print]

McKellar RC, Delaquis P. Development of a dynamic growth-death model for *Escherichia coli* O157:H7 in minimally processed leafy green vegetables. *Int J Food Microbiol*. 2011 Nov 15;151(1):7-14.

Mariani-Kurkdjian P, Bingen E, Gault G, Jourdan-Da Silva N, Weill FX. *Escherichia coli* O104:H4 south-west France, June 2011. *Lancet Infect Dis*. 2011 Oct;11(10):732-3. Erratum in: *Lancet Infect Dis*. 2011 Nov;11(11):807.

Monaghan A, Byrne B, Fanning S, Sweeney T, McDowell D, Bolton DJ. Serotypes and Virulence Profiles of Non-O157 Shiga Toxin-Producing *Escherichia coli* Isolates from Bovine Farms. *Appl Environ Microbiol*. 2011 Dec;77(24):8662-8.

Monecke S, Mariani-Kurkdjian P, Bingen E, Weill FX, Balière C, Slickers P, Ehrlich R. Presence of Enterohemorrhagic *Escherichia coli* ST678/O104:H4 in France Prior to 2011. *Appl Environ Microbiol*. 2011 Dec;77(24):8784-6.

Moyne AL, Sudarshana MR, Blessington T, Koike ST, Cahn MD, Harris LJ. Fate of *Escherichia coli* O157:H7 in field-inoculated lettuce. *Food Microbiol*. 2011 Dec;28(8):1417-25.

Nakano M, Itoh Y, Yamada Y, Nakamura K, Sumitomo M, Nitta M. Enhancement of enterohemorrhagic *Escherichia coli* O157:H7 stress tolerance via pre-heating. *Mol Med Report*. 2011 Dec 9. doi: 10.3892/mmr.2011.699. [Epub ahead of print]

Nei D, Latiful BM, Enomoto K, Inatsu Y, Kawamoto S. Disinfection of radish and alfalfa seeds inoculated with *Escherichia coli* O157:H7 and Salmonella by a gaseous acetic acid treatment. *Foodborne Pathog Dis*. 2011 Oct;8(10):1089-94.

Neil KP, Biggerstaff G, Macdonald JK, Trees E, Medus C, Musser KA, Stroika SG, Zink D, Sotir MJ. A Novel Vehicle for Transmission of *Escherichia coli* O157:H7 to Humans: Multistate Outbreak of *E. coli* O157:H7 Infections Associated With Consumption of Ready-to-Bake Commercial Prepackaged Cookie Dough—United States, 2009. *Clin Infect Dis*. 2011 Dec 8. [Epub ahead of print]

Nielsen S, Frank C, Fruth A, Spode A, Prager R, Graff A, Plenge-Bönig A, Loos S, Lütgehetmann M, Kemper MJ, Müller-Wiefel DE, Werber D. Desperately seeking diarrhoea: outbreak of haemolytic uraemic syndrome caused by emerging sorbitol-fermenting shiga toxin-producing *Escherichia coli* O157:H-, Germany, 2009. *Zoonoses Public Health*. 2011 Dec;58(8):567-72.

Ottoson JR, Nyberg K, Lindqvist R, Albiñ A. Quantitative Microbial Risk Assessment for *Escherichia coli* O157 on Lettuce, Based on Survival Data from Controlled Studies in a Climate Chamber. *J Food Prot*. 2011 Dec;74(12):2000-7.

Paddock Z, Shi X, Bai J, Nagaraja TG. Applicability of a multiplex PCR to detect O26, O45, O103, O111, O121, O145, and O157 serogroups of *Escherichia coli* in cattle feces(1). *Vet Microbiol*. 2011 Nov 28. [Epub ahead of print]

Parker CT, Kyle JL, Huynh S, Carter MQ, Brandl MT, Mandrell RE. *Escherichia coli* O157:H7 Isolates Related to the 2006 Spinach-associated Outbreak Exhibit Distinct Transcriptional Profiles and Phenotypes. *Appl Environ Microbiol*. 2011 Nov 11. [Epub ahead of print]

Phang HS, Bruhn CM. Burger preparation: what consumers say and do in the home. *J Food Prot*. 2011 Oct;74(10):1708-16.

Scavia G, Morabito S, Tozzoli R, Michelacci V, Marziano ML, Minelli F, Ferreri C, Paglialonga F, Edefonti A, Caprioli A. Similarity of Shiga toxin-producing *Escherichia coli* O104:H4 strains from Italy and Germany. *Emerg Infect Dis*. 2011 Oct;17(10):1957-8.

Tzschoppe M, Martin A, Beutin L. A rapid procedure for the detection and isolation of enterohaemorrhagic *Escherichia coli* (EHEC) serogroup O26, O103, O111, O118, O121, O145 and O157 strains and the aggregative EHEC O104:H4 strain from ready-to-eat vegetables. *Int J Food Microbiol*. 2012 Jan 3;152(1-2):19-30.

Wu CJ, Hsueh PR, Ko WC. A new health threat in Europe: Shiga toxin-producing *Escherichia coli* O104:H4 infections. *J Microbiol Immunol Infect*. 2011 Oct;44(5):390-3.

Yang Y, Luo Y, Millner P, Turner E, Feng H. Assessment of *Escherichia coli* O157:H7 transference from soil to iceberg lettuce via a contaminated field coring harvesting knife. *Int J Food Microbiol*. 2011 Dec 2. [Epub ahead of print]

Hepatitis A and E

Boxman IL, Te Loeke NA, Klunder K, Hägele G, Jansen CC. Surveillance study of hepatitis A virus RNA on fig and date samples. *Appl Environ Microbiol*. 2011 Dec 2. [Epub ahead of print].

Dalton HR, Bendall RP, Rashid M, Ellis V, Ali R, Ramnarace R, Stableforth W, Headdon W, Abbott R, McLaughlin C, Froment E, Hall KJ, Michell NP, Thatcher P, Henley WE. Host risk factors and autochthonous hepatitis E infection. *Eur J Gastroenterol Hepatol*. 2011 Nov;23(12):1200-5.

Ijaz S, Szypulska R, Tettmar KI, Kitchen A, Tedder RS. Detection of hepatitis E virus RNA in plasma mini-pools from blood donors in England. *Vox Sang*. 2011 Sep 30. doi: 10.1111/j.1423-0410.2011.01554.x. [Epub ahead of print]

Meng XJ. From barnyard to food table: the omnipresence of hepatitis E virus and risk for zoonotic infection and food safety. *Virus Res*. 2011 Oct;161(1):23-30.

Nelson KE, Kmush B, Labrique AB. The epidemiology of hepatitis E virus infections in developed countries and among immunocompromised patients. *Expert Rev Anti Infect Ther*. 2011 Dec;9(12):1133-48.

Parashar D, Khalkar P, Arankalle VA. Survival of hepatitis A and E viruses in soil samples. *Clin Microbiol Infect*. 2011 Nov;17(11):E1-4.

Rein DB, Stevens G, Theaker J, Wittenborn JS, Wiersma ST. The global burden of hepatitis E virus. *Hepatology*. 2011 Nov 26. doi: 10.1002/hep.25505. [Epub ahead of print].

Schielke A, Filter M, Appel B, Johne R. Thermal stability of hepatitis E virus assessed by a molecular biological approach. *Virology*. 2011 Oct 31;8:487.

Listeria monocytogenes

Centers for Disease Control and Prevention. Multistate outbreak of listeriosis associated with Jensen Farms cantaloupe--United States, August-September 2011. *MMWR Morb Mortal Wkly Rep*. 2011 Oct 7;60(39):1357-8.

El-Shenawy M, El-Shenawy M, Mañes J, Soriano JM. *Listeria* spp. In Street-Vended Ready-to-Eat Foods. *Interdiscip Perspect Infect Dis*. 2011;2011:968031. Epub 2011 Dec 12.

Fox EM, Delappe N, Garvey P, McKeown PJ, Cormican M, Leonard N, Jordan KN. Pulsed-field gel electrophoresis (PFGE) analysis of *Listeria monocytogenes* isolates of clinical, animal, food, and environmental origin from Ireland. *J Med Microbiol*. 2011 Nov 24. [Epub ahead of print] PubMed PMID: 22116984.

Hoelzer K, Oliver HF, Kohl LR, Hollingsworth J, Wells MT, Wiedmann M. Structured Expert Elicitation About *Listeria monocytogenes* Cross-Contamination in the Environment of Retail Deli Operations in the United States. *Risk Anal*. 2011 Nov 6. doi: 10.1111/j.1539-6924.2011.01729.x. [Epub ahead of print]

Madeo M, O'Riordan N, Fuchs TM, Utratna M, Karatzas KA, O'Byrne CP. Thiamine plays a critical role in the acid tolerance of *Listeria monocytogenes*. *FEMS Microbiol Lett*. 2012 Jan;326(2):137-43.

Mailles A, Lecuit M, Goulet V, Leclercq A, Stahl JP; on behalf of steering committee, investigators. *Listeria monocytogenes* encephalitis in France. *Med Mal Infect*. 2011 Nov;41(11):594-601.

McLaughlin HP, Casey PG, Cotter J, Gahan CG, Hill C. Factors affecting survival of *Listeria monocytogenes* and *Listeria innocua* in soil samples. Arch Microbiol. 2011 Nov;193(11):775-85.

Pradhan AK, Ivanek R, Gröhn YT, Bukowski R, Wiedmann M. Comparison of public health impact of *Listeria monocytogenes* product-to-product and environment-to-product contamination of deli meats at retail. J Food Prot. 2011 Nov;74(11):1860-8.

Pujol L, Kan-King-Yu D, Le Marc Y, Johnston MD, Rama-Heuzard F, Guillou S, McClure P, Membré JM. Establishing equivalence for microbial growth inhibitory effects ("iso-hurdle rules") by analysing disparate data on *Listeria monocytogenes* with a gamma-type predictive model. Appl Environ Microbiol. 2011 Dec 9. [Epub ahead of print]

Roed C, Engsig FN, Omland LH, Skinhoj P, Obel N. Long-term mortality in patients diagnosed with *Listeria monocytogenes* meningitis: A Danish nationwide cohort study. J Infect. 2012 Jan;64(1):34-40.

Schvartzman MS, Belessi C, Butler F, Skandamis PN, Jordan KN. Effect of pH and water activity on the growth limits of *Listeria monocytogenes* in a cheese matrix at two contamination levels. J Food Prot. 2011 Nov;74(11):1805-13.

Signs RJ, Darcey VL, Carney TA, Evans AA, Quinlan JJ. Retail food safety risks for populations of different races, ethnicities, and income levels. J Food Prot. 2011 Oct;74(10):1717-23.

Norovirus

Atmar RL, Bernstein DI, Harro CD, Al-Ibrahim MS, Chen WH, Ferreira J, Estes MK, Graham DY, Opekun AR, Richardson C, Mendelman PM. Norovirus vaccine against experimental human Norwalk Virus illness. N Engl J Med. 2011 Dec 8;365(23):2178-87.

Bae JY, Lee JS, Shin MH, Lee SH, Hwang IG. Effect of wash treatments on reducing human norovirus on iceberg lettuce and perilla leaf. J Food Prot. 2011 Nov;74(11):1908-11.

Baert L, Mattison K, Loisy-Hamon F, Harlow J, Martyres A, Lebeau B, Stals A, Van Coillie E, Herman L, Uyttendaele M. Review: norovirus prevalence in Belgian, Canadian and French fresh produce: a threat to human health? Int J Food Microbiol. 2011 Dec 15;151(3):261-9.

Bentley K, Dove BK, Parks SR, Walker JT, Bennett AM. Hydrogen peroxide vapour decontamination of surfaces artificially contaminated with norovirus surrogate feline calicivirus. J Hosp Infect. 2011 Dec 12. [Epub ahead of print]

Chen CC, Chang CJ, Lin TY, Lai MW, Chao HC, Kong MS. Usefulness of fecal lactoferrin in predicting and monitoring the clinical severity of infectious diarrhea. World J Gastroenterol. 2011 Oct 7;17(37):4218-24.

Debbink K, Donaldson EF, Lindesmith LC, Baric RS. Genetic Mapping of a Highly Variable Norovirus GII.4 Blockade Epitope: Potential Role in Contribution in Escape from Human Herd Immunity. *J Virol*. 2011 Nov 16. [Epub ahead of print]

Dou D, Mandadapu SR, Alliston KR, Kim Y, Chang KO, Groutas WC. Cyclosulfamide-based derivatives as inhibitors of noroviruses. *Eur J Med Chem*. 2011 Oct 20. [Epub ahead of print]

Dou D, Tiew KC, He G, Mandadapu SR, Aravapalli S, Alliston KR, Kim Y, Chang KO, Groutas WC. Potent inhibition of Norwalk virus by cyclic sulfamide derivatives. *Bioorg Med Chem*. 2011 Oct 15;19(20):5975-83.

Dou D, Mandadapu SR, Alliston KR, Kim Y, Chang KO, Groutas WC. Design and synthesis of inhibitors of noroviruses by scaffold hopping. *Bioorg Med Chem*. 2011 Oct 1;19(19):5749-55.

Dou D, He G, Mandadapu SR, Aravapalli S, Kim Y, Chang KO, Groutas WC. Inhibition of noroviruses by piperazine derivatives. *Bioorg Med Chem Lett*. 2011 Nov 15. [Epub ahead of print]

Ebdon JE, Sellwood J, Shore J, Taylor HD. Phages of *Bacteroides* (GB-124): A Novel Tool for Viral Waterborne Disease Control? *Environ Sci Technol*. 2011 Dec 15. [Epub ahead of print]

Esseili MA, Wang Q, Saif LJ. Human GII.4 norovirus-like-particles (VLPs) bind to carbohydrates of Romaine lettuce leaf cell wall materials. *Appl Environ Microbiol*. 2011 Dec 2. [Epub ahead of print]

Fallahi S, Mattison K. Evaluation of murine norovirus persistence in environments relevant to food production and processing. *J Food Prot*. 2011 Nov;74(11):1847-51.

Fiege B, Rademacher C, Cartmell J, Kitov PI, Parra F, Peters T. Molecular Details of the Recognition of Blood Group Antigens by a Human Norovirus as Determined by STD NMR Spectroscopy. *Angew Chem Int Ed Engl*. 2011 Dec 13. doi: 10.1002/anie.201105719. [Epub ahead of print].

Fraisse A, Temmam S, Deboosere N, Guillier L, Delobel A, Maris P, Vialette M, Morin T, Perelle S. Comparison of chlorine and peroxyacetic-based disinfectant to inactivate Feline calicivirus, Murine norovirus and Hepatitis A virus on lettuce. *Int J Food Microbiol*. 2011 Nov 15;151(1):98-104.

Hansman GS, Shahzad-UI-Hussan S, McLellan JS, Chuang GY, Georgiev I, Shimoike T, Katayama K, Bewley CA, Kwong PD. Structural basis for norovirus inhibition and fucose mimicry by citrate. *J Virol*. 2012 Jan;86(1):284-92.

Hartnell R, Lowther J, Avant J, Dancer D, Lees D, Russell J. The development of LENTICULES™ as reference materials for noroviruses. *J Appl Microbiol*. 2011 Nov 16. doi: 10.1111/j.1365-2672.2011.05196.x. [Epub ahead of print]

Hewitt J, Leonard M, Greening GE, Lewis GD. Influence of wastewater treatment process and the population size on human virus profiles in wastewater. *Water Res.* 2011 Nov 15;45(18):6267-76.

Kahan SM, Liu G, Reinhard MK, Hsu CC, Livingston RS, Karst SM. Comparative murine norovirus studies reveal a lack of correlation between intestinal virus titers and enteric pathology. *Virology.* 2011 Dec 20;421(2):202-10.

Kovač K, Diez-Valcarce M, Raspor P, Hernández M, Rodríguez-Lázaro D. Effect of high hydrostatic pressure processing on norovirus infectivity and genome stability in strawberry puree and mineral water. *Int J Food Microbiol.* 2012 Jan 3;152(1-2):35-9.

Li D, Baert L, Van Coillie E, Uyttendaele M. Critical studies on binding-based RT-PCR detection of infectious Noroviruses. *J Virol Methods.* 2011 Nov;177(2):153-9.

Nguyen LM, Middaugh JP. Suspected transmission of norovirus in eight long-term care facilities attributed to staff working at multiple institutions. *Epidemiol Infect.* 2011 Dec 8:1-8. [Epub ahead of print]

Provost K, Dancho BA, Ozbay G, Anderson RS, Richards GP, Kingsley DH. Hemocytes are sites of enteric virus persistence within oysters. *Appl Environ Microbiol.* 2011 Dec;77(23):8360-9.

Rydell GE, Kindberg E, Larson G, Svensson L. Susceptibility to winter vomiting disease: a sweet matter. *Rev Med Virol.* 2011 Nov;21(6):370-82.

Seitz SR, Leon JS, Schwab KJ, Lyon GM, Dowd M, McDaniels M, Abdulhafid G, Fernandez ML, Lindesmith LC, Baric RS, Moe CL. Norovirus infectivity in humans and persistence in water. *Appl Environ Microbiol.* 2011 Oct;77(19):6884-8.

Smith AJ, McCarthy N, Saldana L, Ihekweazu C, McPhedran K, Adak GK, Iturriza-Gómara M, Bickler G, O'Moore E. A large foodborne outbreak of norovirus in diners at a restaurant in England between January and February 2009. *Epidemiol Infect.* 2011 Dec 1:1-7. [Epub ahead of print].

Sánchez G, Elizaquível P, Aznar R. A single method for recovery and concentration of enteric viruses and bacteria from fresh-cut vegetables. *Int J Food Microbiol.* 2012 Jan 3;152(1-2):9-13.

Tian P, Yang D, Pan L, Mandrell R. Application of a receptor-binding-capture qRT-PCR assay to concentrate human norovirus from sewage and to study the distribution and stability of the virus. *Appl Environ Microbiol.* 2011 Nov 18. [Epub ahead of print]

Tuladhar E, Terpstra P, Koopmans M, Duizer E. Virucidal efficacy of hydrogen peroxide vapour disinfection. *J Hosp Infect.* 2011 Dec 7. [Epub ahead of print]

Salmonella

Abley MJ, Wittum TE, Zerby HN, Funk JA. Quantification of *Campylobacter* and *Salmonella* in Cattle Before, During, and After the Slaughter Process. *Foodborne Pathog Dis.* 2011 Nov 1. [Epub ahead of print]

Akiyama T, Khan AA. Molecular characterization of strains of fluoroquinolone-resistant *Salmonella enterica* serovar Schwarzengrund carrying multidrug resistance isolated from imported foods. *J Antimicrob Chemother.* 2012 Jan;67(1):101-10.

Akiyama T, Khan AA, Nawaz MS, West CS. Molecular characterisation of high-level ciprofloxacin-resistant *Salmonella enterica* with multiple antibiotic resistance and class 1 integrons isolated from imported foods. *Int J Antimicrob Agents.* 2011 Nov 17. [Epub ahead of print].

Bae YM, Lee SY. Inhibitory Effects of UV Treatment and a Combination of UV and Dry Heat against Pathogens on Stainless Steel and Polypropylene Surfaces. *J Food Sci.* 2011 Dec 2. doi: 10.1111/j.1750-3841.2011.02476.x. [Epub ahead of print].

Bavishi C, Dupont HL. Systematic review: the use of proton pump inhibitors and increased susceptibility to enteric infection. *Aliment Pharmacol Ther.* 2011 Dec;34(11-12):1269-81.

Boxall NS, Adak GK, DE Pinna E, Gillespie IA. A *Salmonella* Typhimurium phage type (PT) U320 outbreak in England, 2008: continuation of a trend involving ready-to-eat products. *Epidemiol Infect.* 2011 Dec;139(12):1936-44.

Brashears MM, Garmyn AJ, Brooks JC, Harris D, Loneragan G, Echeverry A, Jackson TE, Mehaffey JM, Miller MF. Microbial quality of condensation in fresh and ready-to-eat processing facilities. *Meat Sci.* 2012 Mar;90(3):728-32.

Chaves BD, Han IY, Dawson PL, Northcutt JK. Survival of artificially inoculated *Escherichia coli* and *Salmonella* Typhimurium on the surface of raw poultry products subjected to crust freezing. *Poult Sci.* 2011 Dec;90(12):2874-8.

de Jong A, Stephan B, Silley P. Fluoroquinolone resistance of *Escherichia coli* and *Salmonella* from healthy livestock and poultry in the EU. *J Appl Microbiol.* 2011 Nov 8. doi: 10.1111/j.1365-2672.2011.05193.x. [Epub ahead of print]

Domingues AR, Pires SM, Halasa T, Hald T. Source attribution of human salmonellosis using a meta-analysis of case-control studies of sporadic infections. *Epidemiol Infect.* 2011 Dec 8:1-11. [Epub ahead of print].

Fatica MK, Schneider KR. Salmonella and produce: Survival in the plant environment and implications in food safety. *Virulence.* 2011 Nov 1;2(6):573-9.

Forslund A, Plauborg F, Andersen MN, Markussen B, Dalsgaard A. Leaching of human pathogens in repacked soil lysimeters and contamination of potato tubers under subsurface drip irrigation in Denmark. *Water Res.* 2011 Oct 1;45(15):4367-80.

Forslund A, Markussen B, Toenner-Klank L, Bech TB, Jacobsen OS, Dalsgaard A. Leaching of *Cryptosporidium parvum* oocysts, *Escherichia coli*, and a *Salmonella enterica* serovar Typhimurium bacteriophage through intact soil cores following surface application and injection of slurry. *Appl Environ Microbiol*. 2011 Nov;77(22):8129-38.

Gobin M, Lauanders N, Lane C, Kafatos G, Adak B. National outbreak of *Salmonella* Java phage type 3b variant 9 infection using parallel case-control and case-case study designs, United Kingdom, July to October 2010. *Euro Surveill*. 2011 Nov 24;16(47). pii: 20023.

Gordon MA. Invasive nontyphoidal *Salmonella* disease: epidemiology, pathogenesis and diagnosis. *Curr Opin Infect Dis*. 2011 Oct;24(5):484-9.

Granier SA, Hidalgo L, San Millan A, Escudero JA, Gutierrez B, Brisabois A, Gonzalez-Zorn B. ArmA methyltransferase in a monophasic *Salmonella* enteric isolate from food. *Antimicrob Agents Chemother*. 2011 Nov;55(11):5262-6.

Gu G, Hu J, Cevallos-Cevallos JM, Richardson SM, Bartz JA, van Bruggen AH. Internal colonization of *Salmonella enterica* serovar Typhimurium in tomato plants. *PLoS One*. 2011;6(11):e27340.

Gómez-Laguna J, Hernández M, Creus E, Echeita A, Otal J, Herrera-León S, Astorga RJ. Prevalence and antimicrobial susceptibility of *Salmonella* infections in free-range pigs. *Vet J*. 2011 Oct;190(1):176-8.

Hara-Kudo Y, Takatori K. Contamination level and ingestion dose of foodborne pathogens associated with infections. *Epidemiol Infect*. 2011 Oct;139(10):1505-10. Epub 2010 Dec 23.

He Y, Guo D, Yang J, Tortorello ML, Zhang W. Survival and heat resistance of *Salmonella enterica* and *Escherichia coli* O157:H7 in peanut butter. *Appl Environ Microbiol*. 2011 Dec;77(23):8434-8.

Jacobsen A, Hendriksen RS, Aaresturp FM, Ussery DW, Friis C. The *Salmonella enterica* pan-genome. *Microb Ecol*. 2011 Oct;62(3):487-504.

Karberg KA, Olsen GJ, Davis JJ. Similarity of genes horizontally acquired by *Escherichia coli* and *Salmonella enterica* is evidence of a supraspecies pangenome. *Proc Natl Acad Sci U S A*. 2011 Dec 13;108(50):20154-9.

Kirchner M, Marier E, Miller A, Snow L, McLaren I, Davies RH, Clifton-Hadley FA, Cook AJ. Application of variable number of tandem repeat analysis to track *Salmonella enterica* ssp. enterica serovar Typhimurium infection of pigs reared on three British farms through the production cycle to the abattoir. *J Appl Microbiol*. 2011 Oct;111(4):960-70.

Kjeldgaard J, Henriksen S, Cohn MT, Aabo S, Ingmer H. Method enabling gene expression studies of pathogens in a complex food matrix. *Appl Environ Microbiol*. 2011 Dec;77(23):8456-8.

Kosmider RD, Kelly L, Simons RL, Brouwer A, David G. Detecting new and emerging diseases on livestock farms using an early detection system. *Epidemiol Infect.* 2011 Oct;139(10):1476-85.

Madden RH, Moran L, Scates P, McBride J, Kelly C. Prevalence of *Campylobacter* and *Salmonella* in raw chicken on retail sale in the republic of Ireland. *J Food Prot.* 2011 Nov;74(11):1912-6.

Mather AE, Matthews L, Mellor DJ, Reeve R, Denwood MJ, Boerlin P, Reid-Smith RJ, Brown DJ, Coia JE, Browning LM, Haydon DT, Reid SW. An ecological approach to assessing the epidemiology of antimicrobial resistance in animal and human populations. *Proc Biol Sci.* 2011 Nov 16. [Epub ahead of print]

Mather AE, Denwood MJ, Haydon DT, Matthews L, Mellor DJ, Coia JE, Brown DJ, Reid SW. The Prevalences of *Salmonella* Genomic Island 1 Variants in Human and Animal *Salmonella* Typhimurium DT104 Are Distinguishable Using a Bayesian Approach. *PLoS One.* 2011;6(11):e27220.

Meng H, Zhang Z, Chen M, Su Y, Li L, Miyoshi S, Yan H, Shi L. Characterization and horizontal transfer of class 1 integrons in *Salmonella* strains isolated from food products of animal origin. *Int J Food Microbiol.* 2011 Oct 3;149(3):274-7.

Migeemanathan S, Bhat R, Min-Tze L, Wan-Abdullah WN. Effects of temperature abuse on the survival, growth, and inactivation of *Salmonella typhimurium* in goat milk. *Foodborne Pathog Dis.* 2011 Nov;8(11):1235-40.

Miller AJ, Twomey DF, Davies RH, Teale CJ, Williamson SM, Reichel R, Featherstone CA, Cook AJ, Snow LC, Armstrong JD. *Salmonella* serovars and antimicrobial resistance patterns on a sample of high seroprevalence pig farms in England and Wales (2003-2008). *Zoonoses Public Health.* 2011 Dec;58(8):549-59.

Monack DM. *Salmonella* persistence and transmission strategies. *Curr Opin Microbiol.* 2011 Nov 30. [Epub ahead of print].

Rodríguez I, Jahn S, Schroeter A, Malorny B, Helmuth R, Guerra B. Extended-spectrum β -lactamases in German isolates belonging to the emerging monophasic *Salmonella enterica* subsp. *enterica* serovar Typhimurium 4,[5],12:i:- European clone. *J Antimicrob Chemother.* 2011 Nov 4. [Epub ahead of print]

Roll VF, Dai Prá MA, Roll AP. Research on *Salmonella* in broiler litter reused for up to 14 consecutive flocks. *Poult Sci.* 2011 Oct;90(10):2257-62.

Salisbury AM, Bronowski C, Wigley P. *Salmonella* Virchow isolates from human and avian origins in England--molecular characterization and infection of epithelial cells and poultry. *J Appl Microbiol.* 2011 Dec;111(6):1505-14.

Savard P, Gopinath R, Zhu W, Kitchel B, Rasheed JK, Tekle T, Roberts A, Ross T, Razeq J, Landrum BM, Wilson LE, Limbago B, Perl TM, Carroll KC. First NDM-positive *Salmonella* sp. strain identified in the United States. *Antimicrob Agents Chemother.* 2011 Dec;55(12):5957-8.

Severi E, Booth L, Johnson S, Cleary P, Rimington M, Saunders D, Cockcroft P, Ihekweazu C. Large outbreak of *Salmonella* Enteritidis PT8 in Portsmouth, UK, associated with a restaurant. *Epidemiol Infect.* 2011 Dec 14:1-9. [Epub ahead of print]

Varma JK, Wu S, Feng Z. Detecting and controlling foodborne infections in humans: lessons for China from the United States experience. *Glob Public Health.* 2011 Dec 16. [Epub ahead of print]

Venturini ME, Reyes JE, Rivera CS, Oria R, Blanco D. Microbiological quality and safety of fresh cultivated and wild mushrooms commercialized in Spain. *Food Microbiol.* 2011 Dec;28(8):1492-8.

Williams MS, Ebel ED. Estimating Changes in Public Health Following Implementation of Hazard Analysis and Critical Control Point in the United States Broiler Slaughter Industry. *Foodborne Pathog Dis.* 2011 Nov 17. [Epub ahead of print]

Zenner D, Gillespie I. Travel-associated salmonella and campylobacter gastroenteritis in England: estimation of under-ascertainment through national laboratory surveillance. *J Travel Med.* 2011 Nov-Dec;18(6):414-7.

Staphylococcus aureus

Fessler AT, Kadlec K, Hassel M, Hauschild T, Eidam C, Ehricht R, Monecke S, Schwarz S. Characterization of methicillin-resistant *Staphylococcus aureus* isolates from food and food products of poultry origin in Germany. *Appl Environ Microbiol.* 2011 Oct;77(20):7151-7.

Hennekinne JA, De Buyser ML, Dragacci S. *Staphylococcus aureus* and its food poisoning toxins: characterization and outbreak investigation. *FEMS Microbiol Rev.* 2011 Oct 19. doi: 10.1111/j.1574-6976.2011.00311.x. [Epub ahead of print]

Horgan M, Abbott Y, Lawlor PG, Rossney A, Coffey A, Fitzgerald GF, McAuliffe O, Paul Ross R. A study of the prevalence of methicillin-resistant *Staphylococcus aureus* in pigs and in personnel involved in the pig industry in Ireland. *Vet J.* 2011 Nov;190(2):255-9.

Johler S, Layer F, Stephan R. Comparison of virulence and antibiotic resistance genes of food poisoning outbreak isolates of *Staphylococcus aureus* with isolates obtained from bovine mastitis milk and pig carcasses. *J Food Prot.* 2011 Nov;74(11):1852-9.

Schelin J, Wallin-Carlquist N, Thorup Cohn M, Lindqvist R, Barker GC. The formation of *Staphylococcus aureus* enterotoxin in food environments and advances in risk assessment. *Virulence.* 2011 Nov 1;2(6):580-92.

Toxoplasma gondii

Boyer K, Hill D, Mui E, Wroblewski K, Karrison T, Dubey JP, Sautter M, Noble AG, Withers S, Swisher C, Heydemann P, Hosten T, Babiarz J, Lee D, Meier P, McLeod R; Toxoplasmosis Study Group. Unrecognized ingestion of *Toxoplasma gondii* oocysts leads to congenital toxoplasmosis and causes epidemics in North America. Clin Infect Dis. 2011 Dec;53(11):1081-9.

Ferguson W, Mayne PD, Cafferkey M, Butler K. Lack of awareness of risk factors for primary toxoplasmosis in pregnancy. Ir J Med Sci. 2011 Dec;180(4):807-11.

Katzer F, Brulisauer F, Collantes-Fernandez E, Bartley PM, Burrells A, Gunn G, Maley SW, Cousens C, Innes EA. Increased *Toxoplasma gondii* positivity relative to age in 125 Scottish sheep flocks; evidence of frequent acquired infection. Vet Res. 2011 Dec 21;42(1):121.

**Secretariat
January 2012**