

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD

INFORMATION PAPER

Items of interest from the literature***Bacillus cereus***

Ding T, Wang J, Park MS, Hwang CA, Oh DH. A probability model for enterotoxin production of *Bacillus cereus* as a function of pH and temperature. J Food Prot. 2013 Feb;76(2):343-7.

Ehling-Schulz M, Messelhäusser U. Bacillus "next generation" diagnostics:moving from detection toward subtyping and risk-related strain profiling. Front Microbiol. 2013;4:32.

Faille C, Bénézech T, Blel W, Ronse A, Ronse G, Clarisse M, Slomianny C. Role of mechanical vs. chemical action in the removal of adherent Bacillus spores during CIP procedures. Food Microbiol. 2013 Apr;33(2):149-57.

Løvdaal IS, Granum PE, Rosnes JT, Løvdaal T. Activation of Bacillus spores at moderately elevated temperatures (30-33°C). Antonie Van Leeuwenhoek. 2013 Mar;103(3):693-700.

Rigaux Ancelet CS, Carlin F, Nguyen-Thé C, Albert I. Inferring an augmented bayesian network to confront a complex quantitative microbial risk assessment model with durability studies: application to *bacillus cereus* on a courgette purée production chain. Risk Anal. 2013 May;33(5):877-92.

Campylobacter

Ahmed MF, Schulz J, Hartung J. Survival of *Campylobacter jejuni* in naturally and artificially contaminated laying hen feces. Poult Sci. 2013 Feb;92(2):364-9.

Aroori SV, Cogan TA, Humphrey TJ. The Effect of Growth Temperature on the Pathogenicity of Campylobacter. Curr Microbiol. 2013 May 1. [Epub ahead of print]

Bahrndorff S, Rangstrup-Christensen L, Nordentoft S, Hald B. Foodborne disease prevention and broiler chickens with reduced campylobacter infection. Emerg Infect Dis. 2013 Mar;19(3):425-30.

Barco L, Barrucci F, Olsen JE, Ricci A. Salmonella source attribution based on microbial subtyping. Int J Food Microbiol. 2013 May 15;163(2-3):193-203.

Bertolo L, Ewing CP, Maue A, Poly F, Guerry P, Monteiro MA. The design of a capsule polysaccharide conjugate vaccine against *Campylobacter jejuni* serotype HS15. *Carbohydr Res*. 2013 Jan 25;366:45-9.

Boysen L, Wechter NS, Rosenquist H. Effects of decontamination at varying contamination levels of *Campylobacter jejuni* on broiler meat. *Poult Sci*. 2013 May;92(5):1425-9.

Boysen L, Nauta M, Duarte AS, Rosenquist H. Human risk from thermotolerant *Campylobacter* on broiler meat in Denmark. *Int J Food Microbiol*. 2013 Mar 15;162(2):129-34.

Brophy S, Jones KH, Rahman MA, Zhou SM, John A, Atkinson MD, Francis N, Lyons RA, Dunstan F. Incidence of *Campylobacter* and *Salmonella* Infections Following First Prescription for PPI: A Cohort Study Using Routine Data. *Am J Gastroenterol*. 2013 Apr 16. doi: 10.1038/ajg.2013.30. [Epub ahead of print]

Chaine A, Arnaud E, Kondjoyan A, Collignan A, Sarter S. Effect of steam and lactic acid treatments on the survival of *Salmonella Enteritidis* and *Campylobacter jejuni* inoculated on chicken skin. *Int J Food Microbiol*. 2013 Apr 1;162(3):276-82.

Chowdhury S, Themudo GE, Sandberg M, Ersbøll AK. Spatio-temporal patterns of *Campylobacter* colonization in Danish broilers. *Epidemiol Infect*. 2013 May;141(5):997-1008.

Cody AJ, McCarthy ND, Jansen van Rensburg M, Isinkaye T, Bentley S, Parkhill J, Dingle KE, Bowler IC, Jolley KA, Maiden MC. Real-time genomic epidemiology of human *Campylobacter* isolates using whole genome multilocus sequence typing. *J Clin Microbiol*. 2013 May 22. [Epub ahead of print]

de Haan CP, Lampén K, Corander J, Hänninen ML. Multilocus sequence types of environmental *Campylobacter jejuni* isolates and their similarities to those of human, poultry and bovine *C. jejuni* isolates. *Zoonoses Public Health*. 2013 Mar;60(2):125-33.

Diaz-Sanchez S, Hanning I, Pendleton S, D'Souza D. Next-generation sequencing: the future of molecular genetics in poultry production and food safety. *Poult Sci*. 2013 Feb;92(2):562-72.

Edwards DS, Milne LM, Morrow K, Sheridan P, Verlander NQ, Mulla R, Richardson JF, Pender A, Lilley M, Reacher M. *Campylobacteriosis* outbreak associated with consumption of undercooked chicken liver pâté in the East of England, September 2011: identification of a dose-response risk. *Epidemiol Infect*. 2013 May 28:1-6. [Epub ahead of print]

Ge B, Lafon PC, Carter PJ, McDermott SD, Abbott J, Glenn A, Ayers SL, Friedman SL, Paige JC, Wagner DD, Zhao S, McDermott PF, Rasmussen MA. Retrospective Analysis of *Salmonella*, *Campylobacter*, *Escherichia coli*, and *Enterococcus* in Animal Feed Ingredients. *Foodborne Pathog Dis*. 2013 May 21. [Epub

ahead of print]

Guyard-Nicodème M, Tresse O, Houard E, Jugiau F, Courtillon C, El Manaa K, Laisney MJ, Chemaly M. Characterization of *Campylobacter* spp. transferred from naturally contaminated chicken legs to cooked chicken slices via a cutting board. *Int J Food Microbiol.* 2013 Jun 3;164(1):7-14.

Harrison D, Corry JE, Tchórzewska MA, Morris VK, Hutchison ML. Freezing as an intervention to reduce the numbers of campylobacters isolated from chicken livers. *Lett Appl Microbiol.* 2013 May 6. doi: 10.1111/lam.12098. [Epub ahead of print]

Hoelzl C, Mayerhofer U, Steininger M, Brüller W, Hofstädter D, Aldrian U. Observational trial of safe food handling behavior during food preparation using the example of *Campylobacter* spp. *J Food Prot.* 2013 Mar;76(3):482-9.

Hughes GJ, Gorton R. An evaluation of SaTScan for the prospective detection of space-time *Campylobacter* clusters in the North East of England. *Epidemiol Infect.* 2013 Jan 25:1-11. [Epub ahead of print]

Iovine NM. Resistance mechanisms in *Campylobacter jejuni*. *Virulence.* 2013 Apr 1;4(3):230-40.

Kittl S, Korczak BM, Niederer L, Baumgartner A, Buettner S, Overesch G, Kuhnert P. Comparison of Genotypes and Antibiotic Resistances of *Campylobacter jejuni* and *Campylobacter coli* on Chicken Retail Meat and at Slaughter. *Appl Environ Microbiol.* 2013 Jun;79(12):3875-8.

Klančnik A, Vučković D, Plankl M, Abram M, Smole Možina S. In Vivo Modulation of *Campylobacter jejuni* Virulence in Response to Environmental Stress. *Foodborne Pathog Dis.* 2013 May 2. [Epub ahead of print]

Kotloff KL, Nataro JP, Blackwelder WC, Nasrin D, Farag TH, Panchalingam S, Wu Y, Sow SO, Sur D, Breiman RF, Faruque AS, Zaidi AK, Saha D, Alonso PL, Tamboura B, Sanogo D, Onwuchekwa U, Manna B, Ramamurthy T, Kanungo S, Ochieng JB, Omore R, Oundo JO, Hossain A, Das SK, Ahmed S, Qureshi S, Quadri F, Adegbola RA, Antonio M, Hossain MJ, Akinsola A, Mandomando I, Nhampossa T, Acácio S, Biswas K, O'Reilly CE, Mintz ED, Berkeley LY, Muhsen K, Sommerfelt H, Robins-Browne RM, Levine MM. Burden and aetiology of diarrhoeal disease in infants and young children in developing countries (the Global Enteric Multicenter Study, GEMS): a prospective, case-control study. *Lancet.* 2013 May 13. doi:pii: S0140-6736(13)60844-2. 10.1016/S0140-6736(13)60844-2. [Epub ahead of print]

Kudirkienė E, Bunevičienė J, Sernienė L, Ramonaitė S, Olsen JE, Malakauskas M. Importance of the producer on retail broiler meat product contamination with *Campylobacter* spp. *J Sci Food Agric.* 2013 Jul;93(9):2293-8.

Loman NJ, Constantinidou C, Christner M, Rohde H, Chan JZ, Quick J, Weir JC, Quince C, Smith GP, Betley JR, Aepfelbacher M, Pallen MJ. A culture-independent

sequence-based metagenomics approach to the investigation of an outbreak of Shiga-toxigenic *Escherichia coli* O104:H4. JAMA. 2013 Apr 10;309(14):1502-10.

Longenberger AH, Palumbo AJ, Chu AK, Moll ME, Weltman A, Ostroff SM. *Campylobacter jejuni* Infections Associated With Unpasteurized Milk—Multiple States, 2012. Clin Infect Dis. 2013 Apr 26. [Epub ahead of print]

MacRitchie LA, Hunter CJ, Strachan NJ. A population-based exposure assessment of risk factors associated with gastrointestinal pathogens: a *Campylobacter* study. Epidemiol Infect. 2013 May;141(5):976-86.

Martínez-Balzano C, Kohlitz PJ, Chaudhary P, Hegazy H. *Campylobacter fetus* bacteremia in a young healthy adult transmitted by khat chewing. J Infect. 2013 Feb;66(2):184-6.

Noormohamed A, Fakhr MK. A higher prevalence rate of *Campylobacter* in retail beef livers compared to other beef and pork meat cuts. Int J Environ Res Public Health. 2013 May 21;10(5):2058-68.

Oakley BB, Morales CA, Line J, Berrang ME, Meinersmann RJ, Tillman GE, Wise MG, Siragusa GR, Hiett KL, Seal BS. The poultry-associated microbiome: network analysis and farm-to-fork characterizations. PLoS One. 2013;8(2):e57190.

Porter CK, Choi D, Riddle MS. Pathogen-specific Risk of Reactive Arthritis from Bacterial Causes of Foodborne Illness. J Rheumatol. 2013 May;40(5):712-4.

Rosenquist H, Boysen L, Krogh AL, Jensen AN, Nauta M. *Campylobacter* contamination and the relative risk of illness from organic broiler meat in comparison with conventional broiler meat. Int J Food Microbiol. 2013 Apr 1;162(3):226-30.

Ross AG, Olds GR, Cripps AW, Farrar JJ, McManus DP. Enteropathogens and chronic illness in returning travelers. N Engl J Med. 2013 May 9;368(19):1817-25. doi: 10.1056/NEJMra1207777. Review. Erratum in: N Engl J Med. 2013 Jun 6;368(23):2242.

Roux F, Sproston E, Rotariu O, Macrae M, Sheppard SK, Bessell P, Smith-Palmer A, Cowden J, Maiden MC, Forbes KJ, Strachan NJ. Elucidating the Aetiology of Human *Campylobacter coli* Infections. PLoS One. 2013 May 29;8(5):e64504.

Rozynek E, Maćkiw E, Kamińska W, Tomczuk K, Antos-Bielska M, Dzierżanowska-Fangrat K, Korsak D. Emergence of Macrolide-Resistant *Campylobacter* Strains in Chicken Meat in Poland and the Resistance Mechanisms Involved. Foodborne Pathog Dis. 2013 May 2. [Epub ahead of print]

Sasaki Y, Maruyama N, Zou B, Haruna M, Kusukawa M, Murakami M, Asai T, Tsujiyama Y, Yamada Y. *Campylobacter* cross-contamination of chicken products at an abattoir. Zoonoses Public Health. 2013 Mar;60(2):134-40.

Scanlon KA, Cagney C, Walsh D, McNulty D, Carroll A, McNamara EB, McDowell DA, Duffy G. Occurrence and characteristics of fastidious Campylobacteraceae species in porcine samples. *Int J Food Microbiol.* 2013 Apr 15;163(1):6-13.

Sheppard SK, Didelot X, Jolley KA, Darling AE, Pascoe B, Meric G, Kelly DJ, Cody A, Colles FM, Strachan NJ, Ogden ID, Forbes K, French NP, Carter P, Miller WG, McCarthy ND, Owen R, Litrup E, Egholm M, Affourtit JP, Bentley SD, Parkhill J, Maiden MC, Falush D. Progressive genome-wide introgression in agricultural *Campylobacter coli*. *Mol Ecol.* 2013 Feb;22(4):1051-64.

Signorini ML, Zbrun MV, Romero-Scharpen A, Olivero C, Bongiovanni F, Soto LP, Frizzo LS, Rosmini MR. Quantitative risk assessment of human campylobacteriosis by consumption of salad cross-contaminated with thermophilic *Campylobacter* spp. from broiler meat in Argentina. *Prev Vet Med.* 2013 Apr 1;109(1-2):37-46.

Smid JH, Mughini Gras L, de Boer AG, French NP, Havelaar AH, Wagenaar JA, van Pelt W. Practicalities of using non-local or non-recent multilocus sequence typing data for source attribution in space and time of human campylobacteriosis. *PLoS One.* 2013;8(2):e55029.

Sommer HM, Heuer OE, Sørensen AI, Madsen M. Analysis of factors important for the occurrence of *Campylobacter* in Danish broiler flocks. *Prev Vet Med.* 2013 May 21. doi:p11: S0167-5877(13)00142-6. 10.1016/j.prevetmed.2013.04.004. [Epub ahead of print]

Taylor EV, Herman KM, Ailes EC, Fitzgerald C, Yoder JS, Mahon BE, Tauxe RV. Common source outbreaks of *Campylobacter* infection in the USA, 1997-2008. *Epidemiol Infect.* 2013 May;141(5):987-96.

Thakur S, Brake J, Keelara S, Zou M, Susick E. Farm and environmental distribution of *Campylobacter* and *Salmonella* in broiler flocks. *Res Vet Sci.* 2013 Feb;94(1):33-42.

Thibodeau A, Fravallo P, Garneau P, Masson L, Laurent-Lewandowski S, Quessy S, Harel J, Letellier A. Distribution of colonization and antimicrobial resistance genes in *Campylobacter jejuni* isolated from chicken. *Foodborne Pathog Dis.* 2013 Apr;10(4):382-91.

Van Eenige MJ, Counotte GH, Noordhuizen JP. Drinking water for dairy cattle: always a benefit or a microbiological risk? *Tijdschr Diergeneeskd.* 2013 Feb 1;138(2):86-97, 99.

Wang J, Guo YC, Li N. Prevalence and Risk Assessment of *Campylobacter jejuni* in Chicken in China. *Biomed Environ Sci.* 2013 Apr;26(4):243-8.

Wensley A, Coole L. Cohort study of a dual-pathogen point source outbreak associated with the consumption of chicken liver pate, UK, October 2009. *J Public Health (Oxf).* 2013 Mar 17. [Epub ahead of print]

Werber D, Hille K, Frank C, Dehnert M, Altmann D, Müller-Nordhorn J, Koch J, Stark K. Years of potential life lost for six major enteric pathogens, Germany, 2004-2008. *Epidemiol Infect.* 2013 May;141(5):961-8.

Clostridium botulinum

Basavanna U, Gonzalez-Escalona N, Timme R, Datta S, Schoen B, Brown EW, Zink D, Sharma SK. Draft Genome Sequence of a *Clostridium botulinum* Isolate from Water Used for Cooling at a Plant Producing Low-Acid Canned Foods. *Genome Announc.* 2013 Jan;1(1). doi:pii: e00200-12. 10.1128/genomeA.00200-12. Epub 2013 Feb 14.

Böhnel H, Gessler F. Presence of *Clostridium botulinum* and botulinum toxin in milk and udder tissue of dairy cows with suspected botulism. *Vet Rec.* 2013 Apr 13;172(15):397.

Derman Y, Korkeala H, Salo E, Lönnqvist T, Saxen H, Lindström M. Infant botulism with prolonged faecal excretion of botulinum neurotoxin and *Clostridium botulinum* for 7 months. *Epidemiol Infect.* 2013 May 21:1-5.

Juliao PC, Maslanka S, Dykes J, Gaul L, Bagdure S, Granzow-Kibiger L, Salehi E, Zink D, Neligan RP, Barton-Behravesh C, Lúquez C, Biggerstaff M, Lynch M, Olson C, Williams I, Barzilay EJ. National outbreak of type a foodborne botulism associated with a widely distributed commercially canned hot dog chili sauce. *Clin Infect Dis.* 2013 Feb;56(3):376-82.

Leclair D, Fung J, Isaac-Renton JL, Proulx JF, May-Hadford J, Ellis A, Ashton E, Bekal S, Farber JM, Blanchfield B, Austin JW. Foodborne botulism in Canada, 1985-2005. *Emerg Infect Dis.* 2013 Jun;19(6):961-8.

Markland SM, Farkas DF, Kniel KE, Hoover DG. Pathogenic psychrotolerant sporeformers: an emerging challenge for low-temperature storage of minimally processed foods. *Foodborne Pathog Dis.* 2013 May;10(5):413-9.

Clostridium perfringens

Bennett SD, Walsh KA, Gould LH. Foodborne Disease Outbreaks Caused by *Bacillus cereus*, *Clostridium perfringens*, and *Staphylococcus aureus*--United States, 1998-2008. *Clin Infect Dis.* 2013 May 17

Cooper KK, Songer JG, Uzal FA. Diagnosing clostridial enteric disease in poultry. *J Vet Diagn Invest.* 2013 May;25(3):314-27.

Cooper KK, Bueschel DM, Songer JG. Presence of *Clostridium perfringens* in retail chicken livers. *Anaerobe.* 2013 Jun;21:67-8.

Grass JE, Gould LH, Mahon BE. Epidemiology of foodborne disease outbreaks caused by *Clostridium perfringens*, United States, 1998-2010. *Foodborne Pathog Dis.* 2013 Feb;10(2):131-6.

Guran HS, Oksuztepe G. Detection and typing of *Clostridium perfringens* from retail chicken meat parts. *Lett Appl Microbiol.* 2013 Apr 18. doi: 10.1111/lam.12088. [Epub ahead of print]

Udompijikul P, Alnoman M, Sarker MR. Inactivation strategy for *Clostridium perfringens* spores adhered to food contact surfaces. *Food Microbiol.* 2013 Jun;34(2):328-36

Wahl E, Romma S, Granum PE. A *Clostridium perfringens* outbreak traced to temperature-abused beef stew, Norway, 2012. *Euro Surveill.* 2013 Feb 28;18(9).

Cryptosporidium

Dixon B, Parrington L, Cook A, Pollari F, Farber J. Detection of Cyclospora, Cryptosporidium, and Giardia in ready-to-eat packaged leafy greens in Ontario, Canada. *J Food Prot.* 2013 Feb;76(2):307-13.

Grinberg A, Biggs PJ, Dukkipati VS, George TT. Extensive intra-host genetic diversity uncovered in *Cryptosporidium parvum* using Next Generation Sequencing. *Infect Genet Evol.* 2013 Apr;15:18-24.

Insulander M, Silverlås C, Lebbad M, Karlsson L, Mattsson JG, Svenungsson B. Molecular epidemiology and clinical manifestations of human cryptosporidiosis in Sweden. *Epidemiol Infect.* 2013 May;141(5):1009-20.

Mazurie AJ, Alves JM, Ozaki LS, Zhou S, Schwartz DC, Buck GA. Comparative genomics of cryptosporidium. *Int J Genomics.* 2013;2013:832756. doi: 10.1155/2013/832756. Epub 2013 May 2.

E. coli

Arthur TM, Ahmed R, Chase-Topping M, Kalchayanand N, Schmidt JW, Bono JL. Characterization of *Escherichia coli* O157:H7 strains isolated from super-shedding cattle. *Appl Environ Microbiol.* 2013 May 3. [Epub ahead of print]

Centers for Disease Control and Prevention (CDC). Incidence and trends of infection with pathogens transmitted commonly through food - foodborne diseases active surveillance network, 10 U.S. sites, 1996-2012. *MMWR Morb Mortal Wkly Rep.* 2013 Apr 19;62(15):283-7.

Chekabab SM, Paquin-Veillette J, Dozois CM, Harel J. The ecological habitat and transmission of *Escherichia coli* O157:H7. *FEMS Microbiol Lett.* 2013 Apr;341(1):1-12. 23305397.

Chen S, Sanderson M, Lanzas C. Investigating effects of between- and within-host variability on *Escherichia coli* O157 shedding pattern and transmission. *Prev Vet Med.* 2013 Apr 1;109(1-2):47-57.

Cole D, Griffin PM, Fullerton KE, Ayers T, Smith K, Ingram LA, Kissler B, Hoekstra RM. Attributing sporadic and outbreak-associated infections to sources: blending epidemiological data. *Epidemiol Infect.* 2013 Apr 24:1-8.

Kilonzo-Nthenge A, Rotich E, Nahashon SN. Evaluation of drug-resistant Enterobacteriaceae in retail poultry and beef. *Poult Sci.* 2013 Apr;92(4):1098-107.

Lu HJ, Breidt F Jr, Pérez-Díaz I. Development of an effective treatment for A 5-log reduction of *Escherichia coli* in refrigerated pickle products. *J Food Sci.* 2013 Feb;78(2):M264-9.

Ma J, Ibekwe AM, Yang CH, Crowley DE. Influence of bacterial communities based on 454-pyrosequencing on the survival of *Escherichia coli* O157:H7 in soils. *FEMS Microbiol Ecol.* 2013 Jun;84(3):542-54.

Magwedere K, Dang HA, Mills EW, Cutter CN, Roberts EL, DeBroy C. Incidence of Shiga toxin-producing *Escherichia coli* strains in beef, pork, chicken, deer, boar, bison, and rabbit retail meat. *J Vet Diagn Invest.* 2013 Mar;25(2):254-8.

Taylor EV, Nguyen TA, Machesky KD, Koch E, Sotir MJ, Bohm SR, Folster JP, Bokanyi R, Kupper A, Bidol SA, Emanuel A, Arends KD, Johnson SA, Dunn J, Stroika S, Patel MK, Williams I. Multistate Outbreak of *Escherichia coli* O145 Infections Associated with Romaine Lettuce Consumption, 2010. *J Food Prot.* 2013 Jun;76(6):939-44.

Thomas KM, McCann MS, Collery MM, Moschonas G, Whyte P, McDowell DA, Duffy G. Transfer of verocytotoxigenic *Escherichia coli* O157, O26, O111, O103 and O145 from fleece to carcass during sheep slaughter in an Irish export abattoir. *Food Microbiol.* 2013 May;34(1):38-45.

Urdahl AM, Solheim HT, Vold L, Hasseltvedt V, Wasteson Y. Shiga toxin-encoding genes (stx genes) in human faecal samples. *APMIS.* 2013 Mar;121(3):202-10.

Van der Linden I, Cottyn B, Uyttendaele M, Vlaemynck G, Maes M, Heyndrickx M. Long-term survival of *Escherichia coli* O157:H7 and *Salmonella enterica* on butterhead lettuce seeds, and their subsequent survival and growth on the seedlings. *Int J Food Microbiol.* 2013 Feb 15;161(3):214-9.

Verstraete K, DE Reu K, VAN Weyenberg S, Piérard D, DE Zutter L, Herman L, Robyn J, Heyndrickx M. Genetic characteristics of Shiga toxin-producing *E. coli* O157, O26, O103, O111 and O145 isolates from humans, food, and cattle in Belgium. *Epidemiol Infect.* 2013 Feb 28:1-13.

Visvalingam J, Gill CO, Holley RA. Morphological and viability changes in *Escherichia coli* and *E. coli* O157:H7 cells upon rapid shift from 6 C to 37°C. *Food Microbiol.* 2013 May;34(1):95-9.

Visvalingam J, Hernandez-Doria JD, Holley RA. Examination of the genome-wide transcriptional response of *Escherichia coli* O157:H7 to cinnamaldehyde exposure. *Appl Environ Microbiol.* 2013 Feb;79(3):942-50.

Wright KM, Chapman S, McGeachy K, Humphris S, Campbell E, Toth IK, Holden NJ. The Endophytic Lifestyle of *Escherichia coli* O157:H7: Quantification and Internal Localization in Roots. *Phytopathology.* 2013 Apr;103(4):333-40.

Yao Z, Wei G, Wang H, Wu L, Wu J, Xu J. Survival of *Escherichia coli* O157:H7 in soils from vegetable fields with different cultivation patterns. *Appl Environ Microbiol.* 2013 Mar;79(5):1755-6.

Alvarez-Ordóñez A, Alvseike O, Omer MK, Heir E, Axelsson L, Holck A, Prieto M. Heterogeneity in resistance to food-related stresses and biofilm formation ability among verocytotoxigenic *Escherichia coli* strains. *Int J Food Microbiol.* 2013 Feb 15;161(3):220-30.

Barnett Foster D. Modulation of the enterohemorrhagic *E. coli* virulence program through the human gastrointestinal tract. *Virulence.* 2013 Apr 3;4(4).

Campos CJ, Acornley R, Morgan OC, Kershaw S. Trends in the levels of *Escherichia coli* in commercially harvested bivalve shellfish from England and Wales, 1999-2008. *Mar Pollut Bull.* 2013 Feb 15;67(1-2):223-7.

Cao G, Ju W, Rump L, Zhao S, Zou L, Wang C, Strain E, Luo Y, Timme R, Allard M, Brown E, Meng J. Genome Sequences of Two Emerging Non-O157 Shiga Toxin-Producing *Escherichia coli* Strains. *Genome Announc.* 2013 May 16;1(3). doi:pil: e00200-13. 10.1128/genomeA.00200-13.

Capita R, Alvarez-Fernández E, Fernández-Buelta E, Manteca J, Alonso-Calleja C. Decontamination treatments can increase the prevalence of resistance to antibiotics of *Escherichia coli* naturally present on poultry. *Food Microbiol.* 2013 May;34(1):112-7.

Comery R, Thanabalasuriar A, Garneau P, Portt A, Boerlin P, Reid-Smith RJ, Harel J, Manges AR, Gruenheid S. Identification of Potentially Diarrheagenic Atypical Enteropathogenic *Escherichia coli* Strains Present in Canadian Food Animals at Slaughter and in Retail Meats. *Appl Environ Microbiol.* 2013 Jun;79(12):

De Vocht M, Cauberghe V, Sas B, Uyttendaele M. Analyzing consumers' reactions to news coverage of the 2011 *Escherichia coli* O104:H4 outbreak, using the Extended Parallel Processing Model. *J Food Prot.* 2013 Mar;76(3):473-81.

Diercke M, Kirchner M, Claussen K, Mayr E, Strotmann I, Frangenberg J, Schiffmann A, Bettge-Weller G, Arvand M, Uphoff H. Transmission of shiga toxin-producing *Escherichia coli* O104:H4 at a family party possibly due to contamination by a food handler, Germany 2011. *Epidemiol Infect.* 2013 Apr 8;1-8.

Eppinger M, Daugherty S, Agrawal S, Galens K, Sengamalay N, Sadzewicz L, Tallon L, Cebula TA, Mammel MK, Feng P, Soderlund R, Tarr PI, Debroy C, Dudley EG, Fraser CM, Ravel J. Whole-Genome Draft Sequences of 26 Enterohemorrhagic *Escherichia coli* O157:H7 Strains. *Genome Announc.* 2013 Feb 28;1(2):e0013412.

Gould LH, Mody RK, Ong KL, Clogher P, Cronquist AB, Garman KN, Lathrop S, Medus C, Spina NL, Webb TH, White PL, Wymore K, Gierke RE, Mahon BE, Griffin For The Emerging Infections Program Foodnet Working Group PM. Increased Recognition of Non-O157 Shiga Toxin-Producing *Escherichia coli* Infections in the United States During 2000-2010: Epidemiologic Features and Comparison with *E. coli* O157 Infections. *Foodborne Pathog Dis.* 2013 May;10(5):453-60.

Grad YH, Godfrey P, Cerquiera GC, Mariani-Kurkdjian P, Gouali M, Bingen E, Shea TP, Haas BJ, Griggs A, Young S, Zeng Q, Lipsitch M, Waldor MK, Weill FX, Wortman JR, Hanage WP. Comparative genomics of recent Shiga toxin-producing *Escherichia coli* O104:H4: short-term evolution of an emerging pathogen. *MBio.* 2013 Jan 22;4(1):e00452-12.

Grounta A, Nychas GJ, Panagou EZ. Survival of food-borne pathogens on natural black table olives after post-processing contamination. *Int J Food Microbiol.* 2013 Feb 15;161(3):197-202.

Hauser E, Mellmann A, Semmler T, Stoeber H, Wieler LH, Karch H, Kuebler N, Fruth A, Harmsen D, Weniger T, Tietze E, Schmidt H. Phylogenetic and molecular analysis of food-borne shiga toxin-producing *Escherichia coli*. *Appl Environ Microbiol.* 2013 Apr;79(8):2731-40.

Ho NK, Henry AC, Johnson-Henry K, Sherman PM. Pathogenicity, host responses and implications for management of enterohemorrhagic *Escherichia coli* O157:H7 infection. *Can J Gastroenterol.* 2013 May;27(5):281-5.

Kluytmans JA, Overdeest IT, Willemsen I, Kluytmans-van den Bergh MF, van der Zwaluw K, Heck M, Rijnsburger M, Vandenbroucke-Grauls CM, Savelkoul PH, Johnston BD, Gordon D, Johnson JR. Extended-spectrum β -lactamase-producing *Escherichia coli* from retail chicken meat and humans: comparison of strains, plasmids, resistance genes, and virulence factors. *Clin Infect Dis.* 2013 Feb;56(4):478-87.

Marchant M, Vinué L, Torres C, Moreno MA. Change of integrons over time in *Escherichia coli* isolates recovered from healthy pigs and chickens. *Vet Microbiol.* 2013 Apr 12;163(1-2):124-32.

Marks HM, Tohamy SM, Tsui F. Modeling Uncertainty of Estimated Illnesses Attributed to Non-O157:H7 Shiga Toxin-Producing *Escherichia coli* and Its Impact on Illness Cost. J Food Prot. 2013 Jun;76(6):945-52.

Platteel TN, Leverstein-Van Hall MA, Cohen Stuart JW, Voets GM, van den Munckhof MP, Scharringa J, van de Sande N, Fluit AC, Bonten MJ; on behalf of the ESBL National Surveillance Working Group. Differences in the antibiotic susceptibility of human *Escherichia coli* with poultry-associated and non-poultry-associated extended-spectrum beta-lactamases. Eur J Clin Microbiol Infect Dis. 2013 Mar 22. [Epub ahead of print]

19: Ramos S, Silva N, Caniça M, Capelo-Martinez JL, Brito F, Igrejas G, Poeta P. High prevalence of antimicrobial-resistant *Escherichia coli* from animals at slaughter: a food safety risk. J Sci Food Agric. 2013 Feb;93(3):517-26.

Scharlach M, Diercke M, Dreesman J, Jahn N, Kriek M, Beyrer K, Claußen K, Pulz M, Floride R. Epidemiological analysis of a cluster within the outbreak of Shiga toxin-producing *Escherichia coli* serotype O104:H4 in Northern Germany, 2011. Int J Hyg Environ Health. 2013 Jun;216(3):341-5.

Schmid A, Hörmansdorfer S, Messelhäusser U, Käsbohrer A, Sauter-Louis C, Mansfeld R. Prevalence of extended-spectrum β -lactamase-producing *Escherichia coli* on bavarian dairy and beef cattle farms. Appl Environ Microbiol. 2013 May;79(9):3027-32.

Taylor EV, Nguyen TA, Machesky KD, Koch E, Sotir MJ, Bohm SR, Folster JP, Bokanyi R, Kupper A, Bidol SA, Emanuel A, Arends KD, Johnson SA, Dunn J, Stroika S, Patel MK, Williams I. Multistate Outbreak of *Escherichia coli* O145 Infections Associated with Romaine Lettuce Consumption, 2010. J Food Prot. 2013 Jun;76(6):939-44.

Usui M, Iwasa T, Fukuda A, Sato T, Okubo T, Tamura Y. The Role of Flies in Spreading the Extended-Spectrum β -lactamase Gene from Cattle. Microb Drug Resist. 2013 May 9. [Epub ahead of print] PubMed PMID: 23659602.

Hepatitis A

Coudray C, Merle G, Martin-Latil S, Guillier L, Perelle S. Comparison of two extraction methods for the detection of hepatitis A virus in lettuces using the murine norovirus as a process control. J Virol Methods. 2013 May 20. doi:pil: S0166-0934(13)00183-3. 10.1016/j.jviromet.2013.05.003. [Epub ahead of print]

Gillesberg Lassen S, Soborg B, Midgley S, Steens A, Vold L, Stene-Johansen K, Rimhanen-Finne R, Kontio M, Lofdahl M, Sundqvist L, Edelstein M, Jensen T, Vestergaard H, Fischer T, Molbak K, Ethelberg S. Ongoing multi-strain food-borne hepatitis A outbreak with frozen berries as suspected vehicle: four Nordic countries affected, October 2012 to April 2013. Euro Surveill. 2013 Apr 25;18(17).

Hida K, Kulka M, Papafragkou E. Development of a rapid total nucleic acid extraction method for the isolation of hepatitis A virus from fresh produce. *Int J Food Microbiol.* 2013 Feb 15;161(3):143-50.

Hirneisen KA, Kniel KE. Comparative uptake of enteric viruses into spinach and green onions. *Food Environ Virol.* 2013 Mar;5(1):24-34.

Manso CF, Romalde JL. Detection and Characterization of Hepatitis A Virus and Norovirus in Mussels from Galicia (NW Spain). *Food Environ Virol.* 2013 Jun;5(2):110-8.

Marrs T, Bruce KD, Logan K, Rivett DW, Perkin MR, Lack G, Flohr C. Is there an association between microbial exposure and food allergy? A systematic review. *Pediatr Allergy Immunol.* 2013 Jun;24(4):311-320.e8.

Wang Q, Erickson M, Ortega YR, Cannon JL. The fate of murine norovirus and hepatitis a virus during preparation of fresh produce by cutting and grating. *Food Environ Virol.* 2013 Mar;5(1):52-60.

Hepatitis E

El-Tras WF, Tayel AA, El-Kady NN. Seroprevalence of hepatitis E virus in humans and geographically matched food animals in Egypt. *Zoonoses Public Health.* 2013 May;60(3):244-51.

Meng XJ. Zoonotic and foodborne transmission of hepatitis E virus. *Semin Liver Dis.* 2013 Feb;33(1):41-9.

Takahashi M, Okamoto H. Features of hepatitis E virus infection in humans and animals in Japan. *Hepatol Res.* 2013 May 30. doi: 10.1111/hepr.12175. [Epub ahead of print]

Listeria

Ben Slama R, Miladi H, Chaieb K, Bakhrouf A. Survival of *Listeria monocytogenes* Cells and the Effect of Extended Frozen Storage (-20 °C) on the Expression of Its Virulence Gene. *Appl Biochem Biotechnol.* 2013 May 7. [Epub ahead of print]

Cabrita P, Batista S, Machado H, Moes S, Jenö P, Manadas B, Trigo MJ, Monteiro S, Ferreira RB, Brito L. Comparative Analysis of the Exoproteomes of *Listeria monocytogenes* Strains Grown at Low Temperatures. *Foodborne Pathog Dis.* 2013 May;10(5):428-34.

Centers for Disease Control and Prevention (CDC). Vital signs: listeria illnesses, deaths, and outbreaks - United States, 2009-2011. *MMWR Morb Mortal Wkly Rep.* 2013 Jun 7;62(22):448-52.

Domingo P, Pomar V, Benito N, Coll P. The changing pattern of bacterial meningitis in adult patients at a large tertiary university hospital in Barcelona, Spain (1982-2010). *J Infect.* 2013 Feb;66(2):147-54.

Fang T, Liu Y, Huang L. Growth kinetics of *Listeria monocytogenes* and spoilage microorganisms in fresh-cut cantaloupe. *Food Microbiol.* 2013 May;34(1):174-81.

Gallagher D, Ebel ED, Gallagher O, Labarre D, Williams MS, Golden NJ, Pouillot R, Dearfield KL, Kause J. Characterizing uncertainty when evaluating risk management metrics: risk assessment modeling of *Listeria monocytogenes* contamination in ready-to-eat deli meats. *Int J Food Microbiol.* 2013 Apr 1;162(3):266-75.

Kovačević M, Burazin J, Pavlović H, Kopjar M, Piližota V. Prevalence and level of *Listeria monocytogenes* and other *Listeria* sp. in ready-to-eat minimally processed and refrigerated vegetables. *World J Microbiol Biotechnol.* 2013 Apr;29(4):707-12.

Kuan CH, Goh SG, Loo YY, Chang WS, Lye YL, Puspanadan S, Tang JY, Nakaguchi Y, Nishibuchi M, Mahyudin NA, Radu S. Prevalence and quantification of *Listeria monocytogenes* in chicken offal at the retail level in Malaysia. *Poult Sci.* 2013 Jun;92(6):1664-9.

Liang R, Tian J, She R, Meng H, Xiao P, Chang L. Airborne microbial composition in a high-throughput poultry slaughtering facility. *J Food Prot.* 2013 Mar;76(3):413-9.

Lobacz A, Kowalik J, Tarczynska A. Modeling the growth of *Listeria monocytogenes* in mold-ripened cheeses. *J Dairy Sci.* 2013 Jun;96(6):3449-60.

Melo J, Andrew PW, Faleiro ML. Different assembly of acid and salt tolerance response in two dairy *Listeria monocytogenes* wild strains. *Arch Microbiol.* 2013 May;195(5):339-48.

Menon M, Graves L, McCombs K, Hise K, Silk B, Kuehnert M, Lynch M. *Listeria monocytogenes* in donated platelets: a potential transfusion-transmitted pathogen intercepted through screening. *Transfusion.* 2013 Jan 30. doi: 10.1111/trf.12097. [Epub ahead of print]

Okada Y, Ohnuki I, Suzuki H, Igimi S. Growth of *Listeria monocytogenes* in refrigerated ready-to-eat foods in Japan. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 2013 Apr 29. [Epub ahead of print]

Schaffner DW. Utilization of Mathematical Models To Manage Risk of Holding Cold Food without Temperature Control. *J Food Prot.* 2013 Jun;76(6):1085-94.

Smith JL, Liu Y, Paoli GC. How does *Listeria monocytogenes* combat acid conditions? *Can J Microbiol.* 2013 Mar;59(3):141-52.

Viswanath P, Murugesan L, Knabel SJ, Verghese B, Chikthimmah N, Laborde LF. Incidence of *Listeria monocytogenes* and *Listeria* spp. in a small-scale mushroom production facility. *J Food Prot.* 2013 Apr;76(4):608-15.

Walecka-Zacharska E, Kosek-Paszowska K, Bania J, Karpíšková R, Stefaniak T. Salt stress-induced invasiveness of major *Listeria monocytogenes* serotypes. *Lett Appl Microbiol*. 2013 Mar;56(3):216-21.

Weinmaier T, Riesing M, Rattei T, Bille J, Arguedas-Villa C, Stephan R, Tasara T. Complete Genome Sequence of *Listeria monocytogenes* LL195, a Serotype 4b Strain from the 1983-1987 Listeriosis Epidemic in Switzerland. *Genome Announc*. 2013 Jan;1(1).

Norovirus

Bellou M, Kokkinos P, Vantarakis A. Shellfish-borne viral outbreaks: a systematic review. *Food Environ Virol*. 2013 Mar;5(1):13-23.

Benabbes L, Ollivier J, Schaeffer J, Parnaudeau S, Rhaissi H, Nourlil J, Le Guyader FS. Norovirus and other human enteric viruses in moroccan shellfish. *Food Environ Virol*. 2013 Mar;5(1):35-40.

Bernard H, Höhne M, Niendorf S, Altmann D, Stark K. Epidemiology of norovirus gastroenteritis in Germany 2001-2009: eight seasons of routine surveillance. *Epidemiol Infect*. 2013 Mar 21:1-12.

Bitler EJ, Matthews JE, Dickey BW, Eisenberg JN, Leon JS. Norovirus outbreaks: a systematic review of commonly implicated transmission routes and vehicles. *Epidemiol Infect*. 2013 Feb 22:1-9. [Epub ahead of print]

Bolton SL, Kotwal G, Harrison MA, Law SE, Harrison JA, Cannon JL. Sanitizer efficacy against murine norovirus, a surrogate for human norovirus, on stainless steel surfaces when using three application methods. *Appl Environ Microbiol*. 2013 Feb;79(4):1368-77.

Coudray C, Merle G, Martin-Latil S, Guillier L, Perelle S. Comparison of two extraction methods for the detection of hepatitis A virus in lettuces using the murine norovirus as a process control. *J Virol Methods*. 2013 May 20. doi:pii: S0166-0934(13)00183-3. 10.1016/j.jviromet.2013.05.003. [Epub ahead of print]

De Keuckelaere A, Baert L, Duarte A, Stals A, Uyttendaele M. Evaluation of viral concentration methods from irrigation and processing water. *J Virol Methods*. 2013 Feb;187(2):294-303.

Gastañaduy PA, Hall AJ, Curns AT, Parashar UD, Lopman BA. Burden of norovirus gastroenteritis in the ambulatory setting--United States, 2001-2009. *J Infect Dis*. 2013 Apr;207(7):1058-65.

Haessler S, Granowitz EV. Norovirus gastroenteritis in immunocompromised patients. *N Engl J Med*. 2013 Mar 7;368(10):971.

Herbst-Kralovetz MM, Radtke AL, Lay MK, Hjelm BE, Bolick AN, Sarker SS, Atmar RL, Kingsley DH, Arntzen CJ, Estes MK, Nickerson CA. Lack of norovirus replication and histo-blood group antigen expression in 3-dimensional intestinal epithelial cells. *Emerg Infect Dis*. 2013 Mar;19(3):431-8.

Hirneisen KA, Kniel KE. Comparative uptake of enteric viruses into spinach and green onions. *Food Environ Virol*. 2013 Mar;5(1):24-34.

Hirneisen KA, Kniel KE. Norovirus surrogate survival on spinach during preharvest growth. *Phytopathology*. 2013 Apr;103(4):389-94.

Hoelzer K, Fanaselle W, Pouillot R, Van Doren JM, Dennis S. Virus inactivation on hard surfaces or in suspension by chemical disinfectants: systematic review and meta-analysis of norovirus surrogates. *J Food Prot*. 2013 Jun;76(6):1006-16.

Jeong AY, Jeong HS, Lee JS, Park YC, Lee SH, Hwang IG, Kim YJ, Kim YJ, Jo MY, Jung S, Kim K, Cheon DS. Occurrence of norovirus infections in asymptomatic food handlers in South Korea. *J Clin Microbiol*. 2013 Feb;51(2):598-600.

Johnston BC, Donen R, Pooni A, Pond J, Xie F, Giglia L, Kam A, Bhamber A, Bami K, Patel Y, Guyatt GH. Conceptual framework for health-related quality of life assessment in acute gastroenteritis. *J Pediatr Gastroenterol Nutr*. 2013 Mar;56(3):280-9.

Milbrath MO, Spicknall IH, Zelner JL, Moe CL, Eisenberg JN. Heterogeneity in norovirus shedding duration affects community risk. *Epidemiol Infect*. 2013 Mar 18:1-13.

Prato R, Martinelli D, Tafuri S, Barbuti G, Quarto M, Germinario CA, Chironna M. Safety of shellfish and epidemiological pattern of enterically transmitted diseases in Italy. *Int J Food Microbiol*. 2013 Mar 15;162(2):125-8.

Praveen C, Dancho BA, Kingsley DH, Calci KR, Meade GK, Mena KD, Pillai SD. Susceptibility of murine norovirus and hepatitis A virus to electron beam irradiation in oysters and quantifying the reduction in potential infection risks. *Appl Environ Microbiol*. 2013 Jun;79(12):3796-801.

Repp KK, Hostetler TP, Keene WE. A Norovirus Outbreak Related to Contaminated Surfaces. *J Infect Dis*. 2013 May 2. [Epub ahead of print]

Thornley CN, Hewitt J, Perumal L, VAN Gessel SM, Wong J, David SA, Rapana JP, Li S, Marshall JC, Greening GE. Multiple outbreaks of a novel norovirus GII.4 linked to an infected post-symptomatic food handler. *Epidemiol Infect*. 2013 Feb 6:1-13.

Tojo K, Sano D, Miura T, Nakagomi T, Nakagomi O, Okabe S. A new approach for evaluating the infectivity of noncultivable enteric viruses without cell culture. *Water Sci Technol*. 2013 May;67(10):2236-40.

Ventrone I, Schaeffer J, Ollivier J, Parnaudeau S, Pepe T, Le Pendu J, Le Guyader FS. Chronic or accidental exposure of oysters to norovirus: is there any difference in contamination? *J Food Prot.* 2013 Mar;76(3):505-9.

Salmonella

Focus on food safety: human pathogens on plants. *Phytopathology.* 2013 Apr;103(4):304-5.

Allen KJ, Kovacevic J, Cancarevic A, Wood J, Xu J, Gill B, Allen JK, Mesak LR. Microbiological survey of imported produce available at retail across Canada. *Int J Food Microbiol.* 2013 Mar 15;162(2):135-42.

Arguello H, Alvarez-Ordoñez A, Carvajal A, Rubio P, Prieto M. Role of slaughtering in salmonella spreading and control in pork production. *J Food Prot.* 2013 May;76(5):899-911.

Aygun A, Sert D. Effects of vacuum packing on eggshell microbial activity and egg quality in table eggs under different storage temperatures. *J Sci Food Agric.* 2013 May;93(7):1626-32.

Beuchat LR, Mann DA, Alali WQ. Efficacy of Sanitizers in Reducing Salmonella on Pecan Nutmeats during Cracking and Shelling. *J Food Prot.* 2013 May;76(5):770-8.

Calhoun S, Post L, Warren B, Thompson S, Bontempo AR. Prevalence and concentration of Salmonella on raw shelled peanuts in the United States. *J Food Prot.* 2013 Apr;76(4):575-9.

Castelijin GA, Parabarsing JA, Zwietering MH, Moezelaar R, Abee T. Surface behaviour of *S. Typhimurium*, *S. Derby*, *S. Brandenburg* and *S. Infantis*. *Vet Microbiol.* 2013 Jan 25;161(3-4):305-14.

Centers for Disease Control and Prevention (CDC). Incidence and trends of infection with pathogens transmitted commonly through food - foodborne diseases active surveillance network, 10 U.S. sites, 1996-2012. *MMWR Morb Mortal Wkly Rep.* 2013 Apr 19;62(15):283-7.

Chaine A, Arnaud E, Kondjoyan A, Collignan A, Sarter S. Effect of steam and lactic acid treatments on the survival of *Salmonella Enteritidis* and *Campylobacter jejuni* inoculated on chicken skin. *Int J Food Microbiol.* 2013 Apr 1;162(3):276-82.

Chaudhuri RR, Morgan E, Peters SE, Pleasance SJ, Hudson DL, Davies HM, Wang J, van Diemen PM, Buckley AM, Bowen AJ, Pullinger GD, Turner DJ, Langridge GC, Turner AK, Parkhill J, Charles IG, Maskell DJ, Stevens MP. Comprehensive assignment of roles for Salmonella typhimurium genes in intestinal colonization of food-producing animals. *PLoS Genet.* 2013 Apr;9(4):e1003456.

Chen Y, Dennis SB, Hartnett E, Paoli G, Pouillot R, Ruthman T, Wilson M. FDA-iRISK--a comparative risk assessment system for evaluating and ranking food-hazard pairs: case studies on microbial hazards. *J Food Prot.* 2013 Mar;76(3):376-85.

Chmielewski RA, Beck JR, Swayne DE. Evaluation of the U.S. Department of Agriculture's egg pasteurization processes on the inactivation of high-pathogenicity avian influenza virus and velogenic Newcastle disease virus in processed egg products. *J Food Prot.* 2013 Apr;76(4):640-5.

Costa Orvay JA, Hervás A, Hurtado A, Bonet B. [Meningitis due to *Salmonella* after food poisoning in an infant fed with formula milk.]. *An Pediatr (Barc).* 2013 Mar 21. doi:pii: S1695-4033(13)00076-3. 10.1016/j.anpedi.2013.02.004. [Epub ahead of print] Spanish.

David JM, Sanders P, Bemrah N, Granier SA, Denis M, Weill FX, Guillemot D, Watier L. Attribution of the French human Salmonellosis cases to the main food-sources according to the type of surveillance data. *Prev Vet Med.* 2013 May 15;110(1):12-27.

David JM, Guillemot D, Bemrah N, Thébault A, Brisabois A, Chemaly M, Weill FX, Sanders P, Watier L. The Bayesian microbial subtyping attribution model: robustness to prior information and a proposition. *Risk Anal.* 2013 Mar;33(3):397-408.

Davies AR, Ruggles R, Young Y, Clark H, Reddell P, Verlander NQ, Arnold A, Maguire H. *Salmonella enterica* serovar Enteritidis phage type 4 outbreak associated with eggs in a large prison, London 2009: an investigation using cohort and case/non-case study methodology. *Epidemiol Infect.* 2013 May;141(5):931-40.

Davies R, Dixon WG, Watson KD, Lunt M; BSRBR Control Centre Consortium, Symmons DP, Hyrich KL; BSRBR. Influence of anti-TNF patient warning regarding avoidance of high risk foods on rates of listeria and salmonella infections in the UK. *Ann Rheum Dis.* 2013 Mar;72(3):461-2.

De Vylder J, Raspoet R, Dewulf J, Haesebrouck F, Ducatelle R, Van Immerseel F. *Salmonella* Enteritidis is superior in egg white survival compared with other *Salmonella* serotypes. *Poult Sci.* 2013 Mar;92(3):842-5.

Demirok E, Veluz G, Stuyvenberg WV, Castañeda MP, Byrd A, Alvarado CZ. Quality and safety of broiler meat in various chilling systems. *Poult Sci.* 2013 Apr;92(4):1117-26.

Deng X, Salazar JK, Frezet S, Maccannell D, Ribot EM, Fields PI, Fricke WF, Zhang W. Genome Sequence of *Salmonella enterica* Serotype Tennessee Strain CDC07-0191, Implicated in the 2006-2007 Multistate Food-Borne Outbreak Linked to Peanut Butter in the United States. *Genome Announc.* 2013 May 23;1(3).

Dey M, Mayo JA, Saville D, Wolyniak C, Klontz KC. Recalls of Foods due to Microbiological Contamination Classified by the U.S. Food and Drug Administration, Fiscal Years 2003 through 2011. *J Food Prot.* 2013 Jun;76(6):932-8.

Diaz-Sanchez S, Hanning I, Pendleton S, D'Souza D. Next-generation sequencing: the future of molecular genetics in poultry production and food safety. *Poult Sci.* 2013 Feb;92(2):562-72.

Ding H, Fu TJ, Smith MA. Microbial contamination in sprouts: how effective is seed disinfection treatment? *J Food Sci.* 2013 Apr;78(4):R495-501.

Fouladkhah A, Geornaras I, Sofos JN. Biofilm Formation of O157 and Non-O157 Shiga Toxin-Producing *Escherichia coli* and Multidrug-Resistant and Susceptible *Salmonella* Typhimurium and Newport and Their Inactivation by Sanitizers. *J Food Sci.* 2013 Apr 19. doi: 10.1111/1750-3841.12123. [Epub ahead of print]

Frye JG, Jackson CR. Genetic mechanisms of antimicrobial resistance identified in *Salmonella enterica*, *Escherichia coli*, and *Enterococcus* spp. isolated from U.S. food animals. *Front Microbiol.* 2013 May 23;4:135.

Gallati C, Stephan R, Hächler H, Malorny B, Schroeter A, Nüesch-Inderbinen M. Characterization of *Salmonella enterica* Subsp. *enterica* Serovar 4,[5],12:i:- Clones Isolated from Human and Other Sources in Switzerland Between 2007 and 2011. *Foodborne Pathog Dis.* 2013 Apr 24. [Epub ahead of print]

Ge B, Lafon PC, Carter PJ, McDermott SD, Abbott J, Glenn A, Ayers SL, Friedman SL, Paige JC, Wagner DD, Zhao S, McDermott PF, Rasmussen MA. Retrospective Analysis of *Salmonella*, *Campylobacter*, *Escherichia coli*, and *Enterococcus* in Animal Feed Ingredients. *Foodborne Pathog Dis.* 2013 May 21. [Epub ahead of print]

Ge C, Lee C, Lee J. Localization of viable *Salmonella typhimurium* internalized through the surface of green onion during preharvest. *J Food Prot.* 2013 Apr;76(4):568-74.

Gkogka E, Reij MW, Gorris LG, Zwietering MH. Risk assessment strategies as a tool in the application of the Appropriate Level of Protection (ALOP) and Food Safety Objective (FSO) by risk managers. *Int J Food Microbiol.* 2013 Apr 25. doi:pii: S0168-1605(13)00197-9. 10.1016/j.ijfoodmicro.2013.04.013. [Epub ahead of print]

Gonzales-Barron U, Cadavez V, Sheridan JJ, Butler F. Modelling the effect of chilling on the occurrence of *Salmonella* on pig carcasses at study, abattoir and batch levels by meta-analysis. *Int J Food Microbiol.* 2013 May 15;163(2-3):101-13.

Gopinath G, Hari K, Jain R, Mammel MK, Kothary MH, Franco AA, Grim CJ, Jarvis KG, Sathyamoorthy V, Hu L, Datta AR, Patel IR, Jackson SA, Gangiredla J, Kotewicz ML, LeClerc JE, Wekell M, McCardell BA, Solomotis MD, Tall BD. The Pathogen-annotated Tracking Resource Network (PATRN) system: a web-based

resource to aid food safety, regulatory science, and investigations of foodborne pathogens and disease. *Food Microbiol.* 2013 Jun;34(2):303-18.

Gurtler JB, Douds DD Jr, Dirks BP, Quinlan JJ, Nicholson AM, Phillips JG, Niemira BA. *Salmonella* and *Escherichia coli* O157:H7 survival in soil and translocation into leeks (*Allium porrum*) as influenced by an arbuscular mycorrhizal fungus (*Glomus intraradices*). *Appl Environ Microbiol.* 2013 Mar;79(6):1813-20.

He Y, Li Y, Salazar JK, Yang J, Tortorello ML, Zhang W. Increased Water Activity Reduces Thermal Resistance of *Salmonella enterica* in Peanut Butter. *Appl Environ Microbiol.* 2013 May 31. [Epub ahead of print]

Hou Z, Fink RC, Radtke C, Sadowsky MJ, Diez-Gonzalez F. Incidence of naturally internalized bacteria in lettuce leaves. *Int J Food Microbiol.* 2013 Apr 1;162(3):260-5.

Jin TZ, Gurtler JB, Li SQ. Development of antimicrobial coatings for improving the microbiological safety and quality of shell eggs. *J Food Prot.* 2013 May;76(5):779-85.

Keller SE, VanDoren JM, Grasso EM, Halik LA. Growth and survival of *Salmonella* in ground black pepper (*Piper nigrum*). *Food Microbiol.* 2013 May;34(1):182-8.

Kendall ME, Mody RK, Mahon BE, Doyle MP, Herman KM, Tauxe RV. Emergence of salsa and guacamole as frequent vehicles of foodborne disease outbreaks in the United States, 1973-2008. *Foodborne Pathog Dis.* 2013 Apr;10(4):316-22.

Koluman A, Dikici A. Antimicrobial resistance of emerging foodborne pathogens: status quo and global trends. *Crit Rev Microbiol.* 2013 Feb;39(1):57-69.

Le Hello S, Harrois D, Bouchrif B, Sontag L, Elhani D, Guibert V, Zerouali K, Weill FX. Highly drug-resistant *Salmonella enterica* serotype Kentucky ST198-X1: a microbiological study. *Lancet Infect Dis.* 2013 May 27. doi:pii: S1473-3099(13)70124-5. 10.1016/S1473-3099(13)70124-5. [Epub ahead of print]

Li D, Friedrich LM, Danyluk MD, Harris LJ, Schaffner DW. Development and validation of a mathematical model for growth of pathogens in cut melons. *J Food Prot.* 2013 Jun;76(6):953-8.

Lianou A, Koutsoumanis KP. Evaluation of the strain variability of *Salmonella enterica* acid and heat resistance. *Food Microbiol.* 2013 Jun;34(2):259-67.

Liebana E, Carattoli A, Coque TM, Hasman H, Magiorakos AP, Mevius D, Peixe L, Poirel L, Schuepbach-Regula G, Torneke K, Torren-Edo J, Torres C, Threlfall J. Public health risks of enterobacterial isolates producing extended-spectrum β -lactamases or AmpC β -lactamases in food and food-producing animals: an EU perspective of epidemiology, analytical methods, risk factors, and control options. *Clin Infect Dis.* 2013 Apr;56(7):1030-7.

Liu C, Hofstra N, Franz E. Impacts of climate change on the microbial safety of pre-harvest leafy green vegetables as indicated by *Escherichia coli* O157 and *Salmonella* spp. Int J Food Microbiol. 2013 May 15;163(2-3):119-28.

Martínez-Abad A, Ocio MJ, Lagarón JM, Sánchez G. Evaluation of silver-infused polylactide films for inactivation of *Salmonella* and feline calicivirus in vitro and on fresh-cut vegetables. Int J Food Microbiol. 2013 Mar 1;162(1):89-94.

Medalla F, Hoekstra RM, Whichard JM, Barzilay EJ, Chiller TM, Joyce K, Rickert R, Krueger A, Stuart A, Griffin PM. Increase in resistance to ceftriaxone and nonsusceptibility to ciprofloxacin and decrease in multidrug resistance among *Salmonella* strains, United States, 1996-2009. Foodborne Pathog Dis. 2013 Apr;10(4):302-9.

Miller BD, Rigdon CE, Robinson TJ, Hedberg C, Smith KE. Use of global trade item numbers in the investigation of a *salmonella* newport outbreak associated with blueberries in Minnesota, 2010. J Food Prot. 2013 May;76(5):762-9.

Miller T, Braun PG, Fehlhaber K, Prager R, Pfeifer Y, Rabsch W. Typing of *Salmonella enterica* serovar Infantis isolates from 51 outbreaks in Germany between 1974 and 2009 by a novel phage-typing scheme. Epidemiol Infect. 2013 Mar 21:1-9.

Mukhopadhyay S, Ukuku D, Fan X, Juneja VK. Efficacy of Integrated Treatment of UV light and Low-Dose Gamma Irradiation on Inactivation of *Escherichia coli* O157:H7 and *Salmonella enterica* on Grape Tomatoes. J Food Sci. 2013 May 22.

Møller CO, Ilg Y, Aabo S, Christensen BB, Dalgaard P, Hansen TB. Effect of natural microbiota on growth of *Salmonella* spp. in fresh pork--a predictive microbiology approach. Food Microbiol. 2013 Jun;34(2):284-95.

Nisiotou A, Chorianopoulos NG, Gounadaki A, Panagou EZ, Nychas GJ. Effect of wine-based marinades on the behavior of *Salmonella* Typhimurium and background flora in beef fillets. Int J Food Microbiol. 2013 Jun 17;164(2-3):119-27.

O'Brien SJ. The "decline and fall" of nontyphoidal salmonella in the United Kingdom. Clin Infect Dis. 2013 Mar;56(5):705-10.

Oscar TP, Tasmin R, Parveen S. Chlorine inactivation of nonresistant and antibiotic-resistant strains of *salmonella typhimurium* isolated from chicken carcasses. J Food Prot. 2013 Jun;76(6):1031-4.

Ottesen AR, González Peña A, White JR, Pettengill JB, Li C, Allard S, Rideout S, Allard M, Hill T, Evans P, Strain E, Musser S, Knight R, Brown E. Baseline survey of the anatomical microbial ecology of an important food plant: *Solanum lycopersicum* (tomato). BMC Microbiol. 2013 May 24;13(1):114. [Epub ahead of print]

Painter JA, Hoekstra RM, Ayers T, Tauxe RV, Braden CR, Angulo FJ, Griffin PM. Attribution of Foodborne Illnesses, Hospitalizations, and Deaths to Food

Commodities by using Outbreak Data, United States, 1998-2008. *Emerg Infect Dis.* 2013 Mar;19(3):407-15.

Pardhan-Ali A, Wilson J, Edge VL, Furgal C, Reid-Smith R, Santos M, McEwen SA. Community-level risk factors for notifiable gastrointestinal illness in the Northwest Territories, Canada, 1991-2008. *BMC Public Health.* 2013 Jan 22;13:63.

Pitesky M, Charlton B, Bland M, Rolfe D. Surveillance of *Salmonella enteritidis* in layer houses: a retrospective comparison of the Food and Drug Administration's egg safety rule (2010-2011) and the California Egg Quality Assurance Program (2007-2011). *Avian Dis.* 2013 Mar;57(1):51-6.

Porter CK, Choi D, Cash B, Pimentel M, Murray J, May L, Riddle MS. Pathogen-specific risk of chronic gastrointestinal disorders following bacterial causes of foodborne illness. *BMC Gastroenterol.* 2013 Mar 8;13:46.

Pouget JG, Coutinho FJ, Reid-Smith RJ, Boerlin P. Characterization of blaSHV Genes on Plasmids from *Escherichia coli* and *Salmonella enterica* Isolates from Canadian Food Animals (2006-2007). *Appl Environ Microbiol.* 2013 Jun;79(12):3864-6.

Racicot M, Kocher A, Beauchamp G, Letellier A, Vaillancourt JP. Assessing most practical and effective protocols to sanitize hands of poultry catching crew members. *Prev Vet Med.* 2013 Apr 22. doi:pii: S0167-5877(13)00105-0. 10.1016/j.prevetmed.2013.03.014. [Epub ahead of print]

Rensch U, Klein G, Schwarz S, Kaspar H, de Jong A, Kehrenberg C. Comparative analysis of the susceptibility to triclosan and three other biocides of avian *Salmonella enterica* isolates collected 1979 through 1994 and 2004 through 2010. *J Food Prot.* 2013 Apr;76(4):653-6.

Russo ET, Biggerstaff G, Hoekstra RM, Meyer S, Patel N, Miller B, Quick R; *Salmonella* Agona Outbreak Investigation Team. A recurrent, multistate outbreak of *salmonella* serotype agona infections associated with dry, unsweetened cereal consumption, United States, 2008. *J Food Prot.* 2013 Feb;76(2):227-30.

Samiullah, Chousalkar KK, Roberts JR, Sexton M, May D, Kiermeier A. Effects of egg shell quality and washing on *Salmonella Infantis* penetration. *Int J Food Microbiol.* 2013 May 9;165(2):77-83.

Schaffner DW. Utilization of Mathematical Models To Manage Risk of Holding Cold Food without Temperature Control. *J Food Prot.* 2013 Jun;76(6):1085-94.

Schlisselberg DB, Yaron S. The effects of stainless steel finish on *Salmonella* Typhimurium attachment, biofilm formation and sensitivity to chlorine. *Food Microbiol.* 2013 Aug;35(1):65-72.

Seiffert SN, Hilty M, Perreten V, Endimiani A. Extended-spectrum cephalosporin-resistant gram-negative organisms in livestock: An emerging problem for human health? *Drug Resist Updat*. 2013 Feb-Apr;16(1-2):22-45.

Shariat N, Kirchner MK, Sandt CH, Trees E, Barrangou R, Dudley EG. CRISPR-MVLST Subtyping of *Salmonella* serovar Newport Outbreak Isolates and Determination of the Relationship Between CRISPR-MVLST and PFGE. *J Clin Microbiol*. 2013 May 15. [Epub ahead of print]

Sirsat SA, Choi JK, Almanza BA, Neal JA. Persistence of *Salmonella* and *E. coli* on the surface of restaurant menus. *J Environ Health*. 2013 Mar;75(7):8-14;

Smadi H, Sargeant JM. Quantitative risk assessment of human salmonellosis in Canadian broiler chicken breast from retail to consumption. *Risk Anal*. 2013 Feb;33(2):232-48.

Spricigo DA, Bardina C, Cortés P, Llagostera M. Use of a bacteriophage cocktail to control *Salmonella* in food and the food industry. *Int J Food Microbiol*. 2013 May 18;165(2):169-174.

Studer P, Heller WE, Hummerjohann J, Drissner D. Evaluation of aerated steam treatment of alfalfa and mung bean seeds to eliminate high levels of *Escherichia coli* O157:H7, O178:H12, *Salmonella enterica*, and *Listeria monocytogenes*. *Appl Environ Microbiol*. 2013 May 24. [Epub ahead of print]

Thomas MK, Murray R, Flockhart L, Pintar K, Pollari F, Fazil A, Nesbitt A, Marshall B. Estimates of the Burden of Foodborne Illness in Canada for 30 Specified Pathogens and Unspecified Agents, Circa 2006. *Foodborne Pathog Dis*. 2013 May 9. [Epub ahead of print]

Tohidi R, Idris IB, Malar Panandam J, Hair Bejo M. The effects of polymorphisms in 7 candidate genes on resistance to *Salmonella Enteritidis* in native chickens. *Poult Sci*. 2013 Apr;92(4):900-9.

Torlak E, Sert D, Serin P. Fate of *Salmonella* during sesame seeds roasting and storage of tahini. *Int J Food Microbiol*. 2013 May 15;163(2-3):214-7.

Trinetta V, Linton RH, Morgan MT. The application of high-concentration short-time chlorine dioxide treatment for selected specialty crops including Roma tomatoes (*Lycopersicon esculentum*), cantaloupes (*Cucumis melo* ssp. *melo* var. *cantaloupensis*) and strawberries (*Fragaria xananassa*). *Food Microbiol*. 2013 Jun;34(2):296-302.

Van der Linden I, Cottyn B, Uyttendaele M, Vlaemynck G, Maes M, Heyndrickx M. Long-term survival of *Escherichia coli* O157:H7 and *Salmonella enterica* on butterhead lettuce seeds, and their subsequent survival and growth on the seedlings. *Int J Food Microbiol*. 2013 Feb 15;161(3):214-9.

Van der Linden I, Cottyn B, Uyttendaele M, Vlaemynck G, Heyndrickx M, Maes M. Survival of Enteric Pathogens During Butterhead Lettuce Growth: Crop Stage, Leaf Age, and Irrigation. *Foodborne Pathog Dis.* 2013 Apr 24. [Epub ahead of print]

Van Haute S, Sampers I, Holvoet K, Uyttendaele M. Physicochemical quality and chemical safety of chlorine as a reconditioning agent and wash water disinfectant for fresh-cut lettuce washing. *Appl Environ Microbiol.* 2013 May;79(9):2850-61.

Vandamm JP, Li D, Harris LJ, Schaffner DW, Danyluk MD. Fate of *Escherichia coli* O157:H7, *Listeria monocytogenes*, and *Salmonella* on fresh-cut celery. *Food Microbiol.* 2013 May;34(1):151-7.

Vangay P, Fugett EB, Sun Q, Wiedmann M. Food microbe tracker: a web-based tool for storage and comparison of food-associated microbes. *J Food Prot.* 2013 Feb;76(2):283-94.

Zhang J, Cao G, Xu X, Jin H, Zhang Q, Chen J, Yang X, Pan H, Zhang X, Allard M, Brown E, Meng J. Whole-Genome Sequences of Four *Salmonella enterica* Serotype Newport Strains from Humans. *Genome Announc.* 2013 May 9;1(3).

Zheng J, Allard S, Reynolds S, Millner P, Arce G, Blodgett RJ, Brown EW. Colonization and internalization of *Salmonella enterica* in tomato plants. *Appl Environ Microbiol.* 2013 Apr;79(8):2494-502.

Zhou Z, McCann A, Litrup E, Murphy R, Cormican M, Fanning S, Brown D, Guttman DS, Brisse S, Achtman M. Neutral genomic microevolution of a recently emerged pathogen, *Salmonella enterica* serovar Agona. *PLoS Genet.* 2013 Apr;9(4):e1003471.

Staphylococcus aureus

Barker GC, Gómez-Tomé N. A risk assessment model for enterotoxigenic *Staphylococcus aureus* in pasteurized milk: a potential route to source-level inference. *Risk Anal.* 2013 Feb;33(2):249-69.

Boost MV, Wong A, Ho J, O'Donoghue M. Isolation of Methicillin-Resistant *Staphylococcus aureus* (MRSA) from Retail Meats in Hong Kong. *Foodborne Pathog Dis.* 2013 May 21. [Epub ahead of print]

Gücüköğlü A, Cadirci O, Terzi G, Kevenk TO, Alişarlı M. Determination of Enterotoxigenic and Methicillin Resistant *Staphylococcus aureus* in Ice Cream. *J Food Sci.* 2013 May;78(5):M738-41.

Rosengren A, Lindblad M, Lindqvist R. The effect of undissociated lactic acid on *Staphylococcus aureus* growth and enterotoxin A production. *Int J Food Microbiol.* 2013 Mar 15;162(2):159-66.

Toxoplasma gondii

Djurković-Djaković O, Bobić B, Nikolić A, Klun I, Dupouy-Camet J. Pork as a source of human parasitic infection. *Clin Microbiol Infect.* 2013 Jul;19(7):586-94.

Hill DE, Dubey JP. *Toxoplasma gondii* prevalence in farm animals in the United States. *Int J Parasitol.* 2013 Feb;43(2):107-13.

Lopes AP, Dubey JP, Neto F, Rodrigues A, Martins T, Rodrigues M, Cardoso L. Seroprevalence of *Toxoplasma gondii* infection in cattle, sheep, goats and pigs from the North of Portugal for human consumption. *Vet Parasitol.* 2013 Mar 31;193(1-3):266-9.

Pott S, Koethe M, Bangoura B, Zöller B, Dauschies A, Straubinger RK, Fehlhaber K, Ludewig M. Effects of pH, Sodium Chloride, and Curing Salt on the Infectivity of *Toxoplasma gondii* Tissue Cysts. *J Food Prot.* 2013 Jun;76(6):1056-61.

Vitale M, Di Marco Lo Presti V. Food Safety or typical dishes?: *Toxoplasma gondii* and educational preventive campaign. *Foodborne Pathog Dis.* 2013 Feb;10(2):196.

**Secretariat
June 2013**