

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD

Items of possible interest from the literature

A list of items from the literature which may be of interest to Members is attached.

**Secretariat
June 2008**

Bacillus

Bartoszewicz M, Hansen BM, Swiecicka I. The members of the *Bacillus cereus* group are commonly present contaminants of fresh and heat-treated milk. *Food Microbiol.* 2008 Jun;25(4):588-96.

Coorevits A, De Jonghe V, Vandroemme J, Reekmans R, Heyrman J, Messens W, De Vos P, Heyndrickx M. Comparative analysis of the diversity of aerobic spore-forming bacteria in raw milk from organic and conventional dairy farms. *Syst Appl Microbiol.* 2008 Apr 9. [Epub ahead of print]

Cronin UP, Wilkinson MG. *Bacillus cereus* endospores exhibit a heterogeneous response to heat treatment and low-temperature storage. *Food Microbiol.* 2008 Apr;25(2):235-43.

Guinebretière MH, Thompson FL, Sorokin A, Normand P, Dawyndt P, Ehling-Schulz M, Svensson B, Sanchis V, Nguyen-The C, Heyndrickx M, De Vos P. Ecological diversification in the *Bacillus cereus* Group. *Environ Microbiol.* 2008 Apr;10(4):851-65.

Sorokulova IB, Pinchuk IV, Denayrolles M, Osipova IG, Huang JM, Cutting SM, Urdaci MC. The safety of two *Bacillus* probiotic strains for human use. *Dig Dis Sci.* 2008 Apr;53(4):954-63.

Stenfors Arnesen LP, Fagerlund A, Granum PE. From soil to gut: *Bacillus cereus* and its food poisoning toxins. *FEMS Microbiol Rev.* 2008 Apr 15. [Epub ahead of print]

Campylobacter

Berrang ME, Meinersmann RJ, Smith DP, Zhuang H. The effect of chilling in cold air or ice water on the microbiological quality of broiler carcasses and the population of *Campylobacter*. *Poult Sci.* 2008 May;87(5):992-8.

Bigwood T, Hudson JA, Billington C, Carey-Smith GV, Heinemann JA. Phage inactivation of foodborne pathogens on cooked and raw meat. *Food Microbiol.* 2008 Apr;25(2):400-6.

Colles FM, Jones TA, McCarthy ND, Sheppard SK, Cody AJ, Dingle KE, Dawkins MS, Maiden MC. *Campylobacter* infection of broiler chickens in a free-range environment. *Environ Microbiol.* 2008 Apr 9. [Epub ahead of print]

de Jong AE, Verhoeff-Bakkenes L, Nauta MJ, de Jonge R. Cross-contamination in the kitchen: effect of hygiene measures. *J Appl Microbiol.* 2008 Mar 12. [Epub ahead of print]

European Food Safety Authority--Working Group on Developing Harmonised Schemes for Monitoring Antimicrobial Resistance in Zoonotic Agents.

Harmonised monitoring of antimicrobial resistance in *Salmonella* and *Campylobacter* isolates from food animals in the European Union. *Clin Microbiol Infect.* 2008 Jun;14(6):522-33.

Fearnley C, Manning G, Bagnall M, Javed MA, Wassenaar TM, Newell DG. Identification of hyperinvasive *Campylobacter jejuni* strains isolated from poultry and human clinical sources. *J Med Microbiol.* 2008 May;57(Pt 5):570-80.

Gallay A, Bousquet V, Siret V, Prouzet-Mauléon V, Valk H, Vaillant V, Simon F, Le Strat Y, Mégraud F, Desenclos JC. Risk factors for acquiring sporadic *Campylobacter* infection in France: results from a national case-control study. *J Infect Dis.* 2008 May 15;197(10):1477-84.

Garénaux A, Jugiau F, Rama F, de Jonge R, Denis M, Federighi M, Ritz M. Survival of *Campylobacter jejuni* strains from different origins under oxidative stress conditions: effect of temperature. *Curr Microbiol.* 2008 Apr;56(4):293-7.

Guerin MT, Martin SW, Reiersen J, Berke O, McEwen SA, Friðriksdóttir V, Bisailon JR, Lowman R; The "Campy-on-Ice" Consortium. Temperature-related risk factors associated with the colonization of broiler-chicken flocks with *Campylobacter* spp. in Iceland, 2001-2004. *Prev Vet Med.* 2008 Mar 31. [Epub ahead of print]

McDowell SW, Menzies FD, McBride SH, Oza AN, McKenna JP, Gordon AW, Neill SD. *Campylobacter* spp. in conventional broiler flocks in Northern Ireland: Epidemiology and risk factors. *Prev Vet Med.* 2008 May 15;84(3-4):261-76.

Peyrat MB, Soumet C, Maris P, Sanders P. Phenotypes and genotypes of *campylobacter* strains isolated after cleaning and disinfection in poultry slaughterhouses. *Vet Microbiol.* 2008 Apr 30;128(3-4):313-26.

Sheppard SK, McCarthy ND, Falush D, Maiden MC. Convergence of *Campylobacter* species: implications for bacterial evolution. *Science.* 2008 Apr 11;320(5873):237-9.

Stafford RJ, Schluter PJ, Wilson AJ, Kirk MD, Hall G, Unicomb L. Population-Attributable Risk Estimates for Risk Factors Associated with *Campylobacter* Infection, Australia. *Emerg Infect Dis.* 2008 Jun;14(6):895-901.

Zweifel C, Scheu KD, Keel M, Renggli F, Stephan R. Occurrence and genotypes of *Campylobacter* in broiler flocks, other farm animals, and the environment during several rearing periods on selected poultry farms. *Int J Food Microbiol.* 2008 Apr 4. [Epub ahead of print]

Clostridium

Carman RJ, Sayeed S, Li J, Genheimer CW, Hiltonsmith MF, Wilkins TD, McClane BA. *Clostridium perfringens* toxin genotypes in the feces of healthy North Americans. *Anaerobe*. 2008 Apr;14(2):102-8.

Chalmers G, Martin SW, Prescott JF, Boerlin P. Typing of *Clostridium perfringens* by multiple-locus variable number of tandem repeats analysis. *Vet Microbiol*. 2008 Apr 1;128(1-2):126-35.

Erbguth FJ. From poison to remedy: the chequered history of botulinum toxin. *J Neural Transm*. 2008 Apr;115(4):559-65.

Imlay JA. How obligatory is anaerobiosis? *Mol Microbiol*. 2008 May;68(4):801-4.

Li J, McClane BA. A novel small acid soluble protein variant is important for spore resistance of most *Clostridium perfringens* food poisoning isolates. *PLoS Pathog*. 2008 May 2;4(5):e1000056.

Orsburn B, Melville SB, Popham DL. Factors contributing to heat resistance of *Clostridium perfringens* endospores. *Appl Environ Microbiol*. 2008 Jun;74(11):3328-35.

Cryptosporidium, Giardia

Ferrer SR, Strina A, Jesus SR, Ribeiro HC, Cairncross S, Rodrigues LC, Barreto ML. A hierarchical model for studying risk factors for childhood diarrhoea: a case-control study in a middle-income country. *Int J Epidemiol*. 2008 May 31. [Epub ahead of print]

Mohammed Mahdy AK, Lim YA, Surin J, Wan KL, Al-Mekhlafi MS. Risk factors for endemic giardiasis: highlighting the possible association of contaminated water and food. *Trans R Soc Trop Med Hyg*. 2008 May;102(5):465-70.

Mueller-Doblies D, Giles M, Elwin K, Smith RP, Clifton-Hadley FA, Chalmers RM. Distribution of *Cryptosporidium* species in sheep in the UK. *Vet Parasitol*. 2008 Jul 4;154(3-4):214-9.

Wielinga PR, de Vries A, van der Goot TH, Mank T, Mars MH, Kortbeek LM, van der Giessen JW. Molecular epidemiology of *Cryptosporidium* in humans and cattle in The Netherlands. *Int J Parasitol*. 2008 Jun;38(7):809-17.

Xiao L, Fayer R. Molecular characterisation of species and genotypes of *Cryptosporidium* and *Giardia* and assessment of zoonotic transmission. *Int J Parasitol*. 2008 Apr 7. [Epub ahead of print]

Xiao L, Feng Y. Zoonotic cryptosporidiosis. *FEMS Immunol Med Microbiol*. 2008 Apr;52(3):309-23.

***E.coli* O157**

Brandl MT, Amundson R. Leaf age as a risk factor in contamination of lettuce with *Escherichia coli* O157:H7 and *Salmonella enterica*. *Appl Environ Microbiol.* 2008 Apr;74(8):2298-306.

Coombes BK, Wickham ME, Mascarenhas M, Gruenheid S, Finlay BB, Karmali MA. Molecular analysis as an aid to assess the public health risk of non-O157 Shiga toxin-producing *Escherichia coli* strains. *Appl Environ Microbiol.* 2008 Apr;74(7):2153-60.

Irwin P, Nguyen LH, Chen CY. Binding of nontarget microorganisms from food washes to anti-*Salmonella* and anti-*E. coli* O157 immunomagnetic beads: minimizing the errors of random sampling in extreme dilute systems. *Anal Bioanal Chem.* 2008 Mar 16. [Epub ahead of print]

Kaper JB, Karmali MA. The continuing evolution of a bacterial pathogen. *Proc Natl Acad Sci U S A.* 2008 Mar 25;105(12):4535-6.

Lee SY, Baek SY. Effect of chemical sanitizer combined with modified atmosphere packaging on inhibiting *Escherichia coli* O157:H7 in commercial spinach. *Food Microbiol.* 2008 Jun;25(4):582-7.

Manning SD, Motiwala AS, Springman AC, Qi W, Lacher DW, Ouellette LM, Mladonicky JM, Somsel P, Rudrik JT, Dietrich SE, Zhang W, Swaminathan B, Alland D, Whittam TS. Variation in virulence among clades of *Escherichia coli* O157:H7 associated with disease outbreaks. *Proc Natl Acad Sci U S A.* 2008 Mar 25;105(12):4868-73.

Milnes AS, Stewart I, Clifton-Hadley FA, Davies RH, Newell DG, Sayers AR, Cheasty T, Cassar C, Ridley A, Cook AJ, Evans SJ, Teale CJ, Smith RP, McNally A, Toszeghy M, Futter R, Kay A, Paiba GA. Intestinal carriage of verocytotoxigenic *Escherichia coli* O157, *Salmonella*, thermophilic *Campylobacter* and *Yersinia enterocolitica*, in cattle, sheep and pigs at slaughter in Great Britain during 2003. *Epidemiol Infect.* 2008 Jun;136(6):739-51.

Pearl DL, Louie M, Chui L, Doré K, Grimsrud KM, Martin SW, Michel P, Svenson LW, McEwen SA. Epidemiological characteristics of reported sporadic and outbreak cases of *E. coli* O157 in people from Alberta, Canada (2000-2002): methodological challenges of comparing clustered to unclustered data. *Epidemiol Infect.* 2008 Apr;136(4):483-91.

Schouten JM, Graat EA, Frankena K, VAN Zijderveld F, DE Jong MC. Transmission and quantification of verocytotoxin-producing *Escherichia coli* O157 in dairy cattle and calves. *Epidemiol Infect.* 2008 Mar 17:1-10.

Sehgal R, Kumar Y, Kumar S. Prevalence and geographical distribution of *Escherichia coli* O157 in India: a 10-year survey. *Trans R Soc Trop Med Hyg.* 2008 Apr;102(4):380-3.

Somolinos M, García D, Mañas P, Condón S, Pagán R. Effect of environmental factors and cell physiological state on Pulsed Electric Fields resistance and repair capacity of various strains of *Escherichia coli*. *Int J Food Microbiol.* 2008 Jun 10;124(3):260-7.

Teunis PF, Ogden ID, Strachan NJ. Hierarchical dose response of *E. coli* O157:H7 from human outbreaks incorporating heterogeneity in exposure. *Epidemiol Infect.* 2008 Jun;136(6):761-70.

van Duynhoven YT, Friesema IH, Schuurman T, Roovers A, van Zwet AA, Sabbe LJ, van der Zwaluw WK, Notermans DW, Mulder B, van Hannen EJ, Heilmann FG, Buiting A, Jansen R, Kooistra-Smid AM. Prevalence, characterisation and clinical profiles of Shiga toxin-producing *Escherichia coli* in The Netherlands. *Clin Microbiol Infect.* 2008 May;14(5):437-45.

Listeria monocytogenes

Atanassova V, Reich F, Klein G. Microbiological quality of sushi from sushi bars and retailers. *J Food Prot.* 2008 Apr;71(4):860-4.

Cornelius AJ, Hudson JA, Wong TL. Enumeration and growth of naturally occurring *Listeria* spp. in unpackaged ham. *Food Microbiol.* 2008 Apr;25(2):407-12.

Denny J, McLauchlin J. Human *Listeria monocytogenes* infections in Europe--an opportunity for improved European surveillance. *Euro Surveill.* 2008 Mar 27;13(13). pii: 8082.

Gnanou Besse N, Beaufort A, Rudelle S, Denis C, Lombard B. Evaluation of an enumeration method for *Listeria monocytogenes* at low contamination levels in cold-smoked salmon. *Int J Food Microbiol.* 2008 Jun 10;124(3):271-274.

Ignatova M, Leguerinel I, Guilbot M, Prévost H, Guillou S. Modelling the effect of the redox potential and pH of heating media on *Listeria monocytogenes* heat resistance. *J Appl Microbiol.* 2008 Apr 9. [Epub ahead of print]

Lavi O, Louzoun Y, Klement E. Listeriosis: A Model for the Fine Balance Between Immunity and Morbidity. *Epidemiology.* 2008 May 20. [Epub ahead of print]

Miya S, Kimura B, Sato M, Takahashi H, Ishikawa T, Suda T, Takakura C, Fujii T, Wiedmann M. Development of a multilocus variable-number of tandem repeat typing method for *Listeria monocytogenes* serotype 4b strains.

Int J Food Microbiol. 2008 Jun 10;124(3):239-49.

Monk IR, Gahan CG, Hill C. Tools for functional post-genomic analysis of *Listeria monocytogenes*. Appl Environ Microbiol. 2008 Apr 25. [Epub ahead of print]

Neves E, Silva AC, Roche SM, Velge P, Brito L. Virulence of *Listeria monocytogenes* isolated from the cheese dairy environment, other foods and clinical cases. J Med Microbiol. 2008 Apr;57(Pt 4):411-5.

Pappelbaum K, Grif K, Heller I, Würzner R, Hein I, Ellerbroek L, Wagner M. Monitoring hygiene on- and at-line is critical for controlling *Listeria monocytogenes* during produce processing. J Food Prot. 2008 Apr;71(4):735-41.

Porsby CH, Vogel BF, Mohr M, Gram L. Influence of processing steps in cold-smoked salmon production on survival and growth of persistent and presumed non-persistent *Listeria monocytogenes*. Int J Food Microbiol. 2008 Mar 20;122(3):287-95.

Skandamis PN, Yoon Y, Stopforth JD, Kendall PA, Sofos JN. Heat and acid tolerance of *Listeria monocytogenes* after exposure to single and multiple sublethal stresses. Food Microbiol. 2008 Apr;25(2):294-303.

Salmonella

Atanassova V, Reich F, Klein G. Microbiological quality of sushi from sushi bars and retailers. J Food Prot. 2008 Apr;71(4):860-4.

Bigwood T, Hudson JA, Billington C, Carey-Smith GV, Heinemann JA. Phage inactivation of foodborne pathogens on cooked and raw meat. Food Microbiol. 2008 Apr;25(2):400-6.

Bollaerts K, Aerts M, Faes C, Grijspeerdt K, Dewulf J, Mintiens K. Human salmonellosis: estimation of dose-illness from outbreak data. Risk Anal. 2008 Apr;28(2):427-40.

Bucher O, D'Aoust JY, Holley RA. Thermal resistance of *Salmonella* serovars isolated from raw, frozen chicken nuggets/strips, nugget meat and pelleted broiler feed. Int J Food Microbiol. 2008 May 31;124(2):195-8.

Cabedo L, Picart i Barrot L, Teixidó i Canelles A. Prevalence of *Listeria monocytogenes* and *Salmonella* in ready-to-eat food in Catalonia, Spain. J Food Prot. 2008 Apr;71(4):855-9.

Callaway TR, Edrington TS, Anderson RC, Byrd JA, Nisbet DJ. Gastrointestinal microbial ecology and the safety of our food supply as related to *Salmonella*. J Anim Sci. 2008 Apr;86(14 Suppl):E163-72.

Carrique-Mas JJ, Papadopoulou C, Evans SJ, Wales A, Teale CJ, Davies RH. Trends in phage types and antimicrobial resistance of *Salmonella enterica* serovar *Enteritidis* isolated from animals in Great Britain from 1990 to 2005. *Vet Rec.* 2008 Apr 26;162(17):541-6.

Centers for Disease Control and Prevention (CDC). Multistate outbreak of human *Salmonella* infections caused by contaminated dry dog food--United States, 2006-2007. *MMWR Morb Mortal Wkly Rep.* 2008 May 16;57(19):521-4.

Centers for Disease Control and Prevention (CDC). Preliminary FoodNet data on the incidence of infection with pathogens transmitted commonly through food--10 states, 2007. *MMWR Morb Mortal Wkly Rep.* 2008 Apr 11;57(14):366-70.

Collard JM, Bertrand S, Dierick K, Godard C, Wildemaue C, Vermeersch K, Duculot J, VAN Immerseel F, Pasmans F, Imberechts H, Quinet C. Drastic decrease of *Salmonella Enteritidis* isolated from humans in Belgium in 2005, shift in phage types and influence on foodborne outbreaks. *Epidemiol Infect.* 2008 Jun;136(6):771-81.

Egorova S, Timinouni M, Demartin M, Granier SA, Whichard JM, Sangal V, Fabre L, Delauné A, Pardos M, Millemann Y, Espié E, Achtman M, Grimont PA, Weill FX. Ceftriaxone-Resistant *Salmonella enterica* Serotype *Newport*, France. *Emerg Infect Dis.* 2008 Jun;14(6):954-957.

Foley SL, Lynne AM. Food animal-associated *Salmonella* challenges: pathogenicity and antimicrobial resistance. *J Anim Sci.* 2008 Apr;86(14 Suppl):E173-87.

Fàbrega A, Sánchez-Céspedes J, Soto S, Vila J. Quinolone resistance in the food chain. *Int J Antimicrob Agents.* 2008 Apr;31(4):307-15.

Foley SL, Lynne AM. Food animal-associated *Salmonella* challenges: pathogenicity and antimicrobial resistance. *J Anim Sci.* 2008 Apr;86(14 Suppl):E173-87.

García-Fernández A, Chiaretto G, Bertini A, Villa L, Fortini D, Ricci A, Carattoli A. Multilocus sequence typing of IncI1 plasmids carrying extended-spectrum beta-lactamases in *Escherichia coli* and *Salmonella* of human and animal origin. *J Antimicrob Chemother.* 2008 Jun;61(6):1229-33.

Gerner-Smidt P, Whichard JM. Foodborne disease trends and reports. *Foodborne Pathog Dis.* 2008 Spring;5(1):3-5. No abstract available.

Gordon MA. *Salmonella* infections in immunocompromised adults. *J Infect.* 2008 May 10. [Epub ahead of print]

Greig JD, Lee MB. Enteric outbreaks in long-term care facilities and recommendations for prevention: a review. *Epidemiol Infect.* 2008 May 12;1-11. [Epub ahead of print]

Hautekiet V, Geert V, Marc V, Rony G. Development of a sanitary risk index for *Salmonella* seroprevalence in Belgian pig farms. *Prev Vet Med.* 2008 Apr 29. [Epub ahead of print]

Hurd HS, Enøe C, Sørensen L, Wachman H, Corns SM, Bryden KM, Grenier M. Risk-based analysis of the Danish pork *Salmonella* program: past and future. *Risk Anal.* 2008 Apr;28(2):341-51.

Little CL, Rhoades JR, Sagoo SK, Harris J, Greenwood M, Mithani V, Grant K, McLauchlin J. Microbiological quality of retail cheeses made from raw, thermized or pasteurised milk in the UK. *Food Microbiol.* 2008 Apr;25(2):304-12.

Little CL, Richardson JF, Owen RJ, de Pinna E, Threlfall EJ. *Campylobacter* and *Salmonella* in raw red meats in the United Kingdom: prevalence, characterization and antimicrobial resistance pattern, 2003-2005. *Food Microbiol.* 2008 May;25(3):538-43.

Staphylococcus aureus

Aoyama K, Takahashi C, Yamauchi Y, Sakai F, Igarashi H, Yanahira S, Konishi H. Examination of *Staphylococcus aureus* Survival and Growth during Cheese-making Process. *Shokuhin Eiseigaku Zasshi.* 2008 Apr;49(2):116-23.

Gounadaki AS, Skandamis PN, Drosinos EH, Nychas GJ. Microbial ecology of food contact surfaces and products of small-scale facilities producing traditional sausages. *Food Microbiol.* 2008 Apr;25(2):313-23.

Vautor E, Abadie G, Pont A, Thiery R. Evaluation of the presence of the *bap* gene in *Staphylococcus aureus* isolates recovered from human and animals species. *Vet Microbiol.* 2008 Mar 18;127(3-4):407-11.

Viruses

Baert L, Uyttendaele M, Debevere J. Evaluation of viral extraction methods on a broad range of Ready-To-Eat foods with conventional and real-time RT-PCR for Norovirus GII detection. *Int J Food Microbiol.* 2008 Mar 31;123(1-2):101-8.

Belliot G, Lavaux A, Souihel D, Agnello D, Pothier P. Use of murine norovirus as a surrogate to evaluate resistance of human norovirus to disinfectants. *Appl Environ Microbiol.* 2008 May;74(10):3315-8.

Fukuda S, Sasaki Y, Seno M. Rapid and Sensitive Detection of Norovirus Genomes in Oysters by a Two-Step Isothermal Amplification assay system combining the Nucleic Acid Sequence-based Amplification (NASBA) and Reverse Transcription-Loop-Mediated Isothermal Amplification (RT-LAMP) assays. *Appl Environ Microbiol.* 2008 May 2. [Epub ahead of print]

Martinez A, Dominguez A, Torner N, Ruiz L, Camps N, Barrabeig I, Arias C, Alvarez J, Godoy P, Balaña PJ, Pumares A, Bartolome R, Ferrer D, Perez U, Pinto R, Buesa J; Catalan Viral Gastroenteritis Study Group. Epidemiology of foodborne norovirus outbreaks in Catalonia, Spain. *BMC Infect Dis.* 2008 Apr 14;8:47.

Okabayashi T, Yokota SI, Ohkoshi Y, Ohuchi H, Yoshida Y, Kikuchi M, Yano K, Fujii N. Occurrence of Norovirus in an Asymptomatic Food-handler population unrelated to Norovirus Outbreaks. *J Clin Microbiol.* 2008 Apr 23. [Epub ahead of print]

Park Y, Cho YH, Jee Y, Ko G. Development of Immunomagnetic Separation Combined with Real-Time RT-PCR Assays for Detecting Norovirus in Contaminated Food. *Appl Environ Microbiol.* 2008 Apr 25. [Epub ahead of print]

Waters A, Dunford L, Tuite G, Connell J, Dooley S, Foley B, McKeown P, Hall WW, Coughlan S. Significant prevalence and genetic diversity of norovirus infection in Irish children. *Pediatr Res.* 2008 Apr 9. [Epub ahead of print]

Borgen K, Herremans T, Duizer E, Vennema H, Rutjes S, Bosman A, de Roda Husman AM, Koopmans M. Non-travel related Hepatitis E virus genotype 3 infections in the Netherlands; a case series 2004 - 2006. *BMC Infect Dis.* 2008 May 8;8(1):61. [Epub ahead of print]

Bouwknegt M, Frankena K, Rutjes SA, Wellenberg GJ, de Roda Husman AM, van der Poel WH, de Jong MC. Estimation of hepatitis E virus transmission among pigs due to contact-exposure. *Vet Res.* 2008 Mar 27;39(5):40. [Epub ahead of print]

Mushahwar IK. Hepatitis E virus: molecular virology, clinical features, diagnosis, transmission, epidemiology, and prevention. *J Med Virol.* 2008 Apr;80(4):646-58. Review.

Pavio N, Renou C, Liberto GD, Boutrouille A, Eloit M. Hepatitis E: a curious zoonosis. *Front Biosci.* 2008 May 1;13:7172-83.

Renou C, Moreau X, Pariente A, Cadranel JF, Maringe E, Morin T, Causse X, Payen JL, Izopet J, Nicand E, Bourlière M, Penaranda G, Hardwigsen J, Gerolami R, Péron JM, Pavio N; ANGH, France. A national survey of acute hepatitis E in France. *Aliment Pharmacol Ther.* 2008 Jun 1;27(11):1086-93.