

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD

Items of possible interest from the literature

A list of items from the literature which may be of interest to Members is attached.

**Secretariat
March 2009**

Bacillus cereus

Didelot X, Barker M, Falush D, Priest FG. Evolution of pathogenicity in the *Bacillus cereus* group. *Syst Appl Microbiol*. 2009 Apr;32(2):81-90. Epub 2009 Feb 5.

Meldrum RJ, Mannion PT, Garside J; Welsh Food Microbiological Forum. Microbiological quality of ready-to-eat food served in schools in Wales, United Kingdom. *J Food Prot*. 2009 Jan;72(1):197-201.

Wijnands LM, Pielaat A, Dufrenne JB, Zwietering MH, van Leusden FM. Modelling the number of viable vegetative cells of *Bacillus cereus* passing through the stomach. *J Appl Microbiol*. 2009 Jan;106(1):258-67.

Cronin UP, Wilkinson MG. Physiological response of *Bacillus cereus* vegetative cells to simulated food processing treatments. *J Food Prot*. 2008 Nov;71(11):2168-76.

Sagoo SK, Little CL, Greenwood M, Mithani V, Grant KA, McLauchlin J, de Pinna E, Threlfall EJ. Assessment of the microbiological safety of dried spices and herbs from production and retail premises in the United Kingdom. *Food Microbiol*. 2009 Feb;26(1):39-43.

Ankolekar C, Rahmati T, Labbé RG. Detection of toxigenic *Bacillus cereus* and *Bacillus thuringiensis* spores in U.S. rice. *Int J Food Microbiol*. 2009 Jan 15;128(3):460-6.

Chen JL, Chiang ML, Chou CC. Survival of the acid-adapted *Bacillus cereus* in acidic environments. *Int J Food Microbiol*. 2009 Jan 15;128(3):424-8.

Membré JM, Kan-King-Yu D, Blackburn Cde W. Use of sensitivity analysis to aid interpretation of a probabilistic *Bacillus cereus* spore lag time model applied to heat-treated chilled foods (REPFEDs). *Int J Food Microbiol*. 2008 Nov 30;128(1):28-33.

Apetroaie-Constantin C, Shaheen R, Andrup L, Smidt L, Rita H, Salkinoja-Salonen M. Environment driven cereulide production by emetic strains of *Bacillus cereus*. *Int J Food Microbiol*. 2008 Sep 30;127(1-2):60-7.

Campylobacter

Bronzwaer S, Hugas M, Collins JD, Newell DG, Robinson T, Mäkelä P, Havelaar A. EFSA's 12th Scientific Colloquium - Assessing health benefits of controlling *Campylobacter* in the food chain. *Int J Food Microbiol*. 2009 Feb 4. [Epub ahead of print] No abstract available.

Chrystal ND, Hargraves SJ, Boa AC, Ironside CJ. Counts of *Campylobacter* spp. and prevalence of *Salmonella* associated with New Zealand broiler carcasses. *J Food Prot*. 2008 Dec;71(12):2526-32.

Chai LC, Lee HY, Ghazali FM, Abu Bakar F, Malakar PK, Nishibuchi M, Nakaguchi Y, Radu S. Simulation of cross-contamination and decontamination of *Campylobacter jejuni* during handling of contaminated raw vegetables in a domestic kitchen. *J Food Prot.* 2008 Dec;71(12):2448-52.

Danis K, Di Renzi M, O'Neill W, Smyth B, McKeown P, Foley B, Tohani V, Devine M. Risk factors for sporadic *Campylobacter* infection: an all-Ireland case-control study. *Euro Surveill.* 2009 Feb 19;14(7). pii: 19123.

Jepsen MR, Simonsen J, Ethelberg S. Spatio-temporal cluster analysis of the incidence of *Campylobacter* cases and patients with general diarrhea in a Danish county, 1995-2004. *Int J Health Geogr.* 2009 Feb 20;8(1):11. [Epub ahead of print]

Thakur S, White DG, McDermott PF, Zhao S, Kroft B, Gebreyes W, Abbott J, Cullen P, English L, Carter P, Harbottle H. Genotyping of *Campylobacter coli* isolated from humans and retail meats using multilocus sequence typing and pulsed-field gel electrophoresis. *J Appl Microbiol.* 2009 Feb 14. [Epub ahead of print]

Scott NE, Cordwell SJ.
Campylobacter proteomics: guidelines, challenges and future perspectives. *Expert Rev Proteomics.* 2009 Feb;6(1):61-74.

Hunter SM, Berrang ME, Meinersmann RJ, Harrison MA. Genetic diversity of *Campylobacter* on broiler carcasses collected preevisceration and postchill in 17 U.S. poultry processing plants. *J Food Prot.* 2009 Jan;72(1):49-54.

Olsen KN, Lund M, Skov J, Christensen LS, Hoorfar J. Towards real-time monitoring of broiler flocks: detection of *Campylobacter* in air samples for continuous monitoring of *Campylobacter* colonization in broiler flocks. *Appl Environ Microbiol.* 2009 Feb 6. [Epub ahead of print]

Greig JD, Ravel A. Analysis of foodborne outbreak data reported internationally for source attribution. *Int J Food Microbiol.* 2009 Jan 6. [Epub ahead of print]

Presi P, Stärk KD, Stephan R, Breidenbach E, Frey J, Regula G. Risk scoring for setting priorities in a monitoring of antimicrobial resistance in meat and meat products. *Int J Food Microbiol.* 2008 Dec 31. [Epub ahead of print]

Kuana SL, Santos LR, Rodrigues LB, Borsoi A, Moraes HL, Salle CT, Nascimento VP. Occurrence and characterization of *Campylobacter* in the Brazilian production and processing of broilers. *Avian Dis.* 2008 Dec;52(4):680-4.

Rushton SP, Humphrey TJ, Shirley MD, Bull S, Jørgensen F. *Campylobacter* in housed broiler chickens: a longitudinal study of risk factors. *Epidemiol Infect.* 2009 Jan 19:1-12. [Epub ahead of print]

Nauta M, Hill A, Rosenquist H, Brynestad S, Fetsch A, van der Logt P, Fazil A, Christensen B, Katsma E, Borck B, Havelaar A. A comparison of risk assessments on *Campylobacter* in broiler meat. *Int J Food Microbiol.* 2009 Feb 15;129(2):107-23. Epub 2008 Dec 7.

Habib I, Sampers I, Uyttendaele M, De Zutter L, Berkvens D. A Bayesian modelling framework to estimate *Campylobacter* prevalence and culture methods sensitivity: application to a chicken meat survey in Belgium. *J Appl Microbiol.* 2008 Dec;105(6):2002-8.

van Gerwe T, Mifflin JK, Templeton JM, Bouma A, Wagenaar JA, Jacobs-Reitsma WF, Stegeman A, Klinkenberg D. Quantifying transmission of *Campylobacter jejuni* in commercial broiler flocks. *Appl Environ Microbiol.* 2009 Feb;75(3):625-8. Epub 2008 Dec 1.

Little CL, Richardson JF, Owen RJ, de Pinna E, Threlfall EJ. Prevalence, characterisation and antimicrobial resistance of *Campylobacter* and *Salmonella* in raw poultrymeat in the UK, 2003-2005. *Int J Environ Health Res.* 2008 Dec;18(6):403-14.

Gunther NW 4th, Chen CY. The biofilm forming potential of bacterial species in the genus *Campylobacter*. *Food Microbiol.* 2009 Feb;26(1):44-51.

Gilpin BJ, Robson B, Scholes P, Nourozi F, Sinton LW. Survival of *Campylobacter* spp. in bovine faeces on pasture. *Lett Appl Microbiol.* 2009 Feb;48(2):162-6.

Forbes KJ, Gormley FJ, Dallas JF, Labovitiadi O, MacRae M, Owen RJ, Richardson J, Strachan NJ, Cowden JM, Ogden ID, McGuigan CC. *Campylobacter* immunity and coinfection following a large outbreak in a farming community. *J Clin Microbiol.* 2009 Jan;47(1):111-6.

Gillespie IA, O'Brien SJ, Penman C, Tompkins D, Cowden J, Humphrey TJ. Demographic determinants for *Campylobacter* infection in England and Wales: implications for future epidemiological studies. *Epidemiol Infect.* 2008 Dec;136(12):1717-25.

Sopwith W, Birtles A, Matthews M, Fox A, Gee S, Painter M, Regan M, Syed Q, Bolton E. Identification of potential environmentally adapted *Campylobacter jejuni* strain, United Kingdom. *Emerg Infect Dis.* 2008 Nov;14(11):1769-73.

Sampers I, Habib I, Berkvens D, Dumoulin A, Zutter LD, Uyttendaele M. Processing practices contributing to *Campylobacter* contamination in Belgian chicken meat preparations. *Int J Food Microbiol.* 2008 Dec 10;128(2):297-303. Epub 2008 Sep 18.

Medeiros DT, Sattar SA, Farber JM, Carrillo CD. Occurrence of *Campylobacter* spp. in raw and ready-to-eat foods and in a Canadian food service operation. *J Food Prot.* 2008 Oct;71(10):2087-93.

Stern NJ. Salmonella species and Campylobacter jejuni cecal colonization model in broilers. *Poult Sci.* 2008 Nov;87(11):2399-403.

Calistri P, Giovannini A. Quantitative risk assessment of human campylobacteriosis related to the consumption of chicken meat in two Italian regions. *Int J Food Microbiol.* 2008 Dec 10;128(2):274-87. Epub 2008 Sep 10.

Dingle KE, McCarthy ND, Cody AJ, Peto TE, Maiden MC. Extended sequence typing of Campylobacter spp., United Kingdom. *Emerg Infect Dis.* 2008 Oct;14(10):1620-2.

Wilson DJ, Gabriel E, Leatherbarrow AJ, Cheesbrough J, Gee S, Bolton E, Fox A, Fearnhead P, Hart CA, Diggle PJ. Tracing the source of campylobacteriosis. *PLoS Genet.* 2008 Sep 26;4(9):e1000203.

van Asselt ED, Jacobs-Reitsma WF, van Brakel R, van der Voet H, van der Fels-Klerx HJ. Campylobacter prevalence in the broiler supply chain in the Netherlands. *Poult Sci.* 2008 Oct;87(10):2166-72.

Lyngstad TM, Jonsson ME, Hofshagen M, Heier BT. Risk factors associated with the presence of Campylobacter species in Norwegian broiler flocks. *Poult Sci.* 2008 Oct;87(10):1987-94.

Bi P, Cameron AS, Zhang Y, Parton KA. Weather and notified Campylobacter infections in temperate and sub-tropical regions of Australia: an ecological study. *J Infect.* 2008 Oct;57(4):317-23. Epub 2008 Sep 20.

Callicott KA, Harðardóttir H, Georgsson F, Reiersen J, Friðriksdóttir V, Gunnarsson E, Michel P, Bisailon JR, Kristinsson KG, Briem H, Hielt KL, Needleman DS, Stern NJ. Broiler Campylobacter contamination and human campylobacteriosis in Iceland. *Appl Environ Microbiol.* 2008 Nov;74(21):6483-94. Epub 2008 Sep 12.

Taylor NM, Davies RH, Ridley A, Clouting C, Wales AD, Clifton-Hadley FA. A survey of fluoroquinolone resistance in Escherichia coli and thermophilic Campylobacter spp. on poultry and pig farms in Great Britain. *J Appl Microbiol.* 2008 Nov;105(5):1421-31. Epub 2008 Sep 5.

van Asselt ED, de Jong AE, de Jonge R, Nauta MJ. Cross-contamination in the kitchen: estimation of transfer rates for cutting boards, hands and knives. *J Appl Microbiol.* 2008 Nov;105(5):1392-401. Epub 2008 Aug 18.

Reich F, Atanassova V, Haunhorst E, Klein G. The effects of Campylobacter numbers in caeca on the contamination of broiler carcasses with Campylobacter. *Int J Food Microbiol.* 2008 Sep 30;127(1-2):116-20. Epub 2008 Jun 24.

O'Leary MC, Harding O, Fisher L, Cowden J. A continuous common-source outbreak of campylobacteriosis associated with changes to the preparation of chicken liver pâté. *Epidemiol Infect.* 2009 Mar;137(3):383-8. Epub 2009 Feb 9.

Moffatt C. A multi-centre prospective case-control study of campylobacter infection in persons aged 5 years and older in Australia. *Epidemiol Infect.* 2008 Oct;136(10):1315-6; author reply 1316-8. Epub 2008 Apr 15.

Clostridium botulinum

Sheth AN, Wiersma P, Atrubin D, Dubey V, Zink D, Skinner G, Doerr F, Juliao P, Gonzalez G, Burnett C, Drenzek C, Shuler C, Austin J, Ellis A, Maslanka S, Sobel J. International outbreak of severe botulism with prolonged toxemia caused by commercial carrot juice. *Clin Infect Dis.* 2008 Nov 15;47(10):1245-51.

King LA, French Multidisciplinary Outbreak Investigation Team. Two severe cases of botulism associated with industrially produced chicken enchiladas, France, August 2008. *Euro Surveill.* 2008 Sep 11;13(37). pii: 18978.

Chen Y, Korkeala H, Lindén J, Lindström M. Quantitative real-time reverse transcription-PCR analysis reveals stable and prolonged neurotoxin cluster gene activity in a *Clostridium botulinum* type E strain at refrigeration temperature. *Appl Environ Microbiol.* 2008 Oct;74(19):6132-7. Epub 2008 Aug 15.

Clostridium perfringens

Van Immerseel F, Rood JI, Moore RJ, Titball RW. Rethinking our understanding of the pathogenesis of necrotic enteritis in chickens. *Trends Microbiol.* 2009 Jan;17(1):32-6. Epub 2008 Oct 30.

Holtby I, Tebbutt GM, Grant KA, McLauchlin J, Kett J, Pinkney S. A *Clostridium perfringens* food poisoning outbreak associated with consumption of chicken curry supplied by a home caterer. *Public Health.* 2008 Dec;122(12):1311-4. Epub 2008 Oct 14.

Le Marc Y, Plowman J, Aldus CF, Munoz-Cuevas M, Baranyi J, Peck MW. Modelling the growth of *Clostridium perfringens* during the cooling of bulk meat. *Int J Food Microbiol.* 2008 Nov 30;128(1):41-50. Epub 2008 Jul 19.

Cryptosporidium

McEvoy JM, Giddings CW. *Cryptosporidium* in commercially produced turkeys on-farm and postslaughter. *Lett Appl Microbiol.* 2009 Mar;48(3):302-6. Epub 2009 Feb 2.

Pierce KK, Kirkpatrick BD. Update on human infections caused by intestinal protozoa. *Curr Opin Gastroenterol*. 2009 Jan;25(1):12-7.

Pritchard GC, Marshall JA, Giles M, Mueller-Doblies D, Sayers AR, Marshall RN, Elwin K, Chalmers RM. Cryptosporidium species in lambs submitted for diagnostic postmortem examination in England and Wales. *Vet Rec*. 2008 Dec 6;163(23):688-9. No abstract available.

Robinson G, Elwin K, Chalmers RM. Unusual Cryptosporidium genotypes in human cases of diarrhea. *Emerg Infect Dis*. 2008 Nov;14(11):1800-2.

Brook EJ, Anthony Hart C, French NP, Christley RM. Molecular epidemiology of Cryptosporidium subtypes in cattle in England. *Vet J*. 2009 Mar;179(3):378-82. Epub 2008 Feb 20.

E. coli

Greenland K, de Jager C, Heuvelink A, van der Zwaluw K, Heck M, Notermans D, van Pelt W, Friesema I. Nationwide outbreak of STEC O157 infection in the Netherlands, December 2008-January 2009: continuous risk of consuming raw beef products. *Euro Surveill*. 2009 Feb 26;14(8). pii: 19129.

Kreske AC, Bjornsdottir K, Breidt F Jr, Hassan H. Effects of pH, dissolved oxygen, and ionic strength on the survival of Escherichia coli O157:H7 in organic acid solutions. *J Food Prot*. 2008 Dec;71(12):2404-9.

Aruscavage D, Miller SA, Ivey ML, Lee K, LeJeune JT. Survival and dissemination of Escherichia coli O157:H7 on physically and biologically damaged lettuce plants. *J Food Prot*. 2008 Dec;71(12):2384-8.

Clough HE, Clancy D, French NP. Quantifying exposure to Verocytotoxigenic Escherichia coli O157 in milk sold as pasteurized: A model-based approach. *Int J Food Microbiol*. 2009 Jan 27.

La Ragione RM, Best A, Woodward MJ, Wales AD. Escherichia coli O157:H7 colonization in small domestic ruminants. *FEMS Microbiol Rev*. 2009 Mar;33(2):394-410.

Ingham SC, Ingham BH, Borneman D, Jaussaud E, Schoeller EL, Hoftiezer N, Schwartzburg L, Burnham GM, Norback JP. Predicting pathogen growth during short-term temperature abuse of raw sausage. *J Food Prot*. 2009 Jan;72(1):75-84.

Smith RP, Ellis-Iversen J, Snary EL, Clifton-Hadley FA, Paiba GA. Factors influencing the presence and concentration of E. coli O157 and E. coli in farm waste on six cattle farms in North-West England. *J Appl Microbiol*. 2009 Feb;106(2):613-23.

Alpers K, Werber D, Frank C, Koch J, Friedrich AW, Karch H, An DER Heiden M, Prager R, Fruth A, Bielaszewska M, Morlock G, Heissenhuber A, Diedler

A, Gerber A, Ammon A. Sorbitol-fermenting enterohaemorrhagic *Escherichia coli* O157:H- causes another outbreak of haemolytic uraemic syndrome in children. *Epidemiol Infect.* 2009 Mar;137(3):389-95.

Reissbrodt R, Hammes WP, dal Bello F, Prager R, Fruth A, Hantke K, Rakin A, Starcic-Erjavec M, Williams PH. Inhibition of growth of Shiga toxin-producing *Escherichia coli* by non-pathogenic *Escherichia coli*. *FEMS Microbiol Lett.* 2009 Jan;290(1):62-9.

Chase-Topping M, Gally D, Low C, Matthews L, Woolhouse M. Super-shedding and the link between human infection and livestock carriage of *Escherichia coli* O157. *Nat Rev Microbiol.* 2008 Dec;6(12):904-12. Review.

King LA, Mailles A, Mariani-Kurkdjian P, Vernozy-Rozand C, Montet MP, Grimont F, Pihier N, Devalk H, Perret F, Bingen E, Espié E, Vaillant V. Community-wide outbreak of *Escherichia coli* O157:H7 associated with consumption of frozen beef burgers. *Epidemiol Infect.* 2008 Oct 23:1-8.

Chart H, Cheasty T. Human infections with verocytotoxin-producing *Escherichia coli* O157--10 years of *E. coli* O157 serodiagnosis. *J Med Microbiol.* 2008 Nov;57(Pt 11):1389-93.

Rosser T, Dransfield T, Allison L, Hanson M, Holden N, Evans J, Naylor S, La Ragione R, Low JC, Gally DL. Pathogenic potential of emergent sorbitol-fermenting *Escherichia coli* O157:NM. *Infect Immun.* 2008 Dec;76(12):5598-607.

Nart P, Naylor SW, Huntley JF, McKendrick IJ, Gally DL, Low JC. Responses of cattle to gastrointestinal colonization by *Escherichia coli* O157:H7. *Infect Immun.* 2008 Nov;76(11):5366-72.

Mather AE, Reid SW, McEwen SA, Ternent HE, Reid-Smith RJ, Boerlin P, Taylor DJ, Steele WB, Gunn GJ, Mellor DJ. Factors associated with cross-contamination of hides of Scottish cattle by *Escherichia coli* O157. *Appl Environ Microbiol.* 2008 Oct;74(20):6313-9.

Baylis CL. Growth of pure cultures of Verocytotoxin-producing *Escherichia coli* in a range of enrichment media. *J Appl Microbiol.* 2008 Nov;105(5):1259-65.

Williams AP, McGregor KA, Killham K, Jones DL. Persistence and metabolic activity of *Escherichia coli* O157:H7 in farm animal faeces. *FEMS Microbiol Lett.* 2008 Oct;287(2):168-73.

Turner J, Bowers RG, Clancy D, Behnke MC, Christley RM. A network model of *E. coli* O157 transmission within a typical UK dairy herd: the effect of heterogeneity and clustering on the prevalence of infection. *J Theor Biol.* 2008 Sep 7;254(1):45-54.

Cobbaut K, Houf K, Doudah L, Van Hende J, De Zutter L. Alternative sampling to establish the Escherichia coli O157 status on beef cattle farms. *Vet Microbiol.* 2008 Nov 25;132(1-2):205-10.

Hepatitis

Kingsley DH, Chen H. Influence of pH, salt, and temperature on pressure inactivation of hepatitis A virus. *Int J Food Microbiol.* 2009 Mar 15;130(1):61-4.

Robesyn E, De Schrijver K, Wollants E, Top G, Verbeeck J, Van Ranst M. An outbreak of hepatitis A associated with the consumption of raw beef. *J Clin Virol.* 2009 Mar;44(3):207-10.

Todd EC, Greig JD, Bartleson CA, Michaels BS. Outbreaks where food workers have been implicated in the spread of foodborne disease. Part 4. Infective doses and pathogen carriage. *J Food Prot.* 2008 Nov;71(11):2339-73. Review.

Dalton HR, Bendall R, Ijaz S, Banks M. Hepatitis E: an emerging infection in developed countries. *Lancet Infect Dis.* 2008 Nov;8(11):698-709. Review.

Fino VR, Kniel KE. Comparative recovery of foodborne viruses from fresh produce. *Foodborne Pathog Dis.* 2008 Dec;5(6):819-25.

Schmid D, Fretz R, Buchner G, König C, Perner H, Sollak R, Tratter A, Hell M, Maass M, Strasser M, Allerberger F. Foodborne outbreak of hepatitis A, November 2007-January 2008, Austria. *Eur J Clin Microbiol Infect Dis.* 2008 Oct 11.

Listeria

Mengesha D, Zewde BM, Toquin MT, Kleer J, Hildebrandt G, Gebreyes WA. Occurrence and distribution of *Listeria monocytogenes* and other *Listeria* species in ready-to-eat and raw meat products. *Berl Munch Tierarztl Wochenschr.* 2009 Jan-Feb;122(1-2):20-4.

Pouillot R, Goulet V, Delignette-Muller ML, Mahé A, Cornu M. Quantitative Risk Assessment of *Listeria monocytogenes* in French Cold-Smoked Salmon: II. Risk Characterization. *Risk Anal.* 2009 Feb 9. [Epub ahead of print]

Keeratipibul S, Lekroengsin S. Risk analysis of *Listeria* spp. contamination in two types of ready-to-eat chicken meat products. *J Food Prot.* 2009 Jan;72(1):67-74.

Naitali M, Dubois-Brissonnet F, Cuvelier G, Bellon-Fontaine MN. Effects of pH and oil-in-water emulsions on growth and physicochemical cell surface properties of *Listeria monocytogenes*: Impact on tolerance to the bactericidal activity of disinfectants. *Int J Food Microbiol.* 2009 Jan 21. [Epub ahead of print]

Dutta NK, Mazumdar K, Dasgupta A, Dastidar SG. In vitro and in vivo efficacies of amlodipine against *Listeria monocytogenes*. *Eur J Clin Microbiol Infect Dis*. 2009 Jan 28. [Epub ahead of print]

Watson R. Listeriosis remains a cause for concern in Europe. *BMJ*. 2009 Jan 27;338:b319. doi: 10.1136/bmj.b319. No abstract available.

Wen J, Anantheswaran RC, Knabel SJ. Changes in barotolerance, thermotolerance and cellular morphology throughout the life cycle of *Listeria monocytogenes*. *Appl Environ Microbiol*. 2009 Jan 23. [Epub ahead of print]

Hardy J, Chu P, Contag CH. Foci of *Listeria monocytogenes* persist in the bone marrow. *Dis Model Mech*. 2009 Jan;2(1-2):39-46. Epub 2008 Dec 22.

Aoshi T, Carrero JA, Konjufca V, Koide Y, Unanue ER, Miller MJ. The cellular niche of *Listeria monocytogenes* infection changes rapidly in the spleen. *Eur J Immunol*. 2009 Feb;39(2):417-25.

Latorre AA, Van Kessel JA, Karns JS, Zurakowski MJ, Pradhan AK, Zadoks RN, Boor KJ, Schukken YH. Molecular ecology of *Listeria monocytogenes*: evidence for a reservoir in milking equipment on a dairy farm. *Appl Environ Microbiol*. 2009 Mar;75(5):1315-23.

Meloni D, Galluzzo P, Mureddu A, Piras F, Griffiths M, Mazzette R. *Listeria monocytogenes* in RTE foods marketed in Italy: Prevalence and automated EcoRI ribotyping of the isolates. *Int J Food Microbiol*. 2009 Feb 15;129(2):166-73.

Chan YC, Wiedmann M. Physiology and genetics of *Listeria monocytogenes* survival and growth at cold temperatures. *Crit Rev Food Sci Nutr*. 2009 Mar;49(3):237-53.

Chen J, Zhang X, Mei L, Jiang L, Fang W. Prevalence of *Listeria* in Chinese Food Products from 13 Provinces Between 2000 and 2007 and Virulence Characterization of *Listeria monocytogenes* Isolates. *Foodborne Pathog Dis*. 2008 Dec 10. [Epub ahead of print]

Karpísková R, Gelbícová T. [Characterization and prevalence of clones of *Listeria monocytogenes* isolated from patients in 2001-2008 in the Czech Republic] *Epidemiol Mikrobiol Imunol*. 2008 Nov;57(4):137-40. Czech.

Chen J, Luo X, Jiang L, Jin P, Wei W, Liu D, Fang W. Molecular characteristics and virulence potential of *Listeria monocytogenes* isolates from Chinese food systems. *Food Microbiol*. 2009 Feb;26(1):103-11.

Byelashov OA, Carlson BA, Geornaras I, Kendall PA, Scanga JA, Sofos JN. Fate of post-processing inoculated *Listeria monocytogenes* on vacuum-packaged pepperoni stored at 4, 12 or 25 degrees C. *Food Microbiol*. 2009 Feb;26(1):77-81.

Samara A, Koutsoumanis KP. Effect of treating lettuce surfaces with acidulants on the behaviour of *Listeria monocytogenes* during storage at 5 and 20 degrees C and subsequent exposure to simulated gastric fluid. *Int J Food Microbiol.* 2009 Jan 31;129(1):1-7.

Byelashov OA, Simpson CA, Geornaras I, Kendall PA, Scanga JA, Sofos JN. Evaluation of changes in *Listeria monocytogenes* populations on frankfurters at different stages from manufacturing to consumption. *J Food Sci.* 2008 Nov;73(9):M430-7.

Guenther S, Huwyler D, Richard S, Loessner MJ. Virulent bacteriophage for efficient biocontrol of *Listeria monocytogenes* in ready-to-eat foods. *Appl Environ Microbiol.* 2009 Jan;75(1):93-100. Epub 2008 Nov 14.

Yoon Y, Kendall PA, Belk KE, Scanga JA, Smith GC, Sofos JN. Modeling the growth/no-growth boundaries of postprocessing *Listeria monocytogenes* contamination on frankfurters and bologna treated with lactic acid. *Appl Environ Microbiol.* 2009 Jan;75(2):353-8.

Lomonaco S, Decastelli L, Nucera D, Gallina S, Manila Bianchi D, Civera T. *Listeria monocytogenes* in Gorgonzola: subtypes, diversity and persistence over time. *Int J Food Microbiol.* 2009 Jan 15;128(3):516-20.

Rossi ML, Paiva A, Tornese M, Chianelli S, Troncoso A. [*Listeria monocytogenes* outbreaks: A review of the routes that favor bacterial presence.] *Rev Chilena Infectol.* 2008 Oct;25(5):328-35.

Chemaly M, Toquin MT, Le Nôtre Y, Fravalo P. Prevalence of *Listeria monocytogenes* in poultry production in France. *J Food Prot.* 2008 Oct;71(10):1996-2000.

Hanning IB, Johnson MG, Ricke SC. Precut prepackaged lettuce: a risk for listeriosis? *Foodborne Pathog Dis.* 2008 Dec;5(6):731-46.

Parihar VS, Lopez-Valladares G, Danielsson-Tham ML, Peiris I, Helmersson S, Unemo M, Andersson B, Arneborn M, Bannerman E, Barbuddhe S, Bille J, Hajdu L, Jacquet C, Johansson C, Löfdahl M, Möllerberg G, Ringberg H, Rocourt J, Tjernberg I, Ursing J, Henriques-Normark B, Tham W. Characterization of human invasive isolates of *Listeria monocytogenes* in Sweden 1986-2007. *Foodborne Pathog Dis.* 2008 Dec;5(6):755-61.

Métris A, George SM, Mackey BM, Baranyi J. Modeling the variability of single-cell lag times for *Listeria innocua* populations after sublethal and lethal heat treatments. *Appl Environ Microbiol.* 2008 Nov;74(22):6949-55.

Wilson K, Keelan J. Learning from *Listeria*: the autonomy of the Public Health Agency of Canada. *CMAJ.* 2008 Oct 21;179(9):877-9.

Collier R. Shifting to food industry self-monitoring may be hazardous.

CMAJ. 2008 Oct 7;179(8):755-6.

Keskinen LA, Todd EC, Ryser ET. Impact of bacterial stress and biofilm-forming ability on transfer of surface-dried *Listeria monocytogenes* during slicing of delicatessen meats. *Int J Food Microbiol*. 2008 Oct 31;127(3):298-304.

Bennion JR, Sorvillo F, Wise ME, Krishna S, Mascola L. Decreasing listeriosis mortality in the United States, 1990-2005. *Clin Infect Dis*. 2008 Oct 1;47(7):867-74.

van der Veen S, Moezelaar R, Abee T, Wells-Bennik MH. The growth limits of a large number of *Listeria monocytogenes* strains at combinations of stresses show serotype--and niche-specific traits. *J Appl Microbiol*. 2008 Nov;105(5):1246-58.

Norovirus

Kelly S, Foley B, Dunford L, Coughlan S, Tuite G, Duffy M, Mitchell S, Smyth B, O'Neill H, McKeown P, Hall W, Lynch M. Establishment of a national database to link epidemiological and molecular data from norovirus outbreaks in Ireland. *Epidemiol Infect*. 2008 Nov;136(11):1472-9.

Scipioni A, Mauroy A, Vinjé J, Thiry E. Animal noroviruses. *Vet J*. 2008 Oct;178(1):32-45.

Wolf S, Williamson W, Hewitt J, Lin S, Rivera-Aban M, Ball A, Scholes P, Savill M, Greening GE. Molecular detection of norovirus in sheep and pigs in New Zealand farms. *Vet Microbiol*. 2009 Jan 1;133(1-2):184-9.

Koopmans M. Progress in understanding norovirus epidemiology. *Curr Opin Infect Dis*. 2008 Oct;21(5):544-52. Review.

Mauroy A, Scipioni A, Mathijs E, Miry C, Ziant D, Thys C, Thiry E. Noroviruses and sapoviruses in pigs in Belgium. *Arch Virol*. 2008;153(10):1927-31.

Suffredini E, Corrain C, Arcangeli G, Fasolato L, Manfrin A, Rossetti E, Biazzini E, Mioni R, Pavoni E, Losio MN, Sanavio G, Croci L. Occurrence of enteric viruses in shellfish and relation to climatic-environmental factors. *Lett Appl Microbiol*. 2008 Nov;47(5):467-74.

Harris JP, Edmunds WJ, Pebody R, Brown DW, Lopman BA. Deaths from norovirus among the elderly, England and Wales. *Emerg Infect Dis*. 2008 Oct;14(10):1546-52.

Campe H, Hartberger C, Sing A. Role of Human Bocavirus infections in outbreaks of gastroenteritis. *J Clin Virol*. 2008 Nov;43(3):340-2.

Le Guyader FS, Le Saux JC, Ambert-Balay K, Krol J, Serais O, Parnaudeau S, Giraudon H, Delmas G, Pommepuy M, Pothier P, Atmar RL. Aichi virus, norovirus, astrovirus, enterovirus, and rotavirus involved in clinical cases from a French oyster-related gastroenteritis outbreak. *J Clin Microbiol.* 2008 Dec;46(12):4011-7.

Malek M, Barzilay E, Kramer A, Camp B, Jaykus LA, Escudero-Abarca B, Derrick G, White P, Gerba C, Higgins C, Vinje J, Glass R, Lynch M, Widdowson MA. Outbreak of norovirus infection among river rafters associated with packaged delicatessen meat, Grand Canyon, 2005. *Clin Infect Dis.* 2009 Jan 1;48(1):31-7.

Topping JR, Schnerr H, Haines J, Scott M, Carter MJ, Willcocks MM, Bellamy K, Brown DW, Gray JJ, Gallimore CI, Knight AI. Temperature inactivation of Feline calicivirus vaccine strain FCV F-9 in comparison with human noroviruses using an RNA exposure assay and reverse transcribed quantitative real-time polymerase chain reaction-A novel method for predicting virus infectivity. *J Virol Methods.* 2009 Mar;156(1-2):89-95. Epub 2008 Dec 18.

Gentry J, Vinjé J, Lipp EK. A rapid and efficient method for quantitation of genogroups I and II norovirus from oysters and application in other complex environmental samples. *J Virol Methods.* 2009 Mar;156(1-2):59-65. Epub 2008 Dec 16.

Wang D, Wu Q, Kou X, Yao L, Zhang J. Distribution of norovirus in oyster tissues. *J Appl Microbiol.* 2008 Dec;105(6):1966-72.

Baert L, Uyttendaele M, Stals A, VAN Coillie E, Dierick K, Debevere J, Botteldoorn N. Reported foodborne outbreaks due to noroviruses in Belgium: the link between food and patient investigations in an international context. *Epidemiol Infect.* 2009 Mar;137(3):316-25. Epub 2009 Feb 9.

Huhulescu S, Kiss R, Brettlecker M, Cerny RJ, Hess C, Wewalka G, Allerberger F. Etiology of Acute Gastroenteritis in Three Sentinel General Practices, Austria 2007. *Infection.* 2008 Dec 3.

Nakagawa-Okamoto R, Arita-Nishida T, Toda S, Kato H, Iwata H, Akiyama M, Nishio O, Kimura H, Noda M, Takeda N, Oka T. Detection of multiple sapovirus genotypes and genogroups in oyster-associated outbreaks. *Jpn J Infect Dis.* 2009 Jan;62(1):63-6.

Kuo HW, Schmid D, Jelovcan S, Pichler AM, Magnet E, Reichart S, Allerberger F. A foodborne outbreak due to norovirus in Austria, 2007. *J Food Prot.* 2009 Jan;72(1):193-6.

Salmonella

Komitopoulou E, Peñaloza W. Fate of Salmonella in dry confectionery raw materials. *J Appl Microbiol.* 2009 Feb 25. [Epub ahead of print]

Todd EC, Greig JD, Bartleson CA, Michaels BS. Outbreaks where food workers have been implicated in the spread of foodborne disease. Part 5. Sources of contamination and pathogen excretion from infected persons. *J Food Prot.* 2008 Dec;71(12):2582-95.

Tuntivanich V, Orta-Ramirez A, Marks BP, Ryser ET, Booren AM. Thermal inactivation of *Salmonella* in whole muscle and ground turkey breast. *J Food Prot.* 2008 Dec;71(12):2548-51.

Chrystal ND, Hargraves SJ, Boa AC, Ironside CJ. Counts of *Campylobacter* spp. and prevalence of *Salmonella* associated with New Zealand broiler carcasses. *J Food Prot.* 2008 Dec;71(12):2526-32.

Dominguez SA, Schaffner DW. Modeling the growth of *Salmonella* in raw poultry stored under aerobic conditions. *J Food Prot.* 2008 Dec;71(12):2429-35.

Woc-Colburn L, Bobak DA. The expanding spectrum of disease due to salmonella: an international perspective. *Curr Infect Dis Rep.* 2009 Mar;11(2):120-4.

Kroupitski Y, Pinto R, Brandl MT, Belausov E, Sela S. Interactions of *Salmonella enterica* with lettuce leaves. *J Appl Microbiol.* 2009 Feb 23. [Epub ahead of print]

Elviss NC, Little CL, Hucklesby L, Sagoo S, Surman-Lee S, de Pinna E, Threlfall EJ; on behalf of the Food, Water and Environmental Surveillance Network. Microbiological study of fresh herbs from retail premises uncovers an international outbreak of salmonellosis. *Int J Food Microbiol.* 2009 Jan 24. [Epub ahead of print]

Huneau-Salaün A, Marianne C, Sophie LB, Françoise L, Isabelle P, Sandra R, Virginie M, Philippe F, Nicolas R. Risk factors for *Salmonella enterica* subsp. *enterica* contamination in 519 French laying hen flocks at the end of the laying period. *Prev Vet Med.* 2009 Feb 21. [Epub ahead of print]

de Jong A, Bywater R, Butty P, Deroover E, Godinho K, Klein U, Marion H, Simjee S, Smets K, Thomas V, Vallé M, Wheadon A. A pan-European survey of antimicrobial susceptibility towards human-use antimicrobial drugs among zoonotic and commensal enteric bacteria isolated from healthy food-producing animals. *J Antimicrob Chemother.* 2009 Feb 20. [Epub ahead of print]

Maki DG. Coming to Grips with Foodborne Infection -- Peanut Butter, Peppers, and Nationwide *Salmonella* Outbreaks. *N Engl J Med.* 2009 Feb 11. [Epub ahead of print]

Meldrum RJ, Mannion PT, Garside J; Welsh Food Microbiological Forum. Microbiological quality of ready-to-eat food served in schools in Wales, United Kingdom. *J Food Prot.* 2009 Jan;72(1):197-201.

- Bosilevac JM, Guerini MN, Kalchayanand N, Koohmaraie M. Prevalence and Characterization of Salmonella in Commercial Ground Beef in the United States. *Appl Environ Microbiol.* 2009 Feb 6. [Epub ahead of print]
- Hawaree N, Chiewchan N, Devahastin S. Effects of drying temperature and surface characteristics of vegetable on the survival of salmonella. *J Food Sci.* 2009 Jan;74(1):E16-22.
- Gil Prieto R, Alejandre CG, Meca AA, Barrera VH, de Miguel AG. Epidemiology of hospital-treated Salmonella infection; Data from a national cohort over a ten-year period. *J Infect.* 2009 Feb 3. [Epub ahead of print]
- Centers for Disease Control and Prevention (CDC). Multistate outbreak of Salmonella infections associated with peanut butter and peanut butter-containing products--United States, 2008-2009. *MMWR Morb Mortal Wkly Rep.* 2009 Feb 6;58(4):85-90.
- Boone I, Van der Stede Y, Bollaerts K, Vose D, Maes D, Dewulf J, Messens W, Daube G, Aerts M, Mintiens K. NUSAP Method for Evaluating the Data Quality in a Quantitative Microbial Risk Assessment Model for Salmonella in the Pork Production Chain. *Risk Anal.* 2009 Jan 8. [Epub ahead of print]
- [No authors listed] Investigation of outbreak of infections caused by Salmonella Agona. *J Pract Nurs.* 2008 Fall;58(3):25-6. No abstract available.
- Greig JD, Ravel A. Analysis of foodborne outbreak data reported internationally for source attribution. *Int J Food Microbiol.* 2009 Jan 6. [Epub ahead of print]
- Fosse J, Seegers H, Magras C. Prevalence and Risk Factors for Bacterial Food-Borne Zoonotic Hazards in Slaughter Pigs: A Review. *Zoonoses Public Health.* 2009 Jan 17. [Epub ahead of print]
- Centers for Disease Control and Prevention (CDC). Multistate outbreaks of Salmonella infections associated with live poultry--United States, 2007. *MMWR Morb Mortal Wkly Rep.* 2009 Jan 23;58(2):25-9.
- Huhulescu S, Kiss R, Brettlecker M, Cerny RJ, Hess C, Wewalka G, Allerberger F. Etiology of Acute Gastroenteritis in Three Sentinel General Practices, Austria 2007. *Infection.* 2008 Dec 3. [Epub ahead of print]
- Karatzas KA, Hocking PM, Jørgensen F, Mattick K, Leach S, Humphrey TJ. Effects of repeated cycles of acid challenge and growth on the phenotype and virulence of Salmonella enterica. *J Appl Microbiol.* 2008 Nov;105(5):1640-8.
- Skov MN, Madsen JJ, Rahbek C, Lodal J, Jespersen JB, Jørgensen JC, Dietz HH, Chriél M, Baggesen DL. Transmission of Salmonella between wildlife and meat-production animals in Denmark. *J Appl Microbiol.* 2008 Nov;105(5):1558-68.

Baert L, Uyttendaele M, Stals A, VAN Coillie E, Dierick K, Debevere J, Botteldoorn N. Reported foodborne outbreaks due to noroviruses in Belgium: the link between food and patient investigations in an international context. *Epidemiol Infect.* 2009 Mar;137(3):316-25. Epub 2009 Feb 9.

Carrique-Mas JJ, Breslin M, Sayers AR, McLaren I, Arnold M, Davies R. Comparison of environmental sampling methods for detecting *Salmonella* in commercial laying flocks in the UK. *Lett Appl Microbiol.* 2008 Dec;47(6):514-9.

Nielsen EM, Torpdahl M, Ethelberg S, Hammerum AM. Variation in Antimicrobial resistance in sporadic and outbreak-related *Salmonella enterica* serovar Typhimurium. *Emerg Infect Dis.* 2009 Jan;15(1):101-3.

Gyles CL. Antimicrobial resistance in selected bacteria from poultry. *Anim Health Res Rev.* 2008 Dec;9(2):149-58.

Smulders FJ, Vågsholm I, Korkeala H. Food-borne zoonoses, the EU zoonosis legislation and the prospects for food safety and consumer protection during primary animal production. *Wien Klin Wochenschr.* 2008 Oct;120(19-20):587-598.

Dominguez M, Jourdan-Da Silva N, Vaillant V, Pihier N, Kermin C, Weill FX, Delmas G, Kerouanton A, Brisabois A, de Valk H. Outbreak of *Salmonella enterica* Serotype Montevideo Infections in France Linked to Consumption of Cheese Made from Raw Milk. *Foodborne Pathog Dis.* 2008 Dec 10. [Epub ahead of print]

Gutierrez M, Fanning J, Murphy A, Murray G, Griffin M, Flack A, Leonard N, Egan J. *Salmonella* in Broiler Flocks in the Republic of Ireland. *Foodborne Pathog Dis.* 2008 Dec 5. [Epub ahead of print]

Kinsella KJ, Prendergast DM, McCann MS, Blair IS, McDowell DA, Sheridan JJ. The survival of *Salmonella enterica* serovar Typhimurium DT104 and total viable counts on beef surfaces at different relative humidities and temperatures. *J Appl Microbiol.* 2009 Jan;106(1):171-80. Epub 2008 Nov 28.

Sjölund M, Yam J, Schwenk J, Joyce K, Medalla F, Barzilay E, Whichard JM. Human *Salmonella* infection yielding CTX-M beta-lactamase, United States. *Emerg Infect Dis.* 2008 Dec;14(12):1957-9.

Blais BW, Martinez-Perez A, Gauthier M, Allain R, Pagotto F, Tyler K. Development of unique bacterial strains for use as positive controls in the food microbiology testing laboratory. *J Food Prot.* 2008 Nov;71(11):2301-6.

Snow LC, Davies RH, Christiansen KH, Carrique-Mas JJ, Cook AJ, Teale CJ, Evans SJ. Survey of the prevalence of *Salmonella* on commercial broiler farms in the United Kingdom, 2005/06. *Vet Rec.* 2008 Nov 29;163(22):649-54.

Randall LP, Kirchner M, Teale CJ, Coldham NG, Liebana E, Clifton-Hadley F. Evaluation of CHROMagar CTX, a novel medium for isolating CTX-M-ESBL-positive Enterobacteriaceae while inhibiting AmpC-producing strains. *J Antimicrob Chemother.* 2009 Feb;63(2):302-8.

Centers for Disease Control and Prevention (CDC). Multistate outbreak of Salmonella infections associated with frozen pot pies--United States, 2007. *MMWR Morb Mortal Wkly Rep.* 2008 Nov 28;57(47):1277-80.

Little CL, Richardson JF, Owen RJ, de Pinna E, Threlfall EJ. Prevalence, characterisation and antimicrobial resistance of Campylobacter and Salmonella in raw poultrymeat in the UK, 2003-2005. *Int J Environ Health Res.* 2008 Dec;18(6):403-14.

Carrique-Mas JJ, Breslin M, Snow L, McLaren I, Sayers AR, Davies RH. Persistence and clearance of different Salmonella serovars in buildings housing laying hens. *Epidemiol Infect.* 2008 Nov 19:1-10.

Schmid H, Hachler H, Stephan R, Baumgartner A, Boubaker K. Outbreak of Salmonella enterica serovar Typhimurium in Switzerland, May-June 2008, implications for production and control of meat preparations. *Euro Surveill.* 2008 Oct 30;13(44):pii: 19020.

Grandesso F, Jourdan-da Silva N, Le Hello S, Roussel S, Rasson S, Rousseau C, Wyndels K, Robemanpianina I, Bourdeau I, Peyron C, Gehin R, Moyano M, Vogelesen C. Excess of infections due to a multi-drug sensitive Salmonella enterica serotype Typhimurium in France in June 2008. *Euro Surveill.* 2008 Oct 30;13(44):pii: 19022.

Ethelberg S, Wingstrand A, Jensen T, Sorensen G, Muller L, Lisby M, Nielsen E, Molbak K. Large outbreaks of Salmonella Typhimurium infection in Denmark in 2008. *Euro Surveill.* 2008 Oct 30;13(44):pii: 19023.

Doorduyn Y, Hofhuis A, de Jager C, van der Zwaluw W, Notermans D, van Pelt W. Salmonella Typhimurium outbreaks in the Netherlands in 2008. *Euro Surveill.* 2008 Oct 30;13(44):pii: 19026.

Kirk MD, Roberts L, Horvath J. Understanding gastroenteritis in elderly residents of aged-care facilities. *Med J Aust.* 2008 Nov 3;189(9):476-7.

Kumar Y, Sharma A, Sehgal R, Kumar S. Distribution trends of Salmonella serovars in India (2001-2005). *Trans R Soc Trop Med Hyg.* 2008 Oct 22.

Jansen A, Stark K, Kunkel J, Schreier E, Ignatius R, Liesenfeld O, Werber D, Göbel UB, Zeitz M, Schneider T. Aetiology of community-acquired, acute gastroenteritis in hospitalised adults: a prospective cohort study. *BMC Infect Dis.* 2008 Oct 22;8:143.

Smith KE, Medus C, Meyer SD, Boxrud DJ, Leano F, Hedberg CW, Elfering K, Braymen C, Bender JB, Danila RN. Outbreaks of salmonellosis in

Minnesota (1998 through 2006) associated with frozen, microwaveable, breaded, stuffed chicken products. *J Food Prot.* 2008 Oct;71(10):2153-60.

Van Der Fels-Klerx HJ, Jacobs-Reitsma WF, Van Brakel R, Van Der Voet H, Van Asselt ED. Prevalence of Salmonella in the broiler supply chain in The Netherlands. *J Food Prot.* 2008 Oct;71(10):1974-80.

Kafatos G, Andrews N, Gillespie IA, Charlett A, Adak GK, De Pinna E, Threlfall EJ. Impact of reduced numbers of isolates phage-typed on the detection of Salmonella outbreaks. *Epidemiol Infect.* 2008 Oct 17:1-7.

Pezzoli L, Elson R, Little CL, Yip H, Fisher I, Yishai R, Anis E, Valinsky L, Biggerstaff M, Patel N, Mather H, Brown DJ, Coia JE, van Pelt W, Nielsen EM, Ethelberg S, de Pinna E, Hampton MD, Peters T, Threlfall J. Packed with Salmonella--investigation of an international outbreak of Salmonella Senftenberg infection linked to contamination of prepacked basil in 2007. *Foodborne Pathog Dis.* 2008 Oct;5(5):661-8.

Gerner-Smidt P, Whichard JM. Foodborne disease trends and reports. *Foodborne Pathog Dis.* 2008 Oct;5(5):551-4.

Khan AM, Hossain MS, Khan AI, Chisti MJ, Chowdhury F, Faruque AS, Salam MA. Bacterial Enteropathogens of Neonates Admitted to an Urban Diarrhoeal Hospital in Bangladesh. *J Trop Pediatr.* 2008 Oct 7.

Boehmer TK, Bamberg WM, Ghosh TS, Cronquist A, Fornof ME, Cichon MK, Gershman K, Vogt RL. Health care-associated outbreak of Salmonella Tennessee in a neonatal intensive care unit. *Am J Infect Control.* 2009 Feb;37(1):49-55.

Theys TE, Geeraerd AH, Verhulst A, Poot K, Van Bree I, Devlieghere F, Moldenaers P, Wilson D, Brocklehurst T, Van Impe JF. Effect of pH, water activity and gel micro-structure, including oxygen profiles and rheological characterization, on the growth kinetics of Salmonella Typhimurium. *Int J Food Microbiol.* 2008 Nov 30;128(1):67-77.

Hall G, Yohannes K, Raupach J, Becker N, Kirk M. Estimating community incidence of Salmonella, Campylobacter, and Shiga toxin-producing Escherichia coli infections, Australia. *Emerg Infect Dis.* 2008 Oct;14(10):1601-9.

Fenton SE, Clough HE, Diggle PJ, Evans SJ, Davison HC, Vink WD, French NP. Spatial and spatio-temporal analysis of Salmonella infection in dairy herds in England and Wales. *Epidemiol Infect.* 2008 Sep 23:1-11.

Koutsoumanis K. A study on the variability in the growth limits of individual cells and its effect on the behavior of microbial populations. *Int J Food Microbiol.* 2008 Nov 30;128(1):116-21.

Parry CM, Threlfall EJ. Antimicrobial resistance in typhoidal and nontyphoidal salmonellae. *Curr Opin Infect Dis.* 2008 Oct;21(5):531-8. Review.

van der Fels-Klerx HJ, Tromp S, Rijgersberg H, van Asselt ED. Application of a transmission model to estimate performance objectives for *Salmonella* in the broiler supply chain. *Int J Food Microbiol.* 2008 Nov 30;128(1):22-7. PMID: 18694611 [PubMed - in process]

Sharma S, Chandra P, Mishra C, Kakkar P. Microbiological quality and organochlorine pesticide residue in commercially available ready-to-eat raisins. *Bull Environ Contam Toxicol.* 2008 Oct;81(4):387-92.

Prendergast DM, Duggan SJ, Fanning S, Cormican M, Gonzales-Barron U, Butler F, Duffy G. Prevalence and numbers of *Salmonella* spp. and Enterobacteriaceae on pork cuts in abattoirs in the Republic of Ireland. *J Appl Microbiol.* 2008 Oct;105(4):1209-19.

Hoogenboom LA, Bokhorst JG, Northolt MD, van de Vijver LP, Broex NJ, Mevius DJ, Meijs JA, Van der Roest J. Contaminants and microorganisms in Dutch organic food products: a comparison with conventional products. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 2008 Oct;25(10):1195-207.

Thomson NR, Clayton DJ, Windhorst D, Vernikos G, Davidson S, Churcher C, Quail MA, Stevens M, Jones MA, Watson M, Barron A, Layton A, Pickard D, Kingsley RA, Bignell A, Clark L, Harris B, Ormond D, Abdallah Z, Brooks K, Cherevach I, Chillingworth T, Woodward J, Norberczak H, Lord A, Arrowsmith C, Jagels K, Moule S, Mungall K, Sanders M, Whitehead S, Chabalgoity JA, Maskell D, Humphrey T, Roberts M, Barrow PA, Dougan G, Parkhill J. Comparative genome analysis of *Salmonella* Enteritidis PT4 and *Salmonella* Gallinarum 287/91 provides insights into evolutionary and host adaptation pathways. *Genome Res.* 2008 Oct;18(10):1624-37. Epub 2008 Jun 26.

Munnoch SA, Ward K, Sheridan S, Fitzsimmons GJ, Shadbolt CT, Piispanen JP, Wang Q, Ward TJ, Worgan TL, Oxenford C, Musto JA, McAnulty J, Durrheim DN. A multi-state outbreak of *Salmonella* Saintpaul in Australia associated with cantaloupe consumption. *Epidemiol Infect.* 2009 Mar;137(3):367-74.

Benschop J, Stevenson MA, Dahl J, Morris RS, French NP. Temporal and longitudinal analysis of Danish Swine Salmonellosis Control Programme data: implications for surveillance. *Epidemiol Infect.* 2008 Nov;136(11):1511-20.

Staphylococcus aureus

de Boer E, Zwartkruis-Nahuis JT, Wit B, Huijsdens XW, de Neeling AJ, Bosch T, van Oosterom RA, Vila A, Heuvelink AE. Prevalence of methicillin-resistant *Staphylococcus aureus* in meat. *Int J Food Microbiol.* 2008 Dec 13.

Nemati M, Hermans K, Lipinska U, Denis O, Deplano A, Struelens M, Devriese LA, Pasmans F, Haesebrouck F. Antimicrobial resistance of old and recent *Staphylococcus aureus* isolates from poultry: first detection of livestock-associated methicillin-resistant strain ST398. *Antimicrob Agents Chemother.* 2008 Oct;52(10):3817-9.