

**ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD**

**Items of possible interest from the literature**

A list of items from the literature which may be of interest to Members is attached.

**Secretariat  
September 2009**

## ***Campylobacter***

Ambur OH, Davidsen T, Frye SA, Balasingham SV, Lagesen K, Rognes T, Tønjum T. Genome dynamics in major bacterial pathogens. *FEMS Microbiol Rev.* 2009 May;33(3):453-70.

Atack JM, Kelly DJ. Oxidative stress in *Campylobacter jejuni*: responses, resistance and regulation. *Future Microbiol.* 2009 Aug;4:677-90.

Bardon J, Kolar M, Cekanova L, Hejnar P, Koukalova D. Prevalence of *Campylobacter jejuni* and its resistance to antibiotics in poultry in the Czech Republic. *Zoonoses Public Health.* 2009 Apr;56(3):111-6.

Birk T, Knøchel S. Fate of food-associated bacteria in pork as affected by marinade, temperature, and ultrasound. *J Food Prot.* 2009 Mar;72(3):549-55.

Bostan K, Aydin A, Ang MK. Prevalence and antibiotic susceptibility of thermophilic *Campylobacter* species on beef, mutton, and chicken carcasses in Istanbul, Turkey. *Microb Drug Resist.* 2009 Jun;15(2):143-9.

Boysen L, Rosenquist H. Reduction of thermotolerant *Campylobacter* species on broiler carcasses following physical decontamination at slaughter. *J Food Prot.* 2009 Mar;72(3):497-502.

Bronzwaer S, Hugas M, Collins JD, Newell DG, Robinson T, Mäkelä P, Havelaar A. EFSA's 12th Scientific Colloquium--assessing health benefits of controlling *Campylobacter* in the food chain. *Int J Food Microbiol.* 2009 May 31;131(2-3):284-5.

Calderón-Gómez LI, Hartley LE, McCormack A, Ringoir DD, Korolik V. Potential use of characterised hyper-colonising strain(s) of *Campylobacter jejuni* to reduce circulation of environmental strains in commercial poultry. *Vet Microbiol.* 2009 Mar 2;134(3-4):353-61.

Cardoen S, Van Huffel X, Berkvens D, Quoilin S, Ducoffre G, Saegerman C, Speybroeck N, Imberechts H, Herman L, Ducatelle R, Dierick K. Evidence-Based Semiquantitative Methodology for Prioritization of Foodborne Zoonoses. *Foodborne Pathog Dis.* 2009 Aug 28.

Caro-Quintero A, Rodriguez-Castaño GP, Konstantinidis KT. Genomic insights into the convergence and pathogenicity factors of *Campylobacter jejuni* and *Campylobacter coli* species. *J Bacteriol.* 2009 Sep;191(18):5824-31.

Duffy LL, Dykes GA. The ability of *Campylobacter jejuni* cells to attach to stainless steel does not change as they become nonculturable. *Foodborne Pathog Dis.* 2009 Jun;6(5):631-4.

Duong T, Konkel ME. Comparative studies of *Campylobacter jejuni* genomic diversity reveal the importance of core and dispensable genes in the biology

of this enigmatic food-borne pathogen. *Curr Opin Biotechnol.* 2009 Apr;20(2):158-65.

El-Shibiny A, Connerton P, Connerton I. Survival at refrigeration and freezing temperatures of *Campylobacter coli* and *Campylobacter jejuni* on chicken skin applied as axenic and mixed inoculums. *Int J Food Microbiol.* 2009 May 31;131(2-3):197-202.

El-Shibiny A, Scott A, Timms A, Metaweia Y, Connerton P, Connerton I. Application of a group II *Campylobacter* bacteriophage to reduce strains of *Campylobacter jejuni* and *Campylobacter coli* colonizing broiler chickens. *J Food Prot.* 2009 Apr;72(4):733-40.

Ellis-Iversen J, Jorgensen F, Bull S, Powell L, Cook AJ, Humphrey TJ. Risk factors for *Campylobacter* colonisation during rearing of broiler flocks in Great Britain. *Prev Vet Med.* 2009 Jun 1;89(3-4):178-84.

Evans MR, Northey G, Sarvotham TS, Hopkins AL, Rigby CJ, Thomas DR. Risk factors for ciprofloxacin-resistant *Campylobacter* infection in Wales. *J Antimicrob Chemother.* 2009 Aug;64(2):424-7.

Evans MR, Northey G, Sarvotham TS, Rigby CJ, Hopkins AL, Thomas DR. Short-term and medium-term clinical outcomes of quinolone-resistant *Campylobacter* infection. *Clin Infect Dis.* 2009 Jun 1;48(11):1500-6.

Fajó-Pascual M, Godoy García P, Aramburu Arnuelos J, Nogués Biau A. Risk factors for sporadic cases of *Campylobacter* infection in children. *Gac Sanit.* 2009 July - August;23(4):326-329. Spanish.

Figueroa G, Troncoso M, López C, Rivas P, Toro M. Occurrence and enumeration of *Campylobacter* spp. during the processing of Chilean broilers. *BMC Microbiol.* 2009 May 15;9:94.

Foley SL, Lynne AM, Nayak R. Molecular typing methodologies for microbial source tracking and epidemiological investigations of Gram-negative bacterial foodborne pathogens. *Infect Genet Evol.* 2009 Jul;9(4):430-40.

Gaskin DJ, Reuter M, Shearer N, Mulholland F, Pearson BM, van Vliet AH. Genomics of Thermophilic *Campylobacter* Species. *Genome Dyn.* 2009;6:91-109.

Gerner-Smidt P, Whichard JM. Foodborne disease trends and reports. *Foodborne Pathog Dis.* 2009 Apr;6(3):261-4.

Gillespie I. Population-attributable risk estimates for *Campylobacter* infection, Australia. *Emerg Infect Dis.* 2009 May;15(5):850-1; author reply 851-2.

Griekspoor P, Engvall EO, Olsen B, Waldenström J. Multilocus sequence typing of *Campylobacter jejuni* from broilers. *Vet Microbiol*. 2009 Aug 8. [Epub ahead of print]

Habib I, Miller WG, Uyttendaele M, Houf K, De Zutter L. Clonal population structure and antimicrobial resistance of *Campylobacter jejuni* in chicken meat from Belgium. *Appl Environ Microbiol*. 2009 Jul;75(13):4264-72.

Han F, Pu S, Wang F, Meng J, Ge B. Fitness cost of macrolide resistance in *Campylobacter jejuni*. *Int J Antimicrob Agents*. 2009 Aug 1. [Epub ahead of print]

Han F, Lestari SI, Pu S, Ge B. Prevalence and antimicrobial resistance among *Campylobacter* spp. in Louisiana retail chickens after the enrofloxacin ban. *Foodborne Pathog Dis*. 2009 Mar;6(2):163-71.

Hartnack S, Doherr MG, Alter T, Toutounian-Mashad K, Greiner M. *Campylobacter* monitoring in German broiler flocks: an explorative time series analysis. *Zoonoses Public Health*. 2009 Apr;56(3):117-28.

Hughes LA, Bennett M, Coffey P, Elliott J, Jones TR, Jones RC, Lahuerta-Marin A, Leatherbarrow AH, McNiffe K, Norman D, Williams NJ, Chantrey J. Molecular epidemiology and characterization of *Campylobacter* spp. isolated from wild bird populations in northern England. *Appl Environ Microbiol*. 2009 May;75(10):3007-15.

Hughes RA, Hallett K, Cogan T, Enser M, Humphrey T. The response of *Campylobacter jejuni* to low temperature differs from that of *Escherichia coli*. *Appl Environ Microbiol*. 2009 Jul 31. [Epub ahead of print]

Hänel I, Borrmann E, Müller J, Müller W, Pauly B, Liebler-Tenorio EM, Schulze F. Genomic and phenotypic changes of *Campylobacter jejuni* strains after passage of the chicken gut. *Vet Microbiol*. 2009 Apr 14;136(1-2):121-9.

Isohanni PM, Lyhs U. Use of ultraviolet irradiation to reduce *Campylobacter jejuni* on broiler meat. *Poult Sci*. 2009 Mar;88(3):661-8.

Jagusztyn-Krynicka EK, Łaniewski P, Wyszynska A. Update on *Campylobacter jejuni* vaccine development for preventing human campylobacteriosis. *Expert Rev Vaccines*. 2009 May;8(5):625-45.

Kalra V, Chaudhry R, Dua T, Dhawan B, Sahu JK, Mridula B. Association of *Campylobacter jejuni* infection with childhood Guillain-Barré syndrome: a case-control study. *J Child Neurol*. 2009 Jun;24(6):664-8.

Klancnik A, Guzej B, Jamnik P, Vucković D, Abram M, Mozina SS. Stress response and pathogenic potential of *Campylobacter jejuni* cells exposed to starvation. *Res Microbiol*. 2009 Jun;160(5):345-52.

Lefébure T, Stanhope MJ. Pervasive, genome-wide positive selection leading to functional divergence in the bacterial genus *Campylobacter*. *Genome Res.* 2009 Jul;19(7):1224-32.

Lin J. Novel approaches for campylobacter control in poultry. *Foodborne Pathog Dis.* 2009 Sep;6(7):755-65.

Lindmark H, Boqvist S, Ljungström M, Agren P, Björkholm B, Engstrand L. Risk factors for campylobacteriosis: an epidemiological surveillance study of patients and retail poultry. *J Clin Microbiol.* 2009 Aug;47(8):2616-9.

Luangtongkum T, Jeon B, Han J, Plummer P, Logue CM, Zhang Q. Antibiotic resistance in *Campylobacter*: emergence, transmission and persistence. *Future Microbiol.* 2009 Mar;4(2):189-200.

Messens W, Herman L, De Zutter L, Heyndrickx M. Multiple typing for the epidemiological study of contamination of broilers with thermotolerant *Campylobacter*. *Vet Microbiol.* 2009 Jul 2;138(1-2):120-31.

Moore JE, Millar BC, McMahan MA, McDowell DA, Rooney PJ. Antimicrobial resistance in campylobacter isolates from sporadic cases of acute human gastroenteritis in Northern Ireland. *Ulster Med J.* 2009 May;78(2):139.

Moran L, Kelly C, Madden RH. Factors affecting the recovery of *Campylobacter* spp. from retail packs of raw, fresh chicken using ISO 10272-1:2006. *Lett Appl Microbiol.* 2009 May;48(5):628-32.

Nauta MJ, van der Wal FJ, Putirulan FF, Post J, van de Kasstele J, Bolder NM. Evaluation of the "testing and scheduling" strategy for control of *Campylobacter* in broiler meat in The Netherlands. *Int J Food Microbiol.* 2009 Sep 15;134(3):216-22.

Nielsen H, Hansen KK, Gradel KO, Kristensen B, Ejlersen T, Ostergaard C, Schønheyder HC. Bacteraemia as a result of *Campylobacter* species: a population-based study of epidemiology and clinical risk factors. *Clin Microbiol Infect.* 2009 Aug 7. [Epub ahead of print]

Nielsen LN, Sheppard SK, McCarthy ND, Maiden MC, Ingmer H, Krogfelt KA. MLST clustering of *Campylobacter jejuni* isolates from patients with gastroenteritis, reactive arthritis and Guillain-Barré syndrome. *J Appl Microbiol.* 2009 Jun 25. [Epub ahead of print]

Näther G, Alter T, Martin A, Ellerbroek L. Analysis of risk factors for *Campylobacter* species infection in broiler flocks. *Poult Sci.* 2009 Jun;88(6):1299-305.

O'Leary MC, Harding O, Fisher L, Cowden J. A continuous common-source outbreak of campylobacteriosis associated with changes to the preparation of chicken liver pâté. *Epidemiol Infect.* 2009 Mar;137(3):383-8.

Odongo R, Reilly SS, Gilliland SE. Validation of an improved method for detection of *Campylobacter jejuni* in foods. J Food Sci. 2009 Jun;74(5):M207-12.

Olsen KN, Lund M, Skov J, Christensen LS, Hoorfar J. Detection of *Campylobacter* bacteria in air samples for continuous real-time monitoring of *Campylobacter* colonization in broiler flocks. Appl Environ Microbiol. 2009 Apr;75(7):2074-8.

Pepe T, De Dominicis R, Esposito G, Ventrone I, Fratamico PM, Cortesi ML. Detection of *Campylobacter* from poultry carcass skin samples at slaughter in Southern Italy. J Food Prot. 2009 Aug;72(8):1718-21.

Perko-Mäkelä P, Isohanni P, Katzav M, Lund M, Hänninen ML, Lyhs U. A longitudinal study of *Campylobacter* distribution in a turkey production chain. Acta Vet Scand. 2009 Apr 7;51:18.

Petkovic J, Rudi K, Buncic O, Katic V, Lepsanovic Z. Multilocus sequence typing for investigation of diversity of *Campylobacter jejuni* strains from humans and environment in Norway. Acta Vet Hung. 2009 Mar;57(1):1-11.

Richardson LJ, Cox NA, Bailey JS, Berrang ME, Cox JM, Buhr RJ, Fedorka-Cray PJ, Harrison MA. Evaluation of TECRA broth, Bolton broth, and direct plating for recovery of *Campylobacter* spp, from broiler carcass rinsates from commercial processing plants. J Food Prot. 2009 May;72(5):972-7.

Riedel CT, Brøndsted L, Rosenquist H, Haxgart SN, Christensen BB. Chemical decontamination of *Campylobacter jejuni* on chicken skin and meat. J Food Prot. 2009 Jun;72(6):1173-80.

Rushton SP, Humphrey TJ, Shirley MD, Bull S, Jørgensen F. *Campylobacter* in housed broiler chickens: a longitudinal study of risk factors. Epidemiol Infect. 2009 Aug;137(8):1099-110.

Sheppard SK, Dallas JF, MacRae M, McCarthy ND, Sproston EL, Gormley FJ, Strachan NJ, Ogden ID, Maiden MC, Forbes KJ. *Campylobacter* genotypes from food animals, environmental sources and clinical disease in Scotland 2005/6. Int J Food Microbiol. 2009 Aug 31;134(1-2):96-103.

Sheppard SK, Dallas JF, Strachan NJ, MacRae M, McCarthy ND, Wilson DJ, Gormley FJ, Falush D, Ogden ID, Maiden MC, Forbes KJ. *Campylobacter* genotyping to determine the source of human infection. Clin Infect Dis. 2009 Apr 15;48(8):1072-8.

Stark K, Niedrig M, Biederbick W, Merkert H, Hacker J. Climate changes and emerging diseases. What new infectious diseases and health problem can be expected?. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 2009 Jul;52(7):699-714. German.

Stein-Zamir C, Shoob H, Abramson N, Zentner G, Agmon V. The changing panorama of bacterial enteric infections. *Epidemiol Infect.* 2009 Mar 19:1-7.

Stern NJ, Line JE. Enumeration of *Campylobacter* spp., *Escherichia coli*, and *Salmonella* in broiler carcass rinses before and after simulated transport in artificial ice for 24 hours. *J Food Prot.* 2009 May;72(5):1099-101.

Stewart-Tull DE, Coote JG, Thompson DH, Candlish D, Wardlaw AC, Candlish A. Virulence spectra of typed strains of *Campylobacter jejuni* from different sources: a blinded in vivo study. *J Med Microbiol.* 2009 May;58(Pt 5):546-53.

Strachan NJ, Gormley FJ, Rotariu O, Ogden ID, Miller G, Dunn GM, Sheppard SK, Dallas JF, Reid TM, Howie H, Maiden MC, Forbes KJ. Attribution of *Campylobacter* infections in northeast Scotland to specific sources by use of multilocus sequence typing. *J Infect Dis.* 2009 Apr 15;199(8):1205-8.

63: Sumi A, Hemilä H, Mise K, Kobayashi N. Predicting the incidence of human campylobacteriosis in Finland with time series analysis. *APMIS.* 2009 Aug;117(8):614-22.

Suzuki H, Yamamoto S. *Campylobacter* contamination in retail poultry meats and by-products in the world: a literature survey. *J Vet Med Sci.* 2009 Mar;71(3):255-61.

Thakur S, White DG, McDermott PF, Zhao S, Kroft B, Gebreyes W, Abbott J, Cullen P, English L, Carter P, Harbottle H. Genotyping of *Campylobacter coli* isolated from humans and retail meats using multilocus sequence typing and pulsed-field gel electrophoresis. *J Appl Microbiol.* 2009 May;106(5):1722-33.

Vegge CS, Brøndsted L, Li YP, Bang DD, Ingmer H. Energy taxis drives *Campylobacter jejuni* toward the most favorable conditions for growth. *Appl Environ Microbiol.* 2009 Aug;75(16):5308-14.

Verhoeff-Bakkenes L, Hazeleger WC, de Jonge R, Zwietering MH. *Campylobacter jejuni*: a study on environmental conditions affecting culturability and in vitro adhesion/invasion. *J Appl Microbiol.* 2009 Mar;106(3):924-31.

Vucic S, Kiernan MC, Cornblath DR. Guillain-Barré syndrome: an update. *J Clin Neurosci.* 2009 Jun;16(6):733-41.

Wassenaar TM, Fernández-Astorga A, Alonso R, Marteinsson VT, Magnússon SH, Kristoffersen AB, Hofshagen M. Comparison of *Campylobacter* fla-SVR genotypes isolated from humans and poultry in three European regions. *Lett Appl Microbiol.* 2009 Sep;49(3):388-95.

### ***Clostridium perfringens***

Akhtar S, Paredes-Sabja D, Torres JA, Sarker MR. Strategy to inactivate *Clostridium perfringens* spores in meat products. *Food Microbiol.* 2009;26(3):272-7.

De Cesare A, Borilova G, Svobodova I, Bondioli V, Manfreda G. *Clostridium perfringens* occurrence and ribotypes in healthy broilers reared in different European countries. *Poult Sci.* 2009 Sep;88(9):1850-7. PubMed PMID: 19687269.

Deguchi A, Miyamoto K, Kuwahara T, Miki Y, Kaneko I, Li J, McClane BA, Akimoto S. Genetic characterization of type A enterotoxigenic *Clostridium perfringens* strains. *PLoS One.* 2009 May 19;4(5):e5598.

Golden NJ, Crouch EA, Latimer H, Kadry AR, Kause J. Risk assessment for *Clostridium perfringens* in ready-to-eat and partially cooked meat and poultry products. *J Food Prot.* 2009 Jul;72(7):1376-84.

Songer JG. Clostridia as agents of zoonotic disease. *Vet Microbiol.* 2009 Jul 9. [Epub ahead of print]

### ***Clostridium botulinum***

De Medici D, Anniballi F, Wyatt GM, Lindström M, Messelhäußer U, Aldus CF, Delibato E, Korkeala H, Peck MW, Fenicia L. Multiplex PCR to detect botulinum neurotoxin-producing clostridia in clinical, food and environmental samples. *Appl Environ Microbiol.* 2009 Aug 14. [Epub ahead of print]

Grant KA, Nwarfor I, Mpamugo O, Mithani V, Lister P, Dixon G, Nixon G, Planche T, Courtney M, Morgan J, McLaughlin J. Report of two unlinked cases of infant botulism in the UK in October 2007. *J Med Microbiol.* 2009 Aug 6. [Epub ahead of print]

Moeller RB Jr, Puschner B, Walker RL, Rocke TE, Smith SR, Cullor JS, Ardans AA. Short communication: Attempts to identify *Clostridium botulinum* toxin in milk from three experimentally intoxicated Holstein cows. *J Dairy Sci.* 2009 Jun;92(6):2529-33.

Fach P, Micheau P, Mazuet C, Perelle S, Popoff M. Development of real-time PCR tests for detecting botulinum neurotoxins A, B, E, F producing *Clostridium botulinum*, *Clostridium baratii* and *Clostridium butyricum*. *J Appl Microbiol.* 2009 Aug;107(2):465-73. Epub 2009 Mar 9.

Stringer SC, Webb MD, Peck MW. Contrasting effects of heat treatment and incubation temperature on germination and outgrowth of individual spores of nonproteolytic *Clostridium botulinum* bacteria. *Appl Environ Microbiol.* 2009 May;75(9):2712-9.



Sakuma T, Kurosaki Y, Fujinami Y, Takizawa T, Yasuda J. Rapid and simple detection of *Clostridium botulinum* types A and B by loop-mediated isothermal amplification. J Appl Microbiol. 2009 Apr;106(4):1252-9.

### ***E.coli* O157**

Abedon ST. Kinetics of phage-mediated biocontrol of bacteria. Foodborne Pathog Dis. 2009 Sep;6(7):807-15.

Callaway TR, Carr MA, Edrington TS, Anderson RC, Nisbet DJ. Diet, *Escherichia coli* O157:H7, and Cattle: A Review After 10 Years. Curr Issues Mol Biol. 2009 Apr 8;11(2):67-80.

Clough HE, Clancy D, French NP. Quantifying exposure to vero-cytotoxigenic *Escherichia coli* O157 in milk sold as pasteurized: a model-based approach. Int J Food Microbiol. 2009 May 31;131(2-3):95-105.

Karmali MA, Gannon V, Sargeant JM. Verocytotoxin-producing *Escherichia coli* (VTEC). Vet Microbiol. 2009 Apr 10. [Epub ahead of print]

King LA, Mailles A, Mariani-Kurkdjian P, Vernozy-Rozand C, Montet MP, Grimont F, Pihier N, Devalk H, Perret F, Bingen E, Espié E, Vaillant V. Community-wide outbreak of *Escherichia coli* O157:H7 associated with consumption of frozen beef burgers. Epidemiol Infect. 2009 Jun;137(6):889-96.

Laing CR, Buchanan C, Taboada EN, Zhang Y, Karmali MA, Thomas JE, Gannon VP. In silico genomic analyses reveal three distinct lineages of *Escherichia coli* O157:H7, one of which is associated with hyper-virulence. BMC Genomics. 2009 Jun 29;10:287.

Lanier WA, Leeper MM, Smith KE, Tillman GE, Holt KG, Gerner-Smith P. Pulsed-Field Gel Electrophoresis Subtypes of Shiga Toxin-Producing *Escherichia coli* O157 Isolated from Ground Beef and Humans, United States, 2001-2006. Foodborne Pathog Dis. 2009 Jul 24. [Epub ahead of print]

Pritchard GC, Smith R, Ellis-Iversen J, Cheasty T, Willshaw GA. Verocytotoxigenic *Escherichia coli* O157 in animals on public amenity premises in England and Wales, 1997 to 2007. Vet Rec. 2009 May 2;164(18):545-9.

Scott L, McGee P, Walsh C, Fanning S, Sweeney T, Blanco J, Karczmarczyk M, Earley B, Leonard N, Sheridan JJ. Detection of numerous verotoxigenic *E. coli* serotypes, with multiple antibiotic resistance from cattle faeces and soil. Vet Microbiol. 2009 Mar 2;134(3-4):288-93.

Shipman AR, Jones SE, Smith G, Stewart B, McCarthy N. A case of verocytotoxin-producing *Escherichia coli* O157 from a private barbecue in South East England. Euro Surveill. 2009 Jul 23;14(29). pii: 19273.

Signorini M, Tarabla H. Quantitative risk assessment for verocytotoxigenic *Escherichia coli* in ground beef hamburgers in Argentina. *Int J Food Microbiol.* 2009 Jun 30;132(2-3):153-61.

Snedeker KG, Shaw DJ, Locking ME, Prescott RJ. Primary and secondary cases in *Escherichia coli* O157 outbreaks: a statistical analysis. *BMC Infect Dis.* 2009 Aug 28;9:144.

Solecki O, MacRae M, Strachan N, Lindstedt BA, Ogden I. *E. coli* O157 from sheep in northeast Scotland: prevalence, concentration shed, and molecular characterization by multilocus variable tandem repeat analysis. *Foodborne Pathog Dis.* 2009 Sep;6(7):849-54.

Son I, Van Kessel JA, Karns JS. Genotypic diversity of *Escherichia coli* in a dairy farm. *Foodborne Pathog Dis.* 2009 Sep;6(7):837-47.

Wendel AM, Johnson DH, Sharapov U, Grant J, Archer JR, Monson T, Koschmann C, Davis JP. Multistate outbreak of *Escherichia coli* O157:H7 infection associated with consumption of packaged spinach, August-September 2006: the Wisconsin investigation. *Clin Infect Dis.* 2009 Apr 15;48(8):1079-86.

Whittaker PJ, Sopwith W, Quigley C, Gillespie I, Willshaw GA, Lycett C, Surman-Lee S, Baxter D, Adak GK, Syed Q. A national outbreak of verotoxin-producing *Escherichia coli* O157 associated with consumption of lemon-and-coriander chicken wraps from a supermarket chain. *Epidemiol Infect.* 2009 Mar;137(3):375-82.

Wiegand KM, Ingham SC, Ingham BH. Survival of *Escherichia coli* O157:H7 in ground beef after sublethal heat shock and subsequent isothermal cooking. *J Food Prot.* 2009 Aug;72(8):1727-31.

Withee J, Williams M, Disney T, Schlosser W, Bauer N, Ebel E. Streamlined analysis for evaluating the use of preharvest interventions intended to prevent *Escherichia coli* O157:H7 illness in humans. *Foodborne Pathog Dis.* 2009 Sep;6(7):817-25.

### ***Listeria monocytogenes***

Abou-Zeid KA, Oscar TP, Schwarz JG, Hashem FM, Whiting RC, Yoon K. Development and Validation of a Predictive Model for *Listeria monocytogenes* Scott A as a Function of Temperature, pH, and Commercial Mixture of Potassium Lactate and Sodium Diacetate. *J Microbiol Biotechnol.* 2009 Jul;19(7):718-26.

Azizoglu RO, Osborne J, Wilson S, Kathariou S. Role of growth temperature in freeze-thaw tolerance of *Listeria* spp. *Appl Environ Microbiol.* 2009 Aug;75(16):5315-20.

Cabellos C, Verdaguer R, Olmo M, Fernández-Sabé N, Cisnal M, Ariza J, Gudiol F, Viladrich PF. Community-acquired bacterial meningitis in elderly patients: experience over 30 years. *Medicine (Baltimore)*. 2009 Mar;88(2):115-9.

Cairns BJ, Payne RJ. Sudden increases in listeriosis rates in England and Wales, 2001 and 2003. *Emerg Infect Dis*. 2009 Mar;15(3):465-8.

Chan YC, Wiedmann M. Physiology and genetics of *Listeria monocytogenes* survival and growth at cold temperatures. *Crit Rev Food Sci Nutr*. 2009 Mar;49(3):237-53.

Dupont C, Augustin JC. Influence of stress on single-cell lag time and growth probability for *Listeria monocytogenes* in half Fraser broth. *Appl Environ Microbiol*. 2009 May;75(10):3069-76.

Dutta NK, Mazumdar K, DasGupta A, Dastidar SG. In vitro and in vivo efficacies of amlodipine against *Listeria monocytogenes*. *Eur J Clin Microbiol Infect Dis*. 2009 Jul;28(7):849-53.

Erdem H, Kilic S, Coskun O, Ersoy Y, Cagatay A, Onguru P, Alp S. Community acquired acute bacterial meningitis in the elderly in Turkey. *Clin Microbiol Infect*. 2009 Sep 2. [Epub ahead of print]

Freitag NE. Complete transcriptional profile of an environmental pathogen. *Future Microbiol*. 2009 Sep;4:779-82.

Freitag NE, Port GC, Miner MD. *Listeria monocytogenes* - from saprophyte to intracellular pathogen. *Nat Rev Microbiol*. 2009 Sep;7(9):623-8.

Gianfranceschi MV, D'Ottavio MC, Gattuso A, Bella A, Aureli P. Distribution of serotypes and pulsotypes of *Listeria monocytogenes* from human, food and environmental isolates (Italy 2002-2005). *Food Microbiol*. 2009 Aug;26(5):520-6.

Gillespie IA, McLauchlin J, Little CL, Penman C, Mook P, Grant K, O'Brien SJ. Disease presentation in relation to infection foci for non pregnancy-associated human listeriosis in England and Wales, 2001-2007: observational study. *J Clin Microbiol*. 2009 Aug 12. [Epub ahead of print]

Kelly BG, Vespermann A, Bolton DJ. The role of horizontal gene transfer in the evolution of selected foodborne bacterial pathogens. *Food Chem Toxicol*. 2009 May;47(5):951-68.

Kelly BG, Vespermann A, Bolton DJ. Horizontal gene transfer of virulence determinants in selected bacterial foodborne pathogens. *Food Chem Toxicol*. 2009 May;47(5):969-77.

Mammaia C, Aleo A, Romani C, Pellissier N, Nicoletti P, Pecile P, Nastasi A, Pontello MM. Characterization of *Listeria monocytogenes* isolates from human listeriosis cases in Italy. J Clin Microbiol. 2009 Sep;47(9):2925-30.

Mammaia C, Manfreda G, Aleo A, De Cesare A, Pellissier N, Romani C, Nicoletti P, Pecile P, Nastasi A, Pontello MM. Molecular typing reveals frequent clustering among human isolates of *Listeria monocytogenes* in Italy. J Food Prot. 2009 Apr;72(4):876-80.

Posfay-Barbe KM, Wald ER. Listeriosis. Semin Fetal Neonatal Med. 2009 Aug;14(4):228-33.

Pouillot R, Goulet V, Delignette-Muller ML, Mahé A, Cornu M. Quantitative risk assessment of *Listeria monocytogenes* in French cold-smoked salmon: II. Risk characterization. Risk Anal. 2009 Jun;29(6):806-19.

Pradhan AK, Ivanek R, Gröhn YT, Geornaras I, Sofos JN, Wiedmann M. Quantitative risk assessment for *Listeria monocytogenes* in selected categories of deli meats: impact of lactate and diacetate on listeriosis cases and deaths. J Food Prot. 2009 May;72(5):978-89.

Rebagliati V, Philippi R, Rossi M, Troncoso A. Prevention of foodborne listeriosis. Indian J Pathol Microbiol. 2009 Apr-Jun;52(2):145-9.

Ross T, Rasmussen S, Fazil A, Paoli G, Sumner J. Quantitative risk assessment of *Listeria monocytogenes* in ready-to-eat meats in Australia. Int J Food Microbiol. 2009 May 31;131(2-3):128-37.

Shetty A, McLauchlin J, Grant K, O'Brien D, Howard T, Davies EM. Outbreak of *Listeria monocytogenes* in an oncology unit associated with sandwiches consumed in hospital. J Hosp Infect. 2009 Aug;72(4):332-6.

Skandamis PN, Stopforth JD, Yoon Y, Kendall PA, Sofos JN. Heat and acid tolerance responses of *Listeria monocytogenes* as affected by sequential exposure to hurdles during growth. J Food Prot. 2009 Jul;72(7):1412-8.

Sleator RD, Watson D, Hill C, Gahan CG. The interaction between *Listeria monocytogenes* and the host gastrointestinal tract. Microbiology. 2009 Aug;155(Pt 8):2463-75.

Varon E. [Epidemiology of acute bacterial meningitis in adult patients in France]. Med Mal Infect. 2009 Jul-Aug;39(7-8):432-44.

Vasilev V, Japheth R, Andorn N, Yshai R, Agmon V, Gazit E, Kashi Y, Cohen D. A survey of laboratory-confirmed isolates of invasive listeriosis in Israel, 1997-2007. Epidemiol Infect. 2009 Apr;137(4):577-80.

Vermeulen A, Gysemans KP, Bernaerts K, Geeraerd AH, Debevere J, Devlieghere F, Van Impe JF. Modelling the influence of the inoculation level on the growth/no growth interface of *Listeria monocytogenes* as a function of

pH, a(w) and acetic acid. *Int J Food Microbiol.* 2009 Aug 8. [Epub ahead of print]

Winter CH, Brockmann SO, Sonnentag SR, Schaupp T, Prager R, Hof H, Becker B, Stegmanns T, Roloff HU, Vollrath G, Kuhm AE, Mezger BB, Schmolz GK, Klittich GB, Pfaff G, Piechotowski I. Prolonged hospital and community-based listeriosis outbreak caused by ready-to-eat scalded sausages. *J Hosp Infect.* 2009 Aug 27. [Epub ahead of print]

### ***Norovirus***

Asahina AY, Lu Y, Wu C, Fujioka RS, Loh PC. Potential biosentinels of human waste in marine coastal waters: bioaccumulation of human noroviruses and venteroviruses from sewage-polluted waters by indigenous mollusks. *J Virol Methods.* 2009 Jun;158(1-2):46-50.

Ayodeji M, Kulka M, Jackson SA, Patel I, Mammel M, Cebula TA, Goswami BB. A microarray based approach for the identification of common foodborne viruses. *Open Virol J.* 2009 Mar 19;3:7-20.

Baert L, Uyttendaele M, Stals A, VAN Coillie E, Dierick K, Debevere J, Botteldoorn N. Reported foodborne outbreaks due to noroviruses in Belgium: the link between food and patient investigations in an international context. *Epidemiol Infect.* 2009 Mar;137(3):316-25.

Boxman I, Dijkman R, Verhoef L, Maat A, van Dijk G, Vennema H, Koopmans M. Norovirus on swabs taken from hands illustrate route of transmission: a case study. *J Food Prot.* 2009 Aug;72(8):1753-5.

Bruggink LD, Marshall JA. Norovirus epidemics are linked to two distinct sets of controlling factors. *Int J Infect Dis.* 2009 May;13(3):e125-6.

Butot S, Putallaz T, Amoroso R, Sánchez G. Inactivation of enteric viruses in minimally processed berries and herbs. *Appl Environ Microbiol.* 2009 Jun;75(12):4155-61.

Dreyfuss MS. Is Norovirus a Foodborne or Pandemic Pathogen? An Analysis of the Transmission of Norovirus-Associated Gastroenteritis and the Roles of Food and Food Handlers. *Foodborne Pathog Dis.* 2009 Sep 7. [Epub ahead of print]

Gentry J, Vinjé J, Lipp EK. A rapid and efficient method for quantitation of genogroups I and II norovirus from oysters and application in other complex environmental samples. *J Virol Methods.* 2009 Mar;156(1-2):59-65.

Henke-Gendo C, Harste G, Juergens-Saathoff B, Mattner F, Deppe H, Heim A. New real-time PCR detects prolonged norovirus excretion in highly immunosuppressed patients and children. *J Clin Microbiol.* 2009 Sep;47(9):2855-62.

Hewitt J, Rivera-Aban M, Greening GE. Evaluation of murine norovirus as a surrogate for human norovirus and hepatitis A virus in heat inactivation studies. *J Appl Microbiol.* 2009 Jul;107(1):65-71.

Huhulescu S, Kiss R, Brettlecker M, Cerny RJ, Hess C, Wewalka G, Allerberger F. Etiology of acute gastroenteritis in three sentinel general practices, Austria 2007. *Infection.* 2009 Apr;37(2):103-8.

Iturriza-Gómara M, Elliot AJ, Dockery C, Fleming DM, Gray JJ. Structured surveillance of infectious intestinal disease in pre-school children in the community: 'The Nappy Study'. *Epidemiol Infect.* 2009 Jul;137(7):922-31.

Karsten C, Baumgarte S, Friedrich AW, von Eiff C, Becker K, Wosniok W, Ammon A, Bockemühl J, Karch H, Huppertz HI. Incidence and risk factors for community-acquired acute gastroenteritis in north-west Germany in 2004. *Eur J Clin Microbiol Infect Dis.* 2009 Aug;28(8):935-43.

Kovač K, Gutiérrez-Aguirre I, Banjac M, Peterka M, Poljšak-Prijatelj M, Ravnikar M, Mijovski JZ, Schultz AC, Raspor P. A novel method for concentrating hepatitis A virus and caliciviruses from bottled water. *J Virol Methods.* 2009 Jul 29. [Epub ahead of print]

L'Homme Y, Sansregret R, Plante-Fortier E, Lamontagne AM, Lacroix G, Ouardani M, Deschamps J, Simard G, Simard C. Genetic diversity of porcine Norovirus and Sapovirus: Canada, 2005-2007. *Arch Virol.* 2009;154(4):581-93.

Lopman B, Armstrong B, Atchison C, Gray JJ. Host, weather and virological factors drive norovirus epidemiology: time-series analysis of laboratory surveillance data in England and Wales. *PLoS One.* 2009 Aug 24;4(8):e6671.

Magulski T, Paulmann D, Bischoff B, Becker B, Steinmann E, Steinmann J, Goroncy-Bermes P, Steinmann J. Inactivation of murine norovirus by chemical biocides on stainless steel. *BMC Infect Dis.* 2009 Jul 7;9:107.

Makary P, Maunula L, Niskanen T, Kuusi M, Virtanen M, Pajunen S, Ollgren J, Tran Minh NN. Multiple norovirus outbreaks among workplace canteen users in Finland, July 2006. *Epidemiol Infect.* 2009 Mar;137(3):402-7.

Mayr C, Strohe G, Contzen M. Detection of rotavirus in food associated with a gastroenteritis outbreak in a mother and child sanatorium. *Int J Food Microbiol.* 2009 Aug 13. [Epub ahead of print]

McLeod C, Hay B, Grant C, Greening G, Day D. Localization of norovirus and poliovirus in Pacific oysters. *J Appl Microbiol.* 2009 Apr;106(4):1220-30.

Mokhtari A, Jaykus LA. Quantitative exposure model for the transmission of norovirus in retail food preparation. *Int J Food Microbiol.* 2009 Jul 31;133(1-2):38-47.

Morton V, Jean J, Farber J, Mattison K. Detection of noroviruses in ready-to-eat foods by using carbohydrate-coated magnetic beads. *Appl Environ Microbiol*. 2009 Jul;75(13):4641-3.

Phillips G, Lopman B, Tam CC, Iturriza-Gomara M, Brown D, Gray J. Diagnosing norovirus-associated infectious intestinal disease using viral load. *BMC Infect Dis*. 2009 May 14;9:63.

Rohayem J. Norovirus seasonality and the potential impact of climate change. *Clin Microbiol Infect*. 2009 Jun;15(6):524-7. Review.

Sala MR, Arias C, Domínguez A, Bartolomé R, Muntada JM. Foodborne outbreak of gastroenteritis due to Norovirus and *Vibrio parahaemolyticus*. *Epidemiol Infect*. 2009 May;137(5):626-9.

Shinkawa N, Noda M, Yoshizumi S, Tokutake Y, Shiraishi T, Arita-Nishida T, Nishio O, Oka T, Hansman GS, Takeda N, Kimura H. Molecular epidemiology of noroviruses detected in food handler-associated outbreaks of gastroenteritis in Japan. *Intervirology*. 2008;51(6):422-6.

Siebenga JJ, Vennema H, Zheng DP, Vinjé J, Lee BE, Pang XL, Ho EC, Lim W, Choudekar A, Broor S, Halperin T, Rasool NB, Hewitt J, Greening GE, Jin M, Duan ZJ, Lucero Y, O'Ryan M, Hoehne M, Schreier E, Ratcliff RM, White PA, Iritani N, Reuter G, Koopmans M. Norovirus illness is a global problem: emergence and spread of norovirus GII.4 variants, 2001-2007. *J Infect Dis*. 2009 Sep 1;200(5):802-12.

Topping JR, Schnerr H, Haines J, Scott M, Carter MJ, Willcocks MM, Bellamy K, Brown DW, Gray JJ, Gallimore CI, Knight AI. Temperature inactivation of Feline calicivirus vaccine strain FCV F-9 in comparison with human noroviruses using an RNA exposure assay and reverse transcribed quantitative real-time polymerase chain reaction-A novel method for predicting virus infectivity. *J Virol Methods*. 2009 Mar;156(1-2):89-95.

Urbanucci A, Myrmel M, Berg I, von Bonsdorff CH, Maunula L. Potential internalisation of caliciviruses in lettuce. *Int J Food Microbiol*. 2009 Aug 6. [Epub ahead of print]

## **Hepatitis E**

Aggarwal R, Naik S. Epidemiology of hepatitis E: current status. *J Gastroenterol Hepatol*. 2009 Sep;24(9):1484-93.

Chang Y, Wang L, Geng J, Zhu Y, Fu H, Ren F, Li L, Wang X, Zhuang H. Zoonotic risk of hepatitis E virus (HEV): A study of HEV infection in animals and humans in suburbs of Beijing. *Hepatol Res*. 2009 Aug 6. [Epub ahead of print]

Lindberg J, Böttiger B, Norder H, Christensen PB. [Hepatitis E transmission in Denmark]. *Ugeskr Laeger*. 2009 Jun 22;171(26):2199-200.

Meng XJ. Hepatitis E virus: Animal reservoirs and zoonotic risk. *Vet Microbiol*. 2009 Mar 20. [Epub ahead of print]

Ijaz S, Vyse AJ, Morgan D, Pebody RG, Tedder RS, Brown D. Indigenous hepatitis E virus infection in England: more common than it seems. *J Clin Virol*. 2009 Apr;44(4):272-6.

Nicand E, Bigaillon C, Tessé S. [Hepatitis E: an emerging disease?]. *Pathol Biol (Paris)*. 2009 Mar;57(2):203-11. Review. French.

Lee YH, Ha Y, Ahn KK, Chae C. Localisation of swine hepatitis E virus in experimentally infected pigs. *Vet J*. 2009 Mar;179(3):417-21.

### **Salmonella**

Ajiboye RM, Solberg OD, Lee BM, Raphael E, Debroy C, Riley LW. Global spread of mobile antimicrobial drug resistance determinants in human and animal *Escherichia coli* and *Salmonella* strains causing community-acquired infections. *Clin Infect Dis*. 2009 Aug 1;49(3):365-71.

Alexander KA, Warnick LD, Wiedmann M. Antimicrobial resistant *Salmonella* in dairy cattle in the United States. *Vet Res Commun*. 2009 Mar;33(3):191-209.

Altekruse SF, Berrang ME, Marks H, Patel B, Shaw WK Jr, Saini P, Bennett PA, Bailey JS. Enumeration of *Escherichia coli* cells on chicken carcasses as a potential measure of microbial process control in a random selection of slaughter establishments in the United States. *Appl Environ Microbiol*. 2009 Jun;75(11):3522-7.

Arnold ME, Mueller-Doblies D, Carrique-Mas JJ, Davies RH. The estimation of pooled-sample sensitivity for detection of *Salmonella* in turkey flocks. *J Appl Microbiol*. 2009 Sep;107(3):936-43.

Arnold ME, Carrique-Mas JJ, Davies RH. Sensitivity of environmental sampling methods for detecting *Salmonella Enteritidis* in commercial laying flocks relative to the within-flock prevalence. *Epidemiol Infect*. 2009 Aug 24:1-10. [Epub ahead of print]

Arnold ME, Cook AJ. Estimation of sample sizes for pooled faecal sampling for detection of *Salmonella* in pigs. *Epidemiol Infect*. 2009 May 6:1-8. [Epub ahead of print]

Bari L, Nei D, Sotome I, Nishina I, Isobe S, Kawamoto S. Effectiveness of



Sanitizers, Dry Heat, Hot Water, and Gas Catalytic Infrared Heat Treatments to Inactivate Salmonella on Almonds. *Foodborne Pathog Dis.* 2009 Jul 21. [Epub ahead of print]

Bari ML, Enomoto K, Nei D, Kawamoto S. Scale-Up Seed Decontamination Process to Inactivate *Escherichia coli* O157:H7 and *Salmonella* Enteritidis on Mung Bean Seeds. *Foodborne Pathog Dis.* 2009 Sep 7. [Epub ahead of print]

Best EL, Hampton MD, Ethelberg S, Liebana E, Clifton-Hadley FA, Threlfall EJ. Drug-resistant *Salmonella* Typhimurium DT 120: use of PFGE and MLVA in a putative international outbreak investigation. *Microb Drug Resist.* 2009 Jun;15(2):133-8.

Bhaduri A, Kalaimathy S, Sowdhamini R. Conservation and divergence among *Salmonella enterica* subspecies. *Infect Disord Drug Targets.* 2009 Jun;9(3):248-56.

Boone I, Van der Stede Y, Bollaerts K, Vose D, Maes D, Dewulf J, Messens W, Daube G, Aerts M, Mintiens K. NUSAP method for evaluating the data quality in a quantitative microbial risk assessment model for Salmonella in the pork production chain. *Risk Anal.* 2009 Apr;29(4):502-17.

Borie C, Sánchez ML, Navarro C, Ramírez S, Morales MA, Retamales J, Robeson J. Aerosol spray treatment with bacteriophages and competitive exclusion reduces *Salmonella enteritidis* infection in chickens. *Avian Dis.* 2009 Jun;53(2):250-4.

Borneman DL, Ingham SC, Ané C. Mathematical approaches to estimating lag-phase duration and growth rate for predicting growth of *Salmonella* serovars *Escherichia coli* O157:H7, and *Staphylococcus aureus* in raw beef, bratwurst, and poultry. *J Food Prot.* 2009 Jun;72(6):1190-200.

Bosilevac JM, Guerini MN, Kalchayanand N, Koochmaraie M. Prevalence and characterization of salmonellae in commercial ground beef in the United States. *Appl Environ Microbiol.* 2009 Apr;75(7):1892-900.

Broughton EI, Heffernan HM, Coles CL. *Salmonella enterica* serotypes and antibiotic susceptibility in New Zealand, 2002-2007. *Epidemiol Infect.* 2009 Aug 5:1-8. [Epub ahead of print]

Bruun T, Sørensen G, Forshell LP, Jensen T, Nygard K, Kapperud G, Lindstedt BA, Berglund T, Wingstrand A, Petersen RF, Müller L, Kjelsø C, Ivarsson S, Hjertqvist M, Löfdahl S, Ethelberg S. An outbreak of *Salmonella* Typhimurium infections in Denmark, Norway and Sweden, 2008. *Euro Surveill.* 2009 Mar 12;14(10). pii: 19147.

Cardoen S, Van Huffel X, Berkvens D, Quoilin S, Ducoffre G, Saegerman C, Speybroeck N, Imberechts H, Herman L, Ducatelle R, Dierick K. Evidence-Based Semiquantitative Methodology for Prioritization of Foodborne Zoonoses. *Foodborne Pathog Dis.* 2009 Aug 28. [Epub ahead of print]

Carrique-Mas JJ, Barnes S, McLaren I, Davies R. Comparison of three plating media for the isolation of *Salmonella* from poultry environmental samples in Great Britain using ISO 6579:2002 (Annex D). *J Appl Microbiol*. 2009 May 20. [Epub ahead of print]

Centers for Disease Control and Prevention (CDC). Surveillance for foodborne disease outbreaks - United States, 2006. *MMWR Morb Mortal Wkly Rep*. 2009 Jun 12;58(22):609-15.

Centers for Disease Control and Prevention (CDC). Preliminary FoodNet Data on the incidence of infection with pathogens transmitted commonly through food—10 States, 2008. *MMWR Morb Mortal Wkly Rep*. 2009 Apr 10;58(13):333-7.

Chapman B, Ross T. *Escherichia coli* and *Salmonella enterica* are protected against acetic acid, but not hydrochloric acid, by hypertonicity. *Appl Environ Microbiol*. 2009 Jun;75(11):3605-10.

Cliver DO. Disinfection of animal manures, food safety and policy. *Bioresour Technol*. 2009 Nov;100(22):5392-4.

Clough HE, Fenton SE, French NP, Miller AJ, Cook AJ. Evidence from the UK Zoonoses Action Plan in favour of localised anomalies of *Salmonella* infection on United Kingdom pig farms. *Prev Vet Med*. 2009 May 1;89(1-2):67-74.

Cox JM, Pavic A. Advances in enteropathogen control in poultry production. *J Appl Microbiol*. 2009 Jul 7. [Epub ahead of print]

Delhalle L, Saegerman C, Farnir F, Korsak N, Maes D, Messens W, De Sadeleer L, De Zutter L, Daube G. *Salmonella* surveillance and control at post-harvest in the Belgian pork meat chain. *Food Microbiol*. 2009 May;26(3):265-71.

Dhanarani TS, Shankar C, Park J, Dexilin M, Kumar RR, Thamaraiselvi K. Study on acquisition of bacterial antibiotic resistance determinants in poultry litter. *Poult Sci*. 2009 Jul;88(7):1381-7.

Elviss NC, Little CL, Hucklesby L, Sagoo S, Surman-Lee S, de Pinna E, Threlfall EJ; Food, Water and Environmental Surveillance Network. Microbiological study of fresh herbs from retail premises uncovers an international outbreak of salmonellosis. *Int J Food Microbiol*. 2009 Aug 31;134(1-2):83-8.

Fenton SE, Clough HE, Diggle PJ, Evans SJ, Davison HC, Vink WD, French NP. Spatial and spatio-temporal analysis of *Salmonella* infection in dairy herds in England and Wales. *Epidemiol Infect*. 2009 Jun;137(6):847-57.

Foley SL, Lynne AM, Nayak R. Molecular typing methodologies for microbial source tracking and epidemiological investigations of Gram-negative bacterial foodborne pathogens. *Infect Genet Evol.* 2009 Jul;9(4):430-40.

Food and Drug Administration, HHS. Prevention of *Salmonella enteritidis* in shell eggs during production, storage, and transportation. Final rule. *Fed Regist.* 2009 Jul 9;74(130):33029-101.

Gantois I, Ducatelle R, Pasmans F, Haesebrouck F, Gast R, Humphrey TJ, Van Immerseel F. Mechanisms of egg contamination by *Salmonella Enteritidis*. *FEMS Microbiol Rev.* 2009 Jul;33(4):718-38.

Gibbs R, Pingault N, Mazzucchelli T, O'Reilly L, MacKenzie B, Green J, Mogyorosy R, Stafford R, Bell R, Hiley L, Fullerton K, Van Buynder P. An outbreak of *Salmonella enterica* serotype Litchfield infection in Australia linked to consumption of contaminated papaya. *J Food Prot.* 2009 May;72(5):1094-8.

Giraudon I, Cathcart S, Blomqvist S, Littleton A, Surman-Lee S, Mifsud A, Anaraki S, Fraser G. Large outbreak of salmonella phage type 1 infection with high infection rate and severe illness associated with fast food premises. *Public Health.* 2009 Jun;123(6):444-7.

Greig JD, Ravel A. Analysis of foodborne outbreak data reported internationally for source attribution. *Int J Food Microbiol.* 2009 Mar 31;130(2):77-87.

Hanning IB, Nutt JD, Ricke SC. Salmonellosis outbreaks in the United States due to fresh produce: sources and potential intervention measures. *Foodborne Pathog Dis.* 2009 Jul-Aug;6(6):635-48.

Irvine WN, Gillespie IA, Smyth FB, Rooney PJ, McClenaghan A, Devine MJ, Tohani VK; Outbreak Control Team. Investigation of an outbreak of *Salmonella enterica* serovar Newport infection. *Epidemiol Infect.* 2009 Oct;137(10):1449-56.

Ishihara K, Takahashi T, Morioka A, Kojima A, Kijima M, Asai T, Tamura Y. National surveillance of *Salmonella enterica* in food-producing animals in Japan. *Acta Vet Scand.* 2009 Aug 25;51(1):35.

Jiménez SM, Tiburzi MC, Salsi MS, Moguilevsky MA, Pirovani ME. Survival of *Salmonella* on refrigerated chicken carcasses and subsequent transfer to cutting board. *Lett Appl Microbiol.* 2009 Jun;48(6):687-91.

Kafatos G, Andrews N, Gillespie IA, Charlett A, Adak GK, De Pinna E, Threlfall EJ. Impact of reduced numbers of isolates phage-typed on the detection of *Salmonella* outbreaks. *Epidemiol Infect.* 2009 Jun;137(6):821-7.

Kalchayanand N, Brichta-Harhay DM, Arthur TM, Bosilevac JM, Guerini MN, Wheeler TL, Shackelford SD, Koohmaraie M. Prevalence rates of *Escherichia*

*coli* O157:H7 and *Salmonella* at different sampling sites on cattle hides at a feedlot and processing plant. J Food Prot. 2009 Jun;72(6):1267-71.

Kirkland E, Green LR, Stone C, Reimann D, Nicholas D, Mason R, Frick R, Coleman S, Bushnell L, Blade H, Radke V, Selman C; EHS-Net Working Group. Tomato handling practices in restaurants. J Food Prot. 2009 Aug;72(8):1692-8.

Komitopoulou E, Peñaloza W. Fate of *Salmonella* in dry confectionery raw materials. J Appl Microbiol. 2009 Jun;106(6):1892-900.

Korsgaard H, Madsen M, Feld NC, Mygind J, Hald T. The effects, costs and benefits of *Salmonella* control in the Danish table-egg sector. Epidemiol Infect. 2009 Jun;137(6):828-36.

Kroupitski Y, Pinto R, Brandl MT, Belausov E, Sela S. Interactions of *Salmonella enterica* with lettuce leaves. J Appl Microbiol. 2009 Jun;106(6):1876-85.

Lake IR, Gillespie IA, Bentham G, Nichols GL, Lane C, Adak GK, Threlfall EJ. A re-evaluation of the impact of temperature and climate change on foodborne illness. Epidemiol Infect. 2009 Apr 17:1-10. [Epub ahead of print]

Luber P. Cross-contamination versus undercooking of poultry meat or eggs - which risks need to be managed first? Int J Food Microbiol. 2009 Aug 31;134(1-2):21-8.

Ma L, Zhang G, Gerner-Smidt P, Mantripragada V, Ezeoke I, Doyle MP. Thermal inactivation of *Salmonella* in peanut butter. J Food Prot. 2009 Aug;72(8):1596-601.

Magnino S, Colin P, Dei-Cas E, Madsen M, McLauchlin J, Nöckler K, Maradona MP, Tsigarida E, Vanopdenbosch E, Van Peteghem C. Biological risks associated with consumption of reptile products. Int J Food Microbiol. 2009 Sep 15;134(3):163-75.

Maki DG. Coming to grips with foodborne infection--peanut butter, peppers, and nationwide salmonella outbreaks. N Engl J Med. 2009 Mar 5;360(10):949-53.

Meldrum RJ, Little CL, Sagoo S, Mithani V, McLauchlin J, de Pinna E. Assessment of the microbiological safety of salad vegetables and sauces from kebab take-away restaurants in the United Kingdom. Food Microbiol. 2009 Sep;26(6):573-7.

Mullner P, Jones G, Noble A, Spencer SE, Hathaway S, French NP. Source attribution of food-borne zoonoses in New Zealand: a modified Hald model. Risk Anal. 2009 Jul;29(7):970-84.

Munnoch SA, Ward K, Sheridan S, Fitzsimmons GJ, Shadbolt CT, Piispanen JP, Wang Q, Ward TJ, Worgan TL, Oxenford C, Musto JA, McAnulty J, Durrheim DN. A multi-state outbreak of *Salmonella Saintpaul* in Australia associated with cantaloupe consumption. *Epidemiol Infect.* 2009 Mar;137(3):367-74.

Newsome R, Tran N, Paoli GM, Jaykus LA, Tompkin B, Miliotis M, Ruthman T, Hartnett E, Busta FF, Petersen B, Shank F, McEntire J, Hotchkiss J, Wagner M, Schaffner DW. Development of a risk-ranking framework to evaluate potential high-threat microorganisms, toxins, and chemicals in food. *J Food Sci.* 2009 Mar;74(2):R39-45.

Prendergast DM, Duggan SJ, Gonzales-Barron U, Fanning S, Butler F, Cormican M, Duffy G. Prevalence, numbers and characteristics of *Salmonella* spp. on Irish retail pork. *Int J Food Microbiol.* 2009 May 31;131(2-3):233-9.

Quiroz-Santiago C, Rodas-Suárez OR, Carlos R V, Fernández FJ, Quiñones-Ramírez EI, Vázquez-Salinas C. Prevalence of *Salmonella* in vegetables from Mexico. *J Food Prot.* 2009 Jun;72(6):1279-82.

Rhoades JR, Duffy G, Koutsoumanis K. Prevalence and concentration of verocytotoxigenic *Escherichia coli*, *Salmonella enterica* and *Listeria monocytogenes* in the beef production chain: a review. *Food Microbiol.* 2009 Jun;26(4):357-76.

Rostagno MH. Can stress in farm animals increase food safety risk? *Foodborne Pathog Dis.* 2009 Sep;6(7):767-76.

Shah N, DuPont HL, Ramsey DJ. Global etiology of travelers' diarrhea: systematic review from 1973 to the present. *Am J Trop Med Hyg.* 2009 Apr;80(4):609-14.

Shahada F, Sugiyama H, Chuma T, Sueyoshi M, Okamoto K. Genetic analysis of multi-drug resistance and the clonal dissemination of beta-lactam resistance in *Salmonella Infantis* isolated from broilers. *Vet Microbiol.* 2009 Jul 10. [Epub ahead of print]

Singer RS, Mayer AE, Hanson TE, Isaacson RE. Do microbial interactions and cultivation media decrease the accuracy of *Salmonella* surveillance systems and outbreak investigations? *J Food Prot.* 2009 Apr;72(4):707-13.

Stein-Zamir C, Shoob H, Abramson N, Zentner G, Agmon V. The changing panorama of bacterial enteric infections. *Epidemiol Infect.* 2009 Mar 19:1-7. [Epub ahead of print]

Teplitski M, Barak JD, Schneider KR. Human enteric pathogens in produce: un-answered ecological questions with direct implications for food safety. *Curr Opin Biotechnol.* 2009 Apr;20(2):166-71.

Wales AD, Carrique-Mas JJ, Rankin M, Bell B, Thind BB, Davies RH. Review of the Carriage of Zoonotic Bacteria by Arthropods, with Special Reference to Salmonella in Mites, Flies and Litter Beetles. Zoonoses Public Health. 2009 Apr 8. [Epub ahead of print]

Wright AC, Danyluk MD, Otwell WS. Pathogens in raw foods: what the salad bar can learn from the raw bar. Curr Opin Biotechnol. 2009 Apr;20(2):172-7.

Yoon Y, Geornaras I, Kendall PA, Sofos JN. Modeling the effect of marination and temperature on *Salmonella* inactivation during drying of beef jerky. J Food Sci. 2009 May;74(4):M165-71.

### ***Staphylococcus aureus***

Borneman DL, Ingham SC, Ane C. Predicting growth-no growth of *Staphylococcus aureus* on vacuum-packaged ready-to-eat meats. J Food Prot. 2009 Mar;72(3):539-48.

de Boer E, Zwartkruis-Nahuis JT, Wit B, Huijsdens XW, de Neeling AJ, Bosch T, van Oosterom RA, Vila A, Heuvelink AE. Prevalence of methicillin-resistant *Staphylococcus aureus* in meat. Int J Food Microbiol. 2009 Aug 31;134(1-2):52-6.

Valero A, Pérez-Rodríguez F, Carrasco E, Fuentes-Alventosa JM, García-Gimeno RM, Zurera G. Modelling the growth boundaries of *Staphylococcus aureus*: Effect of temperature, pH and water activity. Int J Food Microbiol. 2009 Jul 31;133(1-2):186-94.

### ***Toxoplasma***

Berger F, Goulet V, Le Strat Y, Desenclos JC. Toxoplasmosis among pregnant women in France: risk factors and change of prevalence between 1995 and 2003. Rev Epidemiol Sante Publique. 2009 Aug;57(4):241-8.

Boothroyd JC. *Toxoplasma gondii*: 25 years and 25 major advances for the field. Int J Parasitol. 2009 Jul 1;39(8):935-46.

Dorny P, Praet N, Deckers N, Gabriel S. Emerging food-borne parasites. Vet Parasitol. 2009 Aug 7;163(3):196-206.

Fromont EG, Riche B, Rabilloud M. *Toxoplasma* seroprevalence in a rural population in France: detection of a household effect. BMC Infect Dis. 2009 May 28;9:76.

Kortbeek LM, Hofhuis A, Nijhuis CD, Havelaar AH. Congenital toxoplasmosis and DALYs in the Netherlands. Mem Inst Oswaldo Cruz. 2009 Mar;104(2):370-3.

Meerburg BG, Kijlstra A. Changing climate-changing pathogens: *Toxoplasma gondii* in North-Western Europe. Parasitol Res. 2009 Jul;105(1):17-24.

Pezzoli L, Marotta V, Sattanino G, Griglio B. Toxoplasmosis in Italian pregnant women: results of a survey on perception of foodborne risks. J Food Prot. 2009 Mar;72(3):680-4.

Tenter AM. *Toxoplasma gondii* in animals used for human consumption. Mem Inst Oswaldo Cruz. 2009 Mar;104(2):364-9.