

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD

Items of possible interest from the literature***Campylobacter***

Buckley AM, Wang J, Hudson DL, Grant AJ, Jones MA, Maskell DJ, Stevens MP. Evaluation of live-attenuated Salmonella vaccines expressing Campylobacter antigens for control of *C. jejuni* in poultry. *Vaccine*. 2009 Oct 22. [Epub ahead of print]

Caro-Quintero A, Rodriguez-Castaño GP, Konstantinidis KT. Genomic insights into the convergence and pathogenicity factors of *Campylobacter jejuni* and *Campylobacter coli* species. *J Bacteriol*. 2009 Sep;191(18):5824-31.

Carter PE, McTavish SM, Brooks HJ, Campbell D, Collins-Emerson JM, Midwinter AC, French NP. Novel clonal complexes with an unknown animal reservoir dominate *Campylobacter jejuni* isolates from river water in New Zealand. *Appl Environ Microbiol*. 2009 Oct;75(19):6038-46.

Cox NA, Richardson LJ, Buhr RJ, Fedorka-Cray PJ. *Campylobacter* species occurrence within internal organs and tissues of commercial caged Leghorn laying hens. *Poult Sci*. 2009 Nov;88(11):2449-56.

Datta S, Niwa H, Itoh K. Age-dependent variation of virulence-associated genes retained in *Campylobacter jejuni* isolated from chickens in a poultry farm. *J Vet Med Sci*. 2009 Sep;71(9):1247-9.

Falush D. Toward the use of genomics to study microevolutionary change in bacteria. *PLoS Genet*. 2009 Oct;5(10):e1000627.

Förster M, Sievert K, Messler S, Klimpel S, Pfeffer K. Comprehensive study on the occurrence and distribution of pathogenic microorganisms carried by synanthropic flies caught at different rural locations in Germany. *J Med Entomol*. 2009 Sep;46(5):1164-6.

Fravalo P, Laisney MJ, Gillard MO, Salvat G, Chemaly M. *Campylobacter* transfer from naturally contaminated chicken thighs to cutting boards is inversely related to initial load. *J Food Prot*. 2009 Sep;72(9):1836-40.

González M, Skandamis PN, Hänninen ML. A modified Weibull model for describing the survival of *Campylobacter jejuni* in minced chicken meat. *Int J Food Microbiol*. 2009 Nov 30;136(1):52-8.

Griekspoor P, Engvall EO, Olsen B, Waldenström J. Multilocus sequence typing of *Campylobacter jejuni* from broilers. *Vet Microbiol*. 2010 Jan 6;140(1-2):180-5.

Haddad N, Burns CM, Bolla JM, Prévost H, Fédérighi M, Drider D, Cappelier JM. Long-term survival of *Campylobacter jejuni* at low temperatures is dependent on polynucleotide phosphorylase activity. *Appl Environ Microbiol*. 2009 Dec;75(23):7310-8.

Hakkinen M, Hänninen ML. Shedding of *Campylobacter* spp. in Finnish cattle on dairy farms. *J Appl Microbiol*. 2009 Sep;107(3):898-905.

Han F, Pu S, Wang F, Meng J, Ge B. Fitness cost of macrolide resistance in *Campylobacter jejuni*. *Int J Antimicrob Agents*. 2009 Nov;34(5):462-6.

Hotter GS, Li IH, French NP. Binary genotyping using lipooligosaccharide biosynthesis genes distinguishes between *Campylobacter jejuni* isolates within poultry-associated multilocus sequence types. *Epidemiol Infect*. 2009 Nov 3:1-12. [Epub ahead of print]

Hughes RA, Hallett K, Cogan T, Enser M, Humphrey T. The response of *Campylobacter jejuni* to low temperature differs from that of *Escherichia coli*. *Appl Environ Microbiol*. 2009 Oct;75(19):6292-8.

Hwang S, Yun J, Kim KP, Heu S, Lee S, Ryu S. Isolation and characterization of bacteriophages specific for *Campylobacter jejuni*. *Microbiol Immunol*. 2009 Oct;53(10):559-66.

Jackson DN, Davis B, Tirado SM, Duggal M, van Frankenhuyzen JK, Deaville D, Wijesinghe MA, Tessaro M, Trevors JT. Survival mechanisms and culturability of *Campylobacter jejuni* under stress conditions. *Antonie Van Leeuwenhoek*. 2009 Nov;96(4):377-94.

Jasson V, Sampers I, Botteldoorn N, López-Gálvez F, Baert L, Denayer S, Rajkovic A, Habib I, De Zutter L, Debevere J, Uyttendaele M. Characterization of *Escherichia coli* from raw poultry in Belgium and impact on the detection of *Campylobacter jejuni* using Bolton broth. *Int J Food Microbiol*. 2009 Nov 15;135(3):248-53.

Jore S, Viljugrein H, Brun E, Heier BT, Borck B, Ethelberg S, Hakkinen M, Kuusi M, Reiersen J, Hansson I, Olsson Engvall E, Løfdahl M, Wagenaar JA, van Pelt W, Hofshagen M. Trends in *Campylobacter* incidence in broilers and humans in six European countries, 1997-2007. *Prev Vet Med*. 2009 Oct 16. [Epub ahead of print]

Kaakoush NO, Baar C, Mackichan J, Schmidt P, Fox EM, Schuster SC, Mendz GL. Insights into the molecular basis of the microaerophily of three *Campylobacteriales*: a comparative study. *Antonie Van Leeuwenhoek*. 2009 Nov;96(4):545-57.

Khan IU, Gannon V, Loughborough A, Jokinen C, Kent R, Koning W, Lapen DR, Medeiros D, Miller J, Neumann N, Phillips R, Robertson W, Schreier H, Topp E, van Bochove E, Edge TA. A methods comparison for the isolation and detection of thermophilic *Campylobacter* in agricultural watersheds. *J Microbiol Methods*. 2009 Dec;79(3):307-13.

Kim SA, Lee YM, Hwang IG, Kang DH, Woo GJ, Rhee MS. Eight enrichment broths for the isolation of *Campylobacter jejuni* from inoculated suspensions and ground pork. *Lett Appl Microbiol*. 2009 Nov;49(5):620-6.

Lin J. Novel approaches for campylobacter control in poultry. *Foodborne Pathog Dis*. 2009 Sep;6(7):755-65.

Liu L, Hussain SK, Miller RS, Oyarzabal OA. Efficacy of Mini VIDAS for the Detection of *Campylobacter* spp. from Retail Broiler Meat Enriched in Bolton Broth, with or without the Supplementation of Blood. *J Food Prot*. 2009 Nov;72(11):2428-32.

McTavish SM, Pope CE, Nicol C, Campbell D, French N, Carter PE. Multilocus sequence typing of *Campylobacter jejuni*, and the correlation between clonal complex and pulsed-field gel electrophoresis macrorestriction profile. *FEMS Microbiol Lett*. 2009 Sep;298(2):149-56.

Moran L, Scates P, Madden RH. Prevalence of *Campylobacter* spp. in raw retail poultry on sale in Northern Ireland. *J Food Prot*. 2009 Sep;72(9):1830-5.

Nauta MJ, van der Wal FJ, Putirulan FF, Post J, van de Kassteele J, Bolder NM. Evaluation of the "testing and scheduling" strategy for control of *Campylobacter* in broiler meat in The Netherlands. *Int J Food Microbiol*. 2009 Sep 15;134(3):216-22.

Ogden ID, Dallas JF, Macrae M, Rotariu O, Reay KW, Leitch M, Thomson AP, Sheppard SK, Maiden M, Forbes KJ, Strachan NJ. *Campylobacter* Excreted into the Environment by Animal Sources: Prevalence, Concentration Shed, and Host Association. *Foodborne Pathog Dis*. 2009 Oct 19. [Epub ahead of print]

Patriarchi A, Maunsell B, O'Mahony E, Fox A, Fanning S, Buckley J, Bolton DJ. Prevalence of *Campylobacter* spp. in a subset of intensive poultry flocks in Ireland. *Lett Appl Microbiol*. 2009 Sep;49(3):305-10.

Rajkovic A, Smigic N, Uyttendaele M, Medic H, de Zutter L, Devlieghere F. Resistance of *Listeria monocytogenes*, *Escherichia coli* O157:H7 and *Campylobacter jejuni* after exposure to repetitive cycles of mild bactericidal treatments. *Food Microbiol*. 2009 Dec;26(8):889-95.

Rosenquist H, Boysen L, Galliano C, Nordentoft S, Ethelberg S, Borck B. Danish strategies to control *Campylobacter* in broilers and broiler meat: facts and effects. *Epidemiol Infect*. 2009 Dec;137(12):1742-50.

Rotariu O, Dallas JF, Ogden ID, MacRae M, Sheppard SK, Maiden MC, Gormley FJ, Forbes KJ, Strachan NJ. Spatiotemporal homogeneity of *Campylobacter* subtypes from cattle and sheep across northeastern and southwestern Scotland. *Appl Environ Microbiol*. 2009 Oct;75(19):6275-81.

Sherman PM, Ossa JC, Wine E. Bacterial infections: new and emerging enteric pathogens. *Curr Opin Gastroenterol*. 2009 Nov 2. [Epub ahead of print]

Sopwith W, Birtles A, Matthews M, Fox A, Gee S, James S, Kempster J, Painter M, Edwards-Jones V, Osborn K, Regan M, Syed Q, Bolton E. Investigation of food and environmental exposures relating to epidemiology of *Campylobacter coli* in humans in North West England. *Appl Environ Microbiol*. 2009 Oct 23. [Epub ahead of print]

Tam CC, Higgins CD, Neal KR, Rodrigues LC, Millership SE, O'Brien SJ; *Campylobacter* Case-Control Study Group. Chicken consumption and use of acid-suppressing medications as risk factors for *Campylobacter* enteritis, England. *Emerg Infect Dis*. 2009 Sep;15(9):1402-8.

Tribble DR, Baqar S, Carmolli MP, Porter C, Pierce KK, Sadigh K, Guerry P, Larsson CJ, Rockabrand D, Ventone CH, Poly F, Lyon CE, Dakdouk S, Fingar A, Gilliland T, Daunais P, Jones E, Rymarchyk S, Huston C, Darsley M, Kirkpatrick BD. *Campylobacter jejuni* strain CG8421: a refined model for the study of *Campylobacteriosis* and evaluation of *Campylobacter* vaccines in human subjects. *Clin Infect Dis*. 2009 Nov 15;49(10):1512-9.

Unicomb LE, Fullerton KE, Kirk MD, Stafford RJ. Outbreaks of *Campylobacteriosis* in Australia, 2001 to 2006. *Foodborne Pathog Dis*. 2009 Nov 6. [Epub ahead of print]

Vally H, Hall G, Scallan E, Kirk MD, Angulo FJ. Higher rate of culture-confirmed *Campylobacter* infections in Australia than in the USA: is this due to differences in healthcare-seeking behaviour or stool culture frequency? *Epidemiol Infect*. 2009 Dec;137(12):1751-8.

Wacheck S, Fredriksson-Ahomaa M, König M, Stolle A, Stephan R. Wild Boars as an Important Reservoir for Foodborne Pathogens. *Foodborne Pathog Dis*. 2009 Nov 9. [Epub ahead of print]

Wassenaar TM, Fernández-Astorga A, Alonso R, Marteinsson VT, Magnússon SH, Kristoffersen AB, Hofshagen M. Comparison of *Campylobacter* fla-SVR genotypes isolated from humans and poultry in three European regions. *Lett Appl Microbiol*. 2009 Sep;49(3):388-95.

Young I, Rajić A, Wilhelm BJ, Waddell L, Parker S, McEwen SA. Comparison of the prevalence of bacterial enteropathogens, potentially zoonotic bacteria and bacterial resistance to antimicrobials in organic and conventional poultry, swine and beef production: a systematic review and meta-analysis. *Epidemiol Infect*. 2009 Sep;137(9):1217-32.

Zhang MJ, Xiao D, Zhao F, Gu YX, Meng FL, He LH, Ma GY, Zhang JZ. Comparative proteomic analysis of *Campylobacter jejuni* cultured at 37C and 42C. *Jpn J Infect Dis*. 2009 Sep;62(5):356-61.

Clostridium

Bradshaw M, Marshall KM, Heap JT, Tepp WH, Minton NP, Johnson EA. Construction of a Nontoxigenic *Clostridium botulinum* Strain for Food Challenge Studies. *Appl Environ Microbiol*. 2009 Nov 20. [Epub ahead of print]

Crouch EA, Labarre D, Golden NJ, Kause JR, Dearfield KL. Application of quantitative microbial risk assessments for estimation of risk management metrics: *Clostridium perfringens* in ready-to-eat and partially cooked meat and poultry products as an example. *J Food Prot*. 2009 Oct;72(10):2151-61.

De Cesare A, Borilova G, Svobodova I, Bondioli V, Manfreda G. *Clostridium perfringens* occurrence and ribotypes in healthy broilers reared in different European countries. *Poult Sci*. 2009 Sep;88(9):1850-7.

De Medici D, Anniballi F, Wyatt GM, Lindström M, Messelhäusser U, Aldus CF, Delibato E, Korkeala H, Peck MW, Fenicia L. Multiplex PCR for detection of botulinum neurotoxin-producing clostridia in clinical, food, and environmental samples. *Appl Environ Microbiol*. 2009 Oct;75(20):6457-61.

Feng Y, Gong J, Yu H, Jin Y, Zhu J, Han Y. Identification of changes in the composition of ileal bacterial microbiota of broiler chickens infected with *Clostridium perfringens*. *Vet Microbiol*. 2010 Jan 6;140(1-2):116-21.

Grant KA, Nwarfor I, Mpamugo O, Mithani V, Lister P, Dixon G, Nixon G, Planche T, Courtney M, Morgan J, McLauchlin J. Report of two unlinked cases of infant botulism in the UK in October 2007. *J Med Microbiol*. 2009 Dec;58(Pt 12):1601-6.

Hartley HM, Clarke HJ, Graham DA, Ball HJ, Malone FE, Beggs NW, Roest HJ. Detection of *Clostridium botulinum* type A toxin in a cow in Northern Ireland. *Vet Rec*. 2009 Oct 31;165(18):544.

Konagaya Y, Urakami H, Hoshino J, Kobayashi A, Sasagawa A, Yamazaki A, Kozaki S, Tanaka N. Change of Thermal Inactivation of *Clostridium botulinum* Spores during Rice Cooking. *J Food Prot*. 2009 Nov;72(11):2400-6.

Lúquez C, Dykes JK, Yu PA, Raphael BH, Maslanka SE. First infant botulism case due to *Clostridium botulinum* type E worldwide. *J Clin Microbiol*. 2009 Nov 11. [Epub ahead of print]

Nakamura K, Kohda T, Umeda K, Yamamoto H, Mukamoto M, Kozaki S. Characterization of the D/C mosaic neurotoxin produced by *Clostridium botulinum* associated with bovine botulism in Japan. *Vet Microbiol*. 2010 Jan 6;140(1-2):147-54.

Popoff MR, Bouvet P. Clostridial toxins. *Future Microbiol.* 2009 Oct;4:1021-64.

Ravel A, Greig J, Tinga C, Todd E, Campbell G, Cassidy M, Marshall B, Pollari F. Exploring historical Canadian foodborne outbreak data sets for human illness attribution. *J Food Prot.* 2009 Sep;72(9):1963-76.

Satterfield BA, Stewart AF, Lew CS, Pickett DO, Cohen MN, Moore EA, Luedtke PF, O'Neill KL, Robison RA. A quadruplexed real-time PCR assay for rapid detection and differentiation of the *Clostridium botulinum* toxin genes A, B, E and F. *J Med Microbiol.* 2009 Sep 24. [Epub ahead of print]

Smith LA. Botulism and vaccines for its prevention. *Vaccine.* 2009 Nov 5;27 Suppl 4:D33-9.

Stone G, Chapman B, Lovell D. Development of a log-quadratic model to describe microbial inactivation, illustrated by thermal inactivation of *Clostridium botulinum*. *Appl Environ Microbiol.* 2009 Nov;75(22):6998-7005.

Titball RW. *Clostridium perfringens* vaccines. *Vaccine.* 2009 Nov 5;27 Suppl 4:D44-7.

***E.coli* O157**

Abedon ST. Kinetics of phage-mediated biocontrol of bacteria. *Foodborne Pathog Dis.* 2009 Sep;6(7):807-15.

Ahn CK, Russo AJ, Howell KR, Holt NJ, Sellenriek PL, Rothbaum RJ, Beck AM, Luebbering LJ, Tarr PI. Deer sausage: a newly identified vehicle of transmission of *Escherichia coli* O157:H7. *J Pediatr.* 2009 Oct;155(4):587-9.

Alegre I, Abadias M, Anguera M, Oliveira M, Viñas I. Factors affecting growth of foodborne pathogens on minimally processed apples. *Food Microbiol.* 2010 Feb;27(1):70-6.

Arthur TM, Keen JE, Bosilevac JM, Brichta-Harhay DM, Kalchayanand N, Shackelford SD, Wheeler TL, Nou X, Koochmaraie M. Longitudinal study of *Escherichia coli* O157:H7 in a beef cattle feedlot and role of high-level shedders in hide contamination. *Appl Environ Microbiol.* 2009 Oct;75(20):6515-23.

Cernicchiaro N, Pearl DL, Ghimire S, Gyles CL, Johnson RP, LeJeune JT, Ziebell K, McEwen SA. Risk factors associated with *Escherichia coli* O157:H7 in Ontario beef cow-calf operations. *Prev Vet Med.* 2009 Nov 1;92(1-2):106-15.

Cobbaut K, Berkvens D, Houf K, De Deken R, De Zutter L. *Escherichia coli* O157 prevalence in different cattle farm types and identification of potential risk factors. *J Food Prot.* 2009 Sep;72(9):1848-53.

Crowley KM, Prendergast DM, McDowell DA, Sheridan JJ. Changes in *Escherichia coli* O157:H7 numbers during holding on excised lean, fascia and fat beef surfaces at different temperatures. *J Appl Microbiol.* 2009 Nov;107(5):1542-50.

Gould LH, Demma L, Jones TF, Hurd S, Vugia DJ, Smith K, Shiferaw B, Segler S, Palmer A, Zansky S, Griffin PM. Hemolytic uremic syndrome and death in persons with *Escherichia coli* O157:H7 infection, foodborne diseases active surveillance network sites, 2000-2006. *Clin Infect Dis.* 2009 Nov 15;49(10):1480-5.

Gould LH, Bopp C, Strockbine N, Atkinson R, Baselski V, Body B, Carey R, Crandall C, Hurd S, Kaplan R, Neill M, Shea S, Somsel P, Tobin-D'Angelo M, Griffin PM, Gerner-Smidt P; Centers for Disease Control and Prevention (CDC). Recommendations for diagnosis of shiga toxin--producing *Escherichia coli* infections by clinical laboratories. *MMWR Recomm Rep.* 2009 Oct 16;58(RR-12):1-14.

Hyytia-Trees E, Lafon P, Vauterin P, Ribot EM. Multilaboratory Validation Study of Standardized Multiple-Locus Variable-Number Tandem Repeat Analysis Protocol for Shiga Toxin-Producing *Escherichia coli* O157: A Novel Approach to Normalize Fragment Size Data Between Capillary Electrophoresis Platforms. *Foodborne Pathog Dis.* 2009 Sep 28. [Epub ahead of print]

Jacob ME, Callaway TR, Nagaraja TG. Dietary interactions and interventions affecting *Escherichia coli* O157 colonization and shedding in cattle. *Foodborne Pathog Dis.* 2009 Sep;6(7):785-92.

Jasson V, Rajkovic A, Baert L, Debevere J, Uyttendaele M. Comparison of enrichment conditions for rapid detection of low numbers of sublethally injured *Escherichia coli* O157 in food. *J Food Prot.* 2009 Sep;72(9):1862-8.

Karama M, Gyles CL. Methods for Genotyping Verotoxin-Producing *Escherichia coli*. *Zoonoses Public Health.* 2009 Nov 13. [Epub ahead of print]

Lenahan M, O'Brien SB, Byrne C, Ryan M, Kennedy CA, McNamara EB, Fanning S, Sheridan JJ, Sweeney T. Molecular characterization of Irish *E. coli* O157:H7 isolates of human, bovine, ovine and porcine origin. *J Appl Microbiol.* 2009 Oct;107(4):1340-9.

Luo Y, He Q, McEvoy JL, Conway WS. Fate of *Escherichia coli* O157:H7 in the presence of indigenous microorganisms on commercially packaged baby spinach, as impacted by storage temperature and time. *J Food Prot.* 2009 Oct;72(10):2038-45.

Manges AR, Tellis PA, Vincent C, Lifeso K, Geneau G, Reid-Smith RJ, Boerlin P. Multi-locus variable number tandem repeat analysis for *Escherichia coli* causing extraintestinal infections. *J Microbiol Methods.* 2009 Nov;79(2):211-3.

Son I, Van Kessel JA, Karns JS. Genotypic diversity of *Escherichia coli* in a dairy farm. *Foodborne Pathog Dis.* 2009 Sep;6(7):837-47.

Wang G, Zhou F, Olman V, Li F, Xu Y. Prediction of pathogenicity islands in Enterohemorrhagic *Escherichia coli* O157:H7 using genomic barcodes. *FEBS Lett.* 2009 Nov 23. [Epub ahead of print]

Withee J, Williams M, Disney T, Schlosser W, Bauer N, Ebel E. Streamlined analysis for evaluating the use of preharvest interventions intended to prevent *Escherichia coli* O157:H7 illness in humans. *Foodborne Pathog Dis.* 2009 Sep;6(7):817-25.

Zhang G, Ma L, Beuchat LR, Erickson MC, Phelan VH, Doyle MP. Lack of internalization of *Escherichia coli* O157:H7 in lettuce (*Lactuca sativa* L.) after leaf surface and soil inoculation. *J Food Prot.* 2009 Oct;72(10):2028-37.

Listeria monocytogenes

Buchanan RL, Havelaar AH, Smith MA, Whiting RC, Julien E. The Key Events Dose-Response Framework: its potential for application to foodborne pathogenic microorganisms. *Crit Rev Food Sci Nutr.* 2009 Sep;49(8):718-28.

Charlier-Woerther C, Leclercq A, Lortholary O, Lecuit M. [Listeriosis, a rare but severe foodborne infection]. *Rev Prat.* 2009 Sep 20;59(7):905-11. French.

Chen J, Chen Q, Jiang J, Hu H, Ye J, Fang W. Serovar 4b Complex Predominates Among *Listeria monocytogenes* Isolates from Imported Aquatic Products in China. *Foodborne Pathog Dis.* 2009 Sep 7. [Epub ahead of print]

Clark CG, Farber J, Pagotto F, Ciampa N, Doré K, Nadon C, Bernard K, Ng LK. Surveillance for *Listeria monocytogenes* and listeriosis, 1995-2004. *Epidemiol Infect.* 2009 Oct 12:1-14. [Epub ahead of print]

den Bakker HC, Fortes ED, Wiedmann M. Multilocus Sequence Typing of Outbreak-Associated *Listeria monocytogenes* Isolates to Identify Epidemic Clones. *Foodborne Pathog Dis.* 2009 Nov 13. [Epub ahead of print]

Freitag NE. Complete transcriptional profile of an environmental pathogen. *Future Microbiol.* 2009 Sep;4:779-82.

Freitag NE, Port GC, Miner MD. *Listeria monocytogenes* - from saprophyte to intracellular pathogen. *Nat Rev Microbiol.* 2009 Sep;7(9):623-8.

Gillespie IA, McLauchlin J, Little CL, Penman C, Mook P, Grant K, O'Brien SJ. Disease presentation in relation to infection foci for non-pregnancy-associated human listeriosis in England and Wales, 2001 to 2007. *J Clin Microbiol.* 2009 Oct;47(10):3301-7.

Halpin JL, Garrett NM, Ribot EM, Graves LM, Cooper KL. Re-evaluation, Optimization, and Multilaboratory Validation of the PulseNet-Standardized Pulsed-Field Gel Electrophoresis Protocol for *Listeria monocytogenes*. *Foodborne Pathog Dis.* 2009 Nov 13. [Epub ahead of print]

Holck A, Berg J. Inhibition of *Listeria monocytogenes* in cooked ham by virulent bacteriophages and protective cultures. *Appl Environ Microbiol.* 2009 Nov;75(21):6944-6.

Kushwaha K, Muriana PM. Adherence characteristics of *Listeria* strains isolated from three ready-to-eat meat processing plants. *J Food Prot.* 2009 Oct;72(10):2125-31.

Lindbäck T, Rottenberg ME, Roche SM, Rørvik LM. The ability to enter into an avirulent viable but non-culturable (VBNC) form is widespread among *Listeria monocytogenes* isolates from salmon, patients and environment. *Vet Res.* 2010 Jan-Feb;41(1):8.

Little CL, Sagoo SK, Gillespie IA, Grant K, McLauchlin J. Prevalence and level of *Listeria monocytogenes* and other *Listeria* species in selected retail ready-to-eat foods in the United Kingdom. *J Food Prot.* 2009 Sep;72(9):1869-77.

Mailles A, Stahl JP; Steering Committee and Investigators Group. Infectious encephalitis in France in 2007: a national prospective study. *Clin Infect Dis.* 2009 Dec 15;49(12):1838-47.

Mammaia C, Aleo A, Romani C, Pellissier N, Nicoletti P, Pecile P, Nastasi A, Pontello MM. Characterization of *Listeria monocytogenes* isolates from human listeriosis cases in Italy. *J Clin Microbiol.* 2009 Sep;47(9):2925-30.

Mejlholm O, Dalgaard P. Development and validation of an extensive growth and growth boundary model for *Listeria monocytogenes* in lightly preserved and ready-to-eat shrimp. *J Food Prot.* 2009 Oct;72(10):2132-43.

O'Brien M, Hunt K, McSweeney S, Jordan K. Occurrence of foodborne pathogens in Irish farmhouse cheese. *Food Microbiol.* 2009 Dec;26(8):910-4.

Pal A, Labuza TP, Diez-Gonzalez F. Safety-based shelf life model for frankfurters based on time to detect *Listeria monocytogenes* with initial inoculum below detection limit. *J Food Prot.* 2009 Sep;72(9):1878-84.

Pavlic M, Griffiths MW. Principles, applications, and limitations of automated ribotyping as a rapid method in food safety. *Foodborne Pathog Dis.* 2009 Nov;6(9):1047-55.

Poimenidou S, Belessi CA, Giaouris ED, Gounadaki AS, Nychas GJ, Skandamis PN. *Listeria monocytogenes* attachment to and detachment from stainless steel surfaces in a simulated dairy processing environment. *Appl Environ Microbiol.* 2009 Nov;75(22):7182-8.

Powell MR. Analyzing the power and error of *Listeria monocytogenes* growth challenge studies. *Int J Food Microbiol.* 2009 Nov 30;136(1):10-7.

Ramalheira R, Almeida M, Azeredo J, Brandão TR, Almeida G, Silva J, Teixeira P. Survival of Clinical and Food Isolates of *Listeria monocytogenes* Through Simulated Gastrointestinal Tract Conditions. *Foodborne Pathog Dis.* 2009 Sep 28. [Epub ahead of print]

Rodríguez-Marval M, Geornaras I, Kendall PA, Scanga JA, Belk KE, Sofos JN. Microwave oven heating for inactivation of *Listeria monocytogenes* on frankfurters before consumption. *J Food Sci.* 2009 Oct;74(8):M453-60.

Shearer AE, Neetoo HS, Chen H. Effect of growth and recovery temperatures on pressure resistance of *Listeria monocytogenes*. *Int J Food Microbiol.* 2009 Nov 5. [Epub ahead of print]

Simpson Beauchamp C, Byelashov OA, Geornaras I, Kendall PA, Scanga JA, Belk KE, Smith GC, Sofos JN. Fate of *Listeria monocytogenes* during freezing, thawing and home storage of frankfurters. *Food Microbiol.* 2010 Feb;27(1):144-9.

Vermeulen A, Gysemans KP, Bernaerts K, Geeraerd AH, Debevere J, Devlieghere F, Van Impe JF. Modelling the influence of the inoculation level on the growth/no growth interface of *Listeria monocytogenes* as a function of pH, aw and acetic acid. *Int J Food Microbiol.* 2009 Oct 31;135(2):83-9.

Noroviruses

Beekes M, Lemmer K, Thomzig A, Joncic M, Tintelnot K, Mielke M. Fast broad-range disinfection of bacteria, fungi, viruses and prions. *J Gen Virol.* 2009 Oct 28. [Epub ahead of print]

Bok K, Abente EJ, Realpe-Quintero M, Mitra T, Sosnovtsev SV, Kapikian AZ, Green KY. Evolutionary dynamics of GII.4 noroviruses over a 34-year period. *J Virol.* 2009 Nov;83(22):11890-901.

Bright KR, Boone SA, Gerba CP. Occurrence of Bacteria and Viruses on Elementary Classroom Surfaces and the Potential Role of Classroom Hygiene in the Spread of Infectious Diseases. *J Sch Nurs.* 2009 Nov 10. [Epub ahead of print]

Cheong S, Lee C, Choi WC, Lee CH, Kim SJ. Concentration method for the detection of enteric viruses from large volumes of foods. *J Food Prot.* 2009 Sep;72(9):2001-5.

Dreyfuss MS. Is Norovirus a Foodborne or Pandemic Pathogen? An Analysis of the Transmission of Norovirus-Associated Gastroenteritis and the Roles of Food and Food Handlers. *Foodborne Pathog Dis.* 2009 Sep 7. [Epub ahead of print]

Flannery J, Keaveney S, Doré W. Use of FRNA Bacteriophages To Indicate the Risk of Norovirus Contamination in Irish Oysters. *J Food Prot.* 2009 Nov;72(11):2358-62.

Glass RI, Parashar UD, Estes MK. Norovirus gastroenteritis. *N Engl J Med*. 2009 Oct 29;361(18):1776-85.

Haramoto E, Katayama H, Utagawa E, Ohgaki S. Recovery of human norovirus from water by virus concentration methods. *J Virol Methods*. 2009 Sep;160(1-2):206-9.

Haustein T, Harris JP, Pebody R, Lopman BA. Hospital admissions due to norovirus in adult and elderly patients in England. *Clin Infect Dis*. 2009 Dec 15;49(12):1890-2.

Liu P, Yuen Y, Hsiao HM, Jaykus LA, Moe C. Effectiveness of Liquid Soap and Hand Sanitizer against Norwalk Virus on Contaminated Hands. *Appl Environ Microbiol*. 2009 Nov 20. [Epub ahead of print]

Terio V, Martella V, Moschidou P, Di Pinto P, Tantillo G, Buonavoglia C. Norovirus in retail shellfish. *Food Microbiol*. 2010 Feb;27(1):29-32.

Urbanucci A, Myrmel M, Berg I, von Bonsdorff CH, Maunula L. Potential internalisation of caliciviruses in lettuce. *Int J Food Microbiol*. 2009 Oct 31;135(2):175-8.

Vivancos R, Shroufi A, Sillis M, Aird H, Gallimore CI, Myers L, Mahgoub H, Nair P. Food-related norovirus outbreak among people attending two barbeques: epidemiological, virological, and environmental investigation. *Int J Infect Dis*. 2009 Sep;13(5):629-35.

Zomer TP, DE Jong B, Kühlmann-Berenzon S, Nyrén O, Svenungsson B, Hedlund KO, Ancker C, Wahl T, Andersson Y. A foodborne norovirus outbreak at a manufacturing company. *Epidemiol Infect*. 2009 Sep 21:1-6.

Salmonella

AbuOun M, Suthers PF, Jones GI, Carter BR, Saunders MP, Maranas CD, Woodward MJ, Anjum MF. Genome scale reconstruction of a *Salmonella* metabolic model: comparison of similarity and differences with a commensal *Escherichia coli* strain. *J Biol Chem*. 2009 Oct 23;284(43):29480-8.

Aguirre JS, Pin C, Rodríguez MR, García de Fernando GD. Analysis of the variability in the number of viable bacteria after mild heat treatment of food. *Appl Environ Microbiol*. 2009 Nov;75(22):6992-7.

Ahmed AM, Shimabukuro H, Shimamoto T. Isolation and molecular characterization of multidrug-resistant strains of *Escherichia coli* and *Salmonella* from retail chicken meat in Japan. *J Food Sci*. 2009 Sep;74(7):M405-10.

Arnold ME, Cook AJ. Estimation of sample sizes for pooled faecal sampling for detection of *Salmonella* in pigs. *Epidemiol Infect*. 2009 Dec;137(12):1734-41.

Arnold ME, Mueller-Doblies D, Carrique-Mas JJ, Davies RH. The estimation of pooled-sample sensitivity for detection of Salmonella in turkey flocks. *J Appl Microbiol.* 2009 Sep;107(3):936-43.

Benschop J, Stevenson MA, Dahl J, Morris RS, French NP. Informing surveillance programmes by investigating spatial dependency of subclinical Salmonella infection. *Epidemiol Infect.* 2009 Sep;137(9):1348-59.

Bernbom N, Ng YY, Paludan-Müller C, Gram L. Survival and growth of Salmonella and Vibrio in som-fak, a Thai low-salt garlic containing fermented fish product. *Int J Food Microbiol.* 2009 Sep 15;134(3):223-9.

Bokkers EA, de Boer IJ. Economic, ecological, and social performance of conventional and organic broiler production in the Netherlands. *Br Poult Sci.* 2009 Sep;50(5):546-57.

Boone I, Van der Stede Y, Bollaerts K, Messens W, Vose D, Daube G, Aerts M, Mintiens K. Expert judgement in a risk assessment model for Salmonella spp. in pork: the performance of different weighting schemes. *Prev Vet Med.* 2009 Nov 15;92(3):224-34.

Borowski AG, Ingham SC, Ingham BH. Lethality of home-style dehydrator processes against Escherichia coli O157:H7 and salmonella serovars in the manufacture of ground-and-formed beef jerky and the potential for using a pathogen surrogate in process validation. *J Food Prot.* 2009 Oct;72(10):2056-64.

Boyle F, Morris D, O'Connor J, Delappe N, Ward J, Cormican M. First Report of Extended Spectrum {beta}-Lactamase producing Salmonella Kentucky isolated from Poultry in Ireland. *Antimicrob Agents Chemother.* 2009 Nov 2.

Cardoen S, Van Huffel X, Berkvens D, Quoilin S, Ducoffre G, Saegerman C, Speybroeck N, Imberechts H, Herman L, Ducatelle R, Dierick K. Evidence-based semiquantitative methodology for prioritization of foodborne zoonoses. *Foodborne Pathog Dis.* 2009 Nov;6(9):1083-96.

Carrique-Mas JJ, Marin C, Breslin M, McLaren I, Davies R. A comparison of the efficacy of cleaning and disinfection methods in eliminating Salmonella spp. from commercial egg laying houses. *Avian Pathol.* 2009 Oct;38(5):419-24.

Cima G. FDA adds regulations to reduce Salmonella illness from eggs. *J Am Vet Med Assoc.* 2009 Oct 1;235(7):802.

Cliver DO. Disinfection of animal manures, food safety and policy. *Bioresour Technol.* 2009 Nov;100(22):5392-4.

Dominguez SA, Schaffner DW. Survival of salmonella in processed chicken products during frozen storage. *J Food Prot.* 2009 Oct;72(10):2088-92.

Filho RA, de Paiva JB, Arguello YM, da Silva MD, Gardin Y, Resende F, Junior AB, Sesti L. Efficacy of several vaccination programmes in commercial layer and broiler breeder hens against experimental challenge with *Salmonella enterica* serovar Enteritidis. *Avian Pathol.* 2009 Oct;38(5):367-75.

Folster JP, Pecic G, Bolcen S, Theobald L, Hise K, Carattoli A, Zhao S, McDermott PF, Whichard JM. Characterization of Extended-Spectrum Cephalosporin-Resistant *Salmonella enterica* Serovar Heidelberg Isolated from Humans in the United States. *Foodborne Pathog Dis.* 2009 Sep 28.

Hurrell E, Kucerova E, Loughlin M, Caubilla-Barron J, Forsythe SJ. Biofilm formation on enteral feeding tubes by *Cronobacter sakazakii*, *Salmonella* serovars and other Enterobacteriaceae. *Int J Food Microbiol.* 2009 Dec 31;136(2):227-31.

Ingham SC, Vang S, Levey B, Fahey L, Norback JP, Fanslau MA, Senecal AG, Burnham GM, Ingham BH. Predicting behavior of *Staphylococcus aureus*, salmonella serovars, and *Escherichia coli* O157:H7 in pork products during single and repeated temperature abuse periods. *J Food Prot.* 2009 Oct;72(10):2114-24.

Irvine WN, Gillespie IA, Smyth FB, Rooney PJ, McClenaghan A, Devine MJ, Tohani VK; Outbreak Control Team. Investigation of an outbreak of *Salmonella enterica* serovar Newport infection. *Epidemiol Infect.* 2009 Oct;137(10):1449-56.

Lake IR, Gillespie IA, Bentham G, Nichols GL, Lane C, Adak GK, Threlfall EJ. A re-evaluation of the impact of temperature and climate change on foodborne illness. *Epidemiol Infect.* 2009 Nov;137(11):1538-47.

Lan R, Reeves PR, Octavia S. Population structure, origins and evolution of major *Salmonella enterica* clones. *Infect Genet Evol.* 2009 Sep;9(5):996-1005.

Little CL, Rawal N, de Pinna E, McLauchlin J. Survey of *Salmonella* contamination of edible nut kernels on retail sale in the UK. *Food Microbiol.* 2010 Feb;27(1):171-4.

Matheson N, Kingsley RA, Sturgess K, Aliyu SH, Wain J, Dougan G, Cooke FJ. Ten years experience of *Salmonella* infections in Cambridge, UK. *J Infect.* 2009 Oct 9.

Miller ND, Ann Draughon F, D'Souza DH. Real-Time Reverse-Transcriptase-Polymerase Chain Reaction for *Salmonella enterica* Detection from Jalapeño and Serrano Peppers. *Foodborne Pathog Dis.* 2009 Nov 13.

Noël H, Hofhuis A, De Jonge R, Heuvelink AE, De Jong A, Heck ME, De Jager C, van Pelt W. Consumption of Fresh Fruit Juice: How a Healthy Food Practice Caused a National Outbreak of *Salmonella* Panama Gastroenteritis. *Foodborne Pathog Dis.* 2009 Nov 12.

Rostagno MH. Can stress in farm animals increase food safety risk? *Foodborne Pathog Dis.* 2009 Sep;6(7):767-76.

Sillankorva S, Pleteneva E, Shaburova O, Santos S, Carvalho C, Azeredo J, Krylov V. Salmonella Enteritidis bacteriophage candidates for phage therapy of poultry. *J Appl Microbiol*. 2009 Sep 30.

Soumpasis I, Butler F. Development and application of a stochastic epidemic model for the transmission of Salmonella Typhimurium at the farm level of the pork production chain. *Risk Anal*. 2009 Nov;29(11):1521-33.

Stein-Zamir C, Shoob H, Abramson N, Zentner G, Agmon V. The changing panorama of bacterial enteric infections. *Epidemiol Infect*. 2009 Nov;137(11):1531-7.

Stevens MP, Humphrey TJ, Maskell DJ. Molecular insights into farm animal and zoonotic Salmonella infections. *Philos Trans R Soc Lond B Biol Sci*. 2009 Sep 27;364(1530):2709-23.

Stärk KD, Nevel A. Strengths, weaknesses, opportunities and threats of the pig health monitoring systems used in England. *Vet Rec*. 2009 Oct 17;165(16):461-5.

Teirlynck E, Haesebrouck F, Pasmans F, Dewulf J, Ducatelle R, Van Immerseel F. The cereal type in feed influences Salmonella Enteritidis colonization in broilers. *Poult Sci*. 2009 Oct;88(10):2108-12.

van Asselt ED, Thissen JT, van der Fels-Klerx HJ. Salmonella serotype distribution in the Dutch broiler supply chain. *Poult Sci*. 2009 Dec;88(12):2695-701.

Van Hoorebeke S, Van Immerseel F, De Vylder J, Ducatelle R, Haesebrouck F, Pasmans F, de Kruif A, Dewulf J. Faecal sampling underestimates the actual prevalence of Salmonella in laying hen flocks. *Zoonoses Public Health*. 2009 Oct;56(8):471-6.

Willis C, Little CL, Sagoo S, de Pinna E, Threlfall J. Assessment of the microbiological safety of edible dried seeds from retail premises in the United Kingdom with a focus on Salmonella spp. *Food Microbiol*. 2009 Dec;26(8):847-52.

Zhao S, Blickenstaff K, Glenn A, Ayers SL, Friedman SL, Abbott JW, McDermott PF. Beta-Lactam Resistance in Salmonella Isolated from Retail Meats in the United States: National Antimicrobial Resistance Monitoring System (NARMS): 2002-2006. *Appl Environ Microbiol*. 2009 Oct 23.

Salmonella Typhimurium causes outbreaks of disease in pigs. *Vet Rec*. 2009 Nov 14;165(20):585-8.