

ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD
INFORMATION PAPER

Items of possible interest from the literature

Campylobacter

Birk T, Grønlund AC, Christensen BB, Knøchel S, Lohse K, Rosenquist H. Effect of organic acids and marination ingredients on the survival of *Campylobacter jejuni* on meat. J Food Prot. 2010 Feb;73(2):258-65.

Busschaert P, Geeraerd AH, Uyttendaele M, Van Impe JF. Estimating distributions out of qualitative and (semi)quantitative microbiological contamination data for use in risk assessment. Int J Food Microbiol. 2010 Jan 25. [Epub ahead of print]

Carvalho C, Susano M, Fernandes E, Santos S, Gannon B, Nicolau A, Gibbs P, Teixeira P, Azeredo J. Method for bacteriophage isolation against target *Campylobacter* strains. Lett Appl Microbiol. 2010 Feb;50(2):192-7.

Chen X, Naren GW, Wu CM, Wang Y, Dai L, Xia LN, Luo PJ, Zhang Q, Shen JZ. Prevalence and antimicrobial resistance of *Campylobacter* isolates in broilers from China. Vet Microbiol. 2010 Jan 11. [Epub ahead of print]

Cody AJ, Colles FM, Sheppard SK, Maiden MC. Where does *Campylobacter* come from? A molecular odyssey. Adv Exp Med Biol. 2010;659:47-56.

Colles FM, McCarthy ND, Sheppard SK, Layton R, Maiden MC. Comparison of *Campylobacter* populations isolated from a free-range broiler flock before and after slaughter. Int J Food Microbiol. 2010 Feb 28;137(2-3):259-64.

Doorduyn Y, VAN DEN Brandhof WE, VAN Duynhoven YT, Breukink BJ, Wagenaar JA, VAN Pelt W. Risk factors for indigenous *Campylobacter jejuni* and *Campylobacter coli* infections in The Netherlands: a case-control study. Epidemiol Infect. 2010 Mar 12:1-14. [Epub ahead of print]

Fajó-Pascual M, Godoy P, Ferrero-Cáncer M, Wymore K. Case-control study of risk factors for sporadic *Campylobacter* infections in northeastern Spain. Eur J Public Health. 2009 Dec 23. [Epub ahead of print]

Gabriel E, Wilson DJ, Leatherbarrow AJ, Cheesbrough J, Gee S, Bolton E, Fox A, Fearnhead P, Hart CA, Diggle PJ. Spatio-temporal epidemiology of *Campylobacter jejuni* enteritis, in an area of Northwest England, 2000-2002. Epidemiol Infect. 2010 Mar 5:1-7. [Epub ahead of print]

Griekspoor P, Engvall EO, Olsen B, Waldenström J. Multilocus sequence typing of *Campylobacter jejuni* from broilers. *Vet Microbiol.* 2010 Jan 6;140(1-2):180-5.

Jonsson ME, Norström M, Sandberg M, Ersbøll AK, Hofshagen M. Space-time patterns of *Campylobacter* spp. colonization in broiler flocks, 2002-2006. *Epidemiol Infect.* 2010 Jan 29:1-10. [Epub ahead of print]

Jore S, Viljugrein H, Brun E, Heier BT, Borck B, Ethelberg S, Hakkinen M, Kuusi M, Reiersen J, Hansson I, Engvall EO, Løfdahl M, Wagenaar JA, van Pelt W, Hofshagen M. Trends in *Campylobacter* incidence in broilers and humans in six European countries, 1997-2007. *Prev Vet Med.* 2010 Jan 1;93(1):33-41.

Mullner P, Collins-Emerson JM, Midwinter AC, Carter P, Spencer SE, van der Logt P, Hathaway S, French N. Molecular epidemiology of *Campylobacter jejuni* in a geographically isolated country with a uniquely structured poultry industry. *Appl Environ Microbiol.* 2010 Feb 12. [Epub ahead of print]

Mullner P, Shadbolt T, Collins-Emerson JM, Midwinter AC, Spencer SE, Marshall J, Carter PE, Campbell DM, Wilson DJ, Hathaway S, Pirie R, French NP. Molecular and spatial epidemiology of human campylobacteriosis: source association and genotype-related risk factors. *Epidemiol Infect.* 2010 Feb 9:1-12. [Epub ahead of print]

Nauta MJ. "*Campylobacter* transfer from naturally contaminated chicken thighs to cutting boards is inversely related to initial load," a comment on: *J. Food Prot.* 72(9): 1836-1840 (2009). *J Food Prot.* 2010 Jan;73(1):6-7; author reply 7-8.

Newell DG, Koopmans M, Verhoef L, Duizer E, Aidara-Kane A, Sprong H, Opsteegh M, Langelaar M, Threlfall J, Scheutz F, der Giessen JV, Kruse H. Food-borne diseases - The challenges of 20 years ago still persist while new ones continue to emerge. *Int J Food Microbiol.* 2010 Jan 22. [Epub ahead of print]

Nielsen H, Hansen KK, Gradel KO, Kristensen B, Ejlertsen T, Østergaard C, Schønheyder HC. Bacteraemia as a result of *Campylobacter* species: a population-based study of epidemiology and clinical risk factors. *Clin Microbiol Infect.* 2010 Jan;16(1):57-61.

Rantsiou K, Lamberti C, Cocolin L. Survey of *Campylobacter jejuni* in retail chicken meat products by application of a quantitative PCR protocol. *Int J Food Microbiol.* 2010 Feb 12. [Epub ahead of print]

Reuter M, Mallett A, Pearson BM, van Vliet AH. Biofilm formation in *Campylobacter jejuni* is increased under aerobic conditions. *Appl Environ Microbiol.* 2010 Feb 5. [Epub ahead of print]

Rind E, Pearce J. The spatial distribution of campylobacteriosis in New Zealand, 1997-2005. *Epidemiol Infect.* 2010 Feb 9:1-13.

Sampers I, Habib I, De Zutter L, Dumoulin A, Uyttendaele M. Survival of *Campylobacter* spp. in poultry meat preparations subjected to freezing, refrigeration, minor salt concentration, and heat treatment. *Int J Food Microbiol.* 2010 Feb 28;137(2-3):147-53.

Sato M, Sashihara N. Occurrence of *campylobacter* in commercially broken liquid egg in Japan. *J Food Prot.* 2010 Mar;73(3):412-7.

Sopwith W, Birtles A, Matthews M, Fox A, Gee S, James S, Kempster J, Painter M, Edwards-Jones V, Osborn K, Regan M, Syed Q, Bolton E. Investigation of food and environmental exposures relating to the epidemiology of *Campylobacter coli* in humans in Northwest England. *Appl Environ Microbiol.* 2010 Jan;76(1):129-35.

Valtierra-Rodríguez D, Heredia NL, García S, Sánchez E. Reduction of *Campylobacter jejuni* and *Campylobacter coli* in Poultry Skin by Fruit Extracts. *J Food Prot.* 2010 Mar;73(3):477-82.

Weisent J, Seaver W, Odoi A, Rohrbach B. Comparison of three time-series models for predicting campylobacteriosis risk. *Epidemiol Infect.* 2010 Jan 22:1-9. [Epub ahead of print]

Clostridium

Barash JR, Hsia JK, Arnon SS. Presence of soil-dwelling clostridia in commercial powdered infant formulas. *J Pediatr.* 2010 Mar;156(3):402-8. Epub 2009 Dec 9.

Bradshaw M, Marshall KM, Heap JT, Tepp WH, Minton NP, Johnson EA. Construction of a nontoxigenic *Clostridium botulinum* strain for food challenge studies. *Appl Environ Microbiol.* 2010 Jan;76(2):387-93.

Brooks CE, Clarke HJ, Finlay DA, McConnell W, Graham DA, Ball HJ. Culture enrichment assists the diagnosis of cattle botulism by a monoclonal antibody based sandwich ELISA. *Vet Microbiol.* 2010 Jan 4. [Epub ahead of print]

Frandi A, Mengoni A, Brillì M. Comparative genomics of VirR regulons in *Clostridium perfringens* strains. *BMC Microbiol.* 2010 Feb 25;10(1):65.

Johnson AL, McAdams SC, Whitlock RH. Type A botulism in horses in the United States: a review of the past ten years (1998-2008). *J Vet Diagn Invest.* 2010 Mar;22(2):165-73.

Juneja VK, Porto-Fett AC, Gartner K, Tufft L, Luchansky JB. Potential for growth of *Clostridium perfringens* from spores in pork scrapple during cooling. *Foodborne Pathog Dis.* 2010 Feb;7(2):153-7.

Lúquez C, Dykes JK, Yu PA, Raphael BH, Maslanka SE. First report worldwide of an infant botulism case due to *Clostridium botulinum* type E. J Clin Microbiol. 2010 Jan;48(1):326-8. Epub 2009 Nov 11.

Nakamura K, Kohda T, Umeda K, Yamamoto H, Mukamoto M, Kozaki S. Characterization of the D/C mosaic neurotoxin produced by *Clostridium botulinum* associated with bovine botulism in Japan. Vet Microbiol. 2010 Jan 6;140(1-2):147-54.

Satterfield BA, Stewart AF, Lew CS, Pickett DO, Cohen MN, Moore EA, Luedtke PF, O'Neill KL, Robison RA. A quadruplex real-time PCR assay for rapid detection and differentiation of the *Clostridium botulinum* toxin genes A, B, E and F. J Med Microbiol. 2010 Jan;59(Pt 1):55-64.

Songer JG. Clostridia as agents of zoonotic disease. Vet Microbiol. 2010 Jan 27;140(3-4):399-404.

van Asten AJ, Nikolaou GN, Gröne A. The occurrence of cpb2-toxigenic *Clostridium perfringens* and the possible role of the beta2-toxin in enteric disease of domestic animals, wild animals and humans. Vet J. 2010 Feb;183(2):135-40.

***E. coli* O157**

Erickson MC, Webb CC, Diaz-Perez JC, Phatak SC, Silvoy JJ, Davey L, Payton AS, Liao J, Ma L, Doyle MP. Infrequent Internalization of *Escherichia coli* O157:H7 into Field-Grown Leafy Greens. J Food Prot. 2010 Mar;73(3):500-6.

Gragg SE, Brashears MM. Reduction of *Escherichia coli* O157:H7 in Fresh Spinach, using lactic acid bacteria and chlorine as a multihurdle intervention. J Food Prot. 2010 Feb;73(2):358-61.

McCartney G, Cowden J, Murray S, Ahmed S. The use of a new virtual cohort study design to investigate an outbreak of *E. coli* O157 linked to a supermarket delicatessen. Epidemiol Infect. 2010 Feb 10:1-4.

Pearce MC, Chase-Topping ME, McKendrick IJ, Mellor DJ, Locking ME, Allison L, Ternent HE, Matthews L, Knight HI, Smith AW, Synge BA, Reilly W, Low JC, Reid SW, Gunn GJ, Woolhouse ME. Temporal and spatial patterns of bovine *Escherichia coli* O157 prevalence and comparison of temporal changes in the patterns of phage types associated with bovine shedding and human *E. coli* O157 cases in Scotland between 1998-2000 and 2002-2004. BMC Microbiol. 2009 Dec 29;9:276.

Sheen S, Hwang CA. Mathematical modeling the cross-contamination of *Escherichia coli* O157:H7 on the surface of ready-to-eat meat product while slicing. Food Microbiol. 2010 Feb;27(1):37-43.

Walker C, Shi X, Sanderson M, Sargeant J, Nagaraja TG. Prevalence of *Escherichia coli* O157:H7 in gut contents of beef cattle at slaughter. *Foodborne Pathog Dis.* 2010 Mar;7(3):249-55.

Listeria

Akya A, Pointon A, Thomas C. *Listeria monocytogenes* does not survive ingestion by *Acanthamoeba polyphaga*. *Microbiology.* 2010 Mar;156 (Pt 3):809-18.

Allerberger F, Wagner M. Listeriosis: a resurgent foodborne infection. *Clin Microbiol Infect.* 2010 Jan;16(1):16-23. Review.

Busschaert P, Geeraerd AH, Uyttendaele M, Van Impe JF. Estimating distributions out of qualitative and (semi)quantitative microbiological contamination data for use in risk assessment. *Int J Food Microbiol.* 2010 Jan 25. [Epub ahead of print]

den Bakker HC, Fortes ED, Wiedmann M. Multilocus sequence typing of outbreak-associated *Listeria monocytogenes* isolates to identify epidemic clones. *Foodborne Pathog Dis.* 2010 Mar;7(3):257-65.

Gilmour MW, Graham M, Van Domselaar G, Tyler S, Kent H, Trout-Yakel KM, Larios O, Allen V, Lee B, Nadon C. High-throughput genome sequencing of two *Listeria monocytogenes* clinical isolates during a large foodborne outbreak. *BMC Genomics.* 2010 Feb 18;11:120.

Guillet C, Join-Lambert O, Le Monnier A, Leclercq A, Mechaï F, Mamzer-Bruneel MF, Bielecka MK, Scortti M, Disson O, Berche P, Vazquez-Boland J, Lortholary O, Lecuit M. Human listeriosis caused by *Listeria ivanovii*. *Emerg Infect Dis.* 2010 Jan;16(1):136-8.

Ignatova M, Prévost H, Leguerinel I, Guillou S. Growth and reducing capacity of *Listeria monocytogenes* under different initial redox potential. *J Appl Microbiol.* 2010 Jan;108(1):256-65. Epub.

Jackson KA, Iwamoto M, Swerdlow D. Pregnancy-associated listeriosis. *Epidemiol Infect.* 2010 Feb 17:1-7. [Epub ahead of print]

Kastbjerg VG, Larsen MH, Gram L, Ingmer H. Influence of sublethal concentrations of common disinfectants on expression of virulence genes in *Listeria monocytogenes*. *Appl Environ Microbiol.* 2010 Jan;76(1):303-9.

Koutsoumanis K, Pavlis A, Nychas GJ, Xanthiakos K. A probabilistic model for *Listeria monocytogenes* growth during distribution, retail and domestic storage of pasteurized milk. *Appl Environ Microbiol.* 2010 Feb 5. [Epub ahead of print]

Lindbäck T, Rottenberg ME, Roche SM, Rørvik LM. The ability to enter into an avirulent viable but non-culturable (VBNC) form is widespread among *Listeria*

monocytogenes isolates from salmon, patients and environment. Vet Res. 2010 Jan-Feb;41(1):8.

Little CL, Pires SM, Gillespie IA, Grant K, Nichols GL. Attribution of Human *Listeria monocytogenes* Infections in England and Wales to Ready-to-Eat Food Sources Placed on the Market: Adaptation of the Hald *Salmonella* Source Attribution Model. Foodborne Pathog Dis. 2010 Feb 15. [Epub ahead of print]

Mataragas M, Zwietering MH, Skandamis PN, Drosinos EH. Quantitative microbiological risk assessment as a tool to obtain useful information for risk managers - Specific application to *Listeria monocytogenes* and ready-to-eat meat products. Int J Food Microbiol. 2010 Jan 14. [Epub ahead of print]

Morey A, McKee SR, Dickson JS, Singh M. Efficacy of Ultraviolet Light Exposure Against Survival of *Listeria monocytogenes* on Conveyor Belts. Foodborne Pathog Dis. 2010 Jan 30. [Epub ahead of print]

Muñoz-Cuevas M, Fernández PS, George S, Pin C. Modelling the lag period and exponential growth of *Listeria monocytogenes* under fluctuating temperature and Aw values. Appl Environ Microbiol. 2010 Mar 5. [Epub ahead of print]

Olesen I, Thorsen L, Jespersen L. Relative transcription of *Listeria monocytogenes* virulence genes in liver pâtés with varying NaCl content. Int J Food Microbiol. 2010 Feb 10. [Epub ahead of print]

Porto-Fett AC, Call JE, Shoyer BE, Hill DE, Pshebniski C, Cocoma GJ, Luchansky JB. Evaluation of fermentation, drying, and/or high pressure processing on viability of *Listeria monocytogenes*, *Escherichia coli* O157:H7, *Salmonella* spp., and *Trichinella spiralis* in raw pork and Genoa salami. Int J Food Microbiol. 2010 Feb 13. [Epub ahead of print]

Pouillot R, Lubran MB, Cates SC, Dennis S. Estimating parametric distributions of storage time and temperature of ready-to-eat foods for U.S. households. J Food Prot. 2010 Feb;73(2):312-21.

Ramalheira R, Almeida M, Azeredo J, Brandão TR, Almeida G, Silva J, Teixeira P. Survival of clinical and food isolates of *Listeria monocytogenes* through simulated gastrointestinal tract conditions. Foodborne Pathog Dis. 2010 Feb;7(2):121-8.

Simpson Beauchamp C, Byelashov OA, Geornaras I, Kendall PA, Scanga JA, Belk KE, Smith GC, Sofos JN. Fate of *Listeria monocytogenes* during freezing, thawing and home storage of frankfurters. Food Microbiol. 2010 Feb;27(1):144-9.

Smith B, Larsson JT, Lisby M, Müller L, Madsen SB, Engberg J, Bangsbo J, Ethelberg S, Kemp M. Outbreak of *Listeria monocytogenes* caused by Beef

meat from a Meals-on-Wheel's delivery, Denmark 2009. *Clin Microbiol Infect.* 2010 Feb 24. [Epub ahead of print]

Yde M, Botteldoorn N, Bertrand S, Collard J, Dierick K. Microbiological and molecular investigation of an increase of human listeriosis in Belgium, 2006-2007. *Euro Surveill.* 2010 Feb 11;15(6). pii: 19482.

Norovirus

Arias C, Sala MR, Domínguez A, Torner N, Ruíz L, Martínez A, Bartolomé R, de Simón M, Buesa J. Epidemiological and clinical features of norovirus gastroenteritis in outbreaks: a population-based study. *Clin Microbiol Infect.* 2010 Jan;16(1):39-44.

Bruggink L, Sameer R, Marshall J. Molecular and Epidemiological Characteristics of Norovirus Associated with Community-Based Sporadic Gastroenteritis Incidents and Norovirus Outbreaks in Victoria, Australia, 2002-2007. *Intervirology.* 2010 Feb 3;53(3):167-172. [Epub ahead of print]

Cremon C, De Giorgio R, Barbara G. Norovirus gastroenteritis. *N Engl J Med.* 2010 Feb 11;362(6):557; author reply 557-8.

Cunha JB, de Mendonça MC, Miagostovich MP, Leite JP. First detection of porcine norovirus GII.18 in Latin America. *Res Vet Sci.* 2010 Jan 15. [Epub ahead of print]

De Gusseme B, Sintubin L, Baert L, Thibo E, Hennebel T, Vermeulen G, Uyttendaele M, Verstraete W, Boon N. Biogenic silver for disinfection of water contaminated with viruses. *Appl Environ Microbiol.* 2010 Feb;76(4):1082-7.

de Rougemont A, Ambert-Balay K, Belliot G, Pothier P. [Norovirus infections: an overview.]. *Med Sci (Paris).* 2010 Jan;1(26):73-8. French.

Donaldson EF, Lindesmith LC, Lobue AD, Baric RS. Viral shape-shifting: norovirus evasion of the human immune system. *Nat Rev Microbiol.* 2010 Mar;8(3):231-41. Epub 2010 Feb 2. Review.

Ethelberg S, Lisby M, Bottiger B, Schultz AC, Villif A, Jensen T, Olsen KE, Scheutz F, Kjølso C, Muller L. Outbreaks of gastroenteritis linked to lettuce, Denmark, January 2010. *Euro Surveill.* 2010 Feb 11;15(6). pii: 19484.

Girard M, Ngazoa S, Mattison K, Jean J. Attachment of noroviruses to stainless steel and their inactivation, using household disinfectants. *J Food Prot.* 2010 Feb;73(2):400-4.

Greer AL, Drews SJ, Fisman DN. Why "Winter" Vomiting Disease? Seasonality, Hydrology, and Norovirus Epidemiology in Toronto, Canada. *Ecohealth.* 2010 Feb 12. [Epub ahead of print]

Harris JP, Lopman BA, O'Brien SJ. Infection control measures for norovirus: a systematic review of outbreaks in semi-enclosed settings. *J Hosp Infect.* 2010 Jan;74(1):1-9.

Kesson AM, Benwell N, Elliott EJ. Norovirus diarrhoeal disease in infants and children. *Med J Aust.* 2010 Jan 18;192(2):108-9.

Khan MA, Bass DM. Viral infections: new and emerging. *Curr Opin Gastroenterol.* 2010 Jan;26(1):26-30. Review.

La Rosa G, Iaconelli M, Pourshaban M, Fratini M, Muscillo M. Molecular detection and genetic diversity of norovirus genogroup IV: a yearlong monitoring of sewage throughout Italy. *Arch Virol.* 2010 Mar 7. [Epub ahead of print] PubMed

Le Guyader FS, Krol J, Ambert-Balay K, Ruvoen-Clouet N, Desaubliaux B, Parnaudeau S, Le Saux JC, Ponge A, Pothier P, Atmar RL, Le Pendu J. Comprehensive analysis of a norovirus-associated gastroenteritis outbreak, from the environment to the consumer. *J Clin Microbiol.* 2010 Mar;48(3):915-20.

Lim MY, Kim JM, Lee JE, Ko G. Characterization of ozone disinfection of murine norovirus. *Appl Environ Microbiol.* 2010 Feb;76(4):1120-4.

Liu P, Yuen Y, Hsiao HM, Jaykus LA, Moe C. Effectiveness of liquid soap and hand sanitizer against Norwalk virus on contaminated hands. *Appl Environ Microbiol.* 2010 Jan;76(2):394-9.

Lowther JA, Avant JM, Gizynski K, Rangdale RE, Lees DN. Comparison between quantitative real-time reverse transcription PCR results for norovirus in oysters and self-reported gastroenteric illness in restaurant customers. *J Food Prot.* 2010 Feb;73(2):305-11.

Mara D, Sleigh A. Estimation of norovirus infection risks to consumers of wastewater-irrigated food crops eaten raw. *J Water Health.* 2010 Mar;8(1):39-43.

Morales-Rayas R, Wolffs PF, Griffiths MW. Simultaneous separation and detection of hepatitis A virus and norovirus in produce. *Int J Food Microbiol.* 2010 Feb 19. [Epub ahead of print]

Mormann S, Dabisch M, Becker B. Effects of technological processes on the tenacity and inactivation of norovirus genogroup II in experimentally contaminated foods. *Appl Environ Microbiol.* 2010 Jan;76(2):536-45.

Nakamura K, Saga Y, Iwai M, Obara M, Horimoto E, Hasegawa S, Kurata T, Okumura H, Nagoshi M, Takizawa T. Frequent Detection of Noroviruses and Sapoviruses in Swine Population and High Genetic Diversity of Porcine Sapovirus in Japan, during fiscal year 2008. *J Clin Microbiol.* 2010 Feb 17. [Epub ahead of print]

Pham NT, Trinh QD, Khamrin P, Maneekarn N, Shimizu H, Okitsu S, Mizuguchi M, Ushijima H. Diversity of human parechoviruses isolated from stool samples collected from Thai children with acute gastroenteritis. *J Clin Microbiol*. 2010 Jan;48(1):115-9.

Phillips G, Tam CC, Rodrigues LC, Lopman B. Prevalence and characteristics of asymptomatic norovirus infection in the community in England. *Epidemiol Infect*. 2010 Mar 3:1-5. [Epub ahead of print]

Sano D, Pintó RM, Omura T, Bosch A. Detection of oxidative damages on viral capsid protein for evaluating structural integrity and infectivity of human norovirus. *Environ Sci Technol*. 2010 Jan 15;44(2):808-12.

Terio V, Martella V, Moschidou P, Di Pinto P, Tantillo G, Buonavoglia C. Norovirus in retail shellfish. *Food Microbiol*. 2010 Feb;27(1):29-32.

Tuan Zainazor C, Hidayah MS, Chai LC, Tunung R, Ghazali FM, Son R. The scenario of norovirus contamination in food and food handlers. *J Microbiol Biotechnol*. 2010 Feb;20(2):229-37.

Wadl M, Scherer K, Nielsen S, Diedrich S, Ellerbroek L, Frank C, Gatzer R, Hoehne M, Johne R, Klein G, Koch J, Schulenburg J, Thielbein U, Stark K, Bernard H. Food-borne norovirus-outbreak at a military base, Germany, 2009. *BMC Infect Dis*. 2010 Feb 17;10:30.

Zheng DP, Widdowson MA, Glass RI, Vinjé J. Molecular epidemiology of genogroup II-genotype 4 noroviruses in the United States between 1994 and 2006. *J Clin Microbiol*. 2010 Jan;48(1):168-77.

Salmonella

Arnold ME, Papadopoulou C, Davies RH, Carrique-Mas JJ, Evans SJ, Hoinville LJ. Estimation of *Salmonella* prevalence in UK egg-laying holdings. *Prev Vet Med*. 2010 Jan 28. [Epub ahead of print]

Boyle F, Morris D, O'Connor J, Delappe N, Ward J, Cormican M. First report of extended-spectrum-beta-lactamase-producing *Salmonella enterica* serovar Kentucky isolated from poultry in Ireland. *Antimicrob Agents Chemother*. 2010 Jan;54(1):551-3.

Broughton EI, Heffernan HM, Coles CL. *Salmonella enterica* serotypes and antibiotic susceptibility in New Zealand, 2002-2007. *Epidemiol Infect*. 2010 Mar;138(3):322-9.

Chimalizeni Y, Kawaza K, Molyneux E. The epidemiology and management of non typhoidal salmonella infections. *Adv Exp Med Biol*. 2010;659:33-46.

Depaola A, Jones JL, Woods J, Burkhardt W 3rd, Calci KR, Krantz JA, Bowers JC; FDA Pacific Regional Laboratory-Northwest; FDA Pacific

Regional Laboratory-Southwest; FDA Southeast Regional Laboratory; FDA Northeast Regional Laboratory. Bacterial and Viral Pathogens in Live Oysters: U.S. Market Survey 2007. *Appl Environ Microbiol*. 2010 Feb 26. [Epub ahead of print]

Domínguez A, Broner S, Torner N, Martínez A, Jansà JM, Alvarez J, Barrabeig I, Caylà J, Godoy P, Minguell S, Camps N, Sala MR; Working Group for the Study Outbreaks of Acute Gastroenteritis in Catalonia. Utility of clinical-epidemiological profiles in outbreaks of foodborne disease, Catalonia, 2002 through 2006. *J Food Prot*. 2010 Jan;73(1):125-31.

El-Tras WF, Tayel AA, Samir A. Potential Zoonotic Pathways of *Salmonella* Enteritidis in Laying Farms. *Vector Borne Zoonotic Dis*. 2009 Dec 18. [Epub ahead of print]

Gormley FJ, Little CL, Murphy N, de Pinna E, McLauchlin J. Pooling raw shell eggs: salmonella contamination and high risk practices in the United kingdom food service sector. *J Food Prot*. 2010 Mar;73(3):574-8.

Gradel KO, Nørgaard M, Schønheyder HC, Dethlefsen C, Ejlersen T, Kristensen B, Nielsen H. *Salmonella* or *Campylobacter* gastroenteritis prior to a cancer diagnosis does not aggravate the prognosis: a population-based follow-up study. *APMIS*. 2010 Feb;118(2):136-42.

Haagsma JA, Siersema PD, DE Wit NJ, Havelaar AH. Disease burden of post-infectious irritable bowel syndrome in The Netherlands. *Epidemiol Infect*. 2010 Mar 12:1-7. [Epub ahead of print]

Hvizdzak AL, Beamer S, Jaczynski J, Matak KE. Use of electron beam radiation for the reduction of *Salmonella enterica* serovars *typhimurium* and Tennessee in peanut butter. *J Food Prot*. 2010 Feb;73(2):353-7.

Little CL, Rawal N, de Pinna E, McLauchlin J. Survey of *Salmonella* contamination of edible nut kernels on retail sale in the UK. *Food Microbiol*. 2010 Feb;27(1):171-4.

Majowicz SE, Musto J, Scallan E, Angulo FJ, Kirk M, O'Brien SJ, Jones TF, Fazil A, Hoekstra RM; International Collaboration on Enteric Disease 'Burden of Illness' Studies. The global burden of nontyphoidal *Salmonella* gastroenteritis. *Clin Infect Dis*. 2010 Mar 15;50(6):882-9.

Ma L, Zhang G, Gerner-Smidt P, Tauxe RV, Doyle MP. Survival and growth of salmonella in salsa and related ingredients. *J Food Prot*. 2010 Mar;73(3):434-44.

Pires SM, Hald T. Assessing the differences in public health impact of salmonella subtypes using a bayesian microbial subtyping approach for source attribution. *Foodborne Pathog Dis*. 2010 Feb;7(2):143-51.

Ramos R, Cerdà-Cuéllar M, Ramírez F, Jover L, Ruiz X. The influence of refuse tips exploitation in the prevalence of *Campylobacter* spp. and *Salmonella* serovars in seagulls. *Appl Environ Microbiol*. 2010 Mar 5. [Epub ahead of print]

Ravel A, Smolina E, Sargeant JM, Cook A, Marshall B, Fleury MD, Pollari F. Seasonality in Human Salmonellosis: Assessment of Human Activities and Chicken Contamination as Driving Factors. *Foodborne Pathog Dis*. 2010 Feb 25. [Epub ahead of print]

Ricci V, Piddock LJ. Exploiting the role of TolC in pathogenicity: identification of a bacteriophage for eradication of *Salmonella* serovars from poultry. *Appl Environ Microbiol*. 2010 Mar;76(5):1704-6.

Snary EL, Munday DK, Arnold ME, Cook AJ. Zoonoses action plan *Salmonella* monitoring programme: an investigation of the sampling protocol. *J Food Prot*. 2010 Mar;73(3):488-94.

Strawn LK, Danyluk MD. Fate of *Escherichia coli* O157:H7 and *Salmonella* on Fresh and Frozen Cut Pineapples. *J Food Prot*. 2010 Mar;73(3):418-24.

Whichard JM, Medalla F, Hoekstra RM, McDermott PF, Joyce K, Chiller T, Barrett TJ, White DG. Evaluation of antimicrobial resistance phenotypes for predicting multidrug-resistant *Salmonella* recovered from retail meats and humans in the United States. *J Food Prot*. 2010 Mar;73(3):445-51.