

**ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD**  
**INFORMATION PAPER**

**Items of interest from the literature**

***Bacillus cereus***

Abbas AA, Planchon S, Jobin M, Schmitt P. Absence of oxygen affects the capacity to sporulate and the spore properties of *Bacillus cereus*. Food Microbiol. 2014 Sep;42:122-31.

Gillis A, Mahillon J. Prevalence, genetic diversity and host range of tectiviruses among members of the *Bacillus cereus* group. Appl Environ Microbiol. 2014 May 2. [Epub ahead of print]

Messelhäusser U, Frenzel E, Blöchinger C, Zucker R, Kämpf P, Ehling-Schulz M. Emetic *Bacillus cereus* Are More Volatile Than Thought: Recent Foodborne Outbreaks and Prevalence Studies in Bavaria (2007-2013). Biomed Res Int. 2014; 2014: 465603. doi: 10.1155/2014/465603. Epub 2014 May 8.

Techer C, Baron F, Delbrassinne L, Belaïd R, Brunet N, Gillard A, Gonnet F, Cochet MF, Grosset N, Gautier M, Andjelkovic M, Lechevalier V, Jan S. Global overview of the risk linked to the *Bacillus cereus* group in the egg product industry: identification of food safety and food spoilage markers. J Appl Microbiol. 2014 May;116(5):1344-58.

Wang J, Ding T, Oh DH. Effect of temperatures on the growth, toxin production, and heat resistance of *Bacillus cereus* in cooked rice. Foodborne Pathog Dis. 2014 Feb;11(2):133-7.

***Campylobacter***

Antimicrobial resistance in the EU in 2012. Vet Rec. 2014 Apr 5;174(14):341.

Awad WA, Aschenbach JR, Ghareeb K, Khayal B, Hess C, Hess M. *Campylobacter jejuni* influences the expression of nutrient transporter genes in the intestine of chickens. Vet Microbiol. 2014 Apr 13. pii: S0378-1135(14)00201-6.

Berrang ME, Cox NA, Oakley BB. Sampling by sponge wipe or skin excision for recovery of inoculated *Salmonella* and *Campylobacter* from defeathered broiler carcasses. J Food Prot. 2014 May;77(5):824-7.

Bianchini V, Borella L, Benedetti V, Parisi A, Miccolupo A, Santoro E, Recordati C, Luini M. Prevalence in bulk tank milk and epidemiology of *Campylobacter jejuni* in dairy herds in Northern Italy. Appl Environ Microbiol. 2014 Mar;80(6):1832-7.

Bouwknegt M, Knol AB, van der Sluijs JP, Evers EG. Uncertainty of Population Risk Estimates for Pathogens Based on QMRA or Epidemiology: A Case Study of *Campylobacter* in the Netherlands. Risk Anal. 2014 May;34(5):847-64.

Bronowski C, James CE, Winstanley C. Role of environmental survival in transmission of *Campylobacter jejuni*. FEMS Microbiol Lett. 2014 May 28. doi: 10.1111/1574-6968.12488. [Epub ahead of print]

Cerva C, Bremm C, Dos Reis EM, Bezerra AV, Loiko MR, da Cruz CE, Cenci A, Mayer FQ. Food safety in raw milk production: risk factors associated to bacterial DNA contamination. *Trop Anim Health Prod.* 2014 Jun;46(5):877-82.

Comin D, Valero A, Manfreda G, García-Gimeno RM, Paiusco A, De Medici D, Terza P, Ferrarini S, De Cesare A. Microbiological criteria for *Campylobacter* in broiler carcasses in Italy: A possible approach to derive them. *Int J Food Microbiol.* 2014 Mar 29. pii: S0168-1605(14)00148-2.

Dash S, R Pai A, Kamath U, Rao P. Pathophysiology and diagnosis of Guillain-Barré syndrome -challenges and needs. *Int J Neurosci.* 2014 May 27. [Epub ahead of print]

Duncan GE. Determining the health benefits of poultry industry compliance measures: the case of campylobacteriosis regulation in New Zealand. *N Z Med J.* 2014 Mar 28; 127(1391): 22-37.

Edwards DS, Milne LM, Morrow K, Sheridan P, Verlander NQ, Mulla R, Richardson JF, Pender A, Lilley M, Reacher M. Campylobacteriosis outbreak associated with consumption of undercooked chicken liver pâté in the East of England, September 2011: identification of a dose-response risk. *Epidemiol Infect.* 2014 Feb;142(2):352-7.

Ellström P, Hansson I, Söderström C, Olsson Engvall E, Rautelin H. A Prospective Follow-Up Study on Transmission of *Campylobacter* from Poultry to Abattoir Workers. *Foodborne Pathog Dis.* 2014 Jun 2. [Epub ahead of print]

Food and Drug Administration, HHS. Establishing a list of qualifying pathogens under the Food and Drug Administration Safety and Innovation Act. Final rule. *Fed Regist.* 2014 Jun 5;79(108):32464-81.

Fraqueza MJ, Martins A, Borges AC, Fernandes MH, Fernandes MJ, Vaz Y, Bessa RJ, Barreto AS. Antimicrobial resistance among *Campylobacter* spp. Strains isolated from different poultry production systems at slaughterhouse level. *Poult Sci.* 2014 Jun;93(6):1578-86.

Garcia-Migura L, Hendriksen RS, Fraile L, Aarestrup FM. Antimicrobial resistance of zoonotic and commensal bacteria in Europe: the missing link between consumption and resistance in veterinary medicine. *Vet Microbiol.* 2014 May 14;170(1-2):1-9.

González-Hein G, Huaracán B, García P, Figueroa G. Prevalence of virulence genes in strains of *Campylobacter jejuni* isolated from human, bovine and broiler. *Braz J Microbiol.* 2014 Mar 10;44(4):1223-9.

Harrison JW, Dung TT, Siddiqui F, Korbrisate S, Bukhari H, Tra MP, Hoang NV, Carrique-Mas J, Bryant J, Campbell JI, Studholme DJ, Wren BW, Baker S, Titball RW, Champion OL. Identification of Possible Virulence Marker from *Campylobacter jejuni* Isolates. *Emerg Infect Dis.* 2014 Jun;20(6):1026-9.

Hermans D, Van Steendam K, Verbrugghe E, Verlinden M, Martel A, Seliwiorstow T, Heyndrickx M, Haesebrouck F, De Zutter L, Deforce D, Pasmans F. Passive immunization to reduce *Campylobacter jejuni* colonization and transmission in broiler chickens. *Vet Res.* 2014 Mar 4;45:27. doi: 10.1186/1297-9716-45-27.

Hopkins KL, Mushtaq S, Richardson JF, Doumith M, de Pinna E, Cheasty T, Wain J, Livermore DM, Woodford N. In vitro activity of rifaximin against clinical isolates of *Escherichia coli* and other enteropathogenic bacteria isolated from travellers returning to the UK. *Int J Antimicrob Agents*. 2014 May;43(5):431-7.

Ivanova M, Singh R, Dharmasena M, Gong C, Krastanov A, Jiang X. Rapid identification of *Campylobacter jejuni* from poultry carcasses and slaughtering environment samples by real-time PCR. *Poult Sci*. 2014 Jun;93(6):1587-97.

Jackson BR, Zegarra JA, López-Gatell H, Sejvar J, Arzate F, Waterman S, Núñez AS, López B, Weiss J, Cruz RQ, Murrieta DY, Luna-Gierke R, Heiman K, Vieira AR, Fitzgerald C, Kwan P, Zárate-Bermúdez M, Talkington D, Hill VR, Mahon B; GBS Outbreak Investigation Team. Binational outbreak of Guillain-Barré syndrome associated with *Campylobacter jejuni* infection, Mexico and USA, 2011. *Epidemiol Infect*. 2014 May;142(5):1089-99.

Kaakoush NO, Mitchell HM, Man SM. Role of Emerging *Campylobacter* Species in Inflammatory Bowel Diseases. *Inflamm Bowel Dis*. 2014 May 28. [Epub ahead of print]

Krüger NJ, Buhler C, Iwobi AN, Huber I, Ellerbroek L, Appel B, Stingl K. "Limits of control"--crucial parameters for a reliable quantification of viable *campylobacter* by real-time PCR. *PLoS One*. 2014 Feb 5;9(2):e88108.

Lane R, Briggs S. Campylobacteriosis in New Zealand: room for further improvement. *N Z Med J*. 2014 Mar 28;127(1391):6-9.

Lazou T, Dovas C, Houf K, Soultos N, Iossifidou E. Diversity of *Campylobacter* in retail meat and liver of lambs and goat kids. *Foodborne Pathog Dis*. 2014 Apr;11(4):320-8.

Lehner Y, Reich F, Klein G. Influence of Process Parameter on *Campylobacter* spp. Counts on Poultry Meat in a Slaughterhouse Environment. *Curr Microbiol*. 2014 Apr 9. [Epub ahead of print]

Llarena AK, Sivonen K, Hänninen ML. *Campylobacter jejuni* prevalence and hygienic quality of retail bovine ground meat in Finland. *Lett Appl Microbiol*. 2014 May;58(5):408-13.

Ma L, Wang Y, Shen J, Zhang Q, Wu C. Tracking *Campylobacter* contamination along a broiler chicken production chain from the farm level to retail in China. *Int J Food Microbiol*. 2014 Jul 2;181:77-84.

Maue AC, Poly F, Guerry P. A capsule conjugate vaccine approach to prevent diarrheal disease caused by *Campylobacter jejuni*. *Hum Vaccin Immunother*. 2014 Mar 14;10(6).

Park NY, Hong SH, Yoon KS. Effects of commercial marinade seasoning and a natural blend of cultured sugar and vinegar on *Campylobacter jejuni* and *Salmonella* Typhimurium and the texture of chicken breasts. *Poult Sci*. 2014 Mar;93(3):719-27.

Petruzzelli A, Fogliani M, Vetrano V, Paolini F, Oraziotti N, Ambrosini B, Osimani A, Clementi F, Tavoletti S, Tonucci F. The occurrence of thermotolerant *Campylobacter* spp. in raw meat intended for public catering. *Public Health*. 2014 Apr;128(4):388-90.

Pielaat A, van Leusden FM, Wijnands LM. Microbiological risk from minimally processed packaged salads in the Dutch food chain. *J Food Prot*. 2014 Mar;77(3):395-403.

- Rapp D, Ross CM, Cave V, Muirhead RW. Prevalence, concentration and genotypes of *Campylobacter jejuni* in faeces from dairy herds managed in farm systems with or without housing. *J Appl Microbiol*. 2014 Apr;116(4):1035-43.
- Revez J, Zhang J, Schott T, Kivistö R, Rossi M, Hänninen ML. Genomic variation between milkborne outbreak-associated *Campylobacter jejuni* isolates. *J Clin Microbiol*. 2014 May 21. pii: JCM.00931-14. [Epub ahead of print]
- Ricotta EE, Palmer A, Wymore K, Clogher P, Oosmanally N, Robinson T, Lathrop S, Karr J, Hatch J, Dunn J, Ryan P, Blythe D. Epidemiology and antimicrobial resistance of international travel-associated *campylobacter* infections in the United States, 2005-2011. *Am J Public Health*. 2014 Jul;104(7):e108-14.
- Schielke A, Rosner BM, Stark K. Epidemiology of campylobacteriosis in Germany - insights from 10 years of surveillance. *BMC Infect Dis*. 2014 Jan 15;14:30. doi: 10.1186/1471-2334-14-30.
- Schroeder MW, Eifert JD, Ponder MA, Schmale DG 3rd. Association of *Campylobacter* spp. levels between chicken grow-out environmental samples and processed carcasses. *Poult Sci*. 2014 Mar;93(3):734-41.
- Sergeant MJ, Constantinidou C, Cogan TA, Bedford MR, Penn CW, Pallen MJ. Extensive microbial and functional diversity within the chicken cecal microbiome. *PLoS One*. 2014 Mar 21;9(3):e91941.
- Sheppard SK, Cheng L, Méric G, de Haan CP, Llarena AK, Marttinen P, Vidal A, Ridley A, Clifton-Hadley F, Connor TR, Strachan NJ, Forbes K, Colles FM, Jolley KA, Bentley SD, Maiden MC, Hänninen ML, Parkhill J, Hanage WP, Corander J. Cryptic ecology among host generalist *Campylobacter jejuni* in domestic animals. *Mol Ecol*. 2014 May;23(10):2442-51.
- Søndergaard MS, Josefsen MH, Löfström C, Christensen LS, Wieczorek K, Osek J, Hoorfar J. Low-cost monitoring of *Campylobacter* in poultry houses by air sampling and quantitative PCR. *J Food Prot*. 2014 Feb;77(2):325-30.
- Teh AH, Lee SM, Dykes GA. Do *Campylobacter jejuni* Form Biofilms in Food-Related Environments? *Appl Environ Microbiol*. 2014 Jun 13. pii: AEM.01493-14. [Epub ahead of print].
- Wijnands LM, Delfgou-van Asch EH, Beerepoot-Mensink ME, van der Meij-Florijn A, Fitz-James I, van Leusden FM, Pielaat A. Prevalence and concentration of bacterial pathogens in raw produce and minimally processed packaged salads produced in and for the Netherlands. *J Food Prot*. 2014 Mar;77(3):388-94.
- Wu Z, Sippy R, Sahin O, Plummer P, Vidal A, Newell D, Zhang Q. Genetic Diversity and Antimicrobial Susceptibility of *Campylobacter jejuni* Isolates Associated with Sheep Abortion in the United States and Great Britain. *J Clin Microbiol*. 2014 Jun;52(6):1853-61.
- Young NJ, Day J, Montsho-Hammond F, Verlander NQ, Irish C, Pankhania B, Oliver I. *Campylobacter* infection associated with consumption of duck liver pâté: a retrospective cohort study in the setting of near universal exposure. *Epidemiol Infect*. 2014 Jun;142(6):1269-76.

Zautner AE, Johann C, Strubel A, Busse C, Tareen AM, Masanta WO, Lugert R, Schmidt-Ott R, Groß U. Seroprevalence of campylobacteriosis and relevant post-infectious sequelae. *Eur J Clin Microbiol Infect Dis*. 2014 Jun;33(6):1019-27.

### ***Clostridium***

Bergström A, Skov TH, Bahl MI, Roager HM, Christensen LB, Ejlerskov KT, Mølgaard C, Michaelsen KF, Licht TR. Establishment of intestinal microbiota during early life: a longitudinal, explorative study of a large cohort of Danish infants. *Appl Environ Microbiol*. 2014 May;80(9):2889-900.

Britton RA, Young VB. Role of the intestinal microbiota in resistance to colonization by *Clostridium difficile*. *Gastroenterology*. 2014 May;146(6):1547-53. doi: 10.1053/j.gastro.2014.01.059. Epub 2014 Feb 4. Review.

Charlebois A, Jacques M, Archambault M. Biofilm formation of *Clostridium perfringens* and its exposure to low-dose antimicrobials. *Front Microbiol*. 2014 Apr 22;5:183.

Dabritz HA, Hill KK, Barash JR, Ticknor LO, Helma CH, Dover N, Payne JR, Arnon SS. Molecular Epidemiology of Infant Botulism in California and Elsewhere, 1976-2010. *J Infect Dis*. 2014 Jun 12. pii: jiu331. [Epub ahead of print]

Dahlsten E, Isokallio M, Somervuo P, Lindström M, Korkeala H. Transcriptomic analysis of (group I) *Clostridium botulinum* ATCC 3502 cold shock response. *PLoS One*. 2014 Feb 24;9(2):e89958.

Diao MM, André S, Membré JM. Meta-analysis of D-values of proteolytic *Clostridium botulinum* and its surrogate strain *Clostridium sporogenes* PA 3679. *Int J Food Microbiol*. 2014 Mar 17;174: 23-30.

Gupta A, Khanna S. Community-acquired *Clostridium difficile* infection: an increasing public health threat. *Infect Drug Resist*. 2014 Mar 17;7:63-72.

Gücükoğlu A, Terzi G, Çadirci Ö, Alişarlı M, Kevenk O, Uyanik T. Detection of *C. botulinum* types in honey by mPCR. *J Food Sci*. 2014 Apr;79(4):M600-3.

Momose Y, Asakura H, Kitamura M, Okada Y, Ueda Y, Hanabara Y, Sakamoto T, Matsumura T, Iwaki M, Kato H, Shibayama K, Igimi S. Food-borne botulism in Japan in March 2012. *Int J Infect Dis*. 2014 Jul; 24: 20-2.

Norman KN, Harvey RB, Andrews K, Hume ME, Callaway TR, Anderson RC, Nisbet DJ. Survey of *Clostridium difficile* in retail seafood in College Station, Texas. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess*. 2014 Jun;31(6):1127-9.

Rodriguez C, Taminiau B, Avesani V, Van Broeck J, Delmée M, Daube G. Multilocus sequence typing analysis and antibiotic resistance of *Clostridium difficile* strains isolated from retail meat and humans in Belgium. *Food Microbiol*. 2014 Sep;42:166-71.

Uzal FA, Freedman JC, Shrestha A, Theoret JR, Garcia J, Awad MM, Adams V, Moore RJ, Rood JI, McClane BA. Towards an understanding of the role of *Clostridium perfringens* toxins in human and animal disease. *Future Microbiol*. 2014 Mar;9(3):361-77.

Yang X, Youssef MK, Gill CO, Badoni M, López-Campos Ó. Effects of meat pH on growth of 11 species of psychrotolerant *clostridia* on vacuum packaged beef and blown pack spoilage of the product. *Food Microbiol.* 2014 May;39:13-8.

### ***Listeria monocytogenes***

Arguedas-Villa C, Kovacevic J, Allen KJ, Stephan R, Tasara T. Cold growth behaviour and genetic comparison of Canadian and Swiss *Listeria monocytogenes* strains associated with the food supply chain and human listeriosis cases. *Food Microbiol.* 2014 Jun;40:81-7.

Bravo D, de Alba M, Medina M. Combined treatments of high-pressure with the lactoperoxidase system or lactoferrin on the inactivation of *Listeria monocytogenes*, *Salmonella* Enteritidis and *Escherichia coli* O157:H7 in beef carpaccio. *Food Microbiol.* 2014 Aug;41:27-32.

Charlier-Woerther C, Lecuit M. [Listeriosis and pregnancy.]. *Presse Med.* 2014 May 13. pii: S0755-4982(14)00189-4. doi: 10.1016/j.lpm.2014.03.006. [Epub ahead of print] French.

Choi MJ, Jackson KA, Medus C, Beal J, Rigdon CE, Cloyd TC, Forstner MJ, Ball J, Bosch S, Bottichio L, Cantu V, Melka DC, Ishow W, Slette S, Irvin K, Wise M, Tarr C, Mahon B, Smith KE, Silk BJ; Centers for Disease Control and Prevention (CDC). Notes from the field: multistate outbreak of listeriosis linked to soft-ripened cheese--United States, 2013. *MMWR Morb Mortal Wkly Rep.* 2014 Apr 4;63(13):294-5.

Cossart P, Lebreton A. A trip in the "New Microbiology" with the bacterial pathogen *Listeria monocytogenes*. *FEBS Lett.* 2014 Jun 6. pii: S0014-5793(14)00441-4.

Dalmasso M, Jordan K. Absence of growth of *Listeria monocytogenes* in naturally contaminated Cheddar cheese. *J Dairy Res.* 2014 Feb;81(1):46-53.

Danyluk MD, Friedrich LM, Schaffner DW. Modeling the growth of *Listeria monocytogenes* on cut cantaloupe, honeydew and watermelon. *Food Microbiol.* 2014 Apr;38:52-5.

De Cesare A, Valero A, Rodríguez-Lázaro D, Hernández M, Pasquali F, Manfreda G. Proposal of performance objectives and sampling schemes for *Listeria monocytogenes* in fresh meat intended to be eaten cooked under different storage practices. *Int J Food Microbiol.* 2014 Jan 31. pii: S0168-1605(14)00040-3.

Denes T, Vongkamjan K, Ackermann HW, Moreno Switt AI, Wiedmann M, den Bakker HC. Comparative genomic and morphological analysis of *Listeria* phages isolated from farm environments. *Appl Environ Microbiol.* 2014 May 16. pii: AEM.00720-14.[Epub ahead of print]

Duret S, Guillier L, Hoang HM, Flick D, Laguerre O. Identification of the significant factors in food safety using global sensitivity analysis and the accept-and-reject algorithm: application to the cold chain of ham. *Int J Food Microbiol.* 2014 Jun 16;180:39-48.

Evans EW, Redmond EC. Behavioral risk factors associated with listeriosis in the home: a review of consumer food safety studies. *J Food Prot.* 2014 Mar;77(3):510-21.

Gahan CG, Hill C. *Listeria monocytogenes*: survival and adaptation in the gastrointestinal tract. *Front Cell Infect Microbiol.* 2014 Feb 5; 4:9.

- Gómez D, Azón E, Marco N, Carramiñana JJ, Rota C, Ariño A, Yangüela J. Antimicrobial resistance of *Listeria monocytogenes* and *Listeria innocua* from meat products and meat-processing environment. *Food Microbiol.* 2014 Sep;42:61-5.
- Haase JK, Didelot X, Lecuit M, Korkeala H; *L. monocytogenes* MLST Study Group, Achtman M. The ubiquitous nature of *Listeria monocytogenes* clones: a large-scale Multilocus Sequence Typing study. *Environ Microbiol.* 2014 Feb;16(2):405-16.
- Hagens S, Loessner MJ. Phages of *Listeria* offer novel tools for diagnostics and biocontrol. *Front Microbiol.* 2014 Apr 10;5:159. eCollection 2014. Review.
- Hernandez-Milian A, Payeras-Cifre A. What is new in listeriosis? *Biomed Res Int.* 2014;2014:358051. doi: 10.1155/2014/358051. Epub 2014 Apr 14.
- Hong YK, Yoon WB, Huang L, Yuk HG. Predictive Modeling for Growth of Non- and Cold-adapted *Listeria monocytogenes* on Fresh-cut Cantaloupe at Different Storage Temperatures. *J Food Sci.* 2014 Jun;79(6):M1168-74.
- Jiang J, Xiong YL. Technologies and Mechanisms for Safety Control of Ready-to-Eat Muscle Foods: An Updated Review. *Crit Rev Food Sci Nutr.* 2014 Apr 22. [Epub ahead of print]
- Kaminski CN, Davidson GR, Ryser ET. *Listeria monocytogenes* transfer during mechanical dicing of celery and growth during subsequent storage. *J Food Prot.* 2014 May;77(5):765-71.
- Kang J, Stasiewicz MJ, Murray D, Boor KJ, Wiedmann M, Bergholz TM. Optimization of combinations of bactericidal and bacteriostatic treatments to control *Listeria monocytogenes* on cold-smoked salmon. *Int J Food Microbiol.* 2014 Jun 2;179:1-9.
- Lamboni M, Sanaa M, Tenenhaus-Aziza F. Sensitivity analysis for critical control points determination and uncertainty analysis to link FSO and process criteria: application to *Listeria monocytogenes* in soft cheese made from pasteurized milk. *Risk Anal.* 2014 Apr;34(4):751-64.
- Lee S, Ward TJ, Graves LM, Tarr CL, Siletzky RM, Kathariou S. Population Structure of *Listeria monocytogenes* Serotype 4b Isolates from Sporadic Human Listeriosis in the United States, 2003-2008. *Appl Environ Microbiol.* 2014 Apr 4. [Epub ahead of print]
- Mataragas M, Greppi A, Rantsiou K, Cocolin L. Gene transcription patterns of pH- and salt-stressed *Listeria monocytogenes* cells in simulated gastric and pancreatic conditions. *J Food Prot.* 2014 Feb;77(2):254-61.
- Nakari UM, Rantala L, Pihlajasaari A, Toikkanen S, Johansson T, Hellsten C, Raulo SM, Kuusi M, Siitonen A, Rimhanen-Finne R. Investigation of increased listeriosis revealed two fishery production plants with persistent *Listeria* contamination in Finland in 2010. *Epidemiol Infect.* 2014 Jan 24:1-9. [Epub ahead of print]
- Oliveira M, Viñas I, Colàs P, Anguera M, Usall J, Abadías M. Effectiveness of a bacteriophage in reducing *Listeria monocytogenes* on fresh-cut fruits and fruit juices. *Food Microbiol.* 2014 Apr;38:137-42.
- Pittman JR, Buntyn JO, Posadas G, Nanduri B, Pendarvis K, Donaldson JR. Proteomic analysis of cross protection provided between cold and osmotic stress in *Listeria monocytogenes*. *J Proteome Res.* 2014 Apr 4;13(4):1896-904.

Pleitner AM, Trinetta V, Morgan MT, Linton RL, Oliver HF. Transcriptional and phenotypic responses of *Listeria monocytogenes* to chlorine dioxide. *Appl Environ Microbiol*. 2014 May;80(9):2951-63.

Popovic I, Heron B, Covacin C. Listeria: an Australian perspective (2001-2010). *Foodborne Pathog Dis*. 2014 Jun;11(6):425-32.

Rychli K, Müller A, Zaiser A, Schoder D, Allerberger F, Wagner M, Schmitz-Esser S. Genome sequencing of *Listeria monocytogenes* "Quargel" listeriosis outbreak strains reveals two different strains with distinct in vitro virulence potential. *PLoS One*. 2014 Feb 26;9(2):e89964. doi:10.1371/journal.pone.0089964.

Røssvoll E, Rønning HT, Granum PE, Møretrø T, Hjerpekjøn MR, Langsrud S. Toxin production and growth of pathogens subjected to temperature fluctuations simulating consumer handling of cold cuts. *Int J Food Microbiol*. 2014 Jun 2;185C:82-92. doi: 10.1016/j.ijfoodmicro.2014.05.020. [Epub ahead of print]

Schmid D, Allerberger F, Huhulescu S, Pietzka A, Amar C, Kleta S, Prager R, Preußel K, Aichinger E, Mellmann A. Whole genome sequencing as a tool to investigate a cluster of seven cases of listeriosis in Austria and Germany, 2011-2013. *Clin Microbiol Infect*. 2014 May;20(5):431-436.

Skjerdal T, Reitehaug E, Eckner K. Development of performance objectives for *Listeria monocytogenes* contaminated salmon (*Salmo salar*) intended used as sushi and sashimi based on analyses of naturally contaminated samples. *Int J Food Microbiol*. 2014 Apr 13. pii: S0168-1605(14)00170-6.

Stasiewicz MJ, Martin N, Laue S, Gröhn YT, Boor KJ, Wiedmann M. Responding to bioterror concerns by increasing milk pasteurization temperature would increase estimated annual deaths from listeriosis. *J Food Prot*. 2014 May;77(5):696-712.

Vangay P, Steingrimsson J, Wiedmann M, Stasiewicz MJ. Classification of *Listeria Monocytogenes* Persistence in Retail Delicatessen Environments Using Expert Elicitation and Machine Learning. *Risk Anal*. 2014 Jun 2. doi:10.1111/risa.12218. [Epub ahead of print]

Ziuzina D, Patil S, Cullen PJ, Keener KM, Bourke P. Atmospheric cold plasma inactivation of *Escherichia coli*, *Salmonella enterica* serovar Typhimurium and *Listeria monocytogenes* inoculated on fresh produce. *Food Microbiol*. 2014 Sep;42:109-16.

### ***Mycobacterium***

Adetunji V, Kehinde A, Bolatito O, Chen J. Biofilms formed by *Mycobacterium tuberculosis* on cement, ceramic, and stainless steel surfaces and their controls. *J Food Prot*. 2014 Apr;77(4):599-604.

Agdestein A, Olsen I, Jørgensen A, Djønne B, Johansen TB. Novel insights into transmission routes of *Mycobacterium avium* in pigs and possible implications for human health. *Vet Res*. 2014 Apr 17;45(1):46.

Birmingham ML, Bishop SC, Woolliams JA, Pong-Wong R, Allen AR, McBride SH, Ryder JJ, Wright DM, Skuce RA, McDowell SW, Glass EJ. Genome-wide association study identifies novel loci associated with resistance to bovine tuberculosis. *Heredity (Edinb)*. 2014 May;112(5):543-51.



Ghodbane R, Mba Medie F, Lepidi H, Nappéz C, Drancourt M. Long-term survival of tuberculosis complex mycobacteria in soil. *Microbiology*. 2014 Mar;160(Pt 3):496-501.

Hammer P, Kiesner C, Walte HG. Short communication: Effect of homogenization on heat inactivation of *Mycobacterium avium* subspecies paratuberculosis in milk. *J Dairy Sci*. 2014 Apr;97(4):2045-8.

Hanifian S. Survival of *Mycobacterium avium* subsp. paratuberculosis in ultra-filtered white cheese. *Lett Appl Microbiol*. 2014 May;58(5):466-71.

Khol JL, Pinedo PJ, Buergelt CD, Neumann LM, Rae DO. Lymphatic fluid for the detection of *Mycobacterium avium* subsp. paratuberculosis in cows by PCR, compared to fecal sampling and detection of antibodies in blood and milk. *Vet Microbiol*. 2014 May 29. pii: S0378-1135(14)00267-3. doi: 10.1016/j.vetmic.2014.05.022. [Epub ahead of print]

McCluskey B, Lombard J, Strunk S, Nelson D, Robbe-Austerman S, Naugle A, Edmondson A. *Mycobacterium bovis* in California dairies: A case series of 2002-2013 outbreaks. *Prev Vet Med*. 2014 Aug 1;115(3-4):205-16.

Palmer MV, Thacker TC, Waters WR, Robbe-Austerman S, Aldwell FE. Persistence of *Mycobacterium bovis* bacillus Calmette-Guérin (BCG) Danish in white-tailed deer (*Odocoileus virginianus*) vaccinated with a lipid-formulated oral vaccine. *Transbound Emerg Dis*. 2014 Jun;61(3):266-72.

Pereira-Suárez AL, Estrada-Chávez Y, Zúñiga-Estrada A, Lopez-Rincón G, Hernández DU, Padilla-Ramírez FJ, Estrada-Chávez C. Detection of *Mycobacterium tuberculosis* complex by PCR in fresh cheese from local markets in Hidalgo, Mexico. *J Food Prot*. 2014 May;77(5):849-52.

## **Salmonella**

Al-Nabulsi AA, Olaimat AN, Osaili TM, Shaker RR, Zein Elabedeen N, Jaradat ZW, Abushelaibi A, Holley RA. Use of acetic and citric acids to control *Salmonella* Typhimurium in tahini (sesame paste). *Food Microbiol*. 2014 Sep;42:102-8.

Andino A, Pendleton S, Zhang N, Chen W, Critzer F, Hanning I. Survival of *Salmonella enterica* in poultry feed is strain dependent. *Poult Sci*. 2014 Feb;93(2):441-7.

Angelakis E, Azhar EI, Bibi F, Yasir M, Al-Ghamdi AK, Ashshi AM, Elshemi AG, Raoult D. Paper money and coins as potential vectors of transmissible disease. *Future Microbiol*. 2014 Feb;9(2):249-61.

Argüello H, Sørensen G, Carvajal A, Baggesen DL, Rubio P, Pedersen K. Characterization of the emerging *Salmonella* 4,[5],12:i:- in Danish animal production. *Foodborne Pathog Dis*. 2014 May;11(5):366-72.

Arnold ME, Martelli F, McLaren I, Davies RH. Estimation of the sensitivity of environmental sampling for detection of *Salmonella* in commercial layer flocks post-introduction of national control programmes. *Epidemiol Infect*. 2014 May;142(5):1061-9.

Ban GH, Kang DH. Effects of gamma irradiation for inactivating *Salmonella* Typhimurium in peanut butter product during storage. *Int J Food Microbiol*. 2014 Feb 3;171:48-53.

Bassal R, Reisfeld A, Nissan I, Agmon V, Taran D, Schemberg B, Cohen D, Shohat T. Risk factors for sporadic infection with *Salmonella* Infantis: a matched case-control study. *Epidemiol Infect.* 2014 Apr;142(4):820-5.

Batz M, Hoffmann S, Morris JG Jr. Disease-outcome trees, EQ-5D scores, and estimated annual losses of quality-adjusted life years (QALYs) for 14 foodborne pathogens in the United States. *Foodborne Pathog Dis.* 2014 May;11(5):395-402.

Bearson BL, Allen HK, Brunelle BW, Lee IS, Casjens SR, Stanton TB. The agricultural antibiotic carbadox induces phage-mediated gene transfer in *Salmonella*. *Front Microbiol.* 2014 Feb 11; 5: 52.

Bevilacqua PD, Bastos RK, Mara DD. An evaluation of microbial health risks to livestock fed with wastewater-irrigated forage crops. *Zoonoses Public Health.* 2014 Jun;61(4):242-9.

Boland C, Bertrand S, Mattheus W, Dierick K, Wattiau P. Molecular typing of monophasic *Salmonella* 4,[5]:i:- strains isolated in Belgium (2008-2011). *Vet Microbiol.* 2014 Jan 31;168(2-4):447-50.

Cerva C, Bremm C, Dos Reis EM, Bezerra AV, Loiko MR, da Cruz CE, Cenci A, Mayer FQ. Food safety in raw milk production: risk factors associated to bacterial DNA contamination. *Trop Anim Health Prod.* 2014 Jun;46(5):877-82.

Chen W, Golden DA, Critzer FJ. *Salmonella* survival and differential expression of fatty acid biosynthesis-associated genes in a low-water-activity food. *Lett Appl Microbiol.* 2014 Mar 25. doi: 10.1111/lam.12253. [Epub ahead of print]

Corcoran M, Morris D, De Lappe N, O'Connor J, Lalor P, Dockery P, Cormican M. Commonly used disinfectants fail to eradicate *Salmonella enterica* biofilms from food contact surface materials. *Appl Environ Microbiol.* 2014 Feb;80(4):1507-14.

Cox NA, Buhr RJ, Smith DP, Cason JA, Rigsby LL, Bourassa DV, Fedorka-Cray PJ, Cosby DE. Sampling naturally contaminated broiler carcasses for *Salmonella* by three different methods. *J Food Prot.* 2014 Mar;77(3):493-5.

Crim SM, Iwamoto M, Huang JY, Griffin PM, Gilliss D, Cronquist AB, Cartter M, Tobin-D'Angelo M, Blythe D, Smith K, Lathrop S, Zansky S, Cieslak PR, Dunn J, Holt KG, Lance S, Tauxe R, Heno OL; Centers for Disease Control and Prevention (CDC). Incidence and trends of infection with pathogens transmitted commonly through food--Foodborne Diseases Active Surveillance Network, 10 U.S. sites, 2006-2013. *MMWR Morb Mortal Wkly Rep.* 2014 Apr 18;63(15):328-32.

De Oliveira DC, Fernandes Júnior A, Kaneno R, Silva MG, Araújo Júnior JP, Silva NC, Rall VL. Ability of *Salmonella* spp. to Produce Biofilm Is Dependent on Temperature and Surface Material. *Foodborne Pathog Dis.* 2014 Jun;11(6):478-83.

Delibato E, Rodriguez Lazaro D, Gianfranceschi M, De Cesare A, Comin D, Gattuso A, Hernandez M, Sonnessa M, Pasquali F, Sreter-Lancz Z, Saiz-Abajo MJ, Pérez-De-Juan J, Butrón J, Prukner-Radovic E, Horvatek Tomic D, Johannessen GS, Jakočiūnė D, Olsen JE, Chemaly M, Le Gall F, González-García P, Lettini AA, Lukac M, Quesne S, Zampieron C, De Santis P, Lovari S, Bertasi B, Pavoni E, Proroga YT, Capuano F, Manfreda G, De Medici D. European validation of Real-Time PCR method for detection of *Salmonella* spp. in pork meat. *Int J Food Microbiol.* 2014 Jan 20. pii: S0168-1605(14)00033-6.

Dobhal S, Zhang G, Royer T, Damicone J, Ma LM. Survival and growth of foodborne pathogens in pesticide solutions routinely used in leafy green vegetables and tomato production. *J Sci Food Agric*. 2014 Mar 10. doi:10.1002/jsfa.6640. [Epub ahead of print]

Eller C, Leistner R, Guerra B, Fischer J, Wendt C, Rabsch W, Werner G, Pfeifer Y. Emergence of extended-spectrum  $\beta$ -lactamase (ESBL) CTX-M-8 in Germany. *J Antimicrob Chemother*. 2014 Feb;69(2):562-4.

### ***Staphylococcus aureus***

Agnoletti F, Mazzolini E, Bacchin C, Bano L, Berto G, Rigoli R, Muffato G, Coato P, Tonon E, Drigo I. First reporting of methicillin-resistant *Staphylococcus aureus* (MRSA) ST398 in an industrial rabbit holding and in farm-related people. *Vet Microbiol*. 2014 May 14;170(1-2):172-7.

Alibayov B, Baba-Moussa L, Sina H, Zdeňková K, Demnerová K. *Staphylococcus aureus* mobile genetic elements. *Mol Biol Rep*. 2014 Apr 13. [Epub ahead of print]

Bianchi DM, Gallina S, Bellio A, Chiesa F, Civera T, Decastelli L. Enterotoxin gene profiles of *Staphylococcus aureus* isolated from milk and dairy products in Italy. *Lett Appl Microbiol*. 2014 Feb;58(2):190-6.

Chajęcka-Wierzchowska W, Zadernowska A, Nalepa B, Sierpińska M, Laniewska-Trokenheim L. Retail Ready-to-Eat Food as a Potential Vehicle for *Staphylococcus* spp. Harboring Antibiotic Resistance Genes. *J Food Prot*. 2014 Jun;77(6):993-8.

Christiansen MT, Kaas RS, Chaudhuri RR, Holmes MA, Hasman H, Aarestrup FM. Genome-wide high-throughput screening to investigate essential genes involved in methicillin-resistant *Staphylococcus aureus* Sequence Type 398 survival. *PLoS One*. 2014 Feb 12;9(2):e89018.

Gayán E, García-Gonzalo D, Alvarez I, Condón S. Resistance of *Staphylococcus aureus* to UV-C light and combined UV-heat treatments at mild temperatures. *Int J Food Microbiol*. 2014 Feb 17;172:30-9.

Groves MD, O'Sullivan MV, Brouwers HJ, Chapman TA, Abraham S, Trott DJ, Al Jassim R, Coombs GW, Skov RL, Jordan D. *Staphylococcus aureus* ST398 detected in pigs in Australia. *J Antimicrob Chemother*. 2014 May;69(5):1426-8.

Haenni M, Châtre P, Tasse J, Nowak N, Bes M, Madec JY, Laurent F. Geographical clustering of mecC-positive *Staphylococcus aureus* from bovine mastitis in France. *J Antimicrob Chemother*. 2014 Apr 28. [Epub ahead of print]

Ho J, O'Donoghue MM, Boost MV. Occupational exposure to raw meat: a newly-recognized risk factor for *Staphylococcus aureus* nasal colonization amongst food handlers. *Int J Hyg Environ Health*. 2014 Mar;217(2-3):347-53.

Jamali H, Radmehr B, Ismail S. Short communication: Prevalence and antibiotic resistance of *Staphylococcus aureus* isolated from bovine clinical mastitis. J Dairy Sci. 2014 Apr;97(4):2226-30.

Kadariya J, Smith TC, Thapaliya D. *Staphylococcus aureus* and staphylococcal food-borne disease: an ongoing challenge in public health. Biomed Res Int. 2014;2014:827965. doi: 10.1155/2014/827965.

Sato'o Y, Omoe K, Naito I, Ono HK, Nakane A, Sugai M, Yamagishi N, Hu DL. Molecular Epidemiology and Identification of a *Staphylococcus aureus* Clone Causing Food Poisoning Outbreaks in Japan. J Clin Microbiol. 2014 Apr 23. [Epub ahead of print]

van Duijkeren E, Hengeveld PD, Albers M, Pluister G, Jacobs P, Heres L, van de Giessen AW. Prevalence of methicillin-resistant *Staphylococcus aureus* carrying mecA or mecC in dairy cattle. Vet Microbiol. 2014 Jul 16;171(3-4):364-7.

Vandendriessche S, Vanderhaeghen W, Larsen J, de Mendonça R, Hallin M, Butaye P, Hermans K, Haesebrouck F, Denis O. High genetic diversity of methicillin-susceptible *Staphylococcus aureus* (MSSA) from humans and animals on livestock farms and presence of SCCmec remnant DNA in MSSA CC398. J Antimicrob Chemother. 2014 Feb;69(2):355-62.

Wang X, Li G, Xia X, Yang B, Xi M, Meng J. Antimicrobial susceptibility and molecular typing of methicillin-resistant *Staphylococcus aureus* in retail foods in Shaanxi, China. Foodborne Pathog Dis. 2014 Apr;11(4):281-6.

### ***Toxoplasma***

Abdulmawjood A, Rosa S, Taubert A, Bauer C, Failing K, Zahner H, Bülte M. Investigation of persistence of infectious *Toxoplasma gondii* in raw sausages using in-house developed and validated real time-PCR. Meat Sci. 2014 Aug;97(4):542-7.

Geuthner AC, Koethe M, Ludewig M, Pott S, Schares G, Dauschies A, Bangoura B. Persistence of *Toxoplasma gondii* tissue stages in poultry over a conventional fattening cycle. Parasitology. 2014 Jun 16:1-6.

Jones JL, Parise ME, Fiore AE. Neglected parasitic infections in the United States: toxoplasmosis. Am J Trop Med Hyg. 2014 May;90(5):794-9.

Meemken D, Tangemann AH, Meermeier D, Gundlach S, Mischok D, Greiner M, Klein G, Blaha T. Establishment of serological herd profiles for zoonoses and production diseases in pigs by "meat juice multi-serology". Prev Vet Med. 2014 Mar 1;113(4):589-98.

Neumayerová H, Juránková J, Saláková A, Gallas L, Kovařík K, Koudela B. Survival of experimentally induced *Toxoplasma gondii* tissue cysts in vacuum packed goat meat and dry fermented goat meat sausages. Food Microbiol. 2014 May;39:47-52.

Swierzy IJ, Muhammad M, Kroll J, Abelmann A, Tenter AM, Lüder CG. *Toxoplasma gondii* within skeletal muscle cells: a critical interplay for food-borne parasite transmission. *Int J Parasitol.* 2014 Feb;44(2):91-8.

Vitale M, Tumino G, Partanna S, La Chiusa S, Mancuso G, Giglia ML, Presti VD. Impact of traditional practices on food safety: a case of acute toxoplasmosis related to the consumption of contaminated raw pork sausage in Italy. *J Food Prot.* 2014 Apr;77(4):643-6.

## Viruses

Bernard H, Faber M, Wilking H, Haller S, Höhle M, Schielke A, Ducomble T, Siffczyk C, Merbecks SS, Fricke G, Hamouda O, Stark K, Werber D; Outbreak Investigation Team. Large multistate outbreak of norovirus gastroenteritis associated with frozen strawberries, Germany, 2012. *Euro Surveill.* 2014 Feb 27;19(8):20719.

Bert F, Scaioli G, Gualano MR, Passi S, Specchia ML, Cadeddu C, Viglianchino C, Siliquini R. Norovirus Outbreaks on Commercial Cruise Ships: A Systematic Review and New Targets for the Public Health Agenda. *Food Environ Virol.* 2014 May 17. [Epub ahead of print]

Bigoraj E, Kwit E, Chrobocińska M, Rzeżutka A. Occurrence of Norovirus and Hepatitis A Virus in Wild Mussels Collected from the Baltic Sea. *Food Environ Virol.* 2014 Jun 7. [Epub ahead of print]

Bozkurt H, D'Souza DH, Davidson PM. A comparison of the thermal inactivation kinetics of human norovirus surrogates and hepatitis A virus in buffered cell culture medium. *Food Microbiol.* 2014 Sep;42:212-7.

Bozkurt H, Leiser S, Davidson PM, D'Souza DH. Thermal inactivation kinetic modeling of human norovirus surrogates in blue mussel (*Mytilus edulis*) homogenate. *Int J Food Microbiol.* 2014 Feb 17;172:130-6.

Bozkurt H, D'souza DH, Davidson PM. Thermal inactivation of human norovirus surrogates in spinach and measurement of its uncertainty. *J Food Prot.* 2014 Feb;77(2):276-83.

Bozkurt H, D'Souza DH, Davidson PM. Determination of thermal inactivation kinetics of hepatitis A virus in blue mussel (*Mytilus edulis*) homogenate. *Appl Environ Microbiol.* 2014 May;80(10):3191-7.

Brandão ML, Almeida DO, Bispo FC, Bricio SM, Marin VA, Miagostovich MP. Assessment of microbiological contamination of fresh, minimally processed, and ready-to-eat lettuces (*Lactuca sativa*), Rio de Janeiro State, Brazil. *J Food Sci.* 2014 May;79(5):M961-6.

Chiapponi C, Pavoni E, Bertasi B, Baioni L, Scaltriti E, Chiesa E, Cianti L, Losio MN, Pongolini S. Isolation and Genomic Sequence of Hepatitis A Virus from Mixed Frozen Berries in Italy. *Food Environ Virol.* 2014 May 24. [Epub ahead of print]

Cho HG, Lee SG, Kim WH, Lee JS, Park PH, Cheon DS, Jheong WH, Jho EH, Lee JB, Paik SY. Acute gastroenteritis outbreaks associated with ground-waterborne norovirus in South Korea during 2008-2012. *Epidemiol Infect.* 2014 Feb 13:1-6.

Di Bartolo I, Tofani S, Angeloni G, Ponterio E, Ostanello F, Ruggeri FM. Detection and characterization of porcine caliciviruses in Italy. *Arch Virol.* 2014 May 1. [Epub ahead of print]

Dreier J, Juhl D. Autochthonous Hepatitis E Virus Infections: A New Transfusion-Associated Risk? *Transfus Med Hemother.* 2014 Feb;41(1):29-39.

Echevarría JM. Light and Darkness: Prevalence of Hepatitis E Virus Infection among the General Population. *Scientifica (Cairo).* 2014;2014:481016. Epub 2014 Feb 10. Review.

Escudero-Abarca BI, Rawsthorne H, Goulter RM, Suh SH, Jaykus LA. Molecular methods used to estimate thermal inactivation of a prototype human norovirus: more heat resistant than previously believed? *Food Microbiol.* 2014 Aug;41:91-5.

Fuentes C, Guix S, Pérez-Rodríguez FJ, Fuster N, Carol M, Pintó RM, Bosch A. Standardized multiplex one-step qRT-PCR for hepatitis A virus, norovirus GI and GII quantification in bivalve mollusks and water. *Food Microbiol.* 2014 Jun; 40:55-63.

Huang R, Li X, Huang Y, Chen H. Strategies to enhance high pressure inactivation of murine norovirus in strawberry puree and on strawberries. *Int J Food Microbiol.* 2014 May 13;185C:1-6.

Kim AN, Park SY, Bae SC, Oh MH, Ha SD. Survival of Norovirus Surrogate on Various Food-Contact Surfaces. *Food Environ Virol.* 2014 Jun 12. [Epub ahead of print]

Kingsley DH, Vincent EM, Meade GK, Watson CL, Fan X. Inactivation of human norovirus using chemical sanitizers. *Int J Food Microbiol.* 2014 Feb 3;171:94-9.

Kniel KE. The makings of a good human norovirus surrogate. *Curr Opin Virol.* 2014 Feb; 4: 85-90.

Kosa KM, Cates SC, Hall AJ, Brophy JE, Frasier A. Knowledge of norovirus prevention and control among infection preventionists. *Am J Infect Control.* 2014 Jun;42(6):676-8.

Kotwal G, Cannon JL. Environmental persistence and transfer of enteric viruses. *Curr Opin Virol.* 2014 Feb;4:37-43.

Lorencova A, Vasickova P, Makovcova J, Slana I. Presence of *Mycobacterium avium* subspecies and hepatitis E virus in raw meat products. *J Food Prot.* 2014 Feb;77(2):335-8.

Loutreul J, Cazeaux C, Levert D, Nicolas A, Vautier S, Le Sauvage AL, Perelle S, Morin T. Prevalence of Human Noroviruses in Frozen Marketed Shellfish, Red Fruits and Fresh Vegetables. *Food Environ Virol.* 2014 Jun 13. [Epub ahead of print]

Martin-Latil S, Hennechart-Collette C, Guillier L, Perelle S. Method for HEV detection in raw pig liver products and its implementation for naturally contaminated food. *Int J Food Microbiol.* 2014 Apr 17;176:1-8.

O'Dowd A. Source of hepatitis A outbreak in Europe may be frozen berries. *BMJ.* 2014 Apr 21;348:g2852.

Park JH, Jeong HS, Lee JS, Lee SW, Choi YH, Choi SJ, Joo IS, Kim YR, Park YK, Youn SK. First norovirus outbreaks associated with consumption of green seaweed (*Enteromorpha* spp.) in South Korea. *Epidemiol Infect.* 2014 May 27:1-7.

Petrignani M, Verhoef L, Vennema H, van Hunen R, Baas D, van Steenberghe JE, Koopmans MP. Underdiagnosis of foodborne hepatitis A, The Netherlands, 2008-2010(1.). *Emerg Infect Dis.* 2014 Apr;20(4):596-602.

Polo D, Álvarez C, Vilariño ML, Longa Á, Romalde JL. Depuration kinetics of hepatitis A virus in clams. *Food Microbiol.* 2014 May;39:103-7.

Polo D, Alvarez C, Longa A, Romalde JL. Effectiveness of depuration for hepatitis A virus removal from mussels (*Mytilus galloprovincialis*). *Int J Food Microbiol.* 2014 Jun 16;180:24-9.

Rutjes SA, Bouwknecht M, van der Giessen JW, de Roda Husman AM, Reusken CB. Seroprevalence of hepatitis E virus in pigs from different farming systems in The Netherlands. *J Food Prot.* 2014 Apr;77(4):640-2.

Shieh YC, Tortorello ML, Fleischman GJ, Li D, Schaffner DW. Tracking and modeling norovirus transmission during mechanical slicing of globe tomatoes. *Int J Food Microbiol.* 2014 Jun 16;180:13-8.

Suffredini E, Lanni L, Arcangeli G, Pepe T, Mazzette R, Ciccaglioni G, Croci L. Qualitative and quantitative assessment of viral contamination in bivalve molluscs harvested in Italy. *Int J Food Microbiol.* 2014 Mar 12. pii: S0168-1605(14)00114-7.

Van der Poel WH. Food and environmental routes of Hepatitis E virus transmission. *Curr Opin Virol.* 2014 Feb;4:91-6.

### **VTEC and other *E.coli***

Anjum MF, Jones E, Morrison V, Tozzoli R, Morabito S, Toth I, Nagy B, Smith G, Aspan A, Nielsen EM, Fach P, Herrera-León S, Woodward MJ, LA Ragione RM. Use of virulence determinants and seropathotypes to distinguish high- and low-risk *Escherichia coli* O157 and non-O157 isolates from Europe. *Epidemiol Infect.* 2014 May;142(5):1019-28.

Aperce CC, Heidenreich JM, Drouillard JS. Capacity of the bovine intestinal mucus and its components to support growth of *Escherichia coli* O157:H7. *Animal.* 2014 May;8(5):731-7.

Asakura H, Masuda K, Yamamoto S, Igimi S. Molecular approach for tracing dissemination routes of Shiga toxin-producing *Escherichia coli* O157 in bovine offal at slaughter. *Biomed Res Int*. 2014;2014:739139.

Aslam M, Toufeer M, Narvaez Bravo C, Lai V, Rempel H, Manges A, Diarra MS. Characterization of Extraintestinal Pathogenic *Escherichia coli* isolated from retail poultry meats from Alberta, Canada. *Int J Food Microbiol*. 2014 May 2;177:49-56.

Baranzoni GM, Fratamico PM, Rubio F, Glaze T, Bagi LK, Albonetti S. Detection and isolation of Shiga toxin-producing *Escherichia coli* (STEC) O104 from sprouts. *Int J Food Microbiol*. 2014 Mar 3;173:99-104.

Bolton DJ, Ennis C, McDowell D. Occurrence, virulence genes and antibiotic resistance of enteropathogenic *Escherichia coli* (EPEC) from twelve bovine farms in the north-east of Ireland. *Zoonoses Public Health*. 2014 Mar;61(2):149-56.

Chantziaras I, Boyen F, Callens B, Dewulf J. Correlation between veterinary antimicrobial use and antimicrobial resistance in food-producing animals: a report on seven countries. *J Antimicrob Chemother*. 2014 Mar;69(3):827-34.

Cole D, Griffin PM, Fullerton KE, Ayers T, Smith K, Ingram LA, Kissler B, Hoekstra RM. Attributing sporadic and outbreak-associated infections to sources: blending epidemiological data. *Epidemiol Infect*. 2014 Feb;142(2):295-302.

Dabke G, Le Menach A, Black A, Gamblin J, Palmer M, Boxall N, Booth L. Duration of shedding of Verocytotoxin-producing *Escherichia coli* in children and risk of transmission in childcare facilities in England. *Epidemiol Infect*. 2014 Feb;142(2):327-34.

Duffy G, Burgess CM, Bolton DJ. A review of factors that affect transmission and survival of verocytotoxigenic *Escherichia coli* in the European farm to fork beef chain. *Meat Sci*. 2014 Jul;97(3):375-83.

Egervärn M, Börjesson S, Byfors S, Finn M, Kaibe C, Englund S, Lindblad M. *Escherichia coli* with extended-spectrum beta-lactamases or transferable AmpC beta-lactamases and *Salmonella* on meat imported into Sweden. *Int J Food Microbiol*. 2014 Feb 3;171:8-14.

Eller C, Leistner R, Guerra B, Fischer J, Wendt C, Rabsch W, Werner G, Pfeifer Y. Emergence of extended-spectrum  $\beta$ -lactamase (ESBL) CTX-M-8 in Germany. *J Antimicrob Chemother*. 2014 Feb;69(2):562-4.

Escher M, Scavia G, Morabito S, Tozzoli R, Maugliani A, Cantoni S, Fracchia S, Bettati A, Casa R, Gesu GP, Torresani E, Caprioli A. A severe foodborne outbreak of diarrhoea linked to a canteen in Italy caused by enteroinvasive *Escherichia coli*, an uncommon agent. *Epidemiol Infect*. 2014 Feb 13:1-8.

Feng PC, Reddy SP. Prevalence and diversity of enterotoxigenic *Escherichia coli* strains in fresh produce. *J Food Prot*. 2014 May;77(5):820-3.



Green AL, Seys S, Douris A, Levine J, Robertson K. Factors Associated with Regulatory Action Involving Investigation of Illnesses Associated with Shiga Toxin-Producing *Escherichia coli* in Products Regulated by the Food Safety and Inspection Service. *Foodborne Pathog Dis.* 2014 May 14. [Epub ahead of print]

Keithlin J, Sargeant J, Thomas MK, Fazil A. Chronic Sequelae of *E. coli* O157: systematic review and meta-analysis of the proportion of *E. coli* O157 cases that develop chronic sequelae. *Foodborne Pathog Dis.* 2014 Feb;11(2):79-95.

Jeong SG, Kang DH. Influence of moisture content on inactivation of *Escherichia coli* O157:H7 and *Salmonella enterica* serovar Typhimurium in powdered red and black pepper spices by radio-frequency heating. *Int J Food Microbiol.* 2014 Apr 17;176:15-22.

Joensen KG, Scheutz F, Lund O, Hasman H, Kaas RS, Nielsen EM, Aarestrup FM. Real-time whole-genome sequencing for routine typing, surveillance, and outbreak detection of verotoxigenic *Escherichia coli*. *J Clin Microbiol.* 2014 May;52(5):1501-10.

Jones TH, Nattress FM, Dilts B, Olsen D, Muehlhauser V. Numbers of coliforms, *Escherichia coli*, F-RNA phage, rotavirus, bovine enteric calicivirus and presence of non-O157 STEC on commercial vacuum packaged beef. *Food Microbiol.* 2014 Sep;42:225-31.

Ju W, Rump L, Toro M, Shen J, Cao G, Zhao S, Meng J. Pathogenicity islands in Shiga toxin-producing *Escherichia coli* O26, O103, and O111 isolates from humans and animals. *Foodborne Pathog Dis.* 2014 May;11(5):342-5.

Sánchez S, Cenoz MG, Martín C, Beristain X, Llorente MT, Herrera-León S. Cluster investigation of mixed O76:H19 Shiga toxin-producing *Escherichia coli* and atypical enteropathogenic *E. coli* infection in a Spanish household. *Epidemiol Infect.* 2014 May;142(5):1029-33.

Song WJ, Sung HJ, Kim SY, Kim KP, Ryu S, Kang DH. Inactivation of *Escherichia coli* O157:H7 and *Salmonella* Typhimurium in black pepper and red pepper by gamma irradiation. *Int J Food Microbiol.* 2014 Feb 17;172:125-9..

Sung HJ, Song WJ, Kim KP, Ryu S, Kang DH. Combination effect of ozone and heat treatments for the inactivation of *Escherichia coli* O157:H7, *Salmonella* Typhimurium, and *Listeria monocytogenes* in apple juice. *Int J Food Microbiol.* 2014 Feb 3;171:147-53.

Wells JE, Kim M, Bono JL, Kuehn LA, Benson AK. Meat Science and Muscle Biology Symposium: *Escherichia coli* O157:H7, diet, and fecal microbiome in beef cattle. *J Anim Sci.* 2014 Apr;92(4):1345-55.

Zhang W, Nadirk J, Kossow A, Bielaszewska M, Leopold SR, Witten A, Fruth A, Karch H, Ammon A, Mellmann A. Phylogeny and phenotypes of clinical and environmental Shiga toxin-producing *Escherichia coli* O174. *Environ Microbiol.* 2014 Apr;16(4):963-76.

**Secretariat  
June 2014**