

**ACM/810**

**ADVISORY COMMITTEE ON THE MICROBIOLOGICAL SAFETY OF FOOD**

**Items of possible interest from the literature**

A list of items from the literature which may be of interest to members is attached.

**Secretariat  
September 2006**

## ***Bacillus cereus***

- Den Besten HM, Mataragas M, Moezelaar R, Abee T, Zwietering MH. Quantification of the Effects of Salt Stress and Physiological State on Thermotolerance of *Bacillus cereus* ATCC 10987 and ATCC 14579. *Appl Environ Microbiol* 2006; **72(9)**: 5884-94.
- Ehling-Schulz M, Guinebretiere MH, Monthan A, Berge O, Fricker M, Svensson B. Toxin gene profiling of enterotoxic and emetic *Bacillus cereus*. *FEMS Microbiol Lett* 2006; **260(2)**: 232-40.
- Ernst C, Schulenburg J, Jakob P, Dahms S, Lopez AM, Nychas G, Weber D, Klein G. Efficacy of amphoteric surfactant- and peracetic acid-based disinfectants on spores of *bacillus cereus* in vitro and on food premises of the German armed forces. *J Food Prot* 2006; **69(7)**: 1605-10.
- Hoffmaster AR, Hill KK, Gee JE, Marston CK, De BK, Popovic T, Sue D, Wilkins PP, Avashia SB, Drumgoole R, Helma CH, Ticknor LO, Okinaka RT, Jackson PJ. Characterization of *Bacillus cereus* isolates associated with fatal pneumonias: strains are closely related to *Bacillus anthracis* and harbor *B. anthracis* virulence genes. *J Clin Microbiol.* 2006; **44(9)**: 3352-60.
- Panagou EZ, Tassou CC, Skandamis PN. Physicochemical, microbiological, and organoleptic profiles of Greek table olives from retail outlets. *J Food Prot* 2006; **69(7)**: 1732-8.
- Tauveron G, Slomianny C, Henry C, Faille C. Variability among *Bacillus cereus* strains in spore surface properties and influence on their ability to contaminate food surface equipment. *Int J Food Microbiol.* 2006; **110(3)**: 254-62.
- Thomassin S, Jobin MP, Schmitt P. The acid tolerance response of *Bacillus cereus* ATCC14579 is dependent on culture pH, growth rate and intracellular pH. *Arch Microbiol* 2006; **186(3)**: 229-239.
- Thorsen L, Hansen BM, Nielsen KF, Kendriksen NB, Phipps RK, Budde BB. Characterization of emetic *Bacillus weihenstephanensis*, a new cereulide-producing bacterium. *Appl Environ Microbiol* 2006; **72(7)**: 5118-21.
- Tourasse NJ, Helgason E, Okstad OA, Hegna IK, Kolsto AB. The *Bacillus cereus* group: novel aspects of population structure and genome dynamics. *J Appl Microbiol* 2006; **101(3)**: 579-93.
- Wijnands LM, Dufrenne JB, Zwietering MH, van Leusden FM. Spores from mesophilic *Bacillus cereus* strains germinate better and grow faster in simulated gastro-intestinal conditions than spores from psychrotrophic strains. *Int J Food Microbiol* 2006 Jul 20; Epub ahead of print.

## ***Campylobacter***

Callicott KA, Friethriksdottir V, Reiersen J, Lowman R, Bisailon JR, Gunnarsson E, Berndtson E, Hiatt KL, Needleman DS, Stern NH. Lack of evidence for vertical transmission of *Campylobacter* spp in chickens. *Appl Environ Microbiol* 2006; **72(9)**: 5794-5798.

Parker CT, Quinones B, Miller WG, Horn ST, Mandrell RE. Comparative genomic analysis of *Campylobacter jejuni* strains reveals diversity due to genomic elements similar to those present in *C. jejuni* strain RM1221. *J Clin Microbiol* 2006; Aug 30: Epub ahead of print.

Nelson W, Harris B. Flies, fingers, fomites, and food. Campylobacteriosis in New Zealand – food-associated rather than food-borne. *NZ Med J* 2006; **119(1240)**: U2128.

Rinella ES, Eversley CD, Carroll IM, Andrus JM, Threadgill DW, Threadgill DS. Human epithelial-specific response to pathogenic *Campylobacter jejuni*. *FEMS Microbiol Lett.* 2006; **262(2)**: 236-43.

Schessl J, Koga M, Funakoshi K, Kirschner J, Muellges W, Weishaupt A, Gold R, Korinthenberg R. Prospective study on anti-ganglioside antibodies in childhood Guillain-Barre syndrome. *Arch Dis Child* 2006; Aug 18 Epub ahead of print.

Kempf I, Dufour-Gesbert F, Hellard G, Prouzet-Mauleon V, Megraud F. Broilers do not play a dominant role in the *Campylobacter* fetus contamination of humans. *J Med Microbiol.* 2006; **55(Pt 9)**: 1277-8.

Paulsen P, Hiesberger J, Giefing S, Smulders FJ. Modified-atmosphere storage under subatmospheric pressure and beef quality: I. Microbiological effects. *J Anim Sci* 2006; **84(9)**: 2448-55.

Jozwiak A, Reichart O, Laczay P. The occurrence of *Campylobacter* species in Hungarian broiler chickens from farm to slaughter. *J Vet Med B Infect Dis Vet Public Health.* 2006; **53(6)**: 291-4.

Nebola M, Steinhäuserová I. PFGE and PCR/RFLP typing of *Campylobacter jejuni* strains from poultry. *Br Poult Sci* 2006; **47(4)**: 456-61.

Uyttendaele M, Baert K, Ghafir Y, Daube G, De Zutter L, Herman L, Dierick K, Pierard D, Dubois JJ, Horion B, Debevere J. Quantitative risk assessment of *Campylobacter* spp in poultry based meat preparations as one of the factors to support the development of risk-based microbiological criteria in Belgium. *Int J Food Microbiol* 2006; **111(2)**: 149-63.

Schonberg-Norio D, Sarna S, Hanninen ML, Katila ML, Kaukoranta SS, Rautelin H. Strain and host characteristics of *Campylobacter jejuni* infections in Finland. *Clin Microbiol Infect* 2006; **12(8)**: 754-60.

Khanna MR, Bhavsar SP, Kapadnis BP. Effect of temperature on growth and chemotactic behaviour of *Campylobacter jejuni*. Lett Appl Microbiol 2006; **43(1)**: 84-90.

Line JE. Influence of relative humidity on transmission of *Campylobacter jejuni* in broiler chickens. Poult Sci 2006; **85(7)**: 1145-50.

Schmidt-Ott R, Schmidt H, Feldmann S, Brass F, Krone B, Gross U. Improved serological diagnosis stresses the major role of *Campylobacter jejuni* in triggering Guillain-Barre syndrome. Clin Vaccine Immunol 2006; **13(7)**: 779-83.

Sandberg M, Nygard K, Meldal H, Valle PS, Kruse H, Skjerbe E. Incidence trend and risk factors for *campylobacter* infections in humans in Norway. BMC Public Health 2006; **6**: 179.

Tam CC, Rodrigues LC, Petersen I, Islam A, Hayward A, O'Brien SJ. Incidence of Guillain-Barre syndrome among patients with *Campylobacter* infection: a general practice research database study. J Infect Dis 2006; **194(1)**: 95-7.

Bolster CH, Walker SL, Cook KL. Comparison of *Escherichia coli* and *Campylobacter jejuni* transport in saturated porous media. J Environ Qual 2006; **35(4)**: 1018-25.

Jensen AN, Dalsgaard A, Baggesen DL, Nielsen EM. The occurrence and characterization of *Campylobacter jejuni* and *C. coli* in organic pigs and their outdoor environment. Vet Microbiol 2006; **116(1-3)**: 96-105.

O'Reilly LC, Inglis TJ, Unicomb L; Australian Campylobacter Subtyping Study Group. Australian multicentre comparison of subtyping methods for the investigation of *Campylobacter* infection. Epidemiol Infect 2006; **134(4)**: 768-79.

Nielson EM, Fussing V, Engberg J, Nielsen NL, Neimann J. Most *Campylobacter* subtypes from sporadic infections can be found in retail poultry products and food animals. Epidemiol Infect 2006; **134(4)**: 758-67.

## ***Clostridium***

Braun U. [Botulism in cattle]. Schweiz Arch Tierheilkd 2006; **148(7)**: 331-9. Review. German.

Dixit A, Alam SI, Singh L. Sequencing and phylogenetic analysis of neurotoxin gene from an environmental isolate of *Clostridium sp*: comparison with other clostridial neurotoxins. Arch Toxic 2006; **80(7)**: 399-404.

Gould GW. History of science – spores. J Appl Microbiol 2006; **101(3)**: 507-13.

Jost BH, Trinh HT, Songer JG. Clonal relationships among *Clostridium perfringens* of porcine origin as determined by multilocus sequence typing. *Vet Microbiol* 2006; **116(1-3)**: 158-65.

Juneja VK, Huang L, Thippareddi HH. Predictive model for growth of *Clostridium perfringens* in cooked cured pork. *Int J Food Microbiol* 2006; **110(1)**: 85-92.

Li J, McClane BA. Further comparison of temperature effects on growth and survival of *Clostridium perfringens* type A isolates carrying a chromosomal or plasmid-borne enterotoxin gene. *Appl Environ Microbiol* 2006; **72(7)**: 4561-8.

Lycken L, Borch E. Characterization of *Clostridium spp.* isolated from spoiled processed cheese products. *J Food Prot* 2006; **69(8)**: 1887-91.

McLauchlin J, Grant KA, Little CL. Food-borne botulism in the United Kingdom. *J Public Health (Oxf)* 2006; Aug 17 Epub ahead of print.

Myers GS, Rasko DA, Cheung JK, Ravel J, Seshadri R, DeBoy RT, Ren Q, Varga J, Awad MM, Brinkac LM, Daugherty SC, Haft DH, Dodson RJ, Madupu R, Nelson WC, Rosovitz MJ, Sullivan SA, Khouri H, Dimitrov GI, Watkins KL, Mulligan S, Benton J, Radune D, Fisher DJ, Atkins HS, Hiscox T, Jost BH, Billington SJ, Songer JG, McClane BA, Titball RW, Rood JI, Melville SB, Paulsen IT. Skewed genomic variability in strains of the toxigenic bacterial pathogen, *Clostridium perfringens*. *Genome Res* 2006; **16(8)**: 1031-40.

Myllykoski J, Nevas M, Lindstrom M, Korkeala H. The detection and prevalence of *Clostridium botulinum* in pig intestinal samples. *Int J Food Microbiol* 2006; **110(2)**: 172-7.

Otter A, Livesey C, Hogg R, Sharpe R, Gray D. Risk of botulism in cattle and sheep arising from contact with broiler litter. *Vet Rec* 2006; **159(6)**: 186-7.

Peck MW. *Clostridium botulinum* and the safety of minimally heated, chilled foods: an emerging issue? *J Appl Microbiol* 2006; **101(3)**: 556-70.

Penders J, Thijs C, Vink C, Stelma FF, Snijders B, Kummeling I, van den Brandt PA, Stobberingh EE. Factors influencing the composition of the intestinal microbiota in early infancy. *Pediatrics* 2006; **118(2)**: 511-21.

### ***Cryptosporidium***

Barta JR, Thompson RC. What is *Cryptosporidium*? Reappraising its biology and phylogenetic affinities. *Trends Parasitol.* 2006; Aug 10 Epub ahead of print.

Graczyk TK, Lewis EJ, Glass G, Dasilva AJ, Tamang L, Girouard AS, Curriero FC. Quantitative assessment of viable *Cryptosporidium parvum* load in commercial oysters (*Crassostrea virginica*) in the Chesapeake Bay. *Parasitol Res.* 2006; Aug 8 Epub ahead of print.

Maddox-Hyttel C, Langkjaer RB, Enemark HL, Vigre H. *Cryptosporidium* and *Giardia* in different age groups of Danish cattle and pigs – Occurrence and management associated risk factors. *Vet Parasitol.* 2006 ; Jun 21 Epub ahead of print.

Ortega YR, Liao J. Microwave inactivation of *Cyclospora cayetanensis* sporulation and viability of *Cryptosporidium parvum* oocysts. *J Food Prot* 2006; **69(8)**: 1957-60.

Sunnotel O, Lwery CJ, Moore JE, Dooley JS, Xiao L, Millar BC, Rooney PJ, Snelling WJ. *Cryptosporidium*. *Lett Appl Microbiol* 2006; **43(1)**: 7-16.

### ***E. coli* O157**

Bhagwat AA, Tan J, Sharma M, Kathary M, Low S, Tall BD, Bhagwat M. Functional heterogeneity of RpoS in stress tolerance of enterohemorrhagic *Escherichia coli* strains. *Appl Environ Microbiol* 2006; **72(7)**: 4978-86.

Brunder W, Karch H, Schmidt H. Complete sequence of the large virulence plasmid pSFO157 of the sorbitol-fermenting enterohemorrhagic *Escherichia coli* O157: H(-) strain 3072/96. *Int J Med Microbiol* 2006; Aug 1 Epub ahead of print.

Chapman B, Jensen N, Ross T, Cole M. Salt, alone or in combination with sucrose, can improve the survival of *Escherichia coli* O157 (SERL 2) in model acidic sauces. *Appl Environ Microbiol* 2006; **72(8)**: 5165-72.

Dipineto L, Santaniello A, Fontanella M, Lagos K, Fioretti A, Menna LF. Presence of Shiga toxin-producing *Escherichia coli* O157: H7 in living layer hens. *Lett Appl Microbiol* 2006; **43(3)**: 293-5.

Dorner SM, Anderson WB, Slawson RM, Kouwen N, Huck PM. Hydrologic modelling of pathogen fate and transport. *Environ Sci Technol* 2006; **40(15)**: 4746-53.

Duffy G, Walsh C, Blair IS, McDowell DA. Survival of antibiotic resistant and antibiotic sensitive strains of *E. coli* O157 and *E. coli* O26 in food matrices. *Int J Food Microbiol* 2006; **109(3)**: 179-86.

Eklund M, Bielaszewska M, Nakari UM, Karch H, Siitonen A. Molecular and phenotypic profiling of sorbitol-fermenting *Escherichia coli* O157: H- human isolates from Finland. *Clin Microbiol Infect* 2006; **12(7)**: 634-41.

Haus-Cheymol R, Espie E, Che D, Vaillant V, DE Valk H, Desenclos JC. Association between indicators of cattle density and incidence of paediatric

haemolytic-uraemic syndrome (HUS) in children under 15 years of age in France between 1996 and 2001: an ecological study. *Epidemiol Infect* 2006; **134(4)**: 712-8.

Li Y, Odumeru JA, Griffiths M, McKellar RC. Effect of environmental stresses on the mean and distribution of individual cell lag times of *Escherichia coli* O157:H7. *Int J Food Microbiol* 2006; **110(3)**: 278-85.

Mann JE, Brashears MM. Validation of time and temperature values as critical limits for the control of *Escherichia coli* O157:H7 during the production of fresh ground beef. *J Food Prot* 2006; **69(8)**: 1978-82.

Orth D, Grif K, Dierich MP, Wurzner R. Sorbitol-fermenting Shiga toxin-producing *Escherichia coli* O157: indications for an animal reservoir. *Epidemiol Infect* 2006; **134(4)**: 719-23.

Pearl DL, Louie M, Chui L, Dore K, Grimsrud KM, Leedell D, Martin SW, Michel P, Svenson LW, McEwen SA. The use of outbreak information in the interpretation of clustering of reported cases of *Escherichia coli* O157 in space and time in Alberta, Canada 2000-2002. *Epidemiol Infect* 2006; **134(4)**: 699-711.

Scaife HR, Cowan D, Finney J, Kinghorn-Perry SF, Crook B. Wild rabbits (*Oryctolagus cuniculus*) as potential carriers of verocytotoxin-producing *Escherichia coli*. *Vet Rec* 2006; **159(6)**: 175-8.

Sheng H, Knecht HJ, Kudva IT, Hovde CJ. Application of bacteriophages to control intestinal *Escherichia coli* O157:H7 levels in ruminants. *Appl Environ Microbiol* 2006; **72(8)**: 5359-66.

Strachan NJ, Dunn GM, Locking ME, Reid TM, Ogden ID. *Escherichia coli* O157: Burger bug or environmental pathogen? *Int J Food Microbiol* 2006; Aug 24 Epub ahead of print.

Turner J, Bowers RG, Begon M, Robinson SE, French NP. A semi-stochastic model of the transmission of *Escherichia coli* O157 in a typical UK dairy herd: dynamics, sensitivity analysis and intervention/prevention strategies. *J Theor Biol* 2006; **241(4)**: 806-22.

Vosough Ahmadi B, Velthuis AG, Hogeveen H, Huirne RB. Simulating *Escherichia coli* O157: H7 transmission to assess effectiveness of interventions in Dutch dairy-beef slaughterhouses. *Prev Vet Med* 2006; Jun 29 Epub ahead of print.

Walsh C, Duffy G, O'Mahony R, Fanning S, Blair IS, McDowell DA. Antimicrobial resistance in Irish isolates of verocytotoxigenic *Escherichia coli* (*E. coli*)-VTEC. *Int J Food Microbiol* 2006; **109(3)**: 173-8.

Yu C, Davidson VJ, Yang SX. A neural network approach to predict survival/death and growth/no-growth interfaces for *Escherichia coli* O157:H7. *Food Microbiol* 2006; **23(6)**: 552-60.

Barlow RS, Gobius KS, Desmarchelier PM. Shiga toxin-producing *Escherichia coli* in ground beef and lamb cuts: Results of a one-year study. *Int J Food Microbiol* 2006; **111(1)**: 1-5.

Beutin L. Emerging Enterohaemorrhagic *Escherichia coli*, Causes and Effects of the Rise of a Human Pathogen. *J Vet Med B Infect Dis Vet Public Health* 2006; **53(7)**: 299-305.

### ***Listeria monocytogenes***

Hain T, Steinweg C, Kuenne CT, Billion A, Ghai R, Chatterjee SS, Domann E, Karst U, Goesmann A, Bekel T, Bartels D, Kaiser O, Meyer F, Puhler A, Weisshaar B, Wehland J, Liang C, Dandekar T, Lampidis R, Kreft J, Goebel W, Chakraborty T. Whole genome sequence of *Listeria welshimeri* reveals common steps in genome reduction with *Listeria innocua* as compared to *Listeria monocytogenes*. *J Bacteriol* 2006; Aug 25 Epub ahead of print.

Kiss R, Tirczka T, Szita G, Bernath S, Csiko G. *Listeria monocytogenes* food monitoring data and incidence of human listeriosis in Hungary 2004. *Int J Food Microbiol* 2006; Aug 24 Epub ahead of print.

Hegde V, Leon-Velarde CG, Stam CM, Jaykus LA, Odumeru JA. Evaluation of BBL CHROMagar *Listeria* agar for the isolation and identification of *Listeria monocytogenes* from food and environmental samples. *J Microbiol Methods* 2006; Aug 22 Epub ahead of print.

Desvaux M, Hebraud M. The protein secretion systems in *Listeria*: inside out bacterial virulence. *FEMS Microbiol Rev* 2006; **30(5)**: 774-805.

Midelet-Bourdin G, Leleu G, Copin S, Roche S, Velge P, Malle P. Modification of a virulence-associated phenotype after growth of *Listeria monocytogenes* on food. *J Appl Microbiol* 2006; **101(2)**: 300-8.

Wilks SA, Michels HT, Keevil CW. Survival of *Listeria monocytogenes* Scott A on metal surfaces: Implications for cross-contamination. *Int J Food Microbiol* 2006; **111(2)**: 93-8.

Corcoran D, Clancy D, O'Mahony M, Grant K, Hyland E, Shanaghy N, Whyte P, McLauchlin J, Moloney A, Fanning S. Comparison of *Listeria monocytogenes* strain types in Irish smoked salmon and other foods. *Int J Hyg Environ Health* 2006; Jul 25 Epub ahead of print.

Sauders BD, Schukken Y, Kornstein L, Reddy V, Bannerman T, Salehi E, Dumas N, Anderson BJ, Massey JP, Wiedmann M. Molecular epidemiology and cluster analysis of human listeriosis cases in three US states. *J Food Prot* 2006; **69(7)**: 1680-9.

Mai TL, Sofyan NI, Fergus JW, Gale WF, Conner DE. Attachment of *Listeria monocytogenes* to an austenitic stainless steel after welding and accelerated corrosion treatments. *J Food Prot* 2006; **69(7)**: 1527-32.



Lewis HC, Little CL, Elson R, Greenwood M, Grant KA, McLauchlin J. Prevalence of *Listeria monocytogenes* and other *Listeria* species in butter from United Kingdom production, retail, and catering premises. J Food Prot 2006; **69(7)**: 1518-26.

Guillier L, Augustin JC. Modelling the individual cell lag time distributions of *Listeria monocytogenes* as a function of the physiological state and the growth conditions. Int J Food Microbiol 2006; Jul 17 Epub ahead of print.

Thevenot D, Dernburg A, Vernozy-Rozand C. An updated review of *Listeria monocytogenes* in the pork meat industry and its products. J Appl Microbiol 2006; **101(1)**: 7-17.

Goulet V, Jacquet C, Martin P, Vaillant V, Laurent E, De Valk H. Surveillance of human listeriosis in France, 2001-2003. Euro Surveill 2006; **11(6)** Epub ahead of print.

Koch J, Stark K. Significant increase of listeriosis in Germany – Epidemiological patterns 2001-2005. Euro Surveill 2006; **11(6)** Epub ahead of print.

Dawson S, Evans M, Willby D, Bardwell J, Chamberlain N, Lewis D. *Listeria* outbreak associated with sandwich consumption from a hospital retail shop, United Kingdom. Euro Surveill 2006; **11(6)** Epub ahead of print.

Doorduyn Y, de Jager CM, van der Zwaluw WK, Wannet WJ, van der Ende A, Spanjaard L, van Duynhoven YT. Invasive *Listeria monocytogenes* infections in the Netherlands, 1995-2003. Eur J Clin Microbiol Infect Dis 2006; **25(7)**: 433-42.

Gnanou Besse N, Audinet N, Barre L, Cauquil A, Cornu M, Colin P. Effect of the inoculum size on *Listeria monocytogenes* growth in structured media. Int J Food Microbiol 2006; **110(1)**: 43-51.

Gianfranceschi M, D'Ottavio MC, Gattuso A, Pourshaban M, Bertolotti I, Bignazzi R, Manzoni P, Marchetti M, Aureli P. Listeriosis associated with gorgonzola (Italian blue-veined cheese). Foodborne Pathog Dis 2006; **3(2)**: 190-5.

Chou CH, Wang C. Genetic relatedness between *Listeria monocytogenes* isolates from seafood and humans using PFGE and REP-PCR. Int J Food Microbiol 2006; **110(2)**: 135-48.

Mead PS, Dunne EF, Graves L, Wiedmann M, Patrick M, Hunter S, Salehi E, Mostashari F, Craig A, Mshar P, Bannerman T, Sauders BD, Hayes P, Dewitt W, Sparling P, Griffin P, Morse D, Slutsker L, Swaminathan B; Listeria Outbreak Working Group. Nationwide outbreak of listeriosis due to contaminated meat. Epidemiol Infect 2006; **134(4)**: 744-51.

## ***Mycobacterium bovis***

Romero B, Aranaz A, Juan L, Alvarez J, Bezos J, Mateos A, Gomez-Mampaso E, Dominguez L. Molecular epidemiology of multi-drug resistant *Mycobacterium bovis* isolates with the same spoligotyping profile as isolates from animals. J Clin Microbiol 2006; **44(9)**: 3405-8.

Smith NH, Gordon SV, de la Rua-Domenech R, Clifton-Hadley RS, Hewinson RG. Bottlenecks and broomsticks: the molecular evolution of *Mycobacterium bovis*. Nat Rev Microbiol 2006; **4(9)**: 670-81.

Winder CL, Gordon SV, Dale J, Hewinson RG, Goodacre R. Metabolic fingerprints of *Mycobacterium bovis* cluster with molecular type: implications for genotype-phenotype links. Microbiology 2006; **152(Pt 9)**: 2757-65.

Bosshard C, Stephan R, Tasara T. Application of an F57 sequence-based real-time PCR assay for *Mycobacterium paratuberculosis* detection in bulk tank raw milk and slaughtered healthy dairy cows. J Food Prot 2006; **69(7)**: 1662-7.

Braun J. In search of desire: mimicry, MAP, and Crohn's disease. Gastroenterology 2006; **131(1)**: 312-4.

## ***Salmonella***

You Y, Rankin SC, Aceto HW, Benson CE, Toth JD, Dou Z. Survival of *Salmonella enterica* serovar Newport in manure and manure-amended soils. Appl Environ Microbiol 2006; **72(9)**: 5777-83.

Sandt CH, Krouse DA, Cook CR, Hackman AL, Chmielecki WA, Warren NG. The key role of pulsed-field gel electrophoresis in investigation of a large multiserotype and multistate food-borne outbreak of *salmonella* infections centred in Pennsylvania. J Clin Microbiol 2006; **44(9)**: 3208-12.

Mejia W, Casal J, Zapata D, Sanchez GJ, Martin M, Mateu E. Epidemiology of *salmonella* infections in pig units and antimicrobial susceptibility profiles of the strains of *Salmonella* species isolated. Vet Rec 2006; **159(9)**: 271-6.

Myint MS, Johnson YJ, Tablante NL, Heckert RA. The effect of pre-enrichment protocol on the sensitivity and specificity of PCR for detection of naturally contaminated *Salmonella* in raw poultry compared to conventional culture. Food Microbiol 2006; **23(6)**: 599-604.

Das E, Gurakan GC, Bayindirli A. Effect of controlled atmosphere storage, modified atmosphere packaging and gaseous ozone treatment on the survival of *Salmonella Enteritidis* on cherry tomatoes. Food Microbiol 2006; **23(5)**: 430-8.

- Lan R, Stevenson G, Donohoe K, Ward L, Reeves PR. Molecular markers with potential to replace phage typing for *Salmonella enterica* serovar *typhimurium*. J Microbiol Methods 2006; Aug 25 Epub ahead of print.
- Riano I, Moreno MA, Teshager T, Saenz Y, Dominguez L, Torres C. Detection and characterization of extended spectrum beta-lactamases in *Salmonella enterica* strains of healthy food animals in Spain. J Antimicrob Chemother 2006; Aug 24 Epub ahead of print.
- Hsu WY, Simonne A, Jitareerat P. Fates of seeded *Escherichia coli* O157:H7 and *Salmonella* on selected fresh culinary herbs during refrigerated storage. J Food Prot 2006; **69(8)**: 1997-2001.
- Mukherjee A, Speh D, Jones AT, Buesing KM, Diez-Gonzalez F. Longitudinal microbiological survey of fresh product grown by farmers in the upper Midwest. J Food Prot 2006; **69(8)**: 1928-36.
- Uesugi AR, Danyluk MD, Harris LJ. Survival of *Salmonella enteritidis* phage type 30 on inoculated almonds stored at -20, 4, 23, and 35 degrees C. J Food Prot 2006; **69(8)**: 1851-7.
- Tuominen P, Ranta J, Maijala R. *Salmonella* risk in imported fresh beef, beef preparations, and beef products. J Food Prot 2006; **69(8)**: 1814-22.
- Wesley IV, Harbaugh E, Trampel DW, Rivera F, Rostagno MH, Hurd HS. Effect of preslaughter events on the prevalence of *Salmonella* in market-weight turkeys. J Food Prot 2006; **69(8)**: 1785-93.
- Yazdankhah SP, Scheie AA, Hoiby EA, Lunestad BT, Heir E, Fotland TO, Naterstad K, Kruse H. Triclosan and antimicrobial resistance in bacteria: an overview. Microb Drug Resis 2006; **12(2)**: 83-90.
- Jin Y, Ling JM, CTX-M-producing *Salmonella* spp in Hong Kong: an emerging problem. J Med Microbiol 2006; **55(pt 9)**: 1245-50.
- Humphrey T. Are happy chickens safer chickens? Poultry welfare and disease susceptibility. Br Poult Sci 2006; **47(4)**: 379-91.
- Groisman EA, Mouslim C. Sensing by bacterial regulatory systems in host and non-host environments. Nat Rev Microbiol 2006; **4(9)**: 705-9.
- Barros LS, Amaral LA, Lorenzon CS, Junior JL, Neto JG. Potential microbiological contamination of effluents in poultry and swine abattoirs. Epidemiol Infect 2006; Aug 8 :1-14 Epub ahead of print.
- Bertrand S, Weill FX, Cloeckert A, Vrints M, Mairiaux E, Praud K, Wildemaue C, Godard C, Butaye P, Imberechts H, Grimont PA, Collard JM. Clonal emergence of extended-spectrum beta-lactamase (CTX-M-2)-producing *Samonella enterica* serovar *Virchow* isolates with reduced

susceptibilities to ciprofloxacin among poultry and humans in Belgium and France (2000 to 2003). *J Clin Microbiol* 2006; **44(8)**: 2897-903.

Wales A, Breslin M, Davies R. Semiquantitative assessment of the distribution of *Salmonella* in the environment of caged layer flocks. *J Appl Microbiol* 2006; **101(2)**: 309-18.

Goldbach SG, Alban L. A cost-benefit analysis of *Salmonella*-control strategies in Danish pork production. *Prev Vet Med* 2006; Jul 29 Epub ahead of print.

Holtby I, Tebbutt GM, Anwar S, Aislabie J, Bell V, Flowers W, Hedgley J, Kelly P. Two separate outbreaks of *Salmonella enteritidis* phage type 14b food poisoning linked to the consumption of the same type of frozen food. *Public Health* 2006; **120(9)**: 817-23.

Hainsworth R. Surveillance and management of *salmonella* food poisoning. *Nurs Times* 2006; **102(28)**: 23-4.

Danyluk MD, Harris LJ, Schaffner DW. Monte Carlo simulations assessing the risk of salmonellosis from consumption of almonds. *J Food Prot* 2006; **69(7)**: 1594-9.

De Reu K, Grijspeerdt K, Heyndrickx M, Messens W, Uyttendaele M, Debevere J, Herman L. Influence of eggshell condensation on eggshell penetration and whole egg contamination with *Salmonella enterica* serovar *enteritidis*. *J Food Prot* 2006; **69(7)**: 1539-45.

Jordan E, Egan J, Dullea C, Ward J, McGillicuddy K, Murray G, Murphy A, Bradshaw B, Leonard N, Rafter P, McDowell S. *Salmonella* surveillance in raw and cooked meat and meat products in the Republic of Ireland from 2002 to 2004. *Int J Food Microbiol* 2006; Jul 20 Epub ahead of print.

Piddock LJ. Multidrug-resistance efflux pumps – not just for resistance. *Nat Rev Microbiol* 2006; **4(8)**: 629-36. Review.

Gantois I, Ducatelle R, Timbermont L, Boyen F, Bohez L, Haesebrouck F, Pasmans F, van Immerseel F. Oral immunisation of laying hens with the lieve vaccine strains of TAD *Salmonella vac*(®)E and TAD *Salmonella vac*(®) T reduces internal egg contamination with *Salmonella Enteritidis*. *Vaccine* 2006; **24(37-39)**: 6250-5.

Braden CR. *Salmonella enterica* serotype *Enteritidis* and eggs: a national epidemic in the United States. *Clin Infect Dis* 2006; **43(4)**: 512-7. Review.

Sahlstrom L, de Jong B, Aspan A. *Salmonella* isolated in sewage sludge traced back to human cases of salmonellosis. *Lett Appl Microbiol* 2006; **43(1)**: 46-52.

Bahnson PB, Fedorka-Cray PJ, Ladely SR, Mateus-Pinilla NE. Herd-level risk factors for *Salmonella enterica* subs. *enterica* in US market pigs. *Prev Vet Med* 2006; **76(3-4)**: 249-62.

Todd B. The increasing risk of *Salmonella* infections. Food industry practices, inadequate regulation, and antimicrobial resistance heighten concerns. *Am J Nurs* 2006; **106(7)**: 35-7. Review.

Anaya I, Aguirrezabal A, Ventura M, Comellas L, Agut M. Survivability of *Salmonella* cells in popcorn after microwave oven and conventional cooking. *Microbiol Res* 2006; Jun 20 Epub ahead of print.

Pennycott TW, Park A, Mather HA. Isolation of different serovars of *Salmonella enterica* from wild birds in Great Britain between 1995 and 2003. *Vet Rec* 2006; **158(24)**: 817-20.

Varma JK, Marcus R, Stenzel SA, Hanna SS, Gettner S, Anderson BJ, Hayes T, Shiferaw B, Crume TL, Joyce K, Fullerton KE, Voetsch AC, Angulo FJ. Highly resistant *Salmonella* Newport-MDRampC transmitted through the domestic US food supply: a FoodNet case-control study of sporadic *Salmonella* Newport infections, 2002-2003. *J Infect Dis* 2006; **194(2)**: 222-30.

Holley RA, Arrus KM, Ominski KH, Tenuta M, Blank G. *Salmonella* survival in manure-treated soils during simulated seasonal temperature exposure. *J Environ Qual* 2006; **35(4)**: 1170-80.

Soler P, Gonzalez-Sanz R, Bleda MJ, Hernandez G, Echeita A, Usera MA. Antimicrobial resistance in non-typhoidal *Salmonella* from human sources, Spain 2001-2003. *J Antimicrob Chemother* 2006; **58(2)**: 310-4.

Wales A, Breslin M, Davies R. Assessment of cleaning and disinfection in *Salmonella*-contaminated poultry layer houses using qualitative and semi-quantitative culture techniques. *Vet Microbiol* 2006; **116(4)**: 283-93.

Omeira N, Barbour EK, Nehme PA, Hamadeh SK, Zurayk R, Bashour I. Microbiological and chemical properties of litter from different chicken types and production systems. *Sci Total Environ* 2006; **367(1)**: 156-62.

Joosten H, Bidlas E, Garofalo N. *Salmonella* detection in probiotic products. *Int J Food Microbiol* 2006; **110(1)**: 104-7.

Charlesworth J, Eyre-Walker A. The rate of adaptive evolution in enteric bacteria. *Mol Biol Evol* 2006; **23(7)**: 1348-56.

Fleury M, Charron DF, Holt JD, Allen OB, Maarouf AR. A time series analysis of the relationship of ambient temperature and common bacterial enteric infections in two Canadian provinces. *Int J Biometeorol* 2006; **50(6)**: 385-91.

Gatto AJ, Peters TM, Green J, Fisher IS, Gill ON, O'Brien SJ, Maguire C, Berghold C, Lederer I, Gerner-Smidt P, Torpdahl M, Siitonen A, Lukinmaa S,

Tschape H, Prager R, Luzzi I, Dionisi AM, Van der Zwaluw WK, Heck M, Coia J, Brown D, Usera M, Echeita A, Threlfall EJ. Distribution of molecular subtypes within *Salmonella enterica* serotype *Enteritidis* phage 4 and *S. Typhimurium* definitive phage type 104 in nine European countries, 2000-2004: results of an international multi-centre study. *Epidemiol Infect* 2006; **134(4)**: 729-36.

Bowen A, Fry A, Richards G, Beuchat L. Infections associated with cantaloupe consumption: a public health concern. *Epidemiol Infect* 2006; **134(4)**: 675-85.

### ***Staphylococcus aureus***

Reinoso EB, El-Sayed A, Lammler C, Bogni C, Zschock M. Genotyping of *Staphylococcus aureus* isolated from humans, bovine subclinical mastitis and food samples in Argentina. *Microbiol Res* 2006; Aug 22 Epub ahead of print.

### ***Toxoplasma***

Freyre A, Falcon J, Mendez J, Gastell T, Venzal JM. *Toxoplasma gondii*: Cross-immunity against the enteric cycle. *Exp Parasitol* 2006; Jul 6 Epub ahead of print.

Lehmann T, Marcet PL, Graham DH, Dahl ER, Dubey JP. Globalization and the population structure of *Toxoplasma gondii*. *Proc Natl Acad Sci USA* 2006; **103(30)**: 11423-8.

Nowakowska D, Stray-Pedersen B, Spiewak E, Sobala W, Malafiej E, Wilczynski J. Prevalence and estimated incidence of *Toxoplasma* infection among pregnant women in Poland: a decreasing trend in the young population. *Clin Microbiol Infect* 2006; **12(9)**: 913-7.

### ***Viruses***

Ausar SF, Foubert TR, Hudson MH, Vedvick TS, Middaugh CR. Conformational stability and disassembly of Norwalk virus-like particles. Effect of pH and temperature. *J Biol Chem* 2006; **281(28)**: 19478-88.

Bowen A, Fry A, Richards G, Beuchat L. Infections associated with cantaloupe consumption: a public health concern. *Epidemiol Infect* 2006; **134(4)**: 675-85.

De Bruin E, Duizer E, Vennema H, Koopmans MP. Diagnosis of Norovirus outbreaks by commercial ELISA or RT-PCR. *J Virol Methods* 2006; Aug 7 Epub ahead of print.

Garcia C, DuPont HL, Long KZ, Santos JI, Ko G. Asymptomatic norovirus infection in Mexican children. *J Clin Microbiol* 2006; **44(8)**: 2997-3000.

Martinez MA, Alcala AC, Carruyo G, Botero L, Liprandi F, Ludert JE. Molecular detection of porcine enteric caliciviruses in Venezuelan farms. *Vet Microbiol* 2006; **116(1-3)**: 77-84.

Rutjes SA, Lodder-Verschoor F, van der Poel WH, van Duijnhoven YT, Husmani AM. Detection of noroviruses in foods: a study on virus extraction procedures in foods implicated in outbreaks of human gastroenteritis. *J Food Prot* 2006; **69(8)**: 1949-56.

Takkinen J. Recent norovirus outbreaks on river and seagoing cruise ships in Europe. *Euro Surveill* 2006; **11(6)**: E060615.2.

Vernacchio L, Vezina RM, Mitchell AA, Lesko SM, Plaut AG, Acheson DW. Characteristics of persistent diarrhea in a community-based cohort of young US children. *J Pediatr Gastroenterol Nutr* 2006; **43(1)**: 52-8.

Inoue J, Takahashi M, Ito K, Shimosegawa T, Okamoto H. Analysis of human and swine hepatitis E virus (HEV) isolates of genotype 3 in Japan that are only 81-83% similar to reported HEV isolates of the same genotype over the entire genome. *J Gen Virol* 2006; **87 (pt 8)**: 2363-9.

Lewis H, Morgan D, Ijaz S, Boxall E. Indigenous hepatitis E virus infection in England and Wales. *BMJ* 2006; **332 (7556)**: 1509-10.

Tolari F, Chiaro LD, Card R, Mazzei M, Bandecchi P, Banks M. Phylogenetic study of viral isolates of swine and human hepatitis E virus. *Vet Res Commun* 2006; **30 Suppl 1**: 273-6.

Zheng Y, Ge S, Zhang J, Guo Q, Ng MH, Wang F, Xia N, Jiang Q. Swine as a principal reservoir of hepatitis E virus that infects humans in eastern China. *J Infect Dis* 2006; **193(12)**: 1643-9.

Rutjes SA, Lodder-Verschoor F, van der Poel WH, van Duijnhoven YT, Husmani AM. Detection of noroviruses in foods: a study on virus extraction procedures in foods implicated in outbreaks of human gastroenteritis. *J Food Prot* 2006; **69(8)**: 1949-56.

Kramer A, Schwebke I, Kampf G. How long do nosocomial pathogens persist on inanimate surfaces? A systematic review. *BMC Infect Dis* 2006; **6(1)**: 130.